

Matching a nanosecond pulse generator to a corona plasma reactor

Citation for published version (APA):
Huiskamp, T., van Heesch, E. J. M., & Pemen, A. J. M. (2015). Matching a nanosecond pulse generator to a corona plasma reactor. Abstract from 20th IEEE International Pulsed Power Conference, PPC 2015, Austin, Texas, United States.

Document status and date:

Published: 31/05/2015

Document Version:

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

Link to publication

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- · Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
 You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

Download date: 04. Oct. 2023

MATCHING A (SUB) NANOSECOND PULSE SOURCE TO A COAXIAL STREAMER PLASMA REACTOR

T. Huiskamp, E. J. M. van Heesch and A. J. M. Pemen Eindhoven University of Technology, Eindhoven, 5600MB, The Netherlands

Matching a pulse source to a plasma reactor is a fundamental process to investigate in order to fully utilize the potential of pulsed power streamer discharges for air purification applications. This energy matching becomes even more challenging when the applied pulses have a subnanosecond rise time because the transmission-line effects of the plasma reactor become an important factor.

In this contribution we investigate the matching of a subnanosecond rise time, variable pulse duration, high-voltage, nanosecond pulse source¹ to a coaxial streamer plasma reactor. We varied pulse source parameters, plasma reactor parameters and process parameters to identify the best possible matching settings and elaborate on the mechanisms behind the different matching results. Furthermore, we introduce a novel multiple-wire inner conductor for the plasma reactor which results in a very good matching of the pulse source to the plasma reactor.

1. T. Huiskamp, E. J. M. van Heesch and A. J. M. Pemen, "Final Implementation of a Subnanosecond Rise Time, Variable Pulse Duration, Variable Amplitude, Repetitive, High-Voltage Pulse Source", Plasma Science, IEEE Transactions on, vol. 43, no. 1, pp. 444-451, 2015.