

## Correction

**Citation for published version (APA):**

Pena, I. P., Cheplygina, V., Paschaloudi, S., Vuust, M., Carl, J., Weinreich, U. M., Ostergaard, L. R., & de Bruijne, M. (2019). Correction: Automatic emphysema detection using weakly labeled HRCT lung images (PLoS ONE (2018) 13:10 (e0205397) DOI: 10.1371/journal.pone.0220873). *PLoS ONE*, 14(8), Article e0220873. <https://doi.org/10.1371/journal.pone.0220873>

**DOI:**

[10.1371/journal.pone.0220873](https://doi.org/10.1371/journal.pone.0220873)

**Document status and date:**

Published: 01/08/2019

**Document Version:**

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

**Please check the document version of this publication:**

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

**General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

[www.tue.nl/taverne](http://www.tue.nl/taverne)

**Take down policy**

If you believe that this document breaches copyright please contact us at:

[openaccess@tue.nl](mailto:openaccess@tue.nl)

providing details and we will investigate your claim.

## CORRECTION


# Correction: Automatic emphysema detection using weakly labeled HRCT lung images

Isabel Pino Peña, Veronika Cheplygina, Sofia Paschaloudi, Morten Vuust, Jesper Carl, Ulla Møller Weinreich, Lasse Riis Østergaard, Marleen de Bruijne

The last six authors, Sofia Paschaloudi, Morten Vuust, Jesper Carl, Ulla Møller Weinreich, Lasse Riis Østergaard, and Marleen de Bruijne, should not have been attributed equal contribution to this work.

## Reference

1. Pino Peña I, Cheplygina V, Paschaloudi S, Vuust M, Carl J, Weinreich UM, et al. (2018) Automatic emphysema detection using weakly labeled HRCT lung images. PLoS ONE 13(10): e0205397. <https://doi.org/10.1371/journal.pone.0205397> PMID: 30321206



## OPEN ACCESS

**Citation:** Pino Peña I, Cheplygina V, Paschaloudi S, Vuust M, Carl J, Weinreich UM, et al. (2019) Correction: Automatic emphysema detection using weakly labeled HRCT lung images. PLoS ONE 14(8): e0220873. <https://doi.org/10.1371/journal.pone.0220873>

**Published:** August 1, 2019

**Copyright:** © 2019 Pino Peña et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.