

Cortical bone development under the growth plate is regulated by mechanical load transfer

Citation for published version (APA):

Tanck, E., Hannink, G., Ruimerman, R., Buma, P., Burger, E. H., & Huiskes, H. W. J. (2004). Cortical bone development under the growth plate is regulated by mechanical load transfer. In *14th European Society of Biomechanics Conference (ESB 2004) 4-7 July 2004, 's-Hertogenbosch, The Netherlands* European Society of Biomechanics (ESB).

Document status and date:

Published: 01/01/2004

Document Version:

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

CORTICAL BONE DEVELOPMENT UNDER THE GROWTH PLATE IS REGULATED BY MECHANICAL LOAD TRANSFER

Esther Tanck (1), Gerjon Hannink (1), Ronald Ruimerman (2), Pieter Buma (1),
Elisabeth H. Burger (3), Rik Huiskes (2,4)

1. Orthopaedic Research Lab, University Medical Center Nijmegen, The Netherlands
2. Dept Biomed Engr, Eindhoven Univ of Technology, The Netherlands
3. Dept Oral Cell Biology, ACTA-VU, Amsterdam, The Netherlands
4. Dept Orthopaedics, Academic Medical Center Maastricht, The Netherlands

INTRODUCTION

During growth, the cortex below the growth plate emerges from trabeculae, which gradually densify towards the diaphysis. In this study, we hypothesize that the development is governed by mechanical stimuli. We also hypothesize that trabecular and cortical bone share the same regulatory mechanisms for adaptation to mechanical loads.

METHODS

We monitored the 3D development of the tibial cortex in growing pigs from 6, 23 and 230 weeks old, using micro-computer tomography (μ CT, Scanco). Specimens were sawn from the posterior cortex at three levels: just below the growth plate (GP), at metaphyseal level (M), and at diaphyseal level (D). To analyze if regulation mechanisms for trabecular bone adaptation could explain cortical bone development, the tendency of cortical bone development was simulated using our mechanical stimulation theory, which could explain bone modeling and remodeling of trabecular bone (Huiskes, 2000). We assume that local dynamic loading variables (SED-rate) activate osteocytes in the bone matrix to transfer osteoblastic bone-formation stimuli to trabecular surfaces, through the canalicular network. The stimulus received at the surface depends on osteocyte density, mechano-sensitivity and signal decay by distance. Bone is formed at trabecular surfaces, where and while the stimulus exceeds a threshold value. Osteoclasts are assumed to resorb bone that is (micro)damaged, the sites of which are determined at random per iteration. Coupling between osteoclastic and osteoblastic activities in remodeling is governed by stress concentrations around resorption cavities. This scheme was implemented in a 3D Finite Element Analysis for a section of cortical bone. This was loaded in longitudinal direction with a distributed load that increased from 0 MPa endosteally to 80 MPa periosteally.

RESULTS

At 6 weeks, at GP level, the cortex consisted of trabecular bone (fig 1A). At M level, a cortex was present, but could hardly be separated from trabecular bone (fig 1B). At D level, a cortex was clearly present (fig 1C); the endosteal surface was irregular due to trabeculae merging into the cortex. At 23 weeks, at GP level, the situation was similar to 6 weeks. At M and D levels, the endosteal surface had smoothed. At 230 weeks, a porous cortex was present at GP level, in which trabeculae merged. The inner and

outer cortical surfaces at M and D levels were smooth. The computer simulation model showed the tendency of cortical bone development (fig 1D-F). At increment (inc) 10, the initial homogeneous distribution of bone had developed into trabecular bone, a situation comparable with 6 and 23 weeks at GP level. At inc 40, the structure corresponded with 6 weeks at M level, and at inc 80, the structure corresponded with 6 weeks at D level and with 230 weeks at GP level.




Figure 1: Results of μ CT (A-C) and computer simulations (D-F) of cortical bone development.

DISCUSSION

The cortical structure changed significantly during growth. From the growth plate towards the diaphysis, the pores of the trabecular structure gradually filled in. Hence, cortex emerged from trabecular bone, suggesting that the regulation mechanisms of trabecular and cortical bone are similar. This was confirmed by the results of the computer simulation model, largely predicting this morphological development, using the same bone regulation theory that worked for trabecular bone (Huiskes, 2000). We conclude that merging of metaphyseal trabeculae under the growth plate into cortex is likely to be governed by mechanical stimuli. Further, diaphyseal cortex development of growing long bones can be explained as a form of trabecular bone adaptation, without need of different regulation mechanisms for cortical and trabecular bone.

REFERENCES

Huiskes *et al*, Nature 405:704-706, 2000.