

Bisimulation minimisations for Boolean equation systems

Citation for published version (APA):

Keiren, J., & Willemse, T. A. C. (2009). *Bisimulation minimisations for Boolean equation systems*. (Computer science reports; Vol. 0917). Technische Universiteit Eindhoven.

Document status and date:

Published: 01/01/2009

Document Version:

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

Bisimulation Minimisations for Boolean Equation Systems

Jeroen Keiren and Tim A.C. Willemse

Department of Mathematics and Computer Science,
Technische Universiteit Eindhoven,
P.O. Box 513, 5600 MB Eindhoven, The Netherlands

Abstract. *Boolean equation systems (BESs)* have been used to encode several complex verification problems, including model checking and equivalence checking. We introduce the concepts of *strong bisimulation* and *idempotence-identifying bisimulation* for BESs, and we prove that these can be used for minimising BESs prior to solving these. Our results show that large reductions of the BESs may be obtained efficiently. Minimisation is rewarding for BESs with non-trivial alternations: the time required for solving the original BES mostly exceeds the time required for quotienting plus the time for solving the quotient. Furthermore, we provide a verification example that demonstrates that bisimulation minimisation of a process prior to encoding the verification problem on that process as a BES can be arbitrarily less effective than minimising the BES that encodes the verification problem.

1 Introduction

Model checking suffers from the state space explosion problem. Minimising the state space prior to model checking is a well-known strategy for combating this explosion problem, but it is not always obvious that it actually pays to do so in practice. Based on complexity arguments, one can expect that bisimulation minimisation speeds-up model checking for the modal μ -calculus, as in general, the latter requires time exponential in the alternation depth with the size of the state space as root of the exponent (note that some fragments of the μ -calculus can be decided in polynomial time).

The weakest minimisation that is uniformly permitted in the setting of μ -calculus model checking is a minimisation with respect to strong bisimulation, as the logic can distinguish states up-to bisimilarity. On a case-by-case basis, one can, of course, employ weaker process equivalence relations such as trace equivalence, but judging whether this is the case can require a deep understanding of the system, the formula and process theory. In any case, among all process equivalence relations, bisimulation has the most appealing theoretical time complexity ($\mathcal{O}(m \log n)$ with m the size of the transition relation and n the number of states); in practice, it is rivalled only by some weaker bisimulation relations such as branching bisimulation, with time complexity $\mathcal{O}(mn)$.

The downside of using strong bisimulation for minimising a state space prior to verification is that the minimising capabilities of strong bisimulations are often disappointing. One can improve on this by applying abstractions to the state space prior to applying a bisimulation minimisation, but this suffers from the problems that it (1) requires human intellect, and (2) requires different abstractions each time new properties are verified.

We tackle problems 1 and 2 by employing an intermediate framework, *viz.*, *Boolean equation systems (BESs)*. This framework allows one to encode a variety of verification problems, including the modal μ -calculus model checking problem (see, *e.g.*, [10]). Note that the encoded verification problem can subsequently be answered by computing the solution to the resulting equation system. Solving Boolean equation systems again requires time exponential in the alternation depth of the equation system, with the size of the equation system as root of this exponent (the size of the equation system is polynomial in the size of the state space); efficient algorithms for solving equation systems are based on algorithms for solving *Parity Games*, a framework closely related to BESs.

Instead of performing minimisation of the state space before encoding the verification problem as a Boolean equation system, we apply minimisation techniques on the equation system itself. For these minimisation techniques, we take inspiration from the notion of bisimulation for state spaces. More concretely, we define two notions of bisimulation for Boolean equation systems, *viz.*, *strong bisimulation* and *idempotence-identifying bisimulation*; the latter is tailored specifically to Boolean equation systems and, as far as we are aware, appears to have no natural counterpart in other settings. We show that both notions are equivalence relations and can be used for quotienting; both are computable in time $\mathcal{O}(m \log n)$, with m the size of all right-hand sides of the equations and n the number of equations. Moreover, we prove that strong bisimulation is strictly finer than idempotence-identifying bisimulation, which again is strictly finer than solution equivalence (the latter basically is an equivalence relation based on the local solution of Boolean equation systems, which is typically sufficient for verification). We illustrate that state space minimisation prior to encoding a model checking problem into a Boolean equation system can be arbitrarily less effective than minimising the Boolean equation system that is the result of the encoding.

The advantage of minimisation within the framework of Boolean equation systems is that it does not require human intellect for applying abstractions in order to work. This is because abstraction is taken care of by the encoding to Boolean equation systems. As both bisimulation minimisations respect the solution equivalence, applying minimisations to the Boolean equation system cannot adversely affect the validity of the verification effort, so the approach is fail-safe.




Fig. 1. Verification approach using parameterised Boolean equation systems.

Our bisimulation minimisation techniques provide essential contributions to the framework of *parameterised Boolean equation systems (PBESs)* [6]. The latter are basically high-level, symbolic descriptions of Boolean equation systems, which are obtained automatically through encodings of (a variety of) verification problems using symbolic system descriptions as input, see Fig. 1. Various solution strategies for PBESs have been described, among which one finds reductions of PBESs to BESs (see *e.g.* [11], indicated by the arrow linking PBES and BES in Fig. 1). Efficiently minimising the size of the resulting BESs, prior to solving them, is desirable. Observe that the PBES approach to verification avoids generating state spaces altogether; consequently, state space minimisation is not an option in the first place.

We demonstrate the practical value of our approach using a series of experiments that are set in the PBES framework. We rely on state-of-the-art algorithms for solving BESs. The results of these experiments show that indeed, the minimisation of the Boolean equation systems prior to solving is highly rewarding in general: the time required for minimisation is mostly significantly smaller than the time required for solving the unreduced system. The experiments show that in most cases, strong bisimulation and idempotence-identifying bisimulation do not yield significant differences in minimisation capabilities, but, given the more pleasing characteristics of idempotence-identifying bisimulation, the latter is favoured.

Related work. The use of minimisation techniques in combination with verification has been studied in various settings, with mixed results. For LTL verification, Fisler and Vardi [3] show that the total time spent on minimising and verifying exceeds the verification time of the original state space. This can be explained in part, because of the on-the-fly nature of LTL model checking, which does not always require a full construction of a state space. In contrast, in a probabilistic setting,

Katoen *et al.* [8] demonstrate that, like in our setting, minimisation mostly pays. Minimisation techniques for Boolean equation systems have received little, if any, attention. In the setting of Parity Games, one finds at least the notion of strong bisimulation and several weaker simulation variants, see [5], but no comparable notion such as idempotence-identifying bisimulation. To the best of our knowledge, in the latter setting, no practical experiments have been conducted using such equivalence relations.

Structure. Section 2 introduces the framework of equation systems, and in Section 3, we define the notions of strong bisimulation and idempotence-identifying bisimulation. In Section 4, we describe experiments conducted using our minimisation methods. The contributions of this paper, and future work are summarised in Section 5.

2 Preliminaries

Boolean equation systems are basically finite sequences of least and greatest fixed point equations, where each right-hand side of an equation is a proposition in positive form. For an excellent treatment of the associated theory, we refer to [10]; in the remainder of this section, we focus on the theory required for understanding the results obtained in this paper.

2.1 Boolean Equation Systems: Syntax and Semantics

Definition 1. A Boolean equation system (BES) \mathcal{E} is defined by the following grammar:

$$\begin{aligned} \mathcal{E} &::= \epsilon \mid (\sigma X = f) \mathcal{E} \\ f, g &::= c \mid X \mid f \vee g \mid f \wedge g \end{aligned}$$

where ϵ is the empty BES, $\sigma \in \{\mu, \nu\}$ is a fixed point symbol, X is a proposition variable taken from some set \mathcal{X} , f and g are proposition formulae and $c \in \{\text{true}, \text{false}\}$.

For any equation system \mathcal{E} , the set of *bound proposition variables*, $\text{bnd}(\mathcal{E})$, is the set of variables occurring at the left-hand side of some equation in \mathcal{E} . The set of *occurring proposition variables*, $\text{occ}(\mathcal{E})$, is the set of variables occurring at the right-hand side of some equation in \mathcal{E} ; for a specific equation we write $\text{rhs}(X)$ to indicate the set of proposition variables occurring in X 's equation.

$$\begin{aligned} \text{bnd}(\epsilon) &\triangleq \emptyset & \text{bnd}((\sigma X = f) \mathcal{E}) &\triangleq \text{bnd}(\mathcal{E}) \cup \{X\} \\ \text{occ}(\epsilon) &\triangleq \emptyset & \text{occ}((\sigma X = f) \mathcal{E}) &\triangleq \text{occ}(\mathcal{E}) \cup \text{occ}(f) \end{aligned}$$

where $\text{occ}(f)$ is defined inductively as follows:

$$\begin{aligned} \text{occ}(c) &\triangleq \emptyset & \text{occ}(X) &\triangleq \{X\} \\ \text{occ}(f \vee g) &\triangleq \text{occ}(f) \cup \text{occ}(g) & \text{occ}(f \wedge g) &\triangleq \text{occ}(f) \cup \text{occ}(g) \end{aligned}$$

For an equation $\sigma X = f$, we set $\text{rhs}(X) \triangleq \text{occ}(f)$. As usual, for reasons of consistency, we consider only equation systems \mathcal{E} in which every proposition variable occurs at the left-hand side of at most one equation of \mathcal{E} . We define an ordering \preceq on bound variables of an equation system \mathcal{E} , where $X \preceq X'$ indicates that the equation for X precedes the equation for X' . We say an \mathcal{E} is *closed* whenever $\text{occ}(\mathcal{E}) \subseteq \text{bnd}(\mathcal{E})$.

Proposition formulae are interpreted in a context of an *environment* $\eta: \mathcal{X} \rightarrow \mathbb{B}$. For an arbitrary environment η , we write $\eta[X := b]$ for the environment η in which the proposition variable X has Boolean value b (note that, for brevity, we do not formally distinguish between a semantic Boolean value and its representation by `true` and `false`; likewise, for the operands \wedge and \vee).

Definition 2. Let $\eta: \mathcal{X} \rightarrow \mathbb{B}$ be an environment. The interpretation $\llbracket f \rrbracket \eta$ maps a proposition formula f to true or false:

$$\begin{aligned} \llbracket c \rrbracket \eta &\triangleq c & \llbracket X \rrbracket \eta &\triangleq \eta(X) \\ \llbracket f \vee g \rrbracket \eta &\triangleq \llbracket f \rrbracket \eta \vee \llbracket g \rrbracket \eta & \llbracket f \wedge g \rrbracket \eta &\triangleq \llbracket f \rrbracket \eta \wedge \llbracket g \rrbracket \eta \end{aligned}$$

The solution of a BES, given an environment η , is inductively defined as follows:

$$\begin{aligned} \llbracket \epsilon \rrbracket \eta &\triangleq \eta \\ \llbracket (\sigma X = f) \mathcal{E} \rrbracket \eta &\triangleq \begin{cases} \llbracket \mathcal{E} \rrbracket (\eta[X := \llbracket f \rrbracket (\llbracket \mathcal{E} \rrbracket \eta[X := \text{false}])]) & \text{if } \sigma = \mu \\ \llbracket \mathcal{E} \rrbracket (\eta[X := \llbracket f \rrbracket (\llbracket \mathcal{E} \rrbracket \eta[X := \text{true}])]) & \text{if } \sigma = \nu \end{cases} \end{aligned}$$

We refer to computing $\llbracket \mathcal{E} \rrbracket \eta$ as *solving* \mathcal{E} . Closed equation systems enjoy the property that the solution to the equation system is independent of the environment in which it is defined, *i.e.*, for all environments η, η' , we have $\llbracket \mathcal{E} \rrbracket \eta(X) = \llbracket \mathcal{E} \rrbracket \eta'(X)$ for all $X \in \text{bnd}(\mathcal{E})$. For this reason, we henceforth omit the environment in our considerations and we write $\llbracket \mathcal{E} \rrbracket$, and $\llbracket \mathcal{E} \rrbracket(X)$ instead.

The disjunction and conjunctions in a proposition formula satisfy the standard rules of logic. For instance, both are semantically idempotent, commutative and associative.

Definition 3. Let \mathcal{E} be an equation system. We say that \mathcal{E} is in standard recursive form (SRF) if the right-hand sides f of every one of its equations can be written using the following grammar:

$$f ::= X \mid \bigvee F \mid \bigwedge F, \quad \text{where } F \subseteq \mathcal{X}, \text{ with } |F| > 0.$$

where the interpretation is given by the following rules:

$$\llbracket X \rrbracket \eta \triangleq \eta(X) \quad \llbracket \bigvee F \rrbracket \triangleq \bigvee \{\eta(X) \mid X \in F\} \quad \llbracket \bigwedge F \rrbracket \triangleq \bigwedge \{\eta(X) \mid X \in F\}$$

We introduce the following terminology.

- The function $\text{op}(X)$ for a given equation $(\sigma X = f)$ in SRF, returns whether f is conjunctive (\wedge), disjunctive (\vee) or neither (\perp).
- An equation system in SRF is disjunctive if it does not contain any conjunctions
- An equation system in SRF is conjunctive if it does not contain any disjunctions.

Let \mathcal{B} denote the set of all closed equation systems in SRF, and \mathcal{B}_\wedge and \mathcal{B}_\vee denote the conjunctive and disjunctive subsets, respectively. Observe that $\mathcal{B} \neq \mathcal{B}_\vee \cup \mathcal{B}_\wedge$. In this paper, we are only concerned with equation systems in \mathcal{B} .

Remark 1. Every closed equation system \mathcal{E} can be rewritten to an equation system $\tilde{\mathcal{E}} \in \mathcal{B}$ such that $\llbracket \mathcal{E} \rrbracket \eta(X) = \llbracket \tilde{\mathcal{E}} \rrbracket \eta(X)$ for all $X \in \text{bnd}(\mathcal{E})$, *i.e.*, the transformation to SRF preserves the solution of bound variables. This transformation leads to a polynomial blow-up of the original equation system. In [13], the theory outlined in this paper is generalised to arbitrary closed equation systems. An important observation there is that restricting to equation systems in SRF is only beneficial to the minimisations studied in this paper.

We write $\mathcal{E} \leq \mathcal{E}'$ iff \mathcal{E} can be derived from \mathcal{E}' by strengthening each right-hand side of \mathcal{E}' . Let \sqsubseteq be an ordering on environments, defined by $\eta \sqsubseteq \eta'$ iff for all X , $\eta(X)$ implies $\eta'(X)$; $\mathcal{E} \leq \mathcal{E}'$ implies $\llbracket \mathcal{E} \rrbracket \sqsubseteq \llbracket \mathcal{E}' \rrbracket$. Mader proves a powerful property for equation systems in \mathcal{B} (see Proposition 3.36 of [10]), which we paraphrase below:

Lemma 1. Let $\mathcal{E} \in \mathcal{B}$. There are equation systems $\mathcal{E}_\wedge \in \mathcal{B}_\wedge$ and $\mathcal{E}_\vee \in \mathcal{B}_\vee$, such that $\mathcal{E}_\wedge \leq \mathcal{E}$ and $\mathcal{E} \leq \mathcal{E}_\vee$ and $\llbracket \mathcal{E} \rrbracket = \llbracket \mathcal{E}_\wedge \rrbracket = \llbracket \mathcal{E}_\vee \rrbracket$. \square

2.2 Dependency Graphs

The *alternation hierarchy* of an equation system, and the derived notion of the *rank* of an equation, can be thought of as the number of syntactic alternations of fixed point signs occurring in the equation system. Note that the alternation hierarchy is not the same as the *alternation depth*: the latter is a measure for the complexity of an equation system, measuring the degree of mutual alternating dependencies, and can be smaller than the alternation hierarchy; it is, however, harder to define and compute.

Definition 4. Let \mathcal{E} be an arbitrary equation system. The rank of some $X \in \mathbf{bnd}(\mathcal{E})$, denoted $\mathbf{rank}(X)$, is defined as $\mathbf{rank}(X) = \mathbf{rank}_{\nu, X}(\mathcal{E})$, where $\mathbf{rank}_{\nu, X}(\mathcal{E})$ is defined inductively as follows:

$$\begin{aligned} \mathbf{rank}_{\sigma, X}(\epsilon) &= 0 \\ \mathbf{rank}_{\sigma, X}((\sigma'Y = f)\mathcal{E}) &= \begin{cases} 0 & \text{if } \sigma = \sigma' \text{ and } X = Y \\ \mathbf{rank}_{\sigma, X}(\mathcal{E}) & \text{if } \sigma = \sigma' \text{ and } X \neq Y \\ 1 + \mathbf{rank}_{\sigma', X}((\sigma'Y = f)\mathcal{E}) & \text{if } \sigma \neq \sigma' \end{cases} \end{aligned}$$

The alternation hierarchy $\mathbf{ah}(\mathcal{E})$ is the difference between the maximum and the minimum of the ranks of the equations of \mathcal{E} . Observe that $\mathbf{rank}(X)$ is odd iff X is defined in a least fixed-point equation.

A derived notion of an equation system $\mathcal{E} \in \mathcal{B}$ is its *dependency graph* $\mathcal{G}_{\mathcal{E}}$, which is defined as a structure $\langle V, \rightarrow, r, l \rangle$, where:

- $V = \mathbf{bnd}(\mathcal{E})$ is the set of states;
- $\rightarrow \subseteq V \times V$ is the transition relation, defined as $X \rightarrow Y$ iff $Y \in \mathbf{rhs}(X)$;
- $r: V \rightarrow \mathbb{N}$ is the rank function, defined as $r(X) = \mathbf{rank}(X)$;
- $l: V \rightarrow \{\wedge, \vee, \perp\}$ is the logic function, defined as $l(X) = \mathbf{op}(X)$.

An alternative characterisation of the solution of a particular proposition variable X in an equation system $\mathcal{E} \in \mathcal{B}_{\vee} \cup \mathcal{B}_{\wedge}$ is obtained through the use of the dependency graph $\mathcal{G}_{\mathcal{E}}$. We first define the notion of a ν -dominated lasso.

Definition 5. Let $\mathcal{E} \in \mathcal{B}$ and let $\mathcal{G}_{\mathcal{E}}$ be its dependency graph. A lasso through $\mathcal{G}_{\mathcal{E}}$, starting in a node X , is a finite path $\langle X_0, X_1, \dots, X_n \rangle$, satisfying $X_0 = X$, $X_n = X_j$ for some $j \leq n$, and for each $1 \leq i \leq n$, $X_{i-1} \rightarrow X_i$. A lasso is said to be ν -dominated if $\min\{r(X_i) \mid j \leq i \leq n\}$ is even; otherwise, it is μ -dominated.

The following lemma is loosely based on lemmata taken from Keinänen (see lemmata 40 and 41 in [9]).

Lemma 2. Let $\mathcal{E} \in \mathcal{B}$ and let $\mathcal{G}_{\mathcal{E}}$ be its dependency graph. Let $X \in \mathbf{bnd}(\mathcal{E})$. Then:

1. $\mathcal{E} \in \mathcal{B}_{\vee}$ implies $\llbracket \mathcal{E} \rrbracket(X) = \mathbf{true}$ iff some lasso starting in X in $\mathcal{G}_{\mathcal{E}}$ is ν -dominated;
2. $\mathcal{E} \in \mathcal{B}_{\wedge}$ implies $\llbracket \mathcal{E} \rrbracket(X) = \mathbf{true}$ iff all lassoes starting in X in $\mathcal{G}_{\mathcal{E}}$ are ν -dominated;

Proof. We only consider the first statement; the proof of the second statement is analogous. Observe that when the proposition variable on the cycle of the lasso has an even lowest rank, it is a greatest fixed-point equation $\nu X' = f$, with $X' \triangleleft Y$ for all other equations $\sigma Y = g$ that are on the cycle. This follows from the fact that these have higher ranks. *Gauß elimination* [10] allows one to substitute g for Y in the equation for X' , yielding $\nu X' = f[Y := g]$. Since, ultimately, X' depends on X' again, this effectively enables one to rewrite $\nu X' = f$ to $\nu X' = f' \vee X'$. The solution to $\nu X' = f' \vee X'$ is easily seen to be $X' = \mathbf{true}$. Since all equations on the lasso are disjunctive, this solution ultimately propagates through the entire lasso, leading to $X = \mathbf{true}$.

Conversely, observe that due to Lemma 1, there is an equation system \mathcal{E}' consisting entirely of equations of the form $\sigma X' = X''$, with the additional property that $\llbracket \mathcal{E} \rrbracket = \llbracket \mathcal{E}' \rrbracket$. In \mathcal{E}' , the answer to X can only be \mathbf{true} if it depends at some point on some $\nu X' = X''$, where ultimately, X'' again depends on X' , leading to a cycle in the dependency graph with even lowest rank. \square

3 Equivalences

The alternation hierarchy, the number of equations and the complexity of the right-hand sides of these equations account for the computational complexity of the solution for an equation system. Efficient techniques for reducing one or more of these is of the utmost importance. An important step in this direction is to consider equivalence relations for equation systems. An obvious equivalence relation on equation systems is based on the concept of solution for an equation system.

Definition 6. Let $\mathcal{E}, \mathcal{E}' \in \mathcal{B}$. We say equations for X and Y are solution equivalent, denoted $X \equiv Y$, if $\llbracket \mathcal{E} \rrbracket(X) = \llbracket \mathcal{E}' \rrbracket(Y)$; we say \mathcal{E} and \mathcal{E}' are solution equivalent, denoted $\mathcal{E} \equiv \mathcal{E}'$, if their first equations are solution equivalent.

In a possible lattice of equivalence relations on equation systems, \equiv is the coarsest equivalence relation of interest. Deciding \equiv is in $\text{NP} \cap \text{co-NP}$. Let \mathcal{E} be an equation system. We abbreviate $\text{ah}(\mathcal{E})$ by d , the number of equations in \mathcal{E} by n , the cumulative size of the right-hand sides in \mathcal{E} by m and the size of \mathcal{E} is $m + n$. Algorithms for computing the solution (and thereby deciding \equiv) are, e.g., *Small Progress Measures* [7] which runs in $\mathcal{O}(dm(\frac{m}{d})^{\lceil d/2 \rceil})$, *bigstep* [15] which runs in $\mathcal{O}(mn^{\frac{1}{2}d})$, and *Gauß Elimination* [10] which runs in $\mathcal{O}(2^{m+n})$.

In the remainder of this section, we define and study two finer equivalences, viz., *strong bisimilarity* and *idempotence-identifying bisimilarity*, the latter being a subtle adaptation of bisimilarity for equation systems which has, to the best of our knowledge, no natural counterpart in other domains.

3.1 Strong Bisimilarity

Strong bisimilarity (hereafter referred to as *bisimilarity*) for equation systems is inspired by the corresponding notion in domains such as *process theory* and *modal logic*. While bisimilarity has never been defined for equation systems, it is somehow known in the related framework of *Parity Games*, see [2].

Definition 7. Let $\mathcal{E}, \mathcal{E}' \in \mathcal{B}$. A relation $R \subseteq \text{bnd}(\mathcal{E}) \times \text{bnd}(\mathcal{E}')$ is said to be a bisimulation if, whenever $X R Y$, then:

- $\text{rank}(X) = \text{rank}(Y)$;
- $\text{op}(X) = \text{op}(Y)$;
- for all $U \in \text{occ}(X)$, there is a $V \in \text{occ}(Y)$, such that $U R V$;
- for all $V \in \text{occ}(Y)$, there is a $U \in \text{occ}(X)$, such that $U R V$;

We say equations for X and Y are bisimilar, denoted $X \sim Y$, if there exists a bisimulation relation R such that $X R Y$; we say \mathcal{E} and \mathcal{E}' are bisimilar, denoted $\mathcal{E} \sim \mathcal{E}'$, if their first equations are bisimilar.

Proposition 1. *Bisimilarity is an equivalence relation over \mathcal{B} .*

Proof. Reflexivity and symmetry follow immediately. For transitivity, we observe that if $X \sim Y$ (due to some R with $X R Y$) and $Y \sim Z$ (due to some S with $Y S Z$), then $X \sim Z$ is due to $X S \circ R Y$, which is a bisimulation relation. \square

Let $\text{rhs}(X)_{/R} = \{[X']_{/R} \mid X' \in \text{rhs}(X)\}$ denote the set of classes $[X']_{/R}$ in the right hand side of X with respect to a relation R . Note that bisimilarity \sim is the union of all bisimulation relations, and, as such, is again a bisimulation relation. Bisimilarity can be used to minimise an equation system via *quotienting*. This is achieved by constructing an equation for each equivalence class, using both the rank and the logical operand of the equivalence class as building blocks. Observe that each pair of bisimilar equations $\sigma X = f$ and $\sigma' X' = f'$ satisfies $\text{rank}(X) = \text{rank}(X')$ and $\text{op}(f) = \text{op}(f')$.

Definition 8. Let $\mathcal{E} \in \mathcal{B}$. The quotient of \mathcal{E} , denoted $\mathcal{E}_{/\sim}$ is an equation system consisting of equations $\sigma_i C_i = f_i$, for $i \in [1..n]$, where:

- $C_i \in \text{bnd}(\mathcal{E})_{/\sim}$, i.e., each $C_i \subseteq \text{bnd}(\mathcal{E})$ is exactly one equivalence class of \mathcal{E} ;
- Let $X \in C_i$ and set $F \triangleq \text{rhs}(X)_{/\sim}$. In case $\text{op}(X) = \wedge$, set $f_i \triangleq \wedge F$. Likewise if $\text{op}(X) = \vee$, set $f_i \triangleq \vee F$. Set $f_i \triangleq C_j$ if $F = \{C_j\}$ and $\text{op}(X) = \perp$;
- Order equations such that $C_i \trianglelefteq C_j$ iff there is some $X \in C_i$ such that for all $X' \in C_j$, $\text{rank}(X) \leq \text{rank}(X')$ and $X \trianglelefteq X'$ in \mathcal{E} .

The above construction satisfies that $\mathcal{E} \sim \mathcal{E}_{/\sim}$ for arbitrary $\mathcal{E} \in \mathcal{B}$. The following lemma states that quotienting preserves solution equivalence. This guarantees that bisimulation minimisation can be used for solving equation systems.

Lemma 3. *Let $\mathcal{E}, \mathcal{E}' \in \mathcal{B}$. Then $\mathcal{E}' \sim \mathcal{E}_{/\sim}$ implies $\mathcal{E}' \equiv \mathcal{E}_{/\sim}$.*

Proof. We actually prove a stronger property: each pair of bisimilar equations has the same solution. In particular, this implies that the first equations of \mathcal{E}' and $\mathcal{E}_{/\sim}$ have the same solution. Assume $\mathcal{E}' \sim \mathcal{E}_{/\sim}$. Suppose $\llbracket \mathcal{E}_{/\sim} \rrbracket(C) = \text{true}$ for some C . Let $X \in \text{bnd}(\mathcal{E}')$ be such that $X \sim C$; we show that then also $\llbracket \mathcal{E}' \rrbracket(X) = \text{true}$.

By Lemma 1, we know that there is an equation system $\mathcal{F} \in \mathcal{B}_\wedge$ such that $\llbracket \mathcal{F} \rrbracket = \llbracket \mathcal{E}_{/\sim} \rrbracket$. We construct an equation system \mathcal{E}'_\wedge from \mathcal{E}' by replacing each disjunctive equation $\sigma X' = \vee F$ with $\sigma X' = X''$, iff there is some equation $\sigma C' = C''$ in \mathcal{F} originating from $\sigma C' = \vee F'$ in $\mathcal{E}_{/\sim}$ satisfying (in $\mathcal{E}_{/\sim}$) $X' \sim C'$ and $X'' \sim C''$. Observe that $\mathcal{E}'_\wedge \in \mathcal{B}_\wedge$ and $\mathcal{E}'_\wedge \sim \mathcal{F}$.

Next, we show that all paths in \mathcal{E}'_\wedge and \mathcal{F} coincide. Assume R is a bisimulation relation witnessing $\mathcal{E}'_\wedge \sim \mathcal{F}$, and $X \sim C$ in particular. Every path in C has a matching path in X . Let $\pi = \langle C_0, C_1, \dots \rangle$ be a path starting in $C_0 = C$. We construct a path $\pi' = \langle X_0, X_1, \dots \rangle$ starting in $X_0 = X$ per induction. Clearly, we have $X_0 R C_0$. Assume $X_i R C_i$ for some i . Because $C_{i+1} \in \text{rhs}(C_i)$, there must be some $X' \in \text{rhs}(X_i)$ such that $X' R C_{i+1}$. Choose such an X' , and set $X_{i+1} := X'$. Similarly, every path starting in X can be matched by some path starting in C .


By Lemma 2, the fact that $\mathcal{F} \in \mathcal{B}_\wedge$ and $\llbracket \mathcal{F} \rrbracket(C) = \text{true}$, we find that all lassoes starting in C are ν -dominated. Hence, also all lassoes in \mathcal{E}'_\wedge , starting in X are ν -dominated. Since $\mathcal{E}'_\wedge \leq \mathcal{E}$ implies $\llbracket \mathcal{E}'_\wedge \rrbracket \subseteq \llbracket \mathcal{E}' \rrbracket$, also $\llbracket \mathcal{E}' \rrbracket(X) = \text{true}$.

The case where $\llbracket \mathcal{E}_{/\sim} \rrbracket(C) = \text{false}$ follows the same line of reasoning, constructing an equation system \mathcal{E}'_\vee from \mathcal{E}' based on some $\mathcal{F} \in \mathcal{B}_\vee$ with $\llbracket \mathcal{F} \rrbracket = \llbracket \mathcal{E}_{/\sim} \rrbracket$. \square

Theorem 1. *The relation \sim is strictly finer than \equiv .*


Proof. The fact that \sim is finer than \equiv follows from $\mathcal{F} \sim \mathcal{F}_{/\sim}$ for all \mathcal{F} , the fact that \sim and \equiv are equivalence relations and Lemma 3. Strictness follows from the fact that $(\nu X = Y) (\mu Y = X) \equiv (\nu X' = Y') (\nu Y' = X')$, but not $(\nu X = Y) (\mu Y = X) \sim (\nu X' = Y') (\nu Y' = X')$. \square

Example 1. Consider the Labelled Transition System given below:




The equation system encoding $s_0 \models \nu X.[a]\mu Y.(b)(Y \vee X)$ is as follows (see, e.g., [10] for an explanation of the syntax and semantics of the μ -calculus, and the encoding of the model checking problem into BES), with its dependency graph depicted below.

$$\begin{aligned}
&(\nu X_{s_0} = Y_{s_1} \wedge Y_{s_2}) \quad (\nu X_{s_3} = Y_{s_4} \wedge Y_{s_5}) \quad (\nu X_{s_6} = Y_{s_4} \wedge Y_{s_5}) \\
&(\mu Y_{s_1} = Y_{s_3} \vee X_{s_3}) \quad (\mu Y_{s_2} = Y_{s_3} \vee X_{s_3}) \quad (\mu Y_{s_3} = Y_{s_3}) \\
&(\mu Y_{s_4} = Y_{s_6} \vee X_{s_6}) \quad (\mu Y_{s_5} = Y_{s_6} \vee X_{s_6}) \quad (\mu Y_{s_6} = Y_{s_6})
\end{aligned}$$



Minimising the equation system module strong bisimulation leads to the following equation system, with the associated dependency graph depicted below.

$$(\nu X_{s_0} = Y_{s_1} \wedge Y_{s_1}) \ (\mu Y_{s_1} = X_{s_0} \vee Y_{s_3}) \ (\mu Y_{s_3} = Y_{s_3})$$



Compared to the original equation system, the minimised equation system is roughly 65% smaller. Observe that in both the original equation system and the reduced equation system, the solution to X_{s_0} is the same, which follows from the fact that both are bisimilar. \square

3.2 Idempotence-identifying Bisimulation

The definition of a quotient for bisimilarity is rather awkward, as equations of the form $\sigma X = X' \wedge X''$, or $\sigma X = X' \vee X''$, with $X' \sim X''$ cannot be minimised further to $\sigma X = X'$ (see also the example in the previous section); doing so nevertheless would change the operand of the equation, leading to a violation of $\mathcal{E} \sim \mathcal{E}/\sim$.

From a logical viewpoint, it does not make sense to discriminate between these equations. We observe that a logical operand of an equation is only of importance when it is applied to proposition variables from distinguishable classes; in any other case, the bisimulation relation should be oblivious to the logical operands. These considerations lead us to consider a weaker definition of bisimilarity, called *idempotence-identifying bisimilarity*, which appears to be more natural in the setting of equation systems.

Definition 9. Let $\mathcal{E}, \mathcal{E}' \in \mathcal{B}$. A relation $R \subseteq \text{bnd}(\mathcal{E}) \times \text{bnd}(\mathcal{E}')$ is said to be an idempotence-identifying bisimulation if, whenever $X R Y$, then:

- $\text{rank}(X) = \text{rank}(Y)$;
- if $\text{op}(X) \neq \text{op}(Y)$ then for all $U \in \text{occ}(X)$ and $V \in \text{occ}(Y)$: $U R V$;
- for each $U \in \text{occ}(X)$ there is a $V \in \text{occ}(Y)$ such that $U R V$;
- for each $V \in \text{occ}(Y)$ there is a $U \in \text{occ}(X)$ such that $U R V$.

We say equations for X and Y are idempotence-identifying bisimilar, denoted $X \sim_{ii} Y$, if there is an idempotence-identifying bisimulation relation R such that $X R Y$; we say \mathcal{E} and \mathcal{E}' are idempotence-identifying bisimilar, denoted $\mathcal{E} \sim_{ii} \mathcal{E}'$, if their first equations are idempotence-identifying bisimilar.

Property 1. Let R, S be two idempotence-identifying bisimulation relations over some set of proposition variables \mathcal{X} . The union $R \cup S$ is again an idempotence-identifying bisimulation relation.

This property ensures the existence of a *maximal* idempotence-identifying bisimulation relation, which is the union of all possible idempotence-identifying bisimulation relations.

We next show that idempotence-identifying bisimilarity enjoys the property that it is an equivalence relation (Proposition 2) which is in between bisimilarity and solution equivalence (Theorem 2), and has a natural quotienting operation.

Proposition 2. *Idempotence-identifying bisimilarity is an equivalence relation over \mathcal{B} .*

Proof. Reflexivity and symmetry follow immediately. We therefore focus on transitivity. Assume that $X \sim_{ii} Y$ and $Y \sim_{ii} Z$ for some X, Y and Z . This means that there are idempotence-identifying bisimulation relations R and S such that $X R Y$ and $Y S Z$. Assume that R and S are such. Without loss of generality, assume that these relations are maximal. Then, (i) $X S \circ R Z$, which follows by definition of $S \circ R$ (*viz.*, applying relation S after R), and, (ii) $S \circ R$ is a idempotence-identifying bisimulation relation.

Assume that $U S \circ R W$ for some U, W . Note that this means there has to be some V , such that $U R V$ and $V S W$. We show that $S \circ R$ satisfies the idempotence-identifying bisimulation conditions.

- *ad* $\text{rank}(U) = \text{rank}(W)$. Observe that we have $U R V$ and $V S W$. From this, both $\text{rank}(U) = \text{rank}(V)$ and $\text{rank}(V) = \text{rank}(W)$ follow, proving $\text{rank}(U) = \text{rank}(W)$;
- *ad* $\text{op}(U) \neq \text{op}(W)$ implies for all $U' \in \text{occ}(U)$ and $W' \in \text{occ}(W)$, we have $U' S \circ R W'$. Assume that $\text{op}(U) \neq \text{op}(W)$. Towards a contradiction, assume that the right-hand side of U consists of more than a single class, *i.e.*, $|\text{rhs}(U)_{/R}| > 1$. Due to maximality of R , also $|\text{rhs}(V)_{/R}| > 1$. Due to maximality of S , $|\text{rhs}(V)_{/S}| > 1$. Likewise, we derive that $|\text{rhs}(W)_{/S}| > 1$. From $|\text{rhs}(V)_{/R}| > 1$ and the fact that R is an idempotence-identifying bisimulation relation, the second requirement of idempotence-identifying bisimulation necessarily requires $\text{op}(U) = \text{op}(V)$; likewise $\text{op}(V) = \text{op}(W)$. But this contradicts our assumption that $\text{op}(U) \neq \text{op}(W)$. Hence, necessarily $|\text{rhs}(U)_{/R}| = 1$, *i.e.*, all variables occurring at the right-hand side of the equation for U are related via R . Then also $|\text{rhs}(V)_{/R}| = 1$, and $|\text{rhs}(W)_{/S}| = 1$. Therefore, all $U' \in \text{occ}(U)$ are related to all $W' \in \text{occ}(W)$ via $S \circ R$;
- *ad* for all $U' \in \text{occ}(U)$ there is a $W' \in \text{occ}(W)$, such that $U' S \circ R W'$. Let $U' \in \text{occ}(U)$. Since R is an idempotence-identifying bisimulation relation, there is some $V' \in \text{occ}(V)$ such that $U' R V'$. Likewise, for this V' there is some $W' \in \text{occ}(W)$ such that $V' S W'$. Hence, $U' S \circ R W'$.
- *ad* for all $W' \in \text{occ}(W)$ there is a $U' \in \text{occ}(U)$, such that $U' S \circ R W'$. Analogous to the previous case. \square

Quotienting, based on idempotence-identifying bisimulation, requires a subtle modification of the quotienting for bisimulation. In case we are constructing an equation $\sigma_i C_i = f_i$, where C_i is again the equivalence class of a set of bisimilar equations, f_i is defined as C_j in case $\text{rhs}(X_i)_{/\sim_{ii}} = \{C_j\}$ for all $X_i \in C_i$. In particular, this avoids introducing awkward equations such as $\sigma_i C_i = \bigwedge \{C_j\}$. Note that all other cases are in full agreement with Def. 8.

Lemma 4. *Let $\mathcal{E}, \mathcal{E}' \in \mathcal{B}$. Then $\mathcal{E}' \sim_{ii} \mathcal{E}_{/\sim_{ii}}$ implies $\mathcal{E}' \equiv \mathcal{E}_{/\sim_{ii}}$.*

Proof. Let $X \sim_{ii} C$ for some X and C . Assume that we have $\llbracket \mathcal{E}_{/\sim_{ii}} \rrbracket(C) = \text{true}$. We are required to show that $\llbracket \mathcal{E}' \rrbracket(X) = \text{true}$. As in the proof of Lemma 3, one can construct a closed conjunctive equation system \mathcal{E}'_\wedge based on a conjunctive equation system \mathcal{F} that has the property $\llbracket \mathcal{F} \rrbracket = \llbracket \mathcal{E}'_{/\sim_{ii}} \rrbracket$. Note that a disjunctive equation in \mathcal{E}' may be related to a non-disjunctive, non-conjunctive equation $\sigma C = C'$ in $\mathcal{E}'_{/\sim_{ii}}$, in which case an arbitrary proposition variable that is idempotence-identifying bisimilar to C' may be chosen. The proof that \mathcal{E}'_\wedge and \mathcal{F} have the same paths follows the same line of reasoning as in the proof of Lemma 3. The case $\llbracket \mathcal{E}'_{/\sim_{ii}} \rrbracket(C) = \text{false}$ is again fully dual. \square

Theorem 2. *We have:*

1. *the relation \sim is strictly finer than \sim_{ii} ;*
2. *the relation \sim_{ii} is strictly finer than \equiv ;*

Proof. We show each property separately.

1. *ad* $\sim \subseteq \sim_{ii}$; observe that \sim is finer than \sim_{ii} as an immediate consequence of the weakening of the first condition of bisimilarity: for all bisimilar equations defining X and X' have the same logical operators, *i.e.*, $\text{op}(X) = \text{op}(X')$. In that case, the second condition for idempotence-identifying bisimilarity is trivially verified. Strictness follows from the fact that $\nu X = X \sim_{ii} \nu X = X \wedge X$ but not $\nu X = X \sim \nu X = X \wedge X$

2. *ad* $\sim_{ii} \subseteq \equiv$. Follows immediately from $\mathcal{F} \sim_{ii} \mathcal{F}/\sim_{ii}$ for all \mathcal{F} , the fact that \sim_{ii} and \equiv are equivalence relations and Lemma 4. For strictness, we refer to the proof of Theorem 1. \square

The following proposition demonstrates that idempotence-identifying bisimilarity and solution equivalence sometimes coincide.

Proposition 3. *Let $\mathcal{E} \in \mathcal{B}$ be of the form $\mathcal{E}_0\mathcal{E}_1\mathcal{E}_2$, with $\mathcal{E}_1 \in \mathcal{B}$. Suppose $X, X' \in \text{bnd}(\mathcal{E}_1)$. Assume $\text{rank}(X) = \text{rank}(X')$ for all $X, X' \in \text{bnd}(\mathcal{E}_1)$. Then $\mathcal{E}_1/\sim_{ii} = \mathcal{E}_1/\equiv$.*


Proof. Since $\mathcal{E}_1 \in \mathcal{B}$, \mathcal{E}_1 is closed. Assume \mathcal{E}_1 has rank n for some n . Observe that since \mathcal{E}_1 is closed, for all $X \in \text{bnd}(\mathcal{E}_1)$, we have $\llbracket \mathcal{E}_1 \rrbracket(X) = \text{true}$ iff $\text{rank}(X)$ is even. Define $R = \text{bnd}(\mathcal{E}_1) \times \text{bnd}(\mathcal{E}_1)$. It then follows immediately that R is an idempotence-identifying bisimulation relation. \square

In words, closed sub-equation systems consisting of equations all of the same rank, can be reduced to a single equation. A special case is when $\mathcal{E}_0 = \mathcal{E}_2 = \epsilon$, in which case the closed equation system \mathcal{E}_1 reduces to a single equation. Note that the above result does not hold in the bisimulation setting. In particular, the above result shows that idempotence-identifying bisimilarity can yield a substantially greater reduction, by an arbitrarily large factor, than bisimilarity. The following example illustrates that the same holds when comparing bisimilarity at a process level to idempotence-identifying bisimilarity.

Example 2. Let N be an arbitrary positive natural number. Consider the process described by the following set of recursive processes (using process-algebraic notation):

$$\{S = \sum \{a \cdot X(n) \mid n \leq N\}, \quad X(0) = a.X(0) + b.X(0), \quad X(n+1) = b.a.X(n)\}$$

A visualisation of S for $N = 3$ is depicted at the right; S consists of $2(N + 1)$ states, which cannot be minimised further using strong bisimilarity. Define the following μ -calculus formulae $\phi \triangleq \nu Y. \langle a \rangle ([a] \text{false} \wedge \nu Z. \langle b \rangle \langle a \rangle Z)$. The equation system \mathcal{E} , encoding $S \models \phi$ has $N + 1$ equations. \mathcal{E} is closed and each of its equations has rank 0. Following Proposition 3, quotienting of \mathcal{E} yields the equation system $\nu X = X$, for arbitrary N . Note that one could reduce the labelled transition system (LTS) underlying S with respect to trace equivalence, yielding an LTS of size 2, which, however, no longer satisfies ϕ . This is, of course, in general the case, as no process equivalence weaker than strong bisimilarity preserves the full modal μ -calculus. \square



3.3 Decidability of Bisimilarity and Idempotence-identifying Bisimilarity

We can use variations of the well known partition refinement algorithm by Paige and Tarjan [12] for deciding both strong bisimilarity and idempotence-identifying bisimilarity, running in $\mathcal{O}(m \log n)$ time. This algorithm iteratively refines the partitioning given a splitting criterion, where a block is split iff there are two equations that are not equivalent. Equivalence of two equations $\sigma X = f$, $\sigma' X' = f'$ given a current partitioning P is decided by the predicate $\text{Eq}_{\sim}(P, X, X')$ for strong bisimulation and $\text{Eq}_{\sim_{ii}}(P, X, X')$ for idempotence-identifying bisimulation, where Eq is defined as follows.

$$\begin{aligned} \text{Eq}_{\sim}(P, X, X') &\triangleq \text{rank}(X) = \text{rank}(X') \wedge \text{rhs}(X)_{/P} = \text{rhs}(X')_{/P} \\ &\quad \wedge \text{op}(f) = \text{op}(f') \\ \text{Eq}_{\sim_{ii}}(P, X, X') &\triangleq \text{rank}(X) = \text{rank}(X') \wedge \text{rhs}(X)_{/P} = \text{rhs}(X')_{/P} \\ &\quad \wedge (|\text{rhs}(X)_{/P}| = 1 \vee \text{op}(f) = \text{op}(f')) \end{aligned}$$

That is, in the case of strong bisimulation two equations are equivalent if their ranks and Boolean operators match, and their right-hand sides contain the same classes, whereas for idempotence-identifying bisimulation the requirement for having the same Boolean operators is lifted in case both equations have only one equivalence class in their right-hand sides. The proofs are similar to the proofs required for decidability of bisimilarity in the setting of transition systems and therefore omitted.

4 Experiments

To test the effectiveness of the minimisations introduced in the previous section, intended mainly to increase efficiency of solving equation systems resulting from typical verification problems, we ran a large set of verification experiments consisting of model checking and process equivalence checking problems. We here present an exhaustive overview of the >300 experiments that we have conducted.

Setup. All experiments were run on a workstation consisting of 8 Dual Core¹ AMD Opteron(tm) Processors running at 2.6Ghz, with 128Gb of shared main memory, running a 64-bit Linux distribution using kernel version 2.6.24. We adapted an off-the-shelf, competitive C implementation by Blom and Orzan [14] for computing the bisimulation minimisations for LTSs, such that bisimulation and idempotence-identifying bisimulation for BESs can be computed efficiently.

The BESs were solved using a development version of PGSolver tool [4].² The timings we report have been obtained using the *bigstep* [15] algorithm, enhanced with a set of heuristics for speeding-up the algorithm, as well as without these enhancements. Note that bigstep outperformed the Small Progress Measures algorithm in all our experiments; both are state-of-the-art algorithms for Parity Games. All BESs were generated from *parameterised Boolean equation systems* using the mCRL2 tool suite³, without generating state spaces first.

4.1 Process Equivalence Experiments

We consider the encoding of the branching bisimulation equivalence problem [1], which yields PBESs with alternation depth 2, and, therefore, also BESs of alternation depth 2. As input to the equivalence checking problem, we used four descriptions of well-studied communications protocols, *viz.*, the one-place buffer (OPB), two variations of the Alternating Bit Protocol (ABP) and the Concurrent Alternating Bit Protocol (CABP). For each protocol, we varied the size of the set of messages M that could be exchanged from $|M| = 1, 2, 4, 8, 16, 32$. Table 1 shows (1) the size of the original BESs in SRF, and (2) the size after reduction using \sim and \sim_{ii} ; note that the reductions are capable of eliminating the dependency on $|M|$. Table 1 also shows (3) the time for solving the original BES in SRF, and (4) the time required for minimising the BES modulo strong bisimilarity plus solving the resulting BES. Solving times are given both with and without optimisations enabled in PGSolver.

4.2 Model Checking Experiments

A second batch of experiments is conducted using the encoding of the μ -calculus model checking problem, yielding (P)BESs with alternation depth dependent on the alternation depth of the modal formulae. We use three relatively simple communications protocols, *viz.*, the One Place Buffer (OPB), two variants of the Alternating Bit Protocol (ABP) and the Concurrent Alternating Bit Protocol (CABP). Furthermore we use two complex communications protocols, *viz.*, the Onebit Protocol (OP) and a Sliding Window Protocol with window sizes 1, 2 and 3 (SWP₁, SWP₂, SWP₃). We check for the validity of five modal formulae of increasing complexity. Statistics about the reductions modulo strong bisimulation and idempotence identifying bisimulation as well as solving times for ABP₁ are summarised in Table 2; for ABP₂ in Table 3; Table 4 shows the results for CABP; Table 5 shows solving times for OPB; solving times for SWP are summarised in Tables 7–9; for OP, they can be found in Table 6. For all protocols, we verified absence of (I) deadlock and (II) livelock, and the possibility to infinitely often (III) receive a certain message, (IV) receive all messages and (V) receive some message if it is infinitely often enabled. t/o denotes that the time required for a run exceeded 5 minutes.

¹ Note that none of our experiments employ dual-core features.

² Obtained from Oliver Friedmann through private communication.

³ See <http://www.mcl2.org>, revision 6175 (release branch)




Fig. 2. Timing results for the sliding window protocol with buffer size 2 (see also Table 8)

4.3 Discussion

As can be observed from our experiments, both strong bisimulation and idempotence-identifying bisimulation minimisation show a significant reduction in the size of the BESs. In all cases minimising the BES modulo either of the equivalences and solving the reduced BES outperforms solving the original BES. In addition, reducing modulo strong bisimulation is slightly faster than reducing modulo idempotence-identifying bisimulation in general. This is expected to be a consequence of the additional checks that need to be carried out in an implementation of idempotence-identifying bisimulation, combined with the small difference in size between the systems reduced modulo strong bisimulation and idempotence-identifying bisimulation.

As an enlightening demonstration of the results, consider the graphs for SWP₂ presented in Figure 2. These graphs clearly demonstrate the dramatic effect using bisimulation minimisation prior to solving a BES. As a sidenote also the effect of having optimisation in the solver enabled versus not having optimisations enabled is displayed nicely.

Based on the results of our experiments we believe that in practice a bisimulation reduction should be performed prior to solving the BES.

5 Conclusions

In this paper, we have defined two equivalence relations for BESs, *viz.*, *strong bisimilarity* and *idempotence-identifying bisimilarity*. The former takes inspiration from the definition of bisimilarity in settings such as process theory and logic. The latter is a modification of strong bisimilarity which is more natural in the setting of equation systems, and has more pleasing properties when used in quotienting.

Our experiments using our two bisimulation minimisation algorithms indeed confirm that enormous reductions are quite commonplace. Moreover, our time measurements show that it pays to minimise before solving: the time required for minimising is more than made up for by the time gained in solving the minimised equation system.

Several topics remain to be investigated. Among these is the investigation of weaker equivalence relations for equation systems. Here, *stuttering equivalence* (or, equivalently, *branching bisimulation*) may serve as a source of inspiration, both because of its attractive computational complexity, and because of its capability of achieving far greater minimisations than strong bisimilarity. A related topic that we are currently pursuing is the development of proof theory for *parameterised Boolean equation systems* [6] based on bisimilarity. We are convinced this will lead to more concise proofs in this setting.

References

1. T. Chen, B. Ploeger, J. van de Pol, and T.A.C. Willemse. Equivalence checking for infinite systems using Parameterized Boolean Equation Systems. In *Proc. of CONCUR 2007*, volume 4703 of *LNCS*, pages 120–135. Springer, 2007.
2. K. Etessami, T. Wilke, and R.A. Schuller. Fair simulation relations, parity games, and state space reduction for büchi automata. *SIAM J. Comput.*, 34(5):1159–1175, 2005.
3. K. Fisler and M.Y. Vardi. Bisimulation minimization and symbolic model checking. *Formal Methods in System Design*, 21(1):39–78, 2002.
4. O. Friedmann and M. Lange. Solving parity games in practice. In *Proc. of ATVA*, volume 5799 of *LNCS*, pages 182–196. Springer, 2009.
5. C. Fritz and T. Wilke. Simulation relations for alternating parity automata and parity games. In *Developments in Language Theory*, volume 4036 of *Lecture Notes in Computer Science*, pages 59–70. Springer, 2006.
6. J.F. Groote and T.A.C. Willemse. Parameterised Boolean Equation Systems. *Theor. Comput. Sci.*, 343(3):332–369, 2005.
7. M. Jurdziński. Small progress measures for solving parity games. In *Proc. of STACS '00*, LNCS, pages 290–301. Springer, 2000.
8. J.-P. Katoen, T. Kemna, I.S. Zapreev, and D.N. Jansen. Bisimulation minimisation mostly speeds up probabilistic model checking. In *Proc. of TACAS'07*, volume 4424 of *LNCS*, pages 76–92. Springer, 2007.
9. M.K. Keinänen. *Solving Boolean Equation Systems*. PhD thesis, Helsinki University of Technology, 2006.
10. A. Mader. *Verification of Modal Properties Using Boolean Equation Systems*. PhD thesis, Technische Universität München, 1997.
11. R. Mateescu and D.Thivolle. A model checking language for concurrent value-passing systems. In *Proc. of FM 2008*, volume 5014 of *LNCS*. Springer, 2008.
12. R. Paige and R.E. Tarjan. Three partition refinement algorithms. *SIAM J. Comput.*, 16(6), 1987.

13. M.A. Reniers and T.A.C. Willemse. Analysis of Boolean equation systems through structure graphs. *EPTCS*, 2009. To appear.
14. S.Blom and S.Orzan. Distributed state space minimization. *Int. J. STTT*, 7(3), 2005.
15. S. Schewe. Solving parity games in big steps. In *Proc. of FSTTCS 2007*, volume 4855 of *LNCS*, pages 449–460. Springer, 2007.

Table 1. Sizes of BESs encoding the branching bisimulation verification problem, before and after applying bisimulation minimisations as well as the times (in seconds) required for solving the BESs and the times required for reducing the BES modulo strong bisimulation + solving the resulting BES using the *bigstep* algorithm with default options.

		Size before reduction for $ M = 1, 2, 4, 8, 16, 24, 32$										Size after reduction	
		1	2	4	8	16	24	32	\sim	\sim_{ii}			
BES Size Statistics													
BES													
ABP ₁ - ABP ₂	12,193	24,711	50,755	106,875	235,243	385,115	556,491	1,462	1,460				
ABP ₁ - CABP	109,706	238,418	553,394	1,413,554	4,054,706	7,923,634	13,020,338	21,329	21,311				
ABP ₁ - OPB	366	840	2,136	6,120	19,656	40,616	69,000	75	74				
ABP ₂ - CABP	148,082	320,378	738,410	1,868,234	5,302,922	10,304,330	16,872,458	21,329	21,311				
ABP ₂ - OPB	482	1,115	2,867	8,315	26,987	56,027	95,435	75	74				
CABP - OPB	4,922	12,018	33,266	103,986	358,322	763,186	1,318,578	1,253	1,253				
Time Statistics													
BES													
Solving times (s) (bigstep, default). (minimisation + solving) total times.													
ABP ₁ - ABP ₂	0.10	0.24	0.56	1.31	3.26	5.89	9.05						
\sim_{ii}	(0.01 + 0.00) 0.01	(0.02 + 0.01) 0.03	(0.02 + 0.00) 0.02	(0.05 + 0.00) 0.05	(0.13 + 0.00) 0.13	(0.20 + 0.00) 0.20	(0.29 + 0.00) 0.29						
\sim_{ii}	(0.01 + 0.00) 0.01	(0.02 + 0.00) 0.02	(0.02 + 0.00) 0.02	(0.05 + 0.00) 0.05	(0.12 + 0.00) 0.12	(0.22 + 0.00) 0.22	(0.32 + 0.01) 0.33						
ABP ₁ - CABP	1.21	2.83	7.04	20.34	66.42	130.53	327.21						
\sim_{ii}	(0.14 + 0.19) 0.33	(0.28 + 0.20) 0.48	(0.91 + 0.19) 1.10	(1.54 + 0.19) 1.73	(4.43 + 0.21) 4.64	(8.70 + 0.19) 8.89	(14.79 + 0.21) 15.00						
\sim_{ii}	(0.15 + 0.18) 0.33	(0.31 + 0.19) 0.50	(0.66 + 0.19) 0.85	(1.62 + 0.19) 1.81	(4.62 + 0.18) 4.80	(9.21 + 0.19) 9.40	(15.57 + 0.19) 15.76						
ABP ₁ - OPB	0.00	0.00	0.01	0.06	0.26	0.60	1.10						
\sim_{ii}	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.01 + 0.00) 0.01	(0.01 + 0.00) 0.01	(0.02 + 0.00) 0.02						
\sim_{ii}	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.01 + 0.00) 0.01	(0.02 + 0.00) 0.02	(0.04 + 0.00) 0.04						
ABP ₂ - CABP	1.67	3.86	9.65	26.08	92.33	204.44	378.58						
\sim_{ii}	(0.19 + 0.19) 0.38	(0.42 + 0.19) 0.61	(0.85 + 0.19) 1.04	(1.99 + 0.19) 2.18	(5.97 + 0.19) 6.16	(11.32 + 0.19) 11.51	(18.60 + 0.19) 18.79						
\sim_{ii}	(0.20 + 0.19) 0.39	(0.41 + 0.19) 0.60	(0.90 + 0.19) 1.09	(2.20 + 0.19) 2.39	(6.13 + 0.21) 6.34	(12.39 + 0.19) 12.58	(20.20 + 0.19) 20.39						
ABP ₂ - OPB	0.00	0.00	0.02	0.08	0.38	0.88	1.62						
\sim_{ii}	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.01 + 0.00) 0.01	(0.02 + 0.00) 0.02	(0.03 + 0.00) 0.03						
\sim_{ii}	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.02 + 0.00) 0.02	(0.03 + 0.00) 0.03	(0.04 + 0.00) 0.04						
CABP - OPB	0.03	0.09	0.33	1.18	4.59	10.06	18.21						
\sim_{ii}	(0.01 + 0.00) 0.01	(0.02 + 0.00) 0.02	(0.03 + 0.00) 0.03	(0.06 + 0.00) 0.06	(0.27 + 0.00) 0.27	(0.55 + 0.00) 0.55	(1.26 + 0.00) 1.26						
\sim_{ii}	(0.01 + 0.00) 0.01	(0.02 + 0.00) 0.02	(0.03 + 0.00) 0.03	(0.07 + 0.00) 0.07	(0.27 + 0.00) 0.27	(0.58 + 0.00) 0.58	(1.02 + 0.00) 1.02						
Time Statistics													
BES													
Solving times (s) (bigstep, no optimizations). (minimisation + solving) total times.													
ABP ₁ - ABP ₂	0.10	0.23	0.53	1.24	3.12	5.62	8.61						
\sim_{ii}	(0.01 + 0.00) 0.01	(0.02 + 0.00) 0.02	(0.02 + 0.00) 0.02	(0.05 + 0.00) 0.05	(0.13 + 0.01) 0.14	(0.20 + 0.00) 0.20	(0.29 + 0.00) 0.29						
\sim_{ii}	(0.01 + 0.00) 0.01	(0.02 + 0.00) 0.02	(0.02 + 0.00) 0.02	(0.05 + 0.00) 0.05	(0.12 + 0.00) 0.12	(0.22 + 0.00) 0.22	(0.32 + 0.00) 0.32						
ABP ₁ - CABP	1.17	2.72	6.70	18.42	59.40	187.49	371.56						
\sim_{ii}	(0.14 + 0.19) 0.33	(0.28 + 0.18) 0.46	(0.91 + 0.18) 1.09	(1.54 + 0.19) 1.73	(4.43 + 0.18) 4.61	(8.70 + 0.18) 8.88	(14.79 + 0.18) 14.97						
\sim_{ii}	(0.15 + 0.18) 0.33	(0.31 + 0.18) 0.49	(0.66 + 0.18) 0.84	(1.62 + 0.18) 1.80	(4.62 + 0.18) 4.80	(9.21 + 0.18) 9.39	(15.57 + 0.18) 15.75						
ABP ₁ - OPB	0.00	0.00	0.01	0.06	0.25	0.59	1.08						
\sim_{ii}	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.01 + 0.00) 0.01	(0.01 + 0.00) 0.01	(0.02 + 0.00) 0.02						
\sim_{ii}	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.01 + 0.00) 0.01	(0.02 + 0.00) 0.02	(0.04 + 0.00) 0.04						
ABP ₂ - CABP	1.60	3.72	9.35	26.39	89.11	180.81	345.03						
\sim_{ii}	(0.19 + 0.20) 0.39	(0.42 + 0.18) 0.60	(0.85 + 0.18) 1.03	(1.99 + 0.18) 2.17	(5.97 + 0.18) 6.15	(11.32 + 0.18) 11.50	(18.60 + 0.18) 18.78						
\sim_{ii}	(0.20 + 0.19) 0.39	(0.41 + 0.18) 0.59	(0.90 + 0.18) 1.08	(2.20 + 0.18) 2.38	(6.13 + 0.19) 6.32	(12.39 + 0.18) 12.57	(20.20 + 0.18) 20.38						
ABP ₂ - OPB	0.00	0.00	0.02	0.09	0.37	0.86	1.60						
\sim_{ii}	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.01 + 0.00) 0.01	(0.02 + 0.00) 0.02	(0.03 + 0.00) 0.03						
\sim_{ii}	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.00 + 0.00) 0.00	(0.02 + 0.00) 0.02	(0.03 + 0.00) 0.03	(0.04 + 0.00) 0.04						
CABP - OPB	0.03	0.10	0.32	1.16	4.40	9.70	17.81						
\sim_{ii}	(0.01 + 0.00) 0.01	(0.02 + 0.00) 0.02	(0.03 + 0.00) 0.03	(0.06 + 0.00) 0.06	(0.27 + 0.00) 0.27	(0.55 + 0.00) 0.55	(1.26 + 0.00) 1.26						
\sim_{ii}	(0.01 + 0.00) 0.01	(0.02 + 0.00) 0.02	(0.03 + 0.00) 0.03	(0.07 + 0.00) 0.07	(0.27 + 0.00) 0.27	(0.58 + 0.00) 0.58	(1.02 + 0.00) 1.02						

Table 2. ABP₁

M	BES size			Solving times (bigstep, default)					Solving times (bigstep, no optimizations)				
	original	~	~ _{ii}	original	~	~ _{ii}	original	~	~ _{ii}	original	~	~ _{ii}	
Property I													
1	86	16	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
2	168	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
3	250	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
4	332	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
5	414	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
6	496	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
7	578	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
8	660	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
16	1,316	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
24	1,972	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
32	2,628	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
Property II													
1	210	47	46	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
2	408	47	46	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
3	606	47	46	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
4	804	47	46	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
5	1,002	47	46	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
6	1,200	47	46	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
7	1,398	47	46	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
8	1,596	47	46	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
16	3,180	47	46	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
24	4,764	47	46	0.01	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00	0.02	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00
32	6,348	47	46	0.02	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.02	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
Property III													
1	92	40	36	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
2	174	59	54	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
3	256	59	54	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
4	338	59	54	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
5	420	59	54	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
6	502	59	54	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
7	584	59	54	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
8	666	59	54	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
16	1,322	59	54	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.02	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
24	1,978	59	54	0.00	(0.00 + 0.00)	0.00	(0.02 + 0.00)	0.02	0.03	(0.00 + 0.00)	0.00	(0.02 + 0.00)	0.02
32	2,634	59	54	0.01	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.04	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
Property IV													
1	94	42	38	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00
2	349	62	56	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
3	768	62	56	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.01	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
4	1,351	62	56	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.01	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
5	2,098	62	56	0.01	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.03	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
6	3,009	62	56	0.01	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.04	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
7	4,084	62	56	0.01	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.06	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
8	5,323	62	56	0.02	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.09	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
16	21,139	62	56	0.12	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02	0.44	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02
24	47,451	62	56	0.30	(0.01 + 0.00)	0.01	(0.03 + 0.00)	0.03	1.11	(0.01 + 0.00)	0.01	(0.03 + 0.00)	0.03
32	84,259	62	56	0.59	(0.02 + 0.00)	0.02	(0.05 + 0.00)	0.05	2.10	(0.02 + 0.00)	0.02	(0.05 + 0.00)	0.05
Property V													
1	362	145	134	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
2	1,409	223	210	0.00	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02	0.00	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02
3	3,144	223	210	0.01	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.01	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
4	5,567	223	210	0.02	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.02	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
5	8,678	223	210	0.04	(0.01 + 0.00)	0.01	(0.03 + 0.00)	0.03	0.05	(0.01 + 0.00)	0.01	(0.03 + 0.00)	0.03
6	12,477	223	210	0.07	(0.02 + 0.00)	0.02	(0.02 + 0.00)	0.02	0.07	(0.02 + 0.00)	0.02	(0.02 + 0.00)	0.02
7	16,964	223	210	0.09	(0.02 + 0.00)	0.02	(0.02 + 0.00)	0.02	0.10	(0.02 + 0.00)	0.02	(0.02 + 0.00)	0.02
8	22,139	223	210	0.13	(0.02 + 0.00)	0.02	(0.04 + 0.00)	0.04	0.14	(0.02 + 0.00)	0.02	(0.04 + 0.00)	0.04
16	88,307	223	210	0.62	(0.03 + 0.00)	0.03	(0.06 + 0.00)	0.06	0.69	(0.03 + 0.00)	0.03	(0.06 + 0.00)	0.06
24	198,507	223	210	1.46	(0.08 + 0.00)	0.08	(0.13 + 0.00)	0.13	1.65	(0.08 + 0.00)	0.08	(0.13 + 0.00)	0.13
32	352,739	223	210	2.78	(0.25 + 0.00)	0.25	(0.25 + 0.00)	0.25	3.06	(0.25 + 0.00)	0.25	(0.25 + 0.00)	0.25

Table 3. ABP₂

M	BES size			Solving times (bigstep, default)				Solving times (bigstep, no optimizations)					
	original	~	~ _{ii}	original	~	~ _{ii}	original	~	~ _{ii}	original	~	~ _{ii}	
Property I													
1	113	16	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
2	221	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
3	329	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
4	437	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
5	545	35	2	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00
6	653	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
7	761	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
8	869	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
16	1,733	35	2	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00	0.01	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00
24	2,597	35	2	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00	0.01	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00
32	3,461	35	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.02	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
Property II													
1	276	47	46	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
2	536	47	46	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00
3	796	47	46	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
4	1,056	47	46	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
5	1,316	47	46	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
6	1,576	47	46	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
7	1,836	47	46	0.00	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.00	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
8	2,096	47	46	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
16	4,176	47	46	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
24	6,256	47	46	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.02	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
32	8,336	47	46	0.02	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.03	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
Property III													
1	119	40	36	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
2	227	59	54	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
3	335	59	54	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00
4	443	59	54	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00
5	551	59	54	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
6	659	59	54	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.01	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
7	767	59	54	0.00	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.01	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
8	875	59	54	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00	0.01	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00
16	1,739	59	54	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.03	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
24	2,603	59	54	0.01	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.05	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
32	3,467	59	54	0.01	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.06	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
Property IV													
1	121	42	38	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
2	455	62	56	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00	0.00	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00
3	1,005	62	56	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.01	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
4	1,771	62	56	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.02	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
5	2,753	62	56	0.01	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.04	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
6	3,951	62	56	0.01	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.07	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
7	5,365	62	56	0.02	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.09	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
8	6,995	62	56	0.02	(0.00 + 0.00)	0.00	(0.02 + 0.00)	0.02	0.12	(0.00 + 0.00)	0.00	(0.02 + 0.00)	0.02
16	27,811	62	56	0.17	(0.02 + 0.00)	0.02	(0.03 + 0.00)	0.03	0.64	(0.02 + 0.00)	0.02	(0.03 + 0.00)	0.03
24	62,451	62	56	0.49	(0.02 + 0.00)	0.02	(0.04 + 0.00)	0.04	1.60	(0.02 + 0.00)	0.02	(0.04 + 0.00)	0.04
32	110,915	62	56	0.78	(0.03 + 0.00)	0.03	(0.07 + 0.00)	0.07	2.95	(0.03 + 0.00)	0.03	(0.07 + 0.00)	0.07
Property V													
1	476	145	134	0.00	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.00	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
2	1,851	223	210	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.00	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01
3	4,128	223	210	0.01	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.01	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
4	7,307	223	210	0.03	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02	0.03	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02
5	11,388	223	210	0.05	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02	0.06	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02
6	16,371	223	210	0.10	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02	0.10	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02
7	22,256	223	210	0.12	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02	0.15	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02
8	29,043	223	210	0.17	(0.03 + 0.00)	0.03	(0.03 + 0.00)	0.03	0.19	(0.03 + 0.00)	0.03	(0.03 + 0.00)	0.03
16	115,811	223	210	0.81	(0.07 + 0.00)	0.07	(0.07 + 0.00)	0.07	0.91	(0.07 + 0.00)	0.07	(0.07 + 0.00)	0.07
24	260,307	223	210	2.07	(0.10 + 0.00)	0.10	(0.26 + 0.00)	0.26	2.23	(0.10 + 0.00)	0.10	(0.26 + 0.00)	0.26
32	462,531	223	210	3.74	(0.20 + 0.00)	0.20	(0.35 + 0.00)	0.35	4.25	(0.20 + 0.00)	0.20	(0.35 + 0.00)	0.35

Table 4. CABP

M	BES size			Solving times (bigstep, default)					Solving times (bigstep, no optimizations)				
	original	~	~ _{ii}	original	~	~ _{ii}	original	~	~ _{ii}	original	~	~ _{ii}	
Property I													
1	986	5	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
2	2,098	5	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
3	3,386	5	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
4	4,850	5	2	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.02	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
5	6,490	5	2	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.02	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
6	8,306	5	2	0.02	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.03	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
7	10,298	5	2	0.02	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.04	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
8	12,466	5	2	0.03	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.06	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
16	36,146	5	2	0.13	(0.00 + 0.00)	0.00	(0.02 + 0.00)	0.02	0.22	(0.00 + 0.00)	0.00	(0.02 + 0.00)	0.02
24	71,090	5	2	0.32	(0.00 + 0.00)	0.00	(0.02 + 0.00)	0.02	0.47	(0.00 + 0.00)	0.00	(0.02 + 0.00)	0.02
32	117,298	5	2	0.50	(0.01 + 0.00)	0.01	(0.04 + 0.00)	0.04	0.81	(0.01 + 0.00)	0.01	(0.04 + 0.00)	0.04
Property II													
1	2,130	591	7	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
2	4,498	591	7	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
3	7,218	591	7	0.01	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00	0.01	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00
4	10,290	591	7	0.02	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00	0.02	(0.01 + 0.00)	0.01	(0.00 + 0.00)	0.00
5	13,714	591	7	0.03	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.03	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
6	17,490	591	7	0.04	(0.02 + 0.00)	0.02	(0.01 + 0.00)	0.01	0.05	(0.02 + 0.00)	0.02	(0.01 + 0.00)	0.01
7	21,618	591	7	0.06	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.05	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
8	26,098	591	7	0.07	(0.02 + 0.00)	0.02	(0.01 + 0.00)	0.01	0.08	(0.02 + 0.00)	0.02	(0.01 + 0.00)	0.01
16	74,610	591	7	0.26	(0.04 + 0.00)	0.04	(0.03 + 0.00)	0.03	0.25	(0.04 + 0.00)	0.04	(0.03 + 0.00)	0.03
24	145,650	591	7	0.54	(0.07 + 0.00)	0.07	(0.06 + 0.00)	0.06	0.54	(0.07 + 0.00)	0.07	(0.06 + 0.00)	0.06
32	239,218	591	7	0.91	(0.11 + 0.00)	0.11	(0.10 + 0.00)	0.10	0.93	(0.11 + 0.00)	0.11	(0.10 + 0.00)	0.10
Property III													
1	1,052	283	283	0.00	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.01	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
2	2,164	403	403	0.00	(0.02 + 0.00)	0.02	(0.02 + 0.00)	0.02	0.02	(0.02 + 0.00)	0.02	(0.02 + 0.00)	0.02
3	3,452	403	403	0.01	(0.02 + 0.00)	0.02	(0.01 + 0.00)	0.01	0.05	(0.02 + 0.00)	0.02	(0.01 + 0.00)	0.01
4	4,916	403	403	0.01	(0.02 + 0.00)	0.02	(0.01 + 0.00)	0.01	0.07	(0.02 + 0.00)	0.02	(0.01 + 0.00)	0.01
5	6,556	403	403	0.01	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.10	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
6	8,372	403	403	0.02	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.13	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
7	10,364	403	403	0.03	(0.02 + 0.00)	0.02	(0.02 + 0.00)	0.02	0.17	(0.02 + 0.00)	0.02	(0.02 + 0.00)	0.02
8	12,532	403	403	0.04	(0.02 + 0.00)	0.02	(0.02 + 0.00)	0.02	0.22	(0.02 + 0.00)	0.02	(0.02 + 0.00)	0.02
16	36,212	403	403	0.15	(0.04 + 0.00)	0.04	(0.04 + 0.00)	0.04	0.80	(0.04 + 0.00)	0.04	(0.04 + 0.00)	0.04
24	71,156	403	403	0.38	(0.04 + 0.00)	0.04	(0.04 + 0.00)	0.04	1.69	(0.04 + 0.00)	0.04	(0.04 + 0.00)	0.04
32	117,364	403	403	0.60	(0.07 + 0.00)	0.07	(0.07 + 0.00)	0.07	2.96	(0.07 + 0.00)	0.07	(0.07 + 0.00)	0.07
Property IV													
1	1,054	285	285	0.00	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.00	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
2	4,329	406	405	0.01	(0.02 + 0.00)	0.02	(0.01 + 0.00)	0.01	0.06	(0.02 + 0.00)	0.02	(0.01 + 0.00)	0.01
3	10,356	406	405	0.03	(0.01 + 0.00)	0.01	(0.03 + 0.00)	0.03	0.15	(0.01 + 0.00)	0.01	(0.03 + 0.00)	0.03
4	19,663	406	405	0.07	(0.03 + 0.00)	0.03	(0.02 + 0.00)	0.02	0.32	(0.03 + 0.00)	0.03	(0.02 + 0.00)	0.02
5	32,778	406	405	0.14	(0.02 + 0.00)	0.02	(0.03 + 0.00)	0.03	0.58	(0.02 + 0.00)	0.02	(0.03 + 0.00)	0.03
6	50,229	406	405	0.21	(0.03 + 0.00)	0.03	(0.04 + 0.00)	0.04	0.94	(0.03 + 0.00)	0.03	(0.04 + 0.00)	0.04
7	72,544	406	405	0.32	(0.06 + 0.00)	0.06	(0.06 + 0.00)	0.06	1.41	(0.06 + 0.00)	0.06	(0.06 + 0.00)	0.06
8	100,251	406	405	0.46	(0.06 + 0.00)	0.06	(0.07 + 0.00)	0.07	2.03	(0.06 + 0.00)	0.06	(0.07 + 0.00)	0.07
16	579,379	406	405	3.10	(0.53 + 0.00)	0.53	(0.38 + 0.00)	0.38	13.43	(0.53 + 0.00)	0.53	(0.38 + 0.00)	0.38
24	1,707,723	406	405	9.87	(1.58 + 0.00)	1.58	(1.16 + 0.00)	1.16	43.48	(1.58 + 0.00)	1.58	(1.16 + 0.00)	1.16
32	3,755,619	406	405	22.74	(2.39 + 0.00)	2.39	(2.58 + 0.00)	2.58	99.47	(2.39 + 0.00)	2.39	(2.58 + 0.00)	2.58
Property V													
1	3,172	862	862	0.00	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.02	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01
2	13,189	1,238	1,237	0.04	(0.03 + 0.00)	0.03	(0.04 + 0.00)	0.04	0.15	(0.03 + 0.00)	0.03	(0.04 + 0.00)	0.05
3	31,590	1,238	1,237	0.15	(0.05 + 0.00)	0.05	(0.05 + 0.00)	0.05	0.39	(0.05 + 0.01)	0.06	(0.05 + 0.00)	0.05
4	59,911	1,238	1,237	0.34	(0.06 + 0.00)	0.06	(0.05 + 0.00)	0.05	0.79	(0.06 + 0.00)	0.06	(0.05 + 0.00)	0.05
5	99,688	1,238	1,237	0.54	(0.07 + 0.00)	0.07	(0.07 + 0.00)	0.07	1.44	(0.07 + 0.00)	0.07	(0.07 + 0.01)	0.08
6	152,457	1,238	1,237	0.83	(0.11 + 0.00)	0.11	(0.12 + 0.00)	0.12	2.24	(0.11 + 0.00)	0.11	(0.12 + 0.01)	0.13
7	219,754	1,238	1,237	1.27	(0.15 + 0.00)	0.15	(0.17 + 0.00)	0.17	3.35	(0.15 + 0.01)	0.16	(0.17 + 0.01)	0.18
8	303,115	1,238	1,237	1.77	(0.20 + 0.00)	0.20	(0.34 + 0.00)	0.34	4.73	(0.20 + 0.01)	0.21	(0.34 + 0.00)	0.34
16	1,732,627	1,238	1,237	11.64	(1.23 + 0.00)	1.23	(1.36 + 0.00)	1.36	30.72	(1.23 + 0.01)	1.24	(1.36 + 0.01)	1.37
24	5,074,971	1,238	1,237	37.73	(3.57 + 0.00)	3.57	(4.01 + 0.00)	4.01	97.39	(3.57 + 0.00)	3.57	(4.01 + 0.01)	4.02
32	11,116,579	1,238	1,237	110.73	(8.24 + 0.00)	8.24	(9.25 + 0.00)	9.25	233.52	(8.24 + 0.01)	8.25	(9.25 + 0.01)	9.26

Table 6. OP

M	BES size			Solving times (bigstep, default)			Solving times (bigstep, no optimizations)		
	original	~	~ _{ii}	original	~	~ _{ii}	original	~	~ _{ii}
Property I									
1	77,698	5	2	0.29	(0.01 + 0.00) 0.01	(0.03 + 0.00) 0.03	0.76	(0.01 + 0.00) 0.01	(0.03 + 0.00) 0.03
2	578,050	5	2	2.68	(0.07 + 0.00) 0.07	(0.21 + 0.00) 0.21	3.94	(0.07 + 0.00) 0.07	(0.21 + 0.00) 0.21
3	2,083,394	5	2	12.41	(0.26 + 0.00) 0.26	(0.75 + 0.00) 0.75	15.95	(0.26 + 0.00) 0.26	(0.75 + 0.00) 0.75
4	5,417,986	5	2	32.40	(0.65 + 0.00) 0.65	(2.05 + 0.00) 2.05	48.70	(0.65 + 0.00) 0.65	(2.05 + 0.00) 2.05
Property II									
1	150,210	8	7	0.96	(0.04 + 0.00) 0.04	(0.10 + 0.00) 0.10	0.86	(0.04 + 0.00) 0.04	(0.10 + 0.00) 0.10
2	1,100,802	8	7	5.58	(0.45 + 0.00) 0.45	(0.58 + 0.00) 0.58	4.53	(0.45 + 0.00) 0.45	(0.58 + 0.00) 0.58
3	3,933,506	8	7	20.22	(1.65 + 0.00) 1.65	(2.11 + 0.00) 2.11	18.03	(1.65 + 0.00) 1.65	(2.11 + 0.00) 2.11
4	10,172,418	8	7	73.54	(4.79 + 0.00) 4.79	(5.89 + 0.00) 5.89	54.09	(4.79 + 0.00) 4.79	(5.89 + 0.00) 5.89
Property III									
1	89,106	13,110	13,110	0.48	(0.17 + 0.05) 0.22	(0.10 + 0.04) 0.14	0.84	(0.17 + 0.12) 0.29	(0.10 + 0.15) 0.25
2	619,010	26,171	26,171	3.84	(0.77 + 0.10) 0.87	(0.82 + 0.11) 0.93	8.68	(0.77 + 0.32) 1.09	(0.82 + 0.33) 1.15
3	2,179,826	26,171	26,171	15.78	(2.30 + 0.11) 2.41	(2.44 + 0.11) 2.55	20.36	(2.30 + 0.33) 2.63	(2.44 + 0.33) 2.77
4	5,603,586	26,171	26,171	46.18	(5.60 + 0.10) 5.70	(6.16 + 0.11) 6.27	59.96	(5.60 + 0.32) 5.92	(6.16 + 0.32) 6.48
Property IV									
1	89,108	13,112	13,112	0.85	(0.10 + 0.04) 0.14	(0.11 + 0.04) 0.15	1.35	(0.10 + 0.11) 0.21	(0.11 + 0.11) 0.22
2	1,238,023	26,174	26,173	9.51	(1.50 + 0.10) 1.60	(1.60 + 0.10) 1.70	17.63	(1.50 + 0.33) 1.83	(1.60 + 0.33) 1.93
3	6,539,482	26,174	26,173	47.70	(7.00 + 0.10) 7.10	(7.37 + 0.10) 7.47	64.82	(7.00 + 0.33) 7.33	(7.37 + 0.33) 7.70
4	22,414,349	26,174	26,173	220.33	(26.08 + 0.11) 26.19	(27.24 + 0.10) 27.34	250.54	(26.08 + 0.33) 26.41	(27.24 + 0.32) 27.56
Property V									
1	242,728	35,826	35,826	2.83	(0.80 + 0.17) 0.97	(0.45 + 0.17) 0.62	42.30	(0.80 + 2.20) 3.00	(0.45 + 2.20) 2.65
2	3,358,981	71,206	71,205	31.12	(5.24 + 0.39) 5.63	(5.71 + 0.38) 6.09	t/o	(5.24 + 3.42) 8.66	(5.71 + 3.40) 9.11
3	17,664,522	71,206	71,205	267.34	(24.46 + 0.44) 24.90	(26.08 + 0.39) 26.47	t/o	(24.46 + 3.34) 27.80	(26.08 + 3.37) 29.45
4	60,344,071	71,206	71,205	t/o	(86.66 + 0.39) 87.05	(92.50 + 0.39) 92.89	t/o	(86.66 + 3.79) 90.45	(92.50 + 3.79) 96.29

Table 7. SWP₁

M	BES size			Solving times (bigstep, default)					Solving times (bigstep, no optimizations)				
	original	~	~ _{ii}	original	~	~ _{ii}	original	~	~ _{ii}	original	~	~ _{ii}	
Property I													
1	684	5	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	
2	1,946	5	2	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	
3	3,788	5	2	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	
4	6,210	5	2	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.02	(0.00 + 0.00)	0.00	(0.00 + 0.00)	
5	9,212	5	2	0.02	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.04	(0.00 + 0.00)	0.00	(0.00 + 0.00)	
6	12,794	5	2	0.04	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.06	(0.00 + 0.00)	0.00	(0.00 + 0.00)	
7	16,956	5	2	0.05	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.08	(0.00 + 0.00)	0.00	(0.01 + 0.00)	
8	21,698	5	2	0.06	(0.00 + 0.00)	0.00	(0.01 + 0.00)	0.01	0.12	(0.00 + 0.00)	0.00	(0.01 + 0.00)	
Property II													
1	1,408	566	7	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	
2	3,962	566	7	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.00	(0.00 + 0.00)	0.00	(0.00 + 0.00)	
3	7,664	566	7	0.01	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.02	(0.00 + 0.00)	0.00	(0.00 + 0.00)	
4	12,514	566	7	0.02	(0.02 + 0.00)	0.02	(0.01 + 0.00)	0.01	0.03	(0.02 + 0.00)	0.02	(0.01 + 0.00)	
5	18,512	566	7	0.05	(0.02 + 0.00)	0.02	(0.01 + 0.00)	0.01	0.05	(0.02 + 0.00)	0.02	(0.01 + 0.00)	
6	25,658	566	7	0.08	(0.03 + 0.00)	0.03	(0.01 + 0.00)	0.01	0.08	(0.03 + 0.00)	0.03	(0.01 + 0.00)	
7	33,952	566	7	0.11	(0.03 + 0.00)	0.03	(0.02 + 0.00)	0.02	0.12	(0.03 + 0.00)	0.03	(0.02 + 0.00)	
8	43,394	566	7	0.14	(0.02 + 0.00)	0.02	(0.01 + 0.00)	0.01	0.16	(0.02 + 0.00)	0.02	(0.01 + 0.00)	
Property III													
1	840	386	386	0.00	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.00	(0.01 + 0.00)	0.01	(0.01 + 0.00)	
2	2,162	866	866	0.00	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.02	(0.01 + 0.00)	0.01	(0.01 + 0.00)	
3	4,064	866	866	0.01	(0.02 + 0.00)	0.02	(0.02 + 0.00)	0.02	0.04	(0.02 + 0.00)	0.02	(0.02 + 0.00)	
4	6,546	866	866	0.01	(0.01 + 0.00)	0.01	(0.01 + 0.00)	0.01	0.09	(0.01 + 0.00)	0.01	(0.01 + 0.01)	
5	9,608	866	866	0.03	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02	0.15	(0.01 + 0.00)	0.01	(0.02 + 0.00)	
6	13,250	866	866	0.04	(0.02 + 0.00)	0.02	(0.02 + 0.00)	0.02	0.22	(0.02 + 0.01)	0.03	(0.02 + 0.00)	
7	17,472	866	866	0.07	(0.03 + 0.00)	0.03	(0.02 + 0.00)	0.02	0.32	(0.03 + 0.00)	0.03	(0.02 + 0.00)	
8	22,274	866	866	0.09	(0.04 + 0.00)	0.04	(0.04 + 0.00)	0.04	0.41	(0.04 + 0.00)	0.04	(0.04 + 0.00)	
Property IV													
1	842	388	388	0.00	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02	0.00	(0.01 + 0.00)	0.01	(0.02 + 0.00)	
2	4,327	869	868	0.01	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02	0.04	(0.01 + 0.00)	0.01	(0.02 + 0.00)	
3	12,196	869	868	0.04	(0.02 + 0.00)	0.02	(0.03 + 0.00)	0.03	0.16	(0.02 + 0.01)	0.03	(0.03 + 0.00)	
4	26,189	869	868	0.10	(0.03 + 0.00)	0.03	(0.04 + 0.00)	0.04	0.42	(0.03 + 0.00)	0.03	(0.04 + 0.00)	
5	48,046	869	868	0.22	(0.05 + 0.00)	0.05	(0.03 + 0.00)	0.03	0.83	(0.05 + 0.00)	0.05	(0.03 + 0.00)	
6	79,507	869	868	0.38	(0.07 + 0.00)	0.07	(0.05 + 0.00)	0.05	1.48	(0.07 + 0.00)	0.07	(0.05 + 0.00)	
7	122,312	869	868	0.70	(0.11 + 0.00)	0.11	(0.08 + 0.00)	0.08	2.42	(0.11 + 0.00)	0.11	(0.08 + 0.00)	
8	178,201	869	868	0.93	(0.17 + 0.00)	0.17	(0.12 + 0.00)	0.12	3.68	(0.17 + 0.00)	0.17	(0.12 + 0.00)	
Property V													
1	2,372	1,090	1,090	0.01	(0.02 + 0.00)	0.02	(0.02 + 0.00)	0.02	0.03	(0.02 + 0.01)	0.03	(0.02 + 0.01)	
2	12,749	2,489	2,488	0.06	(0.02 + 0.00)	0.02	(0.02 + 0.01)	0.03	0.17	(0.02 + 0.03)	0.05	(0.02 + 0.02)	
3	36,414	2,489	2,488	0.20	(0.04 + 0.01)	0.05	(0.03 + 0.00)	0.03	0.57	(0.04 + 0.03)	0.07	(0.03 + 0.03)	
4	78,647	2,489	2,488	0.48	(0.08 + 0.01)	0.09	(0.09 + 0.01)	0.10	1.32	(0.08 + 0.02)	0.10	(0.09 + 0.03)	
5	144,728	2,489	2,488	0.90	(0.14 + 0.00)	0.14	(0.16 + 0.00)	0.16	2.94	(0.14 + 0.02)	0.16	(0.16 + 0.02)	
6	239,937	2,489	2,488	1.56	(0.25 + 0.01)	0.26	(0.27 + 0.00)	0.27	4.42	(0.25 + 0.02)	0.27	(0.27 + 0.02)	
7	369,554	2,489	2,488	2.39	(0.28 + 0.01)	0.29	(0.31 + 0.01)	0.32	6.94	(0.28 + 0.03)	0.31	(0.31 + 0.03)	
8	538,859	2,489	2,488	3.67	(0.56 + 0.01)	0.57	(0.61 + 0.01)	0.62	10.45	(0.56 + 0.02)	0.58	(0.61 + 0.02)	

Table 8. SWP₂

M	BES size			Solving times (bigstep, default)			Solving times (bigstep, no optimizations)						
	original	~	~ _{ii}	original	~	~ _{ii}	original	~	~ _{ii}				
Property I													
1	9,082	5	2	0.02	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00	0.04	(0.00 + 0.00)	0.00	(0.00 + 0.00)	0.00
2	71,090	5	2	0.29	(0.00 + 0.00)	0.00	(0.02 + 0.00)	0.02	0.48	(0.00 + 0.00)	0.00	(0.02 + 0.00)	0.02
3	269,282	5	2	1.34	(0.05 + 0.00)	0.05	(0.11 + 0.00)	0.11	2.10	(0.05 + 0.00)	0.05	(0.11 + 0.00)	0.11
4	728,386	5	2	3.92	(0.09 + 0.00)	0.09	(0.25 + 0.00)	0.25	6.62	(0.09 + 0.00)	0.09	(0.25 + 0.00)	0.25
5	1,614,602	5	2	9.17	(0.17 + 0.00)	0.17	(0.62 + 0.00)	0.62	13.99	(0.17 + 0.00)	0.17	(0.62 + 0.00)	0.62
Property II													
1	18,138	2,268	7	0.05	(0.03 + 0.00)	0.03	(0.01 + 0.00)	0.01	0.04	(0.03 + 0.00)	0.03	(0.01 + 0.00)	0.01
2	139,698	2,268	7	0.54	(0.13 + 0.00)	0.13	(0.07 + 0.00)	0.07	0.55	(0.13 + 0.00)	0.13	(0.07 + 0.00)	0.07
3	525,026	2,268	7	2.27	(0.35 + 0.00)	0.35	(0.42 + 0.00)	0.42	2.32	(0.35 + 0.00)	0.35	(0.42 + 0.00)	0.42
4	1,413,954	2,268	7	6.66	(0.93 + 0.00)	0.93	(0.69 + 0.00)	0.69	6.79	(0.93 + 0.00)	0.93	(0.69 + 0.00)	0.69
5	3,125,802	2,268	7	16.01	(2.05 + 0.00)	2.05	(1.59 + 0.00)	1.59	16.39	(2.05 + 0.00)	2.05	(1.59 + 0.00)	1.59
Property III													
1	11,482	2,013	2,013	0.04	(0.03 + 0.00)	0.03	(0.03 + 0.00)	0.03	0.10	(0.03 + 0.00)	0.03	(0.03 + 0.01)	0.04
2	80,146	9,097	9,097	0.44	(0.07 + 0.02)	0.09	(0.08 + 0.03)	0.11	1.22	(0.07 + 0.09)	0.16	(0.08 + 0.08)	0.16
3	291,842	9,097	9,097	1.85	(0.27 + 0.02)	0.29	(0.28 + 0.03)	0.31	6.12	(0.27 + 0.09)	0.36	(0.28 + 0.09)	0.37
4	773,890	9,097	9,097	5.21	(0.65 + 0.03)	0.68	(0.71 + 0.03)	0.74	17.83	(0.65 + 0.09)	0.74	(0.71 + 0.09)	0.80
5	1,695,082	9,097	9,097	11.94	(1.47 + 0.03)	1.50	(1.59 + 0.03)	1.62	46.84	(1.47 + 0.09)	1.56	(1.59 + 0.09)	1.68
Property IV													
1	11,484	2,015	2,015	0.04	(0.03 + 0.00)	0.03	(0.03 + 0.00)	0.03	0.10	(0.03 + 0.01)	0.04	(0.03 + 0.01)	0.04
2	160,295	9,100	9,099	0.95	(0.23 + 0.02)	0.25	(0.22 + 0.03)	0.25	2.52	(0.23 + 0.09)	0.32	(0.22 + 0.08)	0.30
3	875,530	9,100	9,099	5.72	(0.77 + 0.02)	0.79	(0.82 + 0.02)	0.84	17.27	(0.77 + 0.09)	0.86	(0.82 + 0.09)	0.91
4	3,095,565	9,100	9,099	22.17	(2.65 + 0.02)	2.67	(3.22 + 0.03)	3.25	72.31	(2.65 + 0.09)	2.74	(3.22 + 0.08)	3.30
5	8,475,416	9,100	9,099	69.42	(7.49 + 0.03)	7.52	(8.06 + 0.03)	8.09	218.20	(7.49 + 0.09)	7.58	(8.06 + 0.09)	8.15
Property V													
1	31,360	5,500	5,500	0.49	(0.07 + 0.06)	0.13	(0.07 + 0.07)	0.14	0.85	(0.07 + 0.11)	0.18	(0.07 + 0.11)	0.18
2	456,037	25,354	25,353	9.40	(0.58 + 0.32)	0.90	(0.90 + 0.33)	1.23	30.67	(0.58 + 0.57)	1.15	(0.90 + 0.56)	1.46
3	2,520,258	25,354	25,353	67.10	(3.69 + 0.34)	4.03	(2.87 + 0.34)	3.21	167.57	(3.69 + 0.58)	4.27	(2.87 + 0.57)	3.44
4	8,957,959	25,354	25,353	208.51	(8.82 + 0.31)	9.13	(9.84 + 0.32)	10.16	t/o	(8.82 + 0.58)	9.40	(9.84 + 0.58)	10.42
5	24,599,908	25,354	25,353	t/o	(27.44 + 0.33)	27.77	(44.52 + 0.33)	44.85	t/o	(27.44 + 0.57)	28.01	(44.52 + 0.57)	45.09

Table 9. SWP₃

M	BES size			Solving times (bigstep, default)			Solving times (bigstep, no optimizations)						
	original	~	~ _{ii}	original	~	~ _{ii}	original	~	~ _{ii}				
Property I													
1	54,464	5	2	0.20	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02	0.35	(0.01 + 0.00)	0.01	(0.02 + 0.00)	0.02
2	1,187,906	5	2	6.66	(0.20 + 0.00)	0.20	(0.44 + 0.00)	0.44	10.17	(0.20 + 0.00)	0.20	(0.44 + 0.00)	0.44
Property II													
1	107,300	7,018	7	0.39	(0.10 + 0.01)	0.11	(0.04 + 0.00)	0.04	0.39	(0.10 + 0.01)	0.11	(0.04 + 0.00)	0.04
2	2,299,394	7,018	7	11.33	(2.62 + 0.01)	2.63	(1.57 + 0.00)	1.57	11.39	(2.62 + 0.01)	2.63	(1.57 + 0.00)	1.57
Property III													
1	69,500	6,790	6,790	0.41	(0.09 + 0.02)	0.11	(0.11 + 0.02)	0.13	0.78	(0.09 + 0.05)	0.14	(0.11 + 0.04)	0.15
2	1,345,634	69,915	69,915	10.14	(2.43 + 0.39)	2.82	(2.58 + 0.38)	2.96	21.91	(2.43 + 0.85)	3.28	(2.58 + 0.85)	3.43
Property IV													
1	69,502	6,792	6,792	0.40	(0.09 + 0.02)	0.11	(0.07 + 0.02)	0.09	0.78	(0.09 + 0.04)	0.13	(0.07 + 0.05)	0.12
2	2,691,271	69,918	69,917	20.72	(4.76 + 0.39)	5.15	(5.79 + 0.39)	6.18	41.42	(4.76 + 0.90)	5.66	(5.79 + 0.89)	6.68
Property V													
1	187,828	18,346	18,346	9.63	(0.30 + 0.46)	0.76	(0.33 + 0.46)	0.79	7.95	(0.30 + 0.59)	0.89	(0.33 + 0.59)	0.92
2	7,558,853	192,664	192,663	t/o	(19.70 + 7.58)	27.28	(20.03 + 7.58)	27.61	289.26	(19.70 + 11.29)	30.99	(20.03 + 11.31)	31.34