

Near-realtime tokamak scenario simulation with neural networks

Citation for published version (APA):

JET Contributors, Citrin, J., & Ho, A. (2019). *Near-realtime tokamak scenario simulation with neural networks*. Paper presented at 46th European Physical Society Conference on Plasma Physics (EPS 2019), Milan, Italy.

Document status and date:

Published: 01/01/2019

Document Version:

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

Near-realtime tokamak scenario simulation with neural networks

K.L. van de Plassche¹, J. Citrin¹, C. Bourdelle², Y. Camenen³, F. J. Casson⁴,
V. I. Dagnelie¹, F. Felici⁵, A. Ho¹, and JET Contributors*

¹ DIFFER, PO Box 6336, 5600 HH Eindhoven, The Netherlands, ² CEA, IRFM, F-13108 Saint-Paul-lez-Durance, France

³ CNRS, Aix-Marseille Univ., PIIM UMR7345, Marseille, France, ⁴ CCFE, Culham Science Centre, Abingdon, UK

⁵ EPFL-SPC, CH-1015, Lausanne, Switzerland

*See the author list of "Overview of the JET preparation for Deuterium-Tritium Operation" by E. Joffrin et al. to be published in *Nuclear Fusion Special issue: overview and summary reports from the 27th Fusion Energy Conference (Ahmedabad, India, 22-27 October 2018)*

Accurate prediction of turbulent transport is essential for interpretation of current-day fusion experiments, designing future devices, and optimization of plasma scenarios. Turbulent transport in the core of the plasma is well-described by quasilinear theory, which can be leveraged to create reduced models. These are then applied within flux driven integrated modelling to predict time evolution of temperature, density, and rotation profiles in fusion devices. Recent developments in the QuaLiKiz gyrokinetic quasilinear transport model [1, 2] within the JINTRAC integrated modelling suite [3] has provided validated prediction of JET and AUG scenarios, with 1s of plasma evolution predicted in ~ 24 hours using ~ 10 cores [4, 5].

We provide further significant speedup of first-principle-based turbulent transport modelling sufficient for large scale reactor optimization and control oriented applications. We apply feed-forward neural networks (FFNNs) for regression of a pre-generated QuaLiKiz database consisting of 10^8 flux calculations. The resultant neural network surrogate model is 5 orders of magnitude faster than QuaLiKiz itself. Generic neural network training is not sufficient to correctly capture known physical features of tokamak turbulence, such as sharp instability thresholds common to all transport channels. We show how we can incorporate these features directly in the training process.

The surrogate turbulent transport model is applied within the rapid plasma transport simulator RAPTOR [6, 7] and JINTRAC. We show that the predictions of temperature and density evolution of JET plasmas are in excellent agreement with the original QuaLiKiz model, yet orders of magnitude faster. This allows us to simulate one second of plasma evolution in less than 10 seconds, a speed that is unprecedented for first-principle based transport simulations, opening up new avenues for tokamak scenario optimization and realtime control applications.

References

- [1] Bourdelle, C. et al. 2016 *Plasma Physics and Controlled Fusion* **58** 014036
- [2] Citrin, J. et al. 2017 *Plasma Physics and Controlled Fusion* **59** 12400
- [3] Romanelli, M. et al. 2014 *Plasma and Fusion research* **9** 3403023
- [4] Ho, A. et al. 2019 *Nuclear Fusion*
- [5] Linder, O. et al. 2018 *Nuclear Fusion* **59** 016003
- [6] Felici, F. et al. 2012 *Plasma Physics and Controlled Fusion* **54** 025002
- [7] Felici, F. et al. 2018 *Nuclear Fusion* **58** 096006