

## Electro-Reduction of Iron Oxide in Different Solution Media

***Citation for published version (APA):***

van Graefschep, N., Majid, A. I., Tang, Y., Finotello, G., van der Schaaf, J., & Deen, N. G. (2022). *Electro-Reduction of Iron Oxide in Different Solution Media*. Poster session presented at Netherlands Process Technology Symposium, NPS17, Delft, Netherlands.

***Document status and date:***

Published: 04/04/2022

***Document Version:***

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

***Please check the document version of this publication:***

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

***General rights***

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

[www.tue.nl/taverne](http://www.tue.nl/taverne)

***Take down policy***

If you believe that this document breaches copyright please contact us at:

[openaccess@tue.nl](mailto:openaccess@tue.nl)

providing details and we will investigate your claim.



# Electro-Reduction of Iron Oxide in Different Solution Media

Niels van Graefschepe<sup>1</sup>, Akmal Irfan Majid<sup>1</sup>, Yali Tang<sup>1,3</sup>, Giulia Finotello<sup>1,3</sup>, John van der Schaaf<sup>2,3</sup>, Niels Deen<sup>1,3</sup>

<sup>1</sup>Power & Flow, Department of Mechanical Engineering, Technische Universiteit Eindhoven-The Netherlands

<sup>2</sup>Sustainable Process Engineering, Department of Chemical Engineering & Chemistry, Technische Universiteit Eindhoven-The Netherlands

<sup>3</sup>Eindhoven Institute of Renewable Energy System (EIRES), Technische Universiteit Eindhoven-The Netherlands


n.v.graefschepe@student.tue.nl  
a.i.majid@tue.nl




## BACKGROUND

- Iron fuel: energy is generated by iron combustion and afterward the iron oxide can be collected and reduced to complete the fuel cycle.
- Thermochemical iron oxide reduction requires high temperatures; therefore, the electrochemical reduction could provide a more energy-efficient alternative.

**Goal:** To demonstrate the feasibility of low-temperature electro-reduction of iron oxide in different solution media



## EXPERIMENTAL SETUP




Schematic diagram of single batch parallel plate cell

Current efficiency:



$$\eta_{current} = \frac{m_{real}}{m_{faradaic}} = m_{deposit} \cdot \left( \frac{n \cdot F}{M \cdot I \cdot t} \right)$$

Oxidation number    Faraday constant  
 Molar mass iron    Current supply    Duration

## RESULTS AND DISCUSSION



Obtained deposit and microstructure taken from acidic (A) and alkaline (B) systems. SEM-EDS measurement shows 81.9 wt% and 97.5 wt% of iron purity, respectively.



## CONCLUSION AND OUTLOOK

- Compared to the acidic system, the alkaline system shows more attractive results for the application of low-temperature iron oxide electro-reduction.
- Non-aqueous Deep Eutectic Solvent (DES) electrolytes will also be further investigated, considering their properties.

Sources:

[1]: Team solid (2022); <https://teamsolid.org/our-solution>



### Acknowledgement:

Akmal Irfan Majid acknowledges the scholarship and research funding from the Ministry of Education, Culture, Research, and Technology of the Republic of Indonesia. Grant Agreement: B/823/D3.2/KD.02.01/2019.