



1 of 1

[Download](#) [Print](#) [Save to PDF](#) [Save to list](#) [Create bibliography](#)*Malaysian Journal of Chemistry* • Volume 25, Issue 3, Pages 391 - 399 • 29 June 2023**Document type**

Conference Paper

**Source type**

Journal

**ISSN**

15112292

**DOI**

10.55373/MJCHEM.V25I3.391

**Publisher**

Malaysian Institute of Chemistry

**Original language**

English

View less

# Optimization of Protease Extraction from Ridged Gourd (*Luffa acutangula*) Sarcocarp via Response Surface Methodology

Dzakir, Nur Fatin Nadia Mohd<sup>a</sup>; Abdullah, Erna Normaya<sup>a</sup>; Hassanuddin, Nur Amanina<sup>a</sup>;Shamsuri, Syamimi Sulfiza<sup>a</sup>; Iqbal, Anwar<sup>b</sup>; Piah, Mohd Bijarimi Mat<sup>c</sup>; Ahmad, Mohammad Norazmi<sup>a</sup>

Save all to author list

<sup>a</sup> Experimental and Theoretical Research Lab, Department of Chemistry, Kulliyah of Science International Islamic University Malaysia, Kuantan, Pahang, 25200, Malaysia<sup>b</sup> School of Chemical Science, Universiti Sains Malaysia, Penang, 11800, Malaysia<sup>c</sup> Faculty of Chemical and Natural Resources Engineering, Universiti Malaysia Pahang, Kuantan, Pahang, 26300, Malaysia

Full text options Export

**Abstract**

Author keywords

SciVal Topics

Funding details

**Abstract**

Recently, the widespread use of proteases in industries, such as detergent, food, and pharmaceutical sectors, has increased the demand for proteolytic enzymes in the global market. Although the main sources of commercial proteases are animals and microorganisms, the potential of using nonconventional sources, especially plants, should not be overlooked. In this study, proteolytic enzymes were extracted from the sarcocarp of ridged gourd (*Luffa acutangula*), and the effect of the extraction process on protease activity was evaluated. The crude enzyme was optimized via response surface methodology (RSM) using a central composite rotatable design (CCRD). Four independent variables were studied, namely, the pH, the concentrations of Triton X-100 (TX-100) and 2-mercaptoethanol, and the mixing time. The optimum level of each variable based on the RSM model

**Cited by 0 documents**

Inform me when this document is cited in Scopus:

[Set citation alert >](#)**Related documents**Optimization of protease extraction from horse mango (*Mangifera foetida* Lour) kernels by a response surface methodologyAhmad, M.N. , Liew, S.L. , Yarmo, M.A. (2012) *Bioscience, Biotechnology and Biochemistry*Response surface analysis on the effect of temperature and pH on growth and proteolytic activity of *Thermophilic bacillus* sp.Gorlach-Lira, K. , Pedroza, M.L.V. , Burdziej-Pokojska, A. (2010) *Brazilian Archives of Biology and Technology*

Optimisation of soft cheese production conditions using papain as a plant-based enzyme by response surface methodology (RSM)

Siti Roha, A.M. , Najihah, M.N. , Muhammad Yazid, A.H. (2022) *Food Research*

View all related documents based on references

Find more related documents in Scopus based on:

Authors &gt; Keywords &gt;

was determined: at pH 6.38, 4.99% (v/v) TX-100, 0.15 M 2-mercaptoethanol, and a mixing time of 4.09 min, the optimum protease activity was estimated at 1.35 U/g. A verification test revealed satisfactory agreement between the model and experimental results with 96% desirability, indicating that the quadratic model generated from RSM is significant. © 2023 Malaysian Institute of Chemistry. All rights reserved.

#### Author keywords

Central Composite Rotatable Design; Luffa acutangular; Optimization; protease; Response Surface Methodology

SciVal Topics 

Funding details

#### References (38)

[View in search results format >](#)

All

[Export](#)  [Print](#)  [E-mail](#)  [Save to PDF](#) [Create bibliography](#)

- 
- 1 Jisha, V. N., Smitha, R. B., Pradeep, S., Sreedevi, S., Unni, K. N., Sajith, S., Priji, P., (...), Benjamin, S.  
Versatility of microbial proteases  
(2013) *Advance in Enzyme Research*, 1 (3), pp. 39-51. Cited 97 times.
- 
- 2 Motyan, J. A., Toth, F., Tozser, J.  
Research applications of proteolytic enzymes in molecular biology  
(2013) *Biomolecules*, 3, pp. 923-942. Cited 154 times.
- 
- 3 Bonne, K., Verbeke, W.  
Muslim consumer trust in halal meat status and control in Belgium  
(2008) *Meat Science*, 79 (1), pp. 113-123. Cited 151 times.  
doi: 10.1016/j.meatsci.2007.08.007  
[View at Publisher](#)
- 
- 4 Westermeier, R., Gorg, A.  
(1998) *Protein purification: principles, high resolution methods and applications*. Cited 367 times.  
New York: John Wiley and Sons
- 
- 5 Brueske, C. H., Dropkin, V. H.  
(1980) *Plants enzymology and histo enzymology*  
New Delhi: Kalyani Publishers
- 
- 6 Lattanzio, V., Linsalata, V., Palmieri, S., Van Sumere, C.F.  
The beneficial effect of citric and ascorbic acid on the phenolic browning reaction in stored artichoke (*Cynara scolymus* L.) heads  
(1989) *Food Chemistry*, 33 (2), pp. 93-106. Cited 67 times.
-

- 7 Kadiri, D.D., Shanmukha Anand, P.  
Optimization of protease extraction from *Billbergia pyramidalis* (Sims) Lindl. by response surface methodology  
(2016) *International Journal of Pharmaceutical Sciences Review and Research*, 36 (1), art. no. 48, pp. 267-276. Cited 4 times.  
<http://globalresearchonline.net/journalcontents/v36-1/48.pdf>
- 
- 8 Tari, C., Genckal, H., Tokatli, F.  
Optimization of a growth medium using a statistical approach for the production of an alkaline protease from a newly isolated *Bacillus* sp. L21  
(2006) *Process Biochemistry*, 41 (3), pp. 659-665. Cited 84 times.  
doi: 10.1016/j.procbio.2005.08.012  
View at Publisher
- 
- 9 Adinarayana, K., Ellaiah, P.  
Response surface optimization of the critical medium components for the production of alkaline protease by a newly isolated *Bacillus* sp  
(2002) *Journal of Pharmacy and Pharmaceutical Sciences*, 5 (3), pp. 272-278. Cited 246 times.  
[http://www.ualberta.ca/~csps/JPPS5\(3\)/P.Ellaiah/alkaline.pdf](http://www.ualberta.ca/~csps/JPPS5(3)/P.Ellaiah/alkaline.pdf)  
View at Publisher
- 
- 10 Myers, R. H., Montgomery, D. C.  
(2002) *Response surface methodology: Process and product optimization using designed experiments*. Cited 13863 times.  
(2nd ed). Canada: John Wiley and Sons
- 
- 11 Yamagata, H., Masuzawa, T., Nagaoka, Y., Ohnishi, T., Iwasaki, T.  
Cucumisin, a serine protease from melon fruits, shares structural homology with subtilisin and is generated from a large precursor  
(1994) *Journal of Biological Chemistry*, 269 (52), pp. 32725-32731. Cited 141 times.  
View at Publisher
- 
- 12 Chitturi, S., Talatam, V.G., Suneetha, V.  
Studies on protein content, protease activity, antioxidants potential, melanin composition, glucosinolate and pectin constitution with brief statistical analysis in some medicinally significant fruit peels  
(2013) *Der Pharmacia Lettre*, 5 (1), pp. 13-23. Cited 23 times.  
<http://scholarsresearchlibrary.com/dpl-vol5-iss1/DPL-2013-5-1-13-23.pdf>
- 
- 13 Ahmad, M.N., Liew, S.L., Yarmo, M.A., Said, M.  
Optimization of protease extraction from horse mango (*Mangifera foetida* Lour) kernels by a response surface methodology  
(2012) *Bioscience, Biotechnology and Biochemistry*, 76 (8), pp. 1438-1444. Cited 15 times.  
[https://www.jstage.jst.go.jp/article/bbb/76/8/76\\_120073/\\_pdf](https://www.jstage.jst.go.jp/article/bbb/76/8/76_120073/_pdf)  
doi: 10.1271/bbb.120073  
View at Publisher
-

- 14 Patel, S., Kothari, D., Goyal, A.  
Enhancement of dextranucrase activity of *Pediococcus pentosaceus* mutant SPAm1 by response surface methodology (Open Access)  
  
(2011) *Indian Journal of Biotechnology*, 10 (3), pp. 346-351. Cited 10 times.  
[http://nopr.niscair.res.in/bitstream/123456789/12115/1/IJBT%2010\(3\)%20346-351.pdf](http://nopr.niscair.res.in/bitstream/123456789/12115/1/IJBT%2010(3)%20346-351.pdf)
- 
- 15 Fakhri, A.  
Application of response surface methodology to optimize the process variables for fluoride ion removal using maghemite nanoparticles  
  
(2014) *Journal of Saudi Chemical Society*, 18 (4), pp. 340-347. Cited 76 times.  
<http://www.sciencedirect.com/science/journal/13196103>  
doi: 10.1016/j.jscs.2013.10.010  
  
View at Publisher
- 
- 16 Thys, R.C.S., Guzzon, S.O., Cladera-Olivera, F., Brandelli, A.  
Optimization of protease production by *Microbacterium* sp. in feather meal using response surface methodology  
  
(2006) *Process Biochemistry*, 41 (1), pp. 67-73. Cited 74 times.  
doi: 10.1016/j.procbio.2005.03.070  
  
View at Publisher
- 
- 17 Fakhfakh-Zouari, N., Haddar, A., Hmidet, N., Frikha, F., Nasri, M.  
Application of statistical experimental design for optimization of keratinases production by *Bacillus pumilus* A1 grown on chicken feather and some biochemical properties  
  
(2010) *Process Biochemistry*, 45 (5), pp. 617-626. Cited 104 times.  
doi: 10.1016/j.procbio.2009.12.007  
  
View at Publisher
- 
- 18 Potumarthi, R., Subhakar, Ch., Pavani, A., Jetty, A.  
Evaluation of various parameters of calcium-alginate immobilization method for enhanced alkaline protease production by *Bacillus licheniformis* NCIM-2042 using statistical methods (Open Access)  
  
(2008) *Bioresource Technology*, 99 (6), pp. 1776-1786. Cited 51 times.  
doi: 10.1016/j.biortech.2007.03.041  
  
View at Publisher
- 
- 19 Ahmad, M.N., Shuhaimen, M.S., Normaya, E., Omar, M.N., Iqbal, A., Ku Bulat, K.H.  
The applicability of using a protease extracted from cashew fruits (*Anacardium occidentale*), as possible meat tenderizer: An experimental design approach  
  
(2020) *Journal of Texture Studies*, 51 (5), pp. 810-829. Cited 5 times.  
[http://onlinelibrary.wiley.com/journal/10.1111/\(ISSN\)1745-4603](http://onlinelibrary.wiley.com/journal/10.1111/(ISSN)1745-4603)  
doi: 10.1111/jtxs.12529  
  
View at Publisher
-

- 20 Ahmad, M.N., Mohd Azli, N.H., Ismail, H., Mohamed Iqbal, M.A., Mat Piah, B., Normaya, E.  
Inhibitory effects of *Manihot esculenta* extracts on Food-Borne pathogens and their antioxidant properties: Supercritical fluid extraction, statistical analysis, and molecular docking study ([Open Access](#))  
  
(2020) *Journal of Food Process Engineering*, 43 (9), art. no. e13452. Cited 2 times.  
[http://onlinelibrary.wiley.com/journal/10.1111/\(ISSN\)1745-4530](http://onlinelibrary.wiley.com/journal/10.1111/(ISSN)1745-4530)  
doi: 10.1111/jfpe.13452  
  
View at Publisher
- 
- 21 Joardar, N., Mukherjee, S., Babu, S.P.S.  
Thioredoxin reductase from the bovine filarial parasite *Setaria cervi*: Studies on its localization and optimization of the extraction  
  
(2018) *International Journal of Biological Macromolecules*, Part B 107, pp. 2375-2384. Cited 19 times.  
[www.elsevier.com/locate/ijbiomac](http://www.elsevier.com/locate/ijbiomac)  
doi: 10.1016/j.ijbiomac.2017.10.114  
  
View at Publisher
- 
- 22 Bisht, D., Yadav, S.K., Darmwal, N.S.  
Computation of interactive effects and optimization of process parameters for alkaline lipase production by mutant strain of *Pseudomonas aeruginosa* using response surface methodology  
  
(2013) *Brazilian Journal of Microbiology*, 44 (1), pp. 245-252. Cited 14 times.  
[http://www.scielo.br/pdf/bjm/v44n1/aop\\_635200.pdf](http://www.scielo.br/pdf/bjm/v44n1/aop_635200.pdf)  
doi: 10.1590/S1517-83822013005000016  
  
View at Publisher
- 
- 23 Hunter, W. G., Hunter, J. S.  
(1987) *Statistic for experimenters: An introduction to design, data analysis and model building*. Cited 3433 times.  
New York: John Wiley
- 
- 24 Ho, J.G.S., Middelberg, A.P.J., Ramage, P., Kocher, H.P.  
The likelihood of aggregation during protein renaturation can be assessed using the second virial coefficient  
  
(2003) *Protein Science*, 12 (4), pp. 708-716. Cited 95 times.  
doi: 10.1110/ps.0233703  
  
View at Publisher
- 
- 25 Suberu, Y., Akande, I., Samuel, T., Lawal, A., Olaniran, A.  
Optimization of protease production in indigenous *Bacillus* species isolated from soil samples in Lagos, Nigeria using response surface methodology ([Open Access](#))  
  
(2019) *Biocatalysis and Agricultural Biotechnology*, 18, art. no. 101011. Cited 27 times.  
<http://www.journals.elsevier.com/biocatalysis-and-agricultural-biotechnology/>  
doi: 10.1016/j.bcab.2019.01.049  
  
View at Publisher

- 26 Uchikoba, T., Hosoyamada, S., Onjyo, M., Arima, K., Yonezawa, H., Kaneda, M.  
A serine endopeptidase from the fruits of *Melothria japonica* (Thunb.) Maxim. ([Open Access](#))  
(2001) *Phytochemistry*, 57 (1), pp. 1-5. Cited 11 times.  
doi: 10.1016/S0031-9422(00)00511-2  
[View at Publisher](#)
- 
- 27 Anderson, M. J.  
(2005) *RSM simplified: Optimizing process using Response Surface Methods for design of experiments*. Cited 508 times.  
New York: Productivity Press
- 
- 28 Fatima, S., Ajmal, R., Badr, G., Khan, R.H.  
Harmful Effect of Detergents on Lipase ([Open Access](#))  
(2014) *Cell Biochemistry and Biophysics*, 70 (2), pp. 759-763. Cited 14 times.  
<https://link.springer.com/journal/12013>  
doi: 10.1007/s12013-014-9978-4  
[View at Publisher](#)
- 
- 29 Trinh, T.H.T., Kim, J., Lee, C.-H., Ryou, C.  
Non-ionic detergents Nonidet P-40 and Triton X-100 increase enzymatic activity of plasmin  
(2019) *Biochemical and Biophysical Research Communications*, 512 (2), pp. 314-318. Cited 2 times.  
<http://www.sciencedirect.com/science/journal/0006291X>  
doi: 10.1016/j.bbrc.2019.03.052  
[View at Publisher](#)
- 
- 30 Ezgimen, M.D., Mueller, N.H., Teramoto, T., Padmanabhan, R.  
Effects of detergents on the West Nile virus protease activity  
(2009) *Bioorganic and Medicinal Chemistry*, 17 (9), pp. 3278-3282. Cited 27 times.  
doi: 10.1016/j.bmc.2009.03.050  
[View at Publisher](#)
- 
- 31 Furth, A.J.  
Removing unbound detergent from hydrophobic proteins  
(1980) *Analytical Biochemistry*, 109 (2), pp. 207-215. Cited 79 times.  
doi: 10.1016/0003-2697(80)90638-7  
[View at Publisher](#)
- 
- 32 Amid, M., Tan, C.P., Mirhosseini, H., Aziz, N.A., Ling, T.C.  
Optimisation of serine protease extraction from mango peel (*Mangifera Indica* Cv. Chokanan)  
(2011) *Food Chemistry*, 124 (2), pp. 666-671. Cited 21 times.  
doi: 10.1016/j.foodchem.2010.06.027  
[View at Publisher](#)
-

- 33 Amid, M., Abd Manap, Y., Zohdi, N.  
Optimization of Processing Parameters for Extraction of Amylase Enzyme from Dragon (*Hylocereus polyrhizus*) Peel Using Response Surface Methodology  
(2014) *The scientific world journal*, 2014, pp. 1-12.

- 34 Mehrnoush, A., Mustafa, S., Sarker, Md.Z.I., Yazid, A.M.M.  
Optimization of the conditions for extraction of serine protease from kesinai plant (*Streblus asper*) leaves using response surface methodology  
(2011) *Molecules*, 16 (11), pp. 9245-9260. Cited 17 times.  
<http://www.mdpi.com/1420-3049/16/11/9245/pdf>  
doi: 10.3390/molecules16119245

[View at Publisher](#)

- 35 Sadhukhan, B., Mondal, N.K., Chattoraj, S.  
Optimisation using central composite design (CCD) and the desirability function for sorption of methylene blue from aqueous solution onto *Lemna major* ([Open Access](#))  
(2016) *Karbala International Journal of Modern Science*, 2 (3), pp. 145-155. Cited 145 times.  
<https://kijoms.uokerbala.edu.iq/>  
doi: 10.1016/j.kijoms.2016.03.005

[View at Publisher](#)

- 36 Myers, R. H., Montgomery, D. C.  
(2016) *Response surface methodology*. Cited 13863 times.  
(2nd ed). New York, NY: John Wiley and Sons Inc

- 37 Ahmad, M.N., Mat Noh, N.A., Abdullah, E.N., Yarmo, M.A., Mat Piah, M.B., Ku Bulat, K.H.  
Optimization of a protease extraction using a statistical approach for the production of an alternative meat tenderizer from *Spondias cytherea* roots ([Open Access](#))  
(2019) *Journal of Food Processing and Preservation*, 43 (11), art. no. e14192. Cited 9 times.  
[http://onlinelibrary.wiley.com/journal/10.1111/\(ISSN\)1745-4549](http://onlinelibrary.wiley.com/journal/10.1111/(ISSN)1745-4549)  
doi: 10.1111/jfpp.14192

[View at Publisher](#)

- 38 Kotlar, C., Ponce, A., Roura, S.  
Characterization of a novel protease from *Bacillus cereus* and evaluation of an eco-friendly hydrolysis of a brewery byproduct  
(2015) *Journal of the Institute of Brewing*, 121 (4), pp. 558-565. Cited 17 times.  
[http://onlinelibrary.wiley.com/journal/10.1002/\(ISSN\)2050-0416](http://onlinelibrary.wiley.com/journal/10.1002/(ISSN)2050-0416)  
doi: 10.1002/jib.257

[View at Publisher](#)

✉ Ahmad, M.N.; Experimental and Theoretical Research Lab, Department of Chemistry, Kulliyah of Science International Islamic University Malaysia, Kuantan, Pahang, Malaysia; email:mnorazmi@iium.edu.my  
© Copyright 2023 Elsevier B.V., All rights reserved.

---

## About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

## Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

## Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

---

## ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies ↗.

