# BEATS & UNITS: A STORY-GAME DESIGN FRAMEWORK

## NELSON ZAGALO

DIGIMEDIA, DEPARTMENT OF COMMUNICATION AND ART, UNIVERSITY OF AVEIRO (PORTUGAL)

## ANA PATRÍCIA OLIVEIRA

DIGIMEDIA, DEPARTMENT OF COMMUNICATION AND ART, UNIVERSITY OF AVEIRO (PORTUGAL)

## PEDRO CARDOSO

DIGIMEDIA, DEPARTMENT OF COMMUNICATION AND ART, UNIVERSITY OF AVEIRO (PORTUGAL)

## MÁRIO VAIRINHOS

DIGIMEDIA, DEPARTMENT OF COMMUNICATION AND ART, UNIVERSITY OF AVEIRO (PORTUGAL) **Nelson Zagalo** is an Associate Professor with Habilitation at the University of Aveiro, and Scientific Coordinator of DigiMedia - Digital Media and Interaction Research Center. He was Assistant Professor at University of Minho, where he created the scientific laboratory EngageLab. He founded the Portuguese Society for Videogames Sciences, and the Journal of Digital Media & Interaction. https://orcid.org/0000-0002-5478-0650

Ana Patrícia Oliveira is a PhD Researcher at the University of Aveiro, in the FlavourGame project (POCI-01-0145-FEDER-031024) and member of DigiMedia Research Center. She teaches subjects in the Communication Sciences and Technologies field. Her research interests are related to Game Design, Interaction Design, User Experience, Childhood and New Media and Educational Programming Languages. https://orcid.org/0000-0003-3234-787X

**Pedro Cardoso** is a Designer, Assistant Professor at the University of Aveiro, and researcher at DigiMedia. His work develops in multidisciplinary contexts, on the exploration of poietic and aesthetic processes of games and computational systems, studying these as critical artefacts for creative thinking, affective experiences and social intervention. https://orcid.org/0000-0001-8546-4194

**Mário Vairinhos** is an Assistant Professor at University of Aveiro since 2001 and Researcher in the area of Interaction Design and Human-Computer Interaction, with particular interest in Mixed Realities. He is a founding member of DigiMedia Research Center and Header of Master in Game Design Development in the University of Aveiro. https://orcid.org/0000-0002-4483-8126

Acknowledgments: The authors would like to acknowledge POCI-FEDER and FCT for funding this Project, under the Grant Agreement No. POCI-01-0145-FEDER-031024.

#### **Corresponding author**

Nelson Zagalo nzagalo@ua.pt DigiMedia Department of Communication and Art Campus Universitário de Santiago 3810-193 Aveiro Portugal

Paper submitted: 20th June 2022 Accepted for publication: 16th February 2023 Published online: 15th June 2023

## Abstract

There are no recipes or rules to develop games, any more than there are to develop stories. When we try to define a game system that not only has to create a balanced experience, but also has to tell a story, which can engage players in creating empathy and meaning, everything gets complicated. We faced this problem when we had to develop a serious game with the goal of promoting discussion and awareness among children around nutrition: FlavourGame. In this regard, we needed not only to design game mechanics that would feel complete and progressive, but also to create a narrative that provided meaning to the game experience, in order to ensure an underlying layer to the context of nutrition. For that, we had to develop a framework that could help the team in guiding the telling of the story while designing the progression of the game. In this article, we present the full framework as a story-game design approach to be employed in the creation of serious narrative games.

Keywords: Narrative Design, Serious Games, Storytelling, Play, Creativity Process, User Experience Design.

## 1. Introduction

Narrative Design has only emerged in the game design world in the last decade (Brunette, 2014; Jubert, 2017), as a way to bring story writing and game design together (Batchelor, 2019; Heussner, Finley, Hepler, & Lemay, 2015; McRae, 2017). The complexity of this merger arises from the fact that they are both integral systems for generating human experience, and as such, when brought together they collide by the force with which they attract to themselves the control of experiences (Zagalo, 2020b). We are therefore still facing a process in the search of solidification in ways of doing (Heussner, 2019). Although Narrative Design emerged as a new area in the industrial domain of digital games, it did not arise in an isolated way, since much of what is part of the problematic of this design has been discussed over the last 25 years, in the domain of what is called Interactive Narrative or Interactive Storytelling (Laurel, 1993; Murray, 1997, 2005; Crawford, 2004; Mateas, 2001; Frasca, 1999; Juul, 2001; Aarseth, 2004; Ryan, 2003; Ryan & Thon 2014). It was within these areas that our work began (Zagalo, Branco, & Barker, 2003), and that came to enhance the framework of narrative design that we will present.

In 2002 we started an investigation about the narrative convergence between cinema and video games (Zagalo, 2007; Zagalo, Branco, & Barker, 2003), which led us to participate in the European project INSCAPE (2004-2008)<sup>1</sup>. In this project we came to identify the lack of specific emotional elements in the dramatization of interactive stories (Zagalo, Torres, & Branco, 2005), which would be cited by the creator Jenova Chen (Fullerton et al, 2006) while making his master thesis prototype "Cloud", where he sought to instigate feelings of tranquility in his prototypes, and later went on to create commercial games that were successful in producing this emotion, e.g. "Flow" (2009) and "Journey" (2012). We kept on improving our work and in 2006 we presented a proposal for a design model that we called "passive interactivity" (Zagalo, Torres & Branco, 2006), in which we defended essentially the need for the virtual characters to present in their body language a closer relationship, namely by the virtual touch between the characters. This approach was to be followed in another commercial video game from 2010 ("Heavy Rain") and we later demonstrated how it had been applied (Zagalo, 2017).

By presenting the development of Narrative Design and Interactive Storytelling domains, we are not saying that stories in games were only being developed when people started discussing these concepts. Games like "Colossal Adventure" (1976) and "Zork" (1979) are the great precursors of all these discussions in the industry and academia. However, we can observe a great difficulty in putting together stories and games throughout the history of video games development. In the 1980s and 1990s, we had Graphic Adventures which moved from the text merely into the use of audiovisual representation, putting much more pressure on the design and sending most of the story exposition to non-interactive cutscenes. At the same time, we had RPGs (Role Playing Games), born from tabletop Dungeons & Dragons, struggling with the density of parameters, a mathematization of the human relation which does not combine naturally with the organic needs of stories. And this explains why in the beginning of the 2000s academia started its interest in studying the problems of combining games and stories and looking for different creative perspectives to approach the subject.

In FlavourGame the interactive narrative approach *per se* was no longer enough, we needed to consolidate an experience that would have to be simultaneously narrative and game and that is how the "Beats & Units" framework (Zagalo, Cardoso, & Oliveira, 2021) presented in this article emerges.

We have to mention that this framework has not only emerged through previous work in the field of interactive storytelling,

<sup>1</sup> INSCAPE - Interactive Storytelling for Creative People, (EC FP6 - IST - IP - 0041500).

but is also the result of a whole work of surveying the stateof-the-art, and plenty of experimentation, with trial-and-error analysis, in the creative development of the FlavourGame project. From our first survey on narrative design (Bryant & Giglio, 2015; Grip, 2014; Swords, 2020), a number of issues and problems (Abernathy & Rouse III, 2014; Claussen, 2017; Maggs, 2016; Szczepanski, 2017) immediately stood out, with the big issue evidencing itself in much the same way as the problem we were struggling with in the FlavourGame project: the lack of a model that would allow the narrative creators to analyze, understand and work the narrative flow throughout the game experience.

In order to introduce the framework, we will therefore begin with a brief discussion of the state-of-the-art in approaches to narrative design, after which we will present the process of the creation of the framework, explaining and detailing it on two levels: conceptual and design. At the conceptual level, we will look at all the information elements that underpin the story world - the nexus; and the mental storyline that is expected to be created in the players' minds - the fable. In the second level of design, we will see the creation of the game mechanics and storyline. The framework is then demonstrated in terms of its functionality, by means of a design map that organizes the entire game and narrative experience according to a set of narrative design descriptors: narration/ description, setting, characters, events, and player. It is this final mapping that allows, on applied terms, developers to manage the intention of the story in the game, namely by adjusting flows and meanings to ensure the coherence of the narrative experience.

### 2. State-of-the-Art

The design of games, despite dealing with systems, rules and logical environments, still struggles with problems, namely in the absence of standardized methods (Neves & Zagalo, 2021). One of the most discussed models in the field of Game Design is what has been referred to as Game Design Document (Rollings & Adams, 2003), which can assume the diverse structures (Brathwaite & Schreiber, 2008; Fullerton, 2014: Schell. 2008), from a simple description of game elements and some graphical sketches of the art, to the use of flowcharts, user flows, task flows or wireflows (Laubheimer, 2016), or moving diagrams created in software packages like Machinations<sup>2</sup> (game logic test systems). So, when we try to define a game system that not only has to create a balanced experience - with resources suitable to the player and to the game, guarantee the maintenance of players' interest, attention and motivation - but also has to tell a story, that can engage players in meaning - through cause-and-effect metaphors - everything gets complicated.

For that purpose, it is very common to see Aristotle, Freytag, Todorov or Campbell being evoked, however all these authors only dedicated their work to the analysis of non-interactive narrative experiences. In contrast, In the last few years, we have witnessed an emergence of approaches to story design based on idea generation systems, like Story Dice<sup>3</sup>, or modular narrative experience construction systems, like Fabula Deck<sup>4</sup>, Author Tool<sup>5</sup> or Story Mapping<sup>6</sup>, being the latter storytelling systems, they can be seen as more easily connectable with game design systems.

<sup>2</sup> Machinations can be accessed at: https://machinations.io

<sup>3</sup> To know more about Story Dice visit https://davebirss.com/storydice-creative-story-ideas/

<sup>4</sup> To know more about Fabula Deck visit https://fabuladeck.com

<sup>5</sup> To know more about Author Tool visit https://www.beemgee.com

<sup>6</sup> To know more about Story Mapping visit https://craft.io/features/story-mapping

In a different logic, beyond mere mapping, already pointing to narrative "engines", we also had some evolution, with the best known being Twine<sup>7</sup>, but limited because it is exclusively aimed at interactive fiction, as well as Inkle Writer<sup>8</sup>. Perhaps, the most developed engine we have identified to date is Articy:Draft<sup>9</sup>, which has been trying to fulfill a gap in the lack of tools for narrative designers, but it resides more in the domain of the tools for production of final artifacts, being less dedicated to the initial creative process, the conception phase of idea generation and search for connections between the game and the narrative.

Thus, in recent years, the Game Developers Conference, and namely its Narrative Summit, have been the scene of many discussions around narrative design, with proposals emerging from various developers, such as Jurie Horneman defending the "mechanical (abstract)" and "fictional (meaningful)" as being "two sides of the same coin" (Horneman, 2015), Chris Bateman with the need to "think of story as one more game system and they've all got to work together" (Batchelor, 2019), or Brooke Maggs separating the "characters motivation" from the "players motivation" (Maggs, 2016), or even Amy Claussen defending the linearity of narrative game systems (Claussen, 2017). All these ideas present philosophical dimensions of narrative design in game, which serves the discussion, but are yet too abstract, more focused on limitations and possibilities, and less on the concrete work of creation.

Focusing on more concrete methods, we highlight three. The first is Thomas Grip's 4-Layers stated as a new "narrative design approach" (Grip, 2014), which is the method used by Frictional Games to develop the videogame SOMA (Grip, 2015). The method is presented with the four layers — gameplay, narrative goal, narrative background, and mental modeling —, with interesting descriptions, offering some access into how

the team designed the narrative within the game, but in fact the descriptions are very little detailed in terms of the creative process, with no information on the different parameters of each layer. However, more recently two other quite more promising methods have been presented, as they are more explicit and detailed: the "Pyra-grid" (Bryant & Giglio, 2015), and the "Forest Paths" (Swords, 2020).

Robert Denton Bryant and Keith Giglio (Bryant & Giglio, 2015) present the method called Pyra-Grid, which is constituted by a pyramid to support an "interactive narrative" that the authors define as a kind of "3D storytelling" (Bryant & Giglio, 2015). They start by proposing a linear structure — in three acts, with the central one divided into two mirror moments — and propose the use of their pyramid to open the linear structure to interactivity, and thus create a story world with 3 dimensions: the "Who"; the "Where" and the "What". It is from these three questions, that the pyramid instigates new questions that lead the creator to deepen the conceptual definition of the characters, the world and the plot.

Alexander Swords (2020) presents Forest Paths, which focuses specifically on the character or protagonist of the game in order to be able to link his story with his actions inside the game. As such, it presents a bi-pathed matrix, in which 1) the story is defined by the characterization of what the "Player" "Performs" and "Manages" to "Overcome" and "Achieve" the end; and 2) the playable world is defined by the "<character>" with its "<actions>" and "<resources>" as well as in the "<obstacles>" that prevent it from reaching the "<objective>".

Both Bryant and Giglio and Swords' methods offer good results, but from our point of view and considering our creative needs, they are incomplete. The first one focuses on an approach of the story for the game, while the second one starts

<sup>7</sup> To know more about Twine visit https://twinery.org

<sup>8</sup> To know more about Inkle Writer visit https://www.inklestudios.com/

<sup>9</sup> To know more about Articy:Draft visit https://www.articy.com/en/

from the game to the story, both being too attached to the starting points, making difficult the following stages of the process in which it is necessary to deepen what the story is made of, or what the game is made of. Still, they are relevant models and are part of the proposal we will present below, which we have been using more recently, as we will see in the next section.

Figuring out which should come first, story or gameplay, is an old discussion, in which some authors defended story as the dominating element of a game (Church, n.d.) while many others stated that the creative genesis of great games starts with gameplay with story being added a posteriori (Bryant & Giglio, 2015). With this in mind, and as in all the arts, it is our opinion that we should not obsess over a flow of actions, even less make it mandatory, but rather understand the great variety of creative processes, and seek flexible tools able to adapt to such fluidity.

## 3. Presentation of the narrative design framework: Beats&Units

The Beats&Units framework is a tool that allows narrative designers to adjust, adapt and shape the narrative and the game. It is an instrument aimed at the ideation of the development of narrative design in game environments. The framework (Table 1) is organized in two levels: the operational level and the informational level. The former is where we can work to build and integrate the narrative with the game – where we set the Beats –, and the latter in which we can set all the information about the story and the game – where we define the content of the Units. The two levels are subdivided into a sequence of four sub-levels which in the end offer 7 layers:

- the conceptual layers, in which layer 1 is focused on the basic framing of possibilities of meaning of the project, and layer 2 aims at the mechanics, and layer 3 determines the narrative structure;
- the design layers, in which layer 4 inspects the gameplay, and layer 5 the game plot;

- the units layer, which expands and details the units of narrative;
- the surface layer, which is the tool that results from all the other layers and can be used independently of all the others to manage the narrative flow.

Table	1			
The B	Laste 8.	Inite	fram	owork

1	ne	Dealsal	JIIIIS	IIdille	EWOIK.	

Operational level	Surface	Layer 7 – Beats		
	Units	Layer 6 – Units		
	Decian	Layer 5 – Game plot		
Informational	Design	Layer 4 – Gameplay		
level		Layer 3 – Story (Fable)		
	Conceptual	Layer 2 – Mechanics		
		Layer 1 – Intent (Nexus)		

### 3.1 Conceptual sub-level

The ideation process (conceptual sub-level) begins with the Layer 1 (Intent), which is based on Aristotle's elements of circumstance — the know scheme: Who, What, When, Where, Why and How. These elements serve as the basic framing of possibilities of meaning of the project, delimiting the scope of the game and the story, as Cicero stated: "the narration consisting of these elements will be able to be like the truth" (Sloan, 2010). As can be seen in Table 2, each of the circumstances is defined according to the project's intent. Still disconnected from the game and the narrative, this layer is important to ensure that the ideation process is not disconnected from the game's intention, see Table 3.

Once the project's intent is defined, the issue about where to start arises: mechanics or the story? Over the last few years much has been discussed about the need to create the game's mechanics from its story, in order to ensure they are meaningful (Brathwaite & Schreiber, 2008). However, considering the confrontation with the practices of creation (Bryant

#### Table 2

Layer 1 - Intent (Nexus), following Aristotle (Sloan, 2010).

What	Who	Where	When	How	Why
What is the main	To whom the arti-	Place/environment	The moment	The way the arti-	The reason why the
question that the	fact is addressed	where the artifact is	when the arti-	fact answers to	artifact is created
artifact tries to		shared	fact is trans-	the main question	
answer			mitted		

#### Table 3

Layer 2 - Mechanics, following Schell (2008).

Space	Objects	Actions	Rules	Competences	Uncertainty
Space is where	Objects are any-	Actions are how	Rules com-	Competences are	Uncertainty adds
the game take	thing that can be	the player interacts	mand the game	physical, mental	variability to the
place (both virtu-	seen or manipulat-	with objects and	environment.	and social abilities	game experience,
al and physical)	ed in the game by	can lead to strat-	They define	used by a player	increasing replay
	the player	egies	the space, the	to progress in the	value and diversifying
			objects, the	game	the gameplay
			actions, and the		
			qoals		

& Giglio, 2015), and even from the processes explained by Romero in her presentations (Romero, 2011), we can also understand that a story in a game cannot be created if there is no set of mechanisms to support it. In a similar way that the experience of stories requires a three-act structure, a game requires mechanics, without which it does not exist.

Layer 2 (Mechanics) follows Schell's work (Schell, 2008), restricting mechanics to six components: space, objects, actions, rules, skills, and uncertainty, as shown in Table 3. We can say that uncertainty is perhaps the most relevant mechanic of all because it defines not only the great goal of the game, but also what is at stake for the characters and the plot of the narrative. Although we start by conceptualizing the mechanics, when passed from the abstract to the specifics of the game, they require a world, a concrete space where everything happens. Thus, at the same time that the mechanics are outlined, the process of projection of the game-world is also initiated from the intentions inscribed in Layer 1, which in turn fuel the construction of the components of Layer 2.

Thus, after setting up the game world, the process of imagining a story that inhabits it begins. For that purpose, Layer 3 (Story) invokes Todorov's structure (Todorov & Weinstein, 1969), which defines narrative structures in 5 elements: equilibrium, disruption, recognition, repair, and new equilibrium, see Table 4. This structure allows us to quickly enter the outlined imaginary world and start from the natural state of that world to propose different disruptions in it, until we find one that matches the game's intent.

#### Table 4

Layer 3 - Story (Fable), based on Todorov (Todorov & Weinstein, 1969).

Equilibrium	Disruption	Recognition	Repair (Action)	New Equilibrium
In the beginning	The initial equilibrium	In this stage there is	There is an attempt to	A return or
of the narrative	of the narrative is	the recognition that	repair the damage done	restoration of a new
there is an equal	disrupted by an event	disorder and disruption	by the disruption	equilibrium at the
balance and initial		has occurred		end of the narrative
equilibrium				

#### 3.2 Design sub-level

In order to start the connection process between story and game, Layer 4 (Gameplay) resorts to the Forest Paths method by Alexander Swords (Swords, 2020), which proposes to model a pattern between the character's story (light green in Table 5), and the player's actions (dark green in Table 5) to deepen the characters' definition inside the game. Thus, as can be seen in Table 5, we have a starting point that is the player, and a finishing point that is the goal, and in the middle is where the game process is developed, which guarantees the player's involvement with the story world. Up until Layer 4, we have the story that we want people to retain in their heads, a fable, a mental creation developed by the players. However, that is different from the artifact that stimulates the fable itself. In this sense, Layer 5 (Game plot) takes Todorov's structure Todorov & Weinstein, 1969) (see Table 4) and adapts it to Freytag's (1864) (see Table 6). It re-organizes the information in time, abandoning the chronology of the story, to make room for the plot and therefore bring about the experience of a story. In other words, a succession of events is not enough, we need the causality of these events to be managed in time in order to build a flow of narrative experience. This flow is produced by creating a rhythm in the information that is unveiled at each moment, in order to produce

#### Table 5.

Layer 4 - the Gameplay, following Swords (2020).

Player	<character></character>	Performs		Manage		Over- come	<obstacles></obstacles>	Achieve	<goal></goal>
	Which char-		Which ac-		Which re-		Which		Which
	acter is rep-		tivities are		sources are		obstacles		goals are
	resented by		performed		managed by		are over-		achieved by
	the player		by the player		the player		come by		the player
			during the		during the		the player		during the
			gameplay		gameplay		during the		game-
			(e.g. move,		(e.g. energy,		gameplay		play (e.g.
			attack, nego-		powers)		(e.g. ene-		eliminate
			tiate)				mies' ener-		enemies,
							gy, battles)		acquire
									powers)

#### Table 6

Layer 5 - Game plot, following Freytag (1864).

Exposition	<back< th=""><th>Rising</th><th><threat></threat></th><th>Climax</th><th><confrontation></confrontation></th><th>Falling</th><th><fall></fall></th><th>Resolution</th><th><theme></theme></th></back<>	Rising	<threat></threat>	Climax	<confrontation></confrontation>	Falling	<fall></fall>	Resolution	<theme></theme>
	story>	action				action			
	Background		Major		The culmination		Events that		Events
	information		events		part of the plot.		unravel the		from the
	of the		that add		The turning		conflict		end of
	plot that		tension or		point for the		between		the falling
	includes		suspense		protagonisťs		the		action to
	characters		to the plot		character		protagonist		the actual
	and setting		(problems				and the		end of
			or				antagonist		the story
			conflicts)				that leads		where the
			that lead				to the		problem
			up to the				resolution		or
			climax						conflict is
									resolved

curiosity in the receiver, an interest in wanting to know more about what is going to happen next, following in the attempt to be able to interpret the missing information (Eco, n.d.).

#### 3.3 Design sub-level

The units layer (Layer 6) follows previous theoretical work (Zagalo, 2019) indicating the characters, setting and events as the core units of narrative design. However, when applying it we realized that by following this path we would not be able to account for player participation, as evidenced by Swords (2020). As such, we needed two more units: the player and the narration, resulting in a set of 5 design units, as presented in Fig. 1. With these 5 units it becomes possible to start to put into perspective the design of the narrative and game experience, to understand how each unit affects the others, namely to understand how the player engages with each unit, however it still lacks a temporal notion.

And so, it does not serve the process of iteration and improvement that is needed to operate in the relationship between story and game. Across the 5 units, it is not only possible to understand how the experience is produced throughout the game, the moment-by-moment of the experience being produced, and understanding the peaks and lows of tension we're looking to introduce to guarantee engagement. In this sense, the framework that has been presented so far, in its



Layer 6 - Units.

6 layers (informational level), has as its object not only the sustainability of the structure, but also demonstrates that the framework, being too complex, requires simplification in order to become applicable in the creative process.

#### 3.4 Surface sub-level: beats

The surface sub-level emerges from the result of the previous layers and takes the simplified shape of a set of cards in which every card (Fig. 2) represents a Beat (Layer 7), which is constituted by Units, being part of a Scene of experience. In this narrative design canvas, these three elements are used just as in the domain of scriptwriting (McKee, 1997) for designing and managing experience information:

- Scenes are sections and serve to frame concrete moments in which something happens, the so-called conflicts or incidents that produce perfectly delineable and autonomous spaces of information. Each can only be set in one scene.
- Beats are actions, and they serve in breaking scenes story or game – into smaller structural units. McKee defines Beats as "an exchange of behavior in action/reaction" (1997). Importantly, the changes in behavior may concern what the characters do or what the players do. In this way, Beats serve as pace markers regardless of whether they are story or game.
- Units subdivide each Beat, in the Scene, into 5 elements (Fig.1). This is perhaps the most relevant element of the construction of the entire framework, as it demonstrates how the generalization of story units, while serving the understanding of the narrative, do not suit the design of the experience, as changing a single unit in each beat can transform the entire experience:
- Narration is about the scene's information in each beat. We define it as narration, since the information in each beat must be worked in function of its provenance, whether of the characters, the game or the players;
- · Setting refers to the place in the game, the place in the story;
- Characters/Dialogues relates to who is in the portrayed moment, including dialogues and voice overs;

- · Events describe the actions of each element in the Beat;
- Player is aimed at what can or should the player do.



Fig. 2 Layer 7 – A Beat (card).

In fact, each card represents a Beat in a particular Scene. Each Scene can have multiple Beats. The cards, being Beats, assume the role of building blocks of the game's narrative relationship with its gameplay, and they can be combined to form linear or multilinear sequences of events. There are no fixed numbers of Scenes in the game or Beats per Scene (Fig.3).



Each card represents a beat. By interconnecting the Beats, one can work on flow, pacing and balancing in linear and non-linear sequences of events.

## 4. Conclusion

The Beats&Units framework has been used within the FlavourGame project and the main findings from its use are: i) speeds up the understanding of the game and story experiences by turning abstract information into concrete visual formats; ii) allows developers to be able to understand what the player knows and does not know about the game and the story, at any given moment; and iii) makes it possible to assess the evolution of each character in the perspective of the player, to measure the narrative progress, to understand the positioning of moments of tension and pause, and thereby adjusting the progress of the game with the narrative progress.

This framework is a tool that defines the fundamental information to be offered immediately before the start of the game, as well as the information to be introduced throughout the game. The goal of any game lies in its interaction, so we cannot continuously stop the game to tell the story in non-interactive ways (the so-called cut scenes), we need to work the different modes of narrative exposure that the game world allows, from the dialogues to the objects present in the scene – e.g. cards, clothes, inscriptions in places, etc. – in order to introduce the information that allows the evolution of the characters and the narrative progress.

Thus, the tool has been very useful in determining the full range of information-carrying elements to be conveyed by the game and allowing us to work on the flow of the experience, namely speeding up, slowing down, adding or cutting narrative exposure.

We consider that the tool has delivered as expected, in terms of supporting the creation and management of narrative design. Naturally, for larger projects, it might be necessary to take the structure and apply it in a programmable environment, which could offer us links between cells, transportation of variables, as well as incorporating dialogues and actions directly into the final implementation of the game. However, we consider that in this step we would already be closer to a game engine, and less of a narrative design tool. We already had the opportunity to carry out a first exploratory workshop about the use of this framework with around 12 specialists and developers. In the workshop we were able to model the narrative information with the gameplay, which suggests to us that this framework can bridge the narrative and ludological components of a game. Since the focus of the framework is on ideation and conceptualization, and not on development and implementation, its use can be discerned when a game starts being developed. It is, of course, in our interest to assess players' experience with the games and interactive stories created with this framework. However, since the framework's foci are foremost centered in the poietic process rather than on the esthesic and aesthetic processes, its validation was firstly accomplished via who studies or conceives the game and the story rather than with who plays it, with the aim to develop insight of how easy, friendly and accessible to use the framework is, and how it empowers the creativity of interactive storytellers and designers.

The Beats&Units framework is a process in continuous development and that is why we are experimenting and uncovering new grounds and applications to use the framework in each iteration. In specific approaches we introduce some variations, in others we suggest merely different uses. We intend also to benefit from the interaction with other frameworks, like "The Bottom-Up And Top-Down Approaches" (Kuhnen, 2007). Nevertheless, the framework is sufficiently stabilized and usable, and it works, as already identified in the exploratory workshop where participants used the framework to create their game ideations.

## References

Abernathy, T., & Rouse III, R. (2014). *Death to the Three Act Structure! Toward a Unique Structure for Game Narratives. GDC - Game Narrative Summit.* San Francisco: GDC Vault.

Aarseth, E. (2004). Genre Trouble: Narrativism and the Art of Simulation. In Harrington, P. & Wardrip-Fruin, N. (Eds.), *First* 

Person: New Media as Story, Performance, and Game (pp.45-47). MA, MIT Press.

Batchelor, J. (2019). *Four questions to help improve your narrative design* [Chris Batemen]. Retrieved July 15, 2021, from GamesIndustry.biz website: https://www.gamesindustry.biz/ articles/2019-07-16-four-questions-to-help-improve-your-narrative-design.

Brathwaite, B., & Schreiber, I. (2008). *Challenges for game de*signers. Charles River Media.

Brunette, L. (2014). *What's a Narrative Designer*? Retrieved July 15, 2021, from Big Fish Games website: https://web.ar-chive.org/web/20171110210044/http://www.bigfishgames. com/blog/guide-to-narrative-design-and-writing-video-game-stories/.

Bryant, R. D., & Giglio, K. (2015). *Slay the Dragon: Writing Great Video Games*. Studio City, CA: Michael Wiese Productions.

Church, D. (n.d.). *Formal Abstract Design Tools*. Retrieved July 15, 2021, from Gamasutra website: https://www.gamasutra.com/view/feature/131764/formal\_abstract\_design\_tools.php.

Claussen, A. (2017). *Unpopular Opinion: All Narrative is Linear*. Game Narrative Summit. San Francisco: GDC Vault.

Crawford, C. (2004). *Chris Crawford on Interactive Storytelling*. New Riders Games.

De Figueiredo, A. C., Pinto, A. L. J., Branco, P. S. O., & Zagalo, N. T. (2014). International Application No.: PCT/ IB2014/060761. *Publication Date:23.10.2014, International Filing Date:16.04.2014.* 

Eco, U. (n.d.). *The Open Work*. Boston: Harvard University Press.

Frasca, G. (1999). Ludology Meets Narratology: Similitude and Differences between (Video)games and Narrative'. Originally published in Finnish in *Parnasso* 1999: 3, 365–71. Online: http://www.ludology.org/articles/ludology.htm.

Freytag, G. (1864). *Technique of the Drama: An Exposition of Dramatic Composition and Art*. Forest Grove: University Press of the Pacific.

Fullerton, T. (2014). *Game Design Workshop*. Massachusetts: AK Peters/CRC Press.

Fullerton, T., Chen, J., Santiago, K., Nelson, E., Diamante, V., Meyers, A., Song G., & DeWeese, J. (2006). That cloud game. *Proceedings of the 2006 ACM SIGGRAPH Symposium on Videogames - Sandbox '06*, 51–59. https://doi. org/10.1145/1183316.1183324.

Grip, T. (2014). 4-Layers, A Narrative Design Approach. *Gama*sutra.

Grip, T. (2015). SOMA. Frictional Games.

Heussner, T. (2019). The Advanced Game Narrative Toolbox. In *The Advanced Game Narrative Toolbox*. https://doi. org/10.1201/9781351014397.

Heussner, T., Finley, T. K., Hepler, J. B., & Lemay, A. (2015). *The Game Narrative Toolbox*. https://doi. org/10.4324/9781315766836.

Horneman, J. (2015). The Design in Narrative Design. *Game Narrative Summit*. San Francisco.

lurgel, I. A., Zagalo, N., & Petta, P. (2009). Interactive storytelling. *Lecture Notes in Computer Science*, 5915. Jubert, T. (2017). *The Narrative Designer*. Retrieved July 15, 2021, from International Literature Showcase website: http://litshowcase.org/content/the-narrative-designer/.

Juul, J. (2001). Games telling stories? - A brief note on games and narratives. *GameStudies*,1(1), July 2021. http://game-studies.org/0101/juul-gts/.

Kuhnen, R. (2007). Game Design Cognition: The Bottom-Up And Top-Down Approaches. In Game Developer. November 14, 2007. URL: https://www.gamedeveloper.com/design/ game-design-cognition-the-bottom-up-and-top-down-approaches

Laubheimer, P. (2016). *Wireflows: A UX Deliverable for Work-flows and Apps*. Retrieved July 15, 2021, from Nielsen Norman Group Publication website: https://www.nngroup.com/articles/wireflows/.

Laurel B. (1993). Computers as theatre. Addison-Wesley.

Maggs, B. (2016). Advocating for the story: Narrative design and communication skills. Retrieved July 15, 2021, from Game Connect Asia Pacific website: https://www.youtube. com/watch?v=LD8Nf-6r5YM.

Mateas, M. (2001). A preliminary poetics for interactive drama and games, *Digital Creativity*, *12*(3), pp. 140-152. http://dx.doi. org/10.1076/digc.12.3.140.3224.

McKee, R. (1997). *Story: Substance, structure, style and the principles of screen writing.* New York: Harper Collins.

McRae, E. (2017). *Narrative Design for Indies: Getting Started*. Fiction Engine Limited.

Murray, J. H. (1997). *Hamlet on the Holodeck: The Future of Narrative in Cyberspace*. The Free Press, USA.

Murray, J.H., (2005), *The Last Word on Ludology v Narratology in Game Studies*. Conference: DIGRA 2005, June, 17. Vancouver CA. https://inventingthemedium.com/2013/06/28/the--last-word-on-ludology-v-narratology-2005-the-slides/.

Neves, P. P., & Zagalo, N. (2021). Game Design as an Autonomous Research Subject. *Information*, *12*(9), 367. MDPI AG. http://dx.doi.org/10.3390/info12090367

Rollings, A., & Adams, E. (2003). Andrew Rollings and Ernest Adams on Game Design. New York: New Riders.

Romero, B. (2011). *Gaming for Understanding*. TED Talks. Phoenix: ted.com.

Ryan M.-L. (2003). Narrative as virtual reality : immersion and interactivity in literature and electronic media. Johns Hopkins University Press.

Ryan, M.-L., & Thon, J.-N. (Eds.). (2014). Storyworlds across Media: Toward a Media-Conscious Narratology. University of Nebraska Press. https://doi.org/10.2307/j.ctt1d9nkdg

Schell, J. (2008). *The Art of Game Design: A Book of Lenses*. Morgan Kaufmann.

Sloan, M. C. (2010). Aristotle's Nicomachean Ethics as the Original Locus for the Septem Circumstantiae. *Classical Philology*, 105(3), 236–251. https://doi.org/10.1086/656196

Swords, A. (2020). Forest Paths Method For Narrative Design. Melbourne: Alexander Swords.

Szczepanski, L. (2017). *Building Non-linear Narratives in "Horizon: Zero Dawn"*. Game Narrative Summit. San Francisco: GDC Vault. Todorov, T., & Weinstein, A. (1969). Structural Analysis of Narrative. *NOVEL: A Forum on Fiction*, 3(1), 70–76. https://doi. org/10.2307/1345003.

Zagalo, N., Branco, V., & Barker, A. (2003). From the Necessity of Film Closure to Inherent VR Wideness. In P. T. Olivier Balet, Gérard Subsol (Ed.), *International Conference on Virtual Storytelling 2003* (pp. 74–77). Springer.

Zagalo, N., Torres, A., & Branco, V. (2005). Emotional Spectrum Developed by Virtual Storytelling . In G. Subsol (Ed.), *Virtual Storytelling 2005* (pp. 105-114). https://doi. org/10.1007/11590361

Zagalo, N., Torres, A., & Branco, V. (2006). Passive Interactivity, an Answer to Interactive Emotion. In Harper, R., Rauterberg, M., Combetto, M. (Eds.), *Entertainment Computing - ICEC* 2006. Lecture Notes in Computer Science, vol 4161. Springer. https://doi.org/10.1007/11872320\_6

Zagalo, N. (2007). Convergência entre o Cinema e a Realidade Virtual. Universidade de Aveiro.

Zagalo, N., & Oliveira, S. (Eds.). (2014). Abordagens da narrativa nos media. CECS – Universidade do Minho.

Zagalo, N. (2017). Narrative design of sadness in Heavy Rain. *Journal of Science and Technology of the Arts*, 9(2), 47-59. https://doi.org/10.7559/citarj.v9i2.246.

Zagalo, N., & Merino, F. (2018). Narrativa, Média e Cognição. Estudos Em Comunicação, 2(27).

Zagalo, N. (2019). Design de Narrativa, Desenho de Significado na Experiência Interativa. *Convocarte - Revista de Ciências Da Arte*, 7, 57–76.

Zagalo, N. (2020a). *Engagement Design.* https://doi. org/10.1007/978-3-030-37085-5 Zagalo, N. (2020b). The Engagement Design Model and Applied Cases. In *Engagement Design* (pp. 123–157). Berlin: Springer Nature.

Zagalo, N., Oliveira, A. P. & Cardoso, P. (2021). Beats & Units Framework: A story-game integration framework for the ideation stage of narrative design of serious games. In: Mitchell A., Vosmeer M. (eds) Interactive Storytelling. ICIDS 2021. *Lecture Notes in Computer Science*, vol 13138, pp. 172-176. Springer, Cham. https://doi.org/10.1007/978-3-030-92300-6\_15.