The Serbian Society for Ceramic Materials Institute for Multidisciplinary Research (IMSI), University of Belgrade Institute of Physics, University of Belgrade

Center of Excellence for the Synthesis, Processing and Characterization of Materials for use in Extreme Conditions "CEXTREME LAB" - Institute of Nuclear Sciences "Vinča", University of Belgrade

Faculty of Mechanical Engineering, University of Belgrade

Center of Excellence for Green Technologies, Institute for Multidisciplinary Research, University of Belgrade

Faculty of Technology and Metallurgy, University of Belgrade



Edited by: Branko Matović Jelena Maletaškić Vladimir V. Srdić Programme and Book of Abstracts of The Seventh Conference of The Serbian Society for Ceramic Materials **publishes abstracts from the field of ceramics, which are presented at international Conference.**

Editors-in-Chief

Dr Branko Matović Dr. Jelena Maletaškić Prof. Vladimir V. Srdić

Publisher

Institut za multidisciplinarna istraživanja Kneza Višeslava 1, 11000 Belgrade, Serbia

For Publisher

Dr Dragica Stanković

Printing layout

Dr. Jelena Maletaškić, Vladimir V. Srdić

Press

Faculty of Technology and Metalurgy, Research and Development Centre of Printing Technology, Karnegieva 4, Belgrade, Serbia

Published: 2023

Circulation: 120 copies

CIP – Каталогизација у публикацији Народна библиотека Србије, Београд

666.3/.7(048) 66.017/.018(048)

DRUŠTVO za keramičke materijale Srbije, Konferencija (7; 2023, Beograd)

Programme ; and the Book of Abstracts / 7th Conference of The Serbian Society for Ceramic Materials, 7CSCS-2023, June 14-16, 2023 Belgrade, Serbia ; [organizers] The Serbian Society for Ceramic Materials ... [et al.] ; edited by Branko Matović, Aleksandra Dapčević, Vladimir V. Srdić. - Belgrade :

Institut za multidisciplinarna istraživanja, 2023 (Belgrade : Faculty of technology and metalurgy, Research and development centre of printing technology). -124 str. : ilustr. ; 25 cm

Tiraž 120. – Str. 7: Welcome message / Branko Matović. - Registar.

ISBN 978-86-80109-24-4

а) Керамика -- Апстракти b) Наука о материјалима – Апстракти v) Наноматеријали -- Апстракти

COBISS.SR-ID 117544969

The Serbian Society for Ceramic Materials Institute for Multidisciplinary Research, University of Belgrade Institute of Physics, University of Belgrade Center of Excellence for the Synthesis, Processing and Characterization of Materials for use in Extreme Conditions "CEXTREME LAB" -Institute of Nuclear Sciences "Vinča", University of Belgrade Faculty of Mechanical Engineering, University of Belgrade Center of Excellence for Green Technologies, Institute for Multidisciplinary Research, University of Belgrade Faculty of Technology and Metallurgy, University of Belgrade

PROGRAMME AND THE BOOK OF ABSTRACTS

7th Conference of The Serbian Society for Ceramic Materials

June 14-16, 2023 Belgrade, Serbia 7CSCS-2023

Edited by: Branko Matović Jelena Maletaškić Vladimir V. Srdić P-8

ANDESITE BASALT AS A NATURAL RAW MATERIAL FOR OBTAINING GLASS-CERAMICS

<u>Vladimir Pavkov</u>^{1,2}, Gordana Bakić³, Vesna Maksimović^{1,2}, Dušan Bučevac¹, Marija Prekajski Đorđević^{1,2}, Ivana Cvijović-Alagić^{1,2}, Branko Matović^{1,2}

¹Department of Materials Science, Vinča Institute of Nuclear Sciences - National Institute of the Republic of Serbia, University of Belgrade, Belgrade, Serbia ²Center for Synthesis, Processing and Characterization of Materials for Application in Extreme Conditions – CEXTREME LAB, Belgrade, Serbia ³Faculty of Mechanical Engineering, University of Belgrade, Belgrade, Serbia

The industrial requirements in the 21st century are environmentally friendly and light construction materials with good physical-mechanical properties manufactured from cheap natural raw materials available in large quantities. One of these materials is basalt. Basalt is a natural igneous rock of volcanic origin, with a significant amount in Serbia. Basalt belongs to the group of non-hazardous and eco-friendly materials.

Andesite basalt aggregate from the "Donje Jarinje" site, Serbia, was used as the starting natural raw material for obtaining the glass-ceramic material. The aggregate is from 2 to 5 mm in size. The aggregate was milled in the tungsten-carbide vibrating cup mill for 30 min to obtain a fine powder for synthesis. The homogenization of andesite basalt powder and binder was carried out in the mortar and pestle for 10 min. The paraplast was used as a binder with a content of 0.6 wt.%. After that, uniaxial pressing of the powder at a pressure of 50 MPa was performed. A forming green compact, cold isostatic pressing was performed with a pressure of 230 MPa to increase its density. The sintering was carried out at the temperature of 1060 °C for 60 min in the air. The sintered glass-ceramic sample was a relative density of 99.5%, a macrohardness of 6.7 GPa and a fracture toughness of 2.2 MPa $\cdot m^{1/2}$ [1].

The andesite basalt powder was characterized using the laser light diffraction method, X-ray diffraction method and scanning electron microscopy. Sintered glass-ceramic material was characterized using the X-ray diffraction method, Archimedes principle, scanning electron and optical light microscopy and the Vickers hardness test.

The glass-ceramic material obtained by sintering andesite basalt powder could be used for various industrial applications in the civil engineering, mechanical, chemical, and petrochemical industries, as well as for the making of containers to store nuclear waste.

 V. Pavkov G. Bakić, V. Maksimović, I. Cvijović-Alagić, M. Prekajski Đorđević, D. Bučevac, B. Matović, *Process. Appl. Ceram.*, 16 [2] (2022) 143.