

© 2023 Greater Poland Cancer Centre. Published by Via Medica. All rights reserved. e-ISSN 2083–4640 ISSN 1507–1367

ERRATUM

Erratum to: Surface guided 3DCRT in deep-inspiration breath-hold for left sided breast cancer radiotherapy: implementation and first clinical experience in Iran

Sara Abdollahi^{1,2}, Mohammad Hadi Hadizadeh Yazdi¹, Ali Asghar Mowlavi¹, Sofie Ceberg³, Marianne Camille Aznar⁴, Fatemeh Varshoee Tabrizi⁵, Roham Salek^{5,6}, Alireza Ghodsi⁷, Farideh Jamali²

¹Physics Department, Faculty of Science, Ferdowsi University of Mashhad, Mashhad, Iran

²Medical Physics Department, Reza Radiotherapy and Oncology Center, Mashhad, Iran

⁴Division of Cancer Sciences, Faculty of Biology, Medicine and Health, University of Manchester, Manchester, United Kingdom

⁵Radiotherapy and Oncology Department, Reza Radiotherapy and Oncology Center, Mashhad, Iran ⁶Radiotherapy and Oncology Department, Mashhad University of Medical Science, Mashhad, Iran ⁷Department of Statistics, Hakim Sabzevari University, Sabzevar, Iran

In the article "Surface guided 3DCRT in deep inspiration breath hold for left-sided breast cancer radiotherapy: implementation and first clinical experience in Iran," published in Reports of Practical Oncology and Radiotherapy 2022, Vol. 27, No. 5, p: 881–896 (DOI: 10.5603/RPOR.a2022.0103) following sentences need correction:

- on page 887, in the right column, the sentence should read as follows: "The mean dose received by the LAD and contralateral lung was also reduced by 27% and 35%, respectively, for the 20 patients."
- on page 889, in the right column, the sentence should read as follows: "Patient (C) and patient (D) had less dose reduction due to inadequate abdominal breathing, but still had lower heart and lung doses compared to the free-breathing plans."
- on page 890, in Figure 6, the title should read as follows: "C, D. Patients with inadequate diaphragm movement showing less reduction in heart and lung dose during DIBH."

Address for correspondence: Mohammad Hadi Hadizadeh Yazdi, Physics Department, Faculty of Science, Ferdowsi University of Mashhad, Mashhad, Iran; e-mail: mhhadi@um.ac.ir

This article is available in open access under Creative Common Attribution-Non-Commercial-No Derivatives 4.0 International (CC BY-NC-ND 4.0) license, allowing to download articles and share them with others as long as they credit the authors and the publisher, but without permission to change them in any way or use them commercially



³Department of Medical Radiation Physics, Lund University, Lund, Sweden