



|                              |   |
|------------------------------|---|
| <b>Publication Year</b>      | 2022  |
| <b>Acceptance in OA@INAF</b> | 2023-07-17T13:13:50Z  |
| <b>Title</b>                 | Juno Jiram Report jm0420  |
| <b>Authors</b>               | NOSCHESE, RAFFAELLA; BECKER , HEIDI; SORDINI, Roberto; CICCHETTI, ANDREA                        |
| <b>Handle</b>                | <a href="http://hdl.handle.net/20.500.12386/34288">http://hdl.handle.net/20.500.12386/34288</a> |
| <b>Number</b>                | JIR-IAPS-SY-008-2022  |



# Juno JIRAM

## Report JM0420

**JIR-IAPS-SY-008-2022**  
Version 1.0

October 24, 2022

*Prepared by:*  
**R. Noschese, H. N. Becker, R. Sordini, A. Cicchetti**

*Approved by:*  
**A. Mura**

|   |   |                      |    |    |
|---|---|----------------------|----|----|
|  |  | JIR-IAPS-SY-008-2022 |    |    |
| Issue   | 1.0   | 24/10/2022           |    |    |
| JUNO/JIRAM  | Page  | 2                    | of | 88 |

## Table of Contents

|   |                                  |    |
|---|----------------------------------|----|
| 1 | INTRODUCTION.....                | 3  |
| 2 | REFERENCES.....                  | 3  |
| 3 | ACTIVITY DESCRIPTION.....        | 3  |
| 4 | RADIATION SEQUENCES.....         | 6  |
| 5 | SCIENTIFIC GOALS .....           | 6  |
| 6 | DATA COLLECTION OVERVIEW.....    | 9  |
|   | A.1 Commanding file (SASF) ..... | 14 |

## List of Figures

|  |   |
|--|---|
| <i>Figure 1:</i> Simulation with JSPT (JIRAM Software Planning Tool), coverage of the South Pole with filter M. The overlapping yellow strips represent the predicted FOVs. .... | 4 |
| <i>Figure 2:</i> Simulation with JSPT. Coverage of the South Pole with filter L, the magenta line represents the theoretical position of the main auroral oval. ....             | 5 |
| <i>Figure 3:</i> Atmospheric Mapping: Hot Spots - <i>Imager filter M.</i> .....  | 6 |

## List of Tables

|                                       |    |
|---------------------------------------|----|
| <i>Table 1: Scientific Goals.....</i> | 9  |
| <i>Table 2: Data Overview .....</i>   | 13 |

|   |   |                      |    |    |
|---|---|----------------------|----|----|
|  |  | JIR-IAPS-SY-008-2022 |    |    |
| Issue   | 1.0   | 24/10/2022           |    |    |
| JUNO/JIRAM  | Page  | 3                    | of | 88 |

## 1 INTRODUCTION

This document describes the activities that JIRAM performed during the activity period JM0420 (PJ042), with particular attention to the comparison between the expected and returned data, keeping track of the instrument configuration with the commanding file (SASF).

## 2 REFERENCES

Adriani A., M.L. Moriconi, A. Mura, F. Tosi, G. Sindoni, R. Noschese, A. Cicchetti, G. Filacchione (2016), Juno's Earth flyby: the Jovian infrared Auroral Mapper preliminary results, 2016. *Astrophys. Space Sci.* <https://doi.org/10.1007/s10509-016-2842-9>

Adriani, A., Filacchione, G., Di Iorio, T., Turrini, D., Noschese, R., Cicchetti, A., Grassi, D., Mura, A., Sindoni, G., Zambelli, M., Piccioni, G., Capria, M. T., Tosi, F., Orosei, R., Dinelli, B. M., Moriconi, M. L., Roncon, E., Lunine, J. I., Becker, H. N., Bini, A., Barbis, A., Calamai, L., Pasqui, C., Nencioni, S., Rossi, M., Lastri, M., Formaro, R., Olivieri, A., 2017. JIRAM, the Jovian Infrared Auroral Mapper. *Space Sci. Rev.* 213, 1–4, pp 393–446. <https://doi.org/10.1007/s11214-014-0094-y>.

Becker, H.N., Alexander, J.W., Adriani, A., Mura, A., Cicchetti, A., Noschese, R., Jørgensen, J.L., Denver, T., Sushkova, J., Jørgensen, A., Benn, M., Connerney, J.E.P., Bolton, S.J., the Selex Galileo Juno SRU Team, Allison, J., Watts, S., Adumitroaie, V., Manor-Chapman, E.A., Daubar, I.J., Lee, C., Kang, S., McAlpine, W.J., Di Iorio, T., Pasqui, C., Barbis, A., Lawton, P., Spalsbury, L., Loftin, S., Sun, J., 2017. The Juno Radiation Monitoring (RM) Investigation. *Space Sci. Rev.* 213, 1–4, pp 507–545. <https://doi.org/10.1007/s11214-017-0345-9>.

R. Noschese, A. Cicchetti, R. Sordini, M. Cartacci, S. Brooks, M. Lastri, A. Adriani, A. Mura, G. Filacchione, H. Becker, A. Bini, C. Pasqui, A. Migliorini, M.L. Moriconi, D. Grassi, F. Altieri, B.M. Di nelli, G. Piccioni, F. Tosi, D. Turrini, G. Sindoni, A. Olivieri, C. Plainaki. Juno/JIRAM: planning and commanding activities.

*Adv. Space Res.* (2019) <https://doi.org/10.1016/j.asr.2019.09.052>


## 3 ACTIVITY DESCRIPTION

During the PJ042 pass, JIRAM performed Satellites' Footprints observations, on both North and South Pole; observations of the cyclones of the South and North Pole (see fig. 1 and fig. 2) and of the planet's limbs. Note that there is a spectral observation corresponding to each observation taken with the imager. Details about imager/spectrometer coupling and more in general about the instrument and its performance can be found in Adriani et al. (2017), Noschese et al. (2019).

Due to an uncertainty in the actual pointing of the JIRAM frame (which is affected by the position of the despinning mirror at the time of the observation), the JIRAM team found that the precision of the reconstruction of the geometry of both IMG and SPE pixels should be revised by a value of no less than 0.1 degrees. We want to underline that this issue was only discovered during JM0131, when we started to do systematic limb observations near perijove (PJ) and we could compare the


|   |   |                             |    |    |
|---|---|-----------------------------|----|----|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |    |    |
| Issue   | 1.0   | 24/10/2022                  |    |    |
| JUNO/JIRAM  | Page  | 4                           | of | 88 |

calculated position of the planet's limb, using the reconstructed kernels, with respect to its actual position in the image we collected with our instrument.




**Figure 1:** Simulation with JSPT (JIRAM Software Planning Tool), coverage of the South Pole with filter M. The overlapping yellow strips represent the predicted FOVs.

|   |   |                             |    |           |
|---|---|-----------------------------|----|-----------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |    |           |
| Issue   | <b>1.0</b>  | 24/10/2022                  |    |           |
| JUNO/JIRAM  | Page  | <b>5</b>                    | of | <b>88</b> |



**Figure 2:** Simulation with JSPT. Coverage of the South Pole with filter L, the magenta line represents the theoretical position of the main auroral oval.

|   |   |                             |    |           |
|---|---|-----------------------------|----|-----------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |    |           |
| Issue   | 1.0   | 24/10/2022                  |    |           |
| JUNO/JIRAM  | Page  | <b>6</b>                    | of | <b>88</b> |



*Figure 3: Atmospheric Mapping: Hot Spots - Imager filter M.*

## 4 RADIATION SEQUENCES

Radiation sequences were collected in locations of low particle flux in order to update the mapping of good pixel locations to be used in subsequent radiation data processing. Radiation sequences targeting observations of the radiation environment were performed in the middle magnetosphere and the inner magnetosphere.

## 5 SCIENTIFIC GOALS

Below is a table that describes for each science block in the commanding file the relative operational mode and the scientific objectives. The files relating to the various science blocks are shown in the file “JIR\_STATUS\_EDR\_2022142T084957\_V01” in the INDEX directory.

|   |   |                      |     |            |
|---|---|----------------------|-----|------------|
|  |  | JIR-IAPS-SY-008-2022 |     |            |
|   |   | Issue                | 1.0 | 24/10/2022 |
|   |   | Page                 | 7   | of 88      |

| JRM (sasf) | Operational Mode | Goals                 |
|------------|------------------|-----------------------|
| JRM_004    | CAL_I1_S1        | INTERNAL CALIBRATION  |
| JRM_005    | SCI_I1_S1        | RADIATION             |
| JRM_006    | SCI_I1_S1        | RADIATION             |
| JRM_007    | SCI_I1_S1        | RADIATION             |
| JRM_008    | SCI_I1_S1        | RADIATION             |
| JRM_009    | SCI_I1_S1        | RADIATION             |
| JRM_010    | SCI_I1_S1        | RADIATION             |
| JRM_011    | SCI_I1_S1        | RADIATION             |
| JRM_012    | SCI_I1_S1        | RADIATION             |
| JRM_013    | SCI_I1_S1        | RADIATION             |
| JRM_014    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_015    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_016    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_017    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_018    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_019    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_020    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_021    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_022    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_023    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_024    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_025    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_026    | SCI_I1_S1        | RADIATION             |
| JRM_027    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_028    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_029    | SCI_I1_S1        | RADIATION             |
| JRM_030    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_031    | SCI_I1_S1        | RADIATION             |
| JRM_032    | SCI_I1_S1        | RADIATION             |
| JRM_033    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_034    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_035    | SCI_I1_S1        | RADIATION             |
| JRM_036    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_037    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_038    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_039    | SCI_I1_S1        | RADIATION+CALIBRATION |
| JRM_040    | SCI_I1_S1        | ATMOSPHERE            |
| JRM_041    | SCI_I1_S1        | ATMOSPHERE            |
| JRM_042    | SCI_I1_S1        | ATMOSPHERE            |
| JRM_043    | SCI_I1_S1        | ATMOSPHERE            |
| JRM_044    | SCI_I1_S1        | ATMOSPHERE            |
| JRM_045    | SCI_I1_S1        | ATMOSPHERE            |
| JRM_046    | SCI_I1_S1        | ATMOSPHERE            |
| JRM_047    | SCI_I1_S1        | ATMOSPHERE            |
| JRM_048    | SCI_I1_S1        | ATMOSPHERE            |
| JRM_049    | SCI_I1_S1        | ATMOSPHERE            |
| JRM_050    | SCI_I1_S1        | ATMOSPHERE            |
| JRM_051    | SCI_I1_S1        | ATMOSPHERE            |
| JRM_052    | SCI_I1_S1        | ATMOSPHERE            |

|   |   |                      |     |            |
|---|---|----------------------|-----|------------|
|  |  | JIR-IAPS-SY-008-2022 |     |            |
|   |   | Issue                | 1.0 | 24/10/2022 |
|   |   | Page                 | 8   | of 88      |

|         |           |                    |
|---------|-----------|--------------------|
| JRM_053 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_054 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_055 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_056 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_057 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_058 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_059 | SCI_I1_S1 | NORTH POLE         |
| JRM_060 | SCI_I1_S1 | NORTH POLE         |
| JRM_061 | SCI_I1_S1 | NORTH POLE         |
| JRM_062 | SCI_I1_S1 | NORTH POLE         |
| JRM_063 | SCI_I1_S1 | NORTH POLE         |
| JRM_064 | SCI_I1_S1 | NORTH POLE         |
| JRM_065 | SCI_I1_S1 | NORTH POLE         |
| JRM_066 | SCI_I1_S1 | NORTH POLE         |
| JRM_067 | SCI_I1_S1 | NORTH POLE         |
| JRM_068 | SCI_I1_S1 | NORTH POLE         |
| JRM_069 | SCI_I1_S1 | NORTH POLE         |
| JRM_070 | SCI_I1_S1 | NORTH POLE         |
| JRM_071 | SCI_I3_S1 | IO FOOTPRINT NORTH |
| JRM_072 | SCI_I1_S1 | LIMB UP            |
| JRM_073 | SCI_I1_S1 | LIMB UP            |
| JRM_074 | SCI_I1_S1 | LIMB UP            |
| JRM_075 | SCI_I1_S1 | LIMB UP            |
| JRM_077 | SCI_I1_S1 | RADIATION          |
| JRM_078 | SCI_I1_S1 | LIMB DOWN          |
| JRM_079 | SCI_I1_S1 | LIMB DOWN          |
| JRM_080 | SCI_I1_S1 | SOUTH AURORA       |
| JRM_081 | SCI_I1_S1 | SOUTH POLE         |
| JRM_082 | SCI_I1_S1 | SOUTH AURORA       |
| JRM_083 | SCI_I1_S1 | SOUTH POLE         |
| JRM_084 | SCI_I1_S1 | SOUTH AURORA       |
| JRM_085 | SCI_I1_S1 | SOUTH POLE         |
| JRM_086 | SCI_I1_S1 | SOUTH AURORA       |
| JRM_087 | SCI_I1_S1 | SOUTH POLE         |
| JRM_088 | SCI_I1_S1 | SOUTH POLE         |
| JRM_089 | SCI_I1_S1 | SOUTH POLE         |
| JRM_090 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_091 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_092 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_093 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_094 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_095 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_096 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_097 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_098 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_099 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_100 | SCI_I1_S1 | ATMOSPHERE         |
| JRM_101 | SCI_I1_S1 | ATMOSPHERE         |

|   |   |                      |     |            |
|---|---|----------------------|-----|------------|
|  |  | JIR-IAPS-SY-008-2022 |     |            |
|   |   | Issue                | 1.0 | 24/10/2022 |
| <b>JUNO/JIRAM</b>   |   | Page                 | 9   | of 88      |

|         |           |                      |
|---------|-----------|----------------------|
| JRM_102 | SCI_I1_S1 | ATMOSPHERE           |
| JRM_103 | SCI_I1_S1 | ATMOSPHERE           |
| JRM_104 | SCI_I1_S1 | ATMOSPHERE           |
| JRM_105 | SCI_I1_S1 | ATMOSPHERE           |
| JRM_106 | SCI_I1_S1 | ATMOSPHERE           |
| JRM_107 | SCI_I1_S1 | ATMOSPHERE           |
| JRM_108 | SCI_I1_S1 | ATMOSPHERE           |
| JRM_109 | CAL_I1_S1 | INTERNAL CALIBRATION |

*Table 1: Scientific Goals*

## 6 DATA COLLECTION OVERVIEW

Below is a table that gives an overview of the data collected during the activity period JM0410. The table describes, for each science block in the commanding file, the programmed operational modes and the data actually collected.

| JRM (sasf) | Operational Mode | Observations   | Packets Retrieved | Packets Expected | Missing Observations SPE | Missing Observations IMG |
|------------|------------------|----------------|-------------------|------------------|--------------------------|--------------------------|
| JRM_004    | CAL_I1_S1        | 6 IMG<br>6 SPE | 72                | 72               | 0                        | 0                        |
| JRM_005    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_006    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_007    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_008    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_009    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_010    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_011    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_012    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_013    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_014    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_015    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_016    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_017    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_018    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |
| JRM_019    | SCI_I1_S1        | 3 IMG<br>3 SPE | 36                | 36               | 0                        | 0                        |

|   |   |                      |                |
|---|---|----------------------|----------------|
|  |  | JIR-IAPS-SY-008-2022 |                |
|   |   | Issue                | 1.0 24/10/2022 |
| JUNO/JIRAM  |   | Page                 | 10 of 88       |

|         |           |                  |     |     |   |   |
|---------|-----------|------------------|-----|-----|---|---|
| JRM_020 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_021 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_022 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_023 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_024 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_025 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_026 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_027 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_028 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_029 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_030 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_031 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_032 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_033 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_034 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_035 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_036 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_037 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 12  | 36  | 4 | 4 |
| JRM_038 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_039 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_040 | SCI_I1_S1 | 20 IMG<br>20 SPE | 240 | 240 | 0 | 0 |
| JRM_041 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_042 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_043 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_044 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_045 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_046 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_047 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |

|   |   |                      |     |            |
|---|---|----------------------|-----|------------|
|  |  | JIR-IAPS-SY-008-2022 |     |            |
|   |   | Issue                | 1.0 | 24/10/2022 |
|   |   | JUNO/JIRAM           |     |            |
|   |   | Page                 | 11  | of 88      |

|         |           |                  |     |     |   |   |
|---------|-----------|------------------|-----|-----|---|---|
| JRM_048 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_049 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_050 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_051 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_052 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_053 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_054 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_055 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_056 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_057 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_058 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_059 | SCI_I1_S1 | 20 IMG<br>20 SPE | 240 | 240 | 0 | 0 |
| JRM_060 | SCI_I1_S1 | 18 IMG<br>18 SPE | 216 | 216 | 0 | 0 |
| JRM_061 | SCI_I1_S1 | 18 IMG<br>18 SPE | 216 | 216 | 0 | 0 |
| JRM_062 | SCI_I1_S1 | 10 IMG<br>10 SPE | 120 | 120 | 0 | 0 |
| JRM_063 | SCI_I1_S1 | 8 IMG<br>8 SPE   | 96  | 96  | 0 | 0 |
| JRM_064 | SCI_I1_S1 | 8 IMG<br>8 SPE   | 96  | 96  | 0 | 0 |
| JRM_065 | SCI_I1_S1 | 8 IMG<br>8 SPE   | 96  | 96  | 0 | 0 |
| JRM_066 | SCI_I1_S1 | 8 IMG<br>8 SPE   | 96  | 96  | 0 | 0 |
| JRM_067 | SCI_I1_S1 | 8 IMG<br>8 SPE   | 96  | 96  | 0 | 0 |
| JRM_068 | SCI_I1_S1 | 8 IMG<br>8 SPE   | 96  | 96  | 0 | 0 |
| JRM_069 | SCI_I1_S1 | 8 IMG<br>8 SPE   | 96  | 96  | 0 | 0 |
| JRM_070 | SCI_I1_S1 | 8 IMG<br>8 SPE   | 96  | 96  | 0 | 0 |
| JRM_071 | SCI_I3_S1 | 18 IMG<br>18 SPE | 162 | 162 | 0 | 0 |
| JRM_072 | SCI_I1_S1 | 12 IMG<br>12 SPE | 144 | 144 | 0 | 0 |
| JRM_073 | SCI_I1_S1 | 10 IMG<br>10 SPE | 120 | 120 | 0 | 0 |
| JRM_074 | SCI_I1_S1 | 10 IMG<br>10 SPE | 120 | 120 | 0 | 0 |
| JRM_075 | SCI_I1_S1 | 8 IMG<br>8 SPE   | 96  | 96  | 0 | 0 |

|   |   |                      |     |            |
|---|---|----------------------|-----|------------|
|  |  | JIR-IAPS-SY-008-2022 |     |            |
|   |   | Issue                | 1.0 | 24/10/2022 |
|   |   | JUNO/JIRAM           |     |            |
|   |   | Page                 | 12  | of 88      |

|         |           |                  |     |     |   |   |
|---------|-----------|------------------|-----|-----|---|---|
| JRM_077 | SCI_I1_S1 | 3 IMG<br>3 SPE   | 36  | 36  | 0 | 0 |
| JRM_078 | SCI_I1_S1 | 18 IMG<br>18 SPE | 162 | 162 | 0 | 0 |
| JRM_079 | SCI_I1_S1 | 13 IMG<br>13 SPE | 156 | 156 | 0 | 0 |
| JRM_080 | SCI_I1_S1 | 10 IMG<br>10 SPE | 120 | 120 | 0 | 0 |
| JRM_081 | SCI_I1_S1 | 8 IMG<br>8 SPE   | 90  | 90  | 0 | 0 |
| JRM_082 | SCI_I1_S1 | 18 IMG<br>18 SPE | 72  | 72  | 0 | 0 |
| JRM_083 | SCI_I1_S1 | 8 IMG<br>8 SPE   | 162 | 162 | 0 | 0 |
| JRM_084 | SCI_I1_S1 | 18 IMG<br>18 SPE | 96  | 96  | 0 | 0 |
| JRM_085 | SCI_I1_S1 | 8 IMG<br>8 SPE   | 162 | 162 | 0 | 0 |
| JRM_086 | SCI_I1_S1 | 18 IMG<br>18 SPE | 96  | 96  | 0 | 0 |
| JRM_087 | SCI_I1_S1 | 8 IMG<br>8 SPE   | 162 | 162 | 0 | 0 |
| JRM_088 | SCI_I1_S1 | 18 IMG<br>18 SPE | 96  | 96  | 0 | 0 |
| JRM_089 | SCI_I1_S1 | 18 IMG<br>18 SPE | 162 | 162 | 0 | 0 |
| JRM_090 | SCI_I1_S1 | 20 IMG<br>20 SPE | 240 | 240 | 0 | 0 |
| JRM_091 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_092 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_093 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_094 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_095 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_096 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_097 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_098 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_099 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_100 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_101 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_102 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_103 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_104 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |

|   |   |                      |      |            |
|---|---|----------------------|------|------------|
|  |  | JIR-IAPS-SY-008-2022 |      |            |
|   |   | Issue                | 1.0  | 24/10/2022 |
| JUNO/JIRAM  |   |                      | Page | 13 of 88   |

|         |           |                  |     |     |   |   |
|---------|-----------|------------------|-----|-----|---|---|
| JRM_105 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_106 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_107 | SCI_I1_S1 | 17 IMG<br>17 SPE | 204 | 204 | 0 | 0 |
| JRM_108 | SCI_I1_S1 | 14 IMG<br>14 SPE | 168 | 168 | 0 | 0 |
| JRM_109 | CAL_I1_S1 | 6 IMG<br>6 SPE   | 72  | 72  | 0 | 0 |

*Table 2: Data Overview*

|   |   |                             |
|---|---|-----------------------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |
| <b>JUNO/JIRAM</b>   | Issue <b>1.0</b> 24/10/2022   |                             |
| Page <b>14</b> of <b>88</b>   |   |                             |

## A.1 Commanding file (SASF)

\*\*\*\*\*

\*\*\*\*\*

```

CCSD3ZF00010000001NJPL3KS0L015$$MARK$$;
MISSION_NAME = JUNO;
SPACECRAFT_NAME = JUNO;
DATA_SET_ID = SPACECRAFT_ACTIVITY_SEQUENCE_JRM;
FILE_NAME = jm0420_JRMa.sasf;
APPLICABLE_START_TIME = 2022-142T02:00:00.000;
APPLICABLE_STOP_TIME = 2022-185T09:00:00.000;
PRODUCT_CREATION_TIME = 2022-117T11:45:45.000;
PRODUCER_ID = JRMTEAM;
SEQ_ID = jm0420_JRMa;
HOST_ID = JRM_CMD_420_420_V02.jrm;
CCSD3RE00000$$MARK$$NJPL3IF0M01300000001;
$$JNO      SPACECRAFT ACTIVITY SEQUENCE FILE
*****
*PROJECT      JNO
*SPACECRAFT  61
*OPERATOR     JRMTEAM
*FILE_CMPLT TRUE
*DATE        Wed Apr 27 11:45:45 2022
*BEGIN       2022-142T02:00:00.000
*CUTOFF      2022-185T09:00:00.000
*TITLE       jm0420_JRMa
*EPOCHS_DEF
*jm0420_JRM,      2022-142T02:00:00.000
*EPOCHS_END
*Input files used:
*File Type Last modified          File name
*PACKETS_NUMBER 13182
*****
$EOH
$EOD
request(JRM_Sequence_Management_Request,
         START_TIME, 2022-142T02:00:00.000,
         TITLE, "JRM MAINTENANCE",
         REQUESTOR, "JRMTEAM",
         PROCESSOR, "VC2",
         KEY, "No_Key")

activity(1,
         SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
         SEQTRAN_directive
         (VML_START,2001-001T00:00:00.000,2030-
001T00:00:00.000,"ABSLTE","jm0420_JRM","jm0420_JRM.abs","d:/seq")
         ),
         command(2,
         SCHEDULED_TIME,\00:00:30\,FROM_PREVIOUS_START,
         FILE_DELETE("d:/seq/jm0420_JRM.abs")
         ),
         command(3,
         SCHEDULED_TIME,\043T06:59:58\,FROM_REQUEST_START,
         VM_LOAD(20,"d:/seq/jm0430_JRM.abs")
         ),
         end;

request(JRM_001,
         START_TIME, 2022-142T03:25:04.000,
         TITLE, "jm0420_JRM_Heater_Op",
         REQUESTOR, "JRMTEAM",
         PROCESSOR, "VC2",
         KEY, "No_Key")
         command(1,
         SCHEDULED_TIME, \00:00:00\,FROM_REQUEST_START,
         THRM_SET_PT_SEL("JIRAM_OH","OPERATIONAL")
         ),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>15</b>  | of <b>88</b> |

```

        command(2,
            SCHEDULED_TIME, \00:00:01\, FROM_PREVIOUS_START,
            THR_M_SET_PT_SEL("JIRAM_DECON", "OPERATIONAL")
        ),
        command(3,
            SCHEDULED_TIME, \03:10:00\, FROM_PREVIOUS_START,
            THR_M_SET_PT_SEL("JIRAM_ELECT_BP", "OPERATIONAL")
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \\"NaN"\)
    ),
end;

request(JRM_002,
    START_TIME, 2022-142T08:46:04.000,
    TITLE, "jm0420_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
spawn(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    REQ_ENGINE_ID, 21, RT_on_board_block(jiram_pwr_on)
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"NaN"\)
),
end;

request(JRM_003,
    START_TIME, 2022-142T08:48:47.000,
    TITLE, "jm0420_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(111,2)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_STANDBY("ON", "ON", "ON"))
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM SCI PAR("SCI_I2_S3", 120, 1, 10, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 956, 2, 150, "LOW", "LOW", "POINT", -57343, 2, 150, "LOW", "LOW", "SPIN", 0, "NO_SUMMED_SCI")
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"NaN"\)
),
end;

request(JRM_004,
    START_TIME, 2022-142T08:48:59.000,
    TITLE, "jm0420_JRM_Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_CAL_PAR(8, 14, 8, 14, 30, 700, 30, 700, 30, 700, 30, 700, 200, 200, 153, 153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>16</b>  | of <b>88</b> |

```

        ),
    command(4,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
    ),
    command(5,
        SCHEDULED_TIME, \00:04:00\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(6,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \NaN\
    ),
end;

request(JRM_005,
    START_TIME, 2022-142T08:58:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
)
);

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>17</b>  | of <b>88</b> |

```

        JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Radiation_Sequence_42_001_GoodPxMap_2022-142T08:58:15.000\""
),
end;

request(JRM_006,
    START_TIME,2022-142T09:03:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>18</b>  | of <b>88</b> |

```

        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"Radiation_Sequence_42_002_GoodPxMap_2022-142T09:03:15.000\"
    ),
end;

request(JRM_007,
    START_TIME, 2022-142T09:08:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>19</b>  | of <b>88</b> |

```

command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT, \\"Radiation_Sequence_42_003_GoodPxMap_2022-142T09:08:15.000\"\\
),
end;

request(JRM_008,
    START_TIME,2022-142T09:13:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>20</b>  | of <b>88</b> |

```

        ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Radiation_Sequence_42_004_GoodPxMap_2022-142T09:13:15.000\"\\
    ),
end;

request(JRM_009,
    START_TIME,2022-142T09:18:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

|   |   |                             |
|---|---|-----------------------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |
| Issue   | <b>1.0</b>  | 24/10/2022                  |
| Page  | <b>21</b>   | of <b>88</b>                |

```

        JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Radiation_Sequence_42_005_GoodPxMap_2022-142T09:18:15.000\"\\
),
end;

request(JRM_010,
    START_TIME,2022-142T09:23:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(10,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>22</b>  | of <b>88</b> |

```

        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"Radiation_Sequence_42_006_GoodPxMap_2022-142T09:23:15.000\"\\
    ),
end;

request(JRM_011,
    START_TIME, 2022-142T09:28:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>23</b>  | of <b>88</b> |

```

command(10,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SET_PAR(92, 8174)
),
command(14,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"Radiation_Sequence_42_007_GoodPxMap_2022-142T09:28:15.000\")
),
end;

request(JRM_012,
    START_TIME, 2022-142T09:33:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92, 153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED SCI")
),
command(7,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED SCI")
)

```

|   |   |                             |            |            |
|---|---|-----------------------------|------------|------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |            |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022 |
|   |   | Page                        | <b>24</b>  | of 88      |

```

        ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Radiation_Sequence_42_008_GoodPxMap_2022-142T09:33:15.000\""
    ),
end;

request(JRM_013,
    START_TIME,2022-142T09:38:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Radiation_Sequence_42_008_GoodPxMap_2022-142T09:33:15.000\""
),
end;

```

|   |   |                             |            |            |
|---|---|-----------------------------|------------|------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |            |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022 |
|   |   | Page                        | <b>25</b>  | of 88      |

```

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Radiation_Sequence_42_009_GoodPxMap_2022-142T09:38:15.000"\'
),
end;

request(JRM_014,
    START_TIME,2022-142T10:18:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>26</b>  | of <b>88</b> |

SCHEDULED\_TIME, \00:01:12\, FROM\_PREVIOUS\_START,

```

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(11,
SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(12,
SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
command(13,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM_SET_PAR(92,8174)
),
command(14,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
note(1,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
TEXT, \"RAD+CAL"\'
),
end;

request(JRM_015,
START_TIME,2022-142T10:58:15.000,
TITLE, "jm0420_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
JRM_SET_PAR(92,153)
),
command(2,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(4,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(5,
SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(6,
SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(8,
SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM_SCIENCE()
),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>27</b>  | of <b>88</b> |

```

        command(9,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
            ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
        ),
        command(10,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(11,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(12,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        command(13,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_SET_PAR(92,8174)
        ),
        command(14,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \\"RAD+CAL\""
        ),
    end;

request(JRM_016,
    START_TIME, 2022-142T11:18:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
    ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
    ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>28</b>  | of <b>88</b> |

```

        ),
        command(9,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
            , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
        ),
        command(10,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(11,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(12,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        command(13,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_SET_PAR(92, 8174)
        ),
        command(14,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \\"RAD+CAL"\)
        ),
    end;

request(JRM_017,
    START_TIME, 2022-142T11:58:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92, 153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
    , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
    , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
    , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>29</b>  | of <b>88</b> |

```

        JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"RAD+CAL"\'
),
end;

request(JRM_018,
    START_TIME,2022-142T12:18:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>30</b>  | of <b>88</b> |

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
),
command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"RAD+CAL"\'
),
end;

request(JRM_019,
        START_TIME,2022-142T12:58:15.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>31</b>  | of <b>88</b> |

```

        command(8,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(9,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
        ),
        command(10,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(11,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(12,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        command(13,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_SET_PAR(92,8174)
        ),
        command(14,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \"RAD+CAL\"
        ),
    end;

request(JRM_020,
        START_TIME, 2022-142T13:18:15.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(5,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(6,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>32</b>  | of <b>88</b> |

```

        ),
    command(8,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \"RAD+CAL\")
),
end;

request(JRM_021,
    START_TIME, 2022-142T13:58:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \"RAD+CAL\")
);

```

|   |   |                             |     |            |
|---|---|-----------------------------|-----|------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |     |            |
|   |   | Issue                       | 1.0 | 24/10/2022 |
|   |   | Page                        | 33  | of 88      |

```

        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED SCI")
    ),
    command(10,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92, 8174)
    ),
    command(14,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"RAD+CAL"\)
    ),
end;

request(JRM_022,
    START_TIME, 2022-142T14:08:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92, 153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED SCI")
),
command(7,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>34</b>  | of <b>88</b> |

```

        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"RAD+CAL"\'
    ),
end;

request(JRM_023,
    START_TIME, 2022-142T14:18:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>35</b>  | of <b>88</b> |

```

        command(7,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(8,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(9,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
        ),
        command(10,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(11,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(12,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        command(13,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_SET_PAR(92,8174)
        ),
        command(14,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \\"RAD+CAL"\)
        ),
    end;

request(JRM_024,
    START_TIME, 2022-142T14:58:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>36</b>  | of <b>88</b> |

```

        ),
    command(7,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92, 8174)
    ),
    command(14,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \"RAD+CAL\"
    ),
end;

request(JRM_025,
    START_TIME, 2022-142T15:18:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92, 153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
),
note(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \"RAD+CAL\"
),
end;

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>37</b>  | of <b>88</b> |

```

JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"RAD+CAL"\'
),
end;

request(JRM_026,
    START_TIME,2022-142T15:58:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(7,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(9,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(10,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(12,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(13,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
note(1,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    TEXT,\\"RAD+CAL"\'
),
end;

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>38</b>  | of <b>88</b> |

SCHEDULED\_TIME, \00:01:12\, FROM\_PREVIOUS\_START,

```
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
```

```
command(7,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
```

```
command(8,
SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM_SCIENCE()
),
```

```
command(9,
SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
```

```
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
```

```
command(10,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
```

```
command(11,
SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM_SCIENCE()
),
```

```
command(12,
SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
```

```
command(13,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM_SET_PAR(92,8174)
),
```

```
command(14,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
```

```
note(1,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
TEXT, \"Radiation_Sequence_42_010_Approach_2022-142T15:58:15.000"\'
),
end;
```

```
request(JRM_027,
START_TIME, 2022-142T16:08:15.000,
TITLE, "jm0420_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
```

```
command(1,
SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
JRM_SET_PAR(92,153)
),
command(2,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
```

```
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
```

```
command(3,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(4,
SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(5,
SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM_SCIENCE()
),
```

```
)
```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>39</b>  | of <b>88</b> |

```

    command(6,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
        ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
        ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"RAD+CAL\")
),
end;

request(JRM_028,
    START_TIME, 2022-142T16:28:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
    ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE())

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>40</b>  | of <b>88</b> |

```

        ),
        command(6,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
            , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
        ),
        command(7,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(8,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(9,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
            , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
        ),
        command(10,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(11,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(12,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        command(13,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_SET_PAR(92, 8174)
        ),
        command(14,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \\"RAD+CAL"\)
        ),
    end;

request(JRM_029,
        START_TIME, 2022-142T16:48:15.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(92, 153)
),
command(2,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
        , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(5,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
        , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
),
command(6,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
        , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
),
command(7,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(8,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
        , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
),
command(9,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
        , 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
),
command(10,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(11,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(12,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
command(13,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92, 8174)
),
command(14,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"RAD+CAL"\)
),
end;

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>41</b>  | of <b>88</b> |

```

        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92, 8174)
    ),
    command(14,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"Radiation_Sequence_42_011_NearEuropa_2022-142T16:48:15.000"\'
    ),
end;

request(JRM_030,
    START_TIME, 2022-142T17:08:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92, 153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>42</b>  | of <b>88</b> |

```

        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92, 153)
    ),
    command(7,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92, 153)
    ),
    command(10,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92, 8174)
    ),
    command(14,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"RAD+CAL"\)
    ),
end;

request(JRM_031,
    START_TIME, 2022-142T17:26:05.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92, 153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SET_PAR(92, 153)
),
JRM_SET_PAR(92, 153)
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>43</b>  | of <b>88</b> |

```

command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Radiation_Sequence_42_012_NearEuropaMagEq_2022-142T17:26:05.000"\'
    ),
end;

request(JRM_032,
        START_TIME,2022-142T17:58:15.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    )

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>44</b>  | of <b>88</b> |

```

        ),
        command(5,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(6,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
        ),
        command(7,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(8,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(9,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
        ),
        command(10,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(11,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(12,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        command(13,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_SET_PAR(92,8174)
        ),
        command(14,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \"Radiation_Sequence_42_013_NearEuropa_2022-142T17:58:15.000\"\\
        ),
    end;

request(JRM_033,
        START_TIME,2022-142T18:18:15.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
),
command(4,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(5,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92,153)
),
command(6,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \"Radiation_Sequence_42_013_NearEuropa_2022-142T17:58:15.000\"\\
),
end;

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>45</b>  | of <b>88</b> |

```

        JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED SCI")
),
command(7,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED SCI")
),
command(10,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SET_PAR(92, 8174)
),
command(14,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"RAD+CAL\"\n
),
end;

request(JRM_034,
    START_TIME, 2022-142T18:38:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92, 153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1", 1, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "RN", "DISABLE", 0, 0, 0, 0, "LOW", "LOW", "POINT"
, 28991, 5000, 5000, "LOW", "LOW", "POINT", -57025, "NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>46</b>  | of <b>88</b> |

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"RAD+CAL\"\n
    ),
end;

request(JRM_035,
    START_TIME,2022-142T18:58:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>47</b>  | of <b>88</b> |

```

        command(4,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
        command(5,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(6,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
        ),
        command(7,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(8,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(9,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
        ),
        command(10,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(11,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(12,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        command(13,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_SET_PAR(92,8174)
        ),
        command(14,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \"Radiation_Sequence_42_014_NearEuropa_2022-142T18:58:15.000\""
        ),
    end;

request(JRM_036,
    START_TIME, 2022-142T19:08:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>48</b>  | of <b>88</b> |

```

        ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SET_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"RAD+CAL"\'
    ),
end;

request(JRM_037,
    START_TIME,2022-142T19:28:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SET_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"RAD+CAL"\'
),
end;

```

|   |   |                      |
|---|---|----------------------|
|  |  | JIR-IAPS-SY-008-2022 |
|   | Issue<br>1.0  | 24/10/2022           |
|   | Page<br>49  | of<br>88             |

```

        JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SC_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SC_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"RAD+CAL"\'
),
end;

request(JRM_038,
    START_TIME,2022-142T19:58:15.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SC_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>50</b>  | of <b>88</b> |

```

        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \"RAD+CAL\")
),
end;

request(JRM_039,
        START_TIME, 2022-142T20:51:15.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),

```

|   |   |                             |
|---|---|-----------------------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |
|   | Issue<br><b>1.0</b>   | 24/10/2022                  |
|   | Page<br><b>51</b>   | of<br><b>88</b>             |

```

        command(3,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(4,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
        command(5,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(6,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
        ),
        command(7,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(8,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(9,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
        ),
        command(10,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(11,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(12,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        command(13,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_SET_PAR(92,8174)
        ),
        command(14,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \"RAD+CAL\""
        ),
    end;

request(JRM_040,
        START_TIME,2022-142T21:15:21.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",20,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,192,75,5000,"LOW","LOW
","POINT",-57343,75,5000,"LOW","LOW","SPIN",-2132,"NO_SUMMED SCI")
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>52</b>  | of <b>88</b> |

```

        ),
    command(3,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME, \00:10:51\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"Atmosphere"\)
    ),
end;

request(JRM_041,
    START_TIME, 2022-142T21:27:03.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,234,75,5000,"LOW","LOW",
",POINT",-57343,75,5000,"LOW","LOW","SPIN",-2177,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:09:19\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"Atmosphere"\)
),
end;

request(JRM_042,
    START_TIME, 2022-142T21:37:13.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,234,75,5000,"LOW","LOW",
",POINT",-57343,75,5000,"LOW","LOW","SPIN",-2177,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:09:19\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"Atmosphere"\)
),
end;

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>53</b>  | of <b>88</b> |

```

JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,241,75,5000,"LOW","LOW
","POINT",-57343,75,5000,"LOW","LOW","SPIN",-2226,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"
),
end;

request(JRM_043,
    START_TIME,2022-142T21:47:23.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,247,75,5000,"LOW","LOW
","POINT",-57343,75,5000,"LOW","LOW","SPIN",-2278,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"
),
end;

request(JRM_044,
    START_TIME,2022-142T21:57:33.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>54</b>  | of <b>88</b> |

```

        ),
        command(2,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM SCI PAR("SCI_I1_S1", 17, 1, 0, "IDIS SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 254, 75, 5000, "LOW", "LOW",
            "POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -2333, "NO_SUMMED_SCI")
        ),
        command(3,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
        command(4,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(5,
            SCHEDULED_TIME, \00:09:20\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        command(6,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \\"Atmosphere"\)
        ),
    end;

request(JRM_045,
        START_TIME, 2022-142T22:07:43.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(74, 2465)
),
command(2,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM SCI PAR("SCI_I1_S1", 17, 1, 0, "IDIS SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 262, 75, 5000, "LOW", "LOW",
        "POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -2393, "NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME, \00:09:20\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"Atmosphere"\)
),
end;

request(JRM_046,
        START_TIME, 2022-142T22:17:53.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>55</b>  | of <b>88</b> |

```

command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,271,75,5000,"LOW","LOW",
        "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2456,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Atmosphere"\)
),
end;

request(JRM_047,
        START_TIME,2022-142T22:28:03.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,280,75,5000,"LOW","LOW",
        "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2525,"NO_SUMMED_SCI")
    ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
command(5,
        SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Atmosphere"\)
),
end;

request(JRM_048,
        START_TIME,2022-142T22:38:13.000,
        TITLE, "jm0420_JRM_Science",

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>56</b>  | of <b>88</b> |

```

REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,290,75,5000,"LOW","LOW
    ","POINT",-57343,75,5000,"LOW","LOW","SPIN",-2599,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:09:20\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \Atmosphere\
),
end;

request(JRM_049,
    START_TIME, 2022-142T22:48:23.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,300,75,5000,"LOW","LOW
    ","POINT",-57343,75,5000,"LOW","LOW","SPIN",-2681,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:09:20\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \Atmosphere\
),
end;

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>57</b>  | of <b>88</b> |

```

request(JRM_050,
        START_TIME,2022-142T22:58:34.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
            JRM_SET_PAR(74,2465)
        ),
    command(2,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,312,75,5000,"LOW","LOW",
",POINT",-57343,75,5000,"LOW","LOW","SPIN",-2769,"NO_SUMMED_SCI")
        ),
    command(3,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
    command(5,
            SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
    command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
    note(1,
          SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
          TEXT,\Atmosphere\)
    ),
end;

request(JRM_051,
        START_TIME,2022-142T23:08:44.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
            JRM_SET_PAR(74,2465)
        ),
    command(2,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,325,75,5000,"LOW","LOW",
",POINT",-57343,75,5000,"LOW","LOW","SPIN",-2866,"NO_SUMMED_SCI")
        ),
    command(3,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
    command(5,
            SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
    command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
    note(1,
          SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
          TEXT,\Atmosphere\)
    )

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>58</b>  | of <b>88</b> |

```

        ),
end;

request(JRM_052,
        START_TIME, 2022-142T23:18:54.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(74, 2465)
),
command(2,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1", 17, 1, 0, "IDIS SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 340, 75, 5000, "LOW", "LOW"
,"POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -2972, "NO_SUMMED SCI")
),
command(3,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME, \00:09:20\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \"Atmosphere\")
),
end;

request(JRM_053,
        START_TIME, 2022-142T23:29:04.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(74, 2465)
),
command(2,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1", 17, 1, 0, "IDIS SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 355, 75, 5000, "LOW", "LOW"
,"POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -3091, "NO_SUMMED SCI")
),
command(3,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME, \00:09:20\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>59</b>  | of <b>88</b> |

```

        note(1,
              SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
              TEXT,\\"Atmosphere"\

        ),
end;

request(JRM_054,
        START_TIME,2022-142T23:39:14.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
        ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",17,1,0,"IDIS SDIS","HSSL","ENABLE","DARK","DISABLE",0,373,75,5000,"LOW","LOW
","POINT",-57343,75,5000,"LOW","LOW","SPIN",-3223,"NO_SUMMED SCI")
        ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
        ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
        ),
command(5,
        SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
        ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
        ),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\\"Atmosphere"\

        ),
end;

request(JRM_055,
        START_TIME,2022-142T23:49:24.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
        ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1",17,1,0,"IDIS SDIS","HSSL","ENABLE","DARK","DISABLE",0,393,75,5000,"LOW","LOW
","POINT",-57343,75,5000,"LOW","LOW","SPIN",-3371,"NO_SUMMED SCI")
        ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
        ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
        ),
command(5,
        SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
        ),
command(6,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>60</b>  | of <b>88</b> |

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Atmosphere"\'
),
end;

request(JRM_056,
        START_TIME,2022-142T23:59:34.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,416,75,5000,"LOW","LOW",
",POINT",-57343,75,5000,"LOW","LOW","SPIN",-3538,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Atmosphere"\'
),
end;

request(JRM_057,
        START_TIME,2022-143T00:09:44.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,442,75,5000,"LOW","LOW",
",POINT",-57343,75,5000,"LOW","LOW","SPIN",-3729,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:09:21\,FROM_PREVIOUS_START,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>61</b>  | of <b>88</b> |

```

        JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"\)
),
end;

request(JRM_058,
    START_TIME,2022-143T00:19:55.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",3,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,442,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-3951,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:02:13\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"\)
),
end;

request(JRM_059,
    START_TIME,2022-143T00:22:27.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",20,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,168,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-5714,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>62</b>  | of <b>88</b> |

```

        ),
    command(5,
        SCHEDULED_TIME, \00:10:51\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"North Pole"\)
    ),
end;

request(JRM_060,
    START_TIME, 2022-143T00:33:38.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74, 2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1", 18, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 188, 75, 5000, "LOW", "LOW",
", "POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -5707, "NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:09:50\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"North Pole"\)
),
end;

request(JRM_061,
    START_TIME, 2022-143T00:43:49.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74, 2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1", 18, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 188, 75, 5000, "LOW", "LOW",
", "POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -5698, "NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>63</b>  | of <b>88</b> |

```

        command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(5,
            SCHEDULED_TIME,\00:09:49\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\\"North Pole"
        ),
    end;

request(JRM_062,
    START_TIME,2022-143T00:55:00.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",10,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,380,75,5000,"LOW","LOW",
    "POINT",-57343,75,5000,"LOW","LOW","SPIN",-6619,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:05:46\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"North Pole"
),
end;

request(JRM_063,
    START_TIME,2022-143T01:01:06.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,491,75,5000,"LOW","LOW",
    "POINT",-57343,75,5000,"LOW","LOW","SPIN",-6880,"NO_SUMMED SCI")
),
command(3,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>64</b>  | of <b>88</b> |

```

        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME, \00:04:45\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \"North Pole"
    ),
end;

request(JRM_064,
    START_TIME, 2022-143T01:06:11.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74, 2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1", 8, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 493, 75, 5000, "LOW", "LOW"
,"POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -7159, "NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:04:45\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \"North Pole"
),
end;

request(JRM_065,
    START_TIME, 2022-143T01:11:17.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74, 2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>65</b>  | of <b>88</b> |

```

JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,495,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-7450,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:04:44\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"North Pole"\)
),
end;

request(JRM_066,
    START_TIME,2022-143T01:16:22.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,495,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-7742,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:04:45\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"North Pole"\)
),
end;

request(JRM_067,
    START_TIME,2022-143T01:21:27.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>66</b>  | of <b>88</b> |

```

        ),
        command(2,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1", 8, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 494, 75, 5000, "LOW", "LOW"
            , "POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -8020, "NO_SUMMED_SCI")
        ),
        command(3,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
        command(4,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(5,
            SCHEDULED_TIME, \00:04:45\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        command(6,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \\"North Pole"\)
        ),
    end;

request(JRM_068,
        START_TIME, 2022-143T01:26:33.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(74, 2465)
),
command(2,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1", 8, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 487, 75, 5000, "LOW", "LOW"
        , "POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -8232, "NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME, \00:04:44\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"North Pole"\)
),
end;

request(JRM_069,
        START_TIME, 2022-143T01:31:38.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>67</b>  | of <b>88</b> |

```

        command(1,
            SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
            JRM_SET_PAR(74,2465)
        ),
        command(2,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,465,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-8287,"NO_SUMMED_SCI")
        ),
        command(3,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
        command(4,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(5,
            SCHEDULED_TIME, \00:04:45\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        command(6,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \\"North Pole"\)
        ),
    end;

request(JRM_070,
        START_TIME, 2022-143T01:36:43.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,500,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-8255,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME, \00:04:45\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"North Pole"\)
),
end;

request(JRM_071,
        START_TIME, 2022-143T01:41:49.000,
        TITLE, "jm0420_JRM_Science",

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>68</b>  | of <b>88</b> |

```

REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I3_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,228,5000,5000,"LOW","L
OW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-8736,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:09:51\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \"Io FP North"
),
end;

request(JRM_072,
    START_TIME, 2022-143T01:52:00.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,1250)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",12,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,144,2500,5000,"LOW","L
OW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",15512,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:06:47\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \"Limb Up"
),
end;

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>69</b>  | of <b>88</b> |

```

request(JRM_073,
        START_TIME,2022-143T01:59:08.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
            JRM_SET_PAR(74,1250)
        ),
    command(2,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",10,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,192,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",17189,"NO_SUMMED_SCI")
        ),
    command(3,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
    command(5,
            SCHEDULED_TIME,\00:05:47\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
    command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
    note(1,
          SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
          TEXT,\\"Limb Up"\),
),
end;

request(JRM_074,
        START_TIME,2022-143T02:05:15.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
            JRM_SET_PAR(74,1250)
        ),
    command(2,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",10,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,204,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",19029,"NO_SUMMED_SCI")
        ),
    command(3,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
    command(5,
            SCHEDULED_TIME,\00:05:47\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
    command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
    note(1,
          SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
          TEXT,\\"Limb Up"\)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>70</b>  | of <b>88</b> |

```

        ),
end;

request(JRM_075,
        START_TIME,2022-143T02:11:23.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,1250)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,177,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",21012,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:04:45\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Limb Up"
),
end;

request(JRM_076,
        START_TIME,2022-143T02:16:20.000,
        TITLE, "jm0420_Technical_Block",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Imager Delay Set to Zero"
),
end;

request(JRM_077,
        START_TIME,2022-143T02:17:15.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
),
command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>71</b>  | of <b>88</b> |

```

        command(3,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(4,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
        command(5,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(6,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
        ),
        command(7,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(8,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(9,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED SCI")
        ),
        command(10,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_GET_PAR(6000)
        ),
        command(11,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(12,
            SCHEDULED_TIME, \00:01:12\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        command(13,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_SET_PAR(92,8174)
        ),
        command(14,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \"Radiation_Sequence_42_015_PetersBelt_2022-143T02:17:15.000\"\
        ),
    end;

request(JRM_078,
    START_TIME, 2022-143T02:28:44.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,1250)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,238,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",-18934,"NO_SUMMED SCI")

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>72</b>  | of <b>88</b> |

```

        ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC())
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE())
),
command(5,
    SCHEDULED_TIME,\00:09:52\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG())
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC())
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Limb Down\")
),
end;

request(JRM_079,
    START_TIME,2022-143T02:38:55.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,1250)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,194,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",-14708,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC())
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE())
),
command(5,
    SCHEDULED_TIME,\00:07:18\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG())
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC())
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Limb Down\")
),
end;

request(JRM_080,
    START_TIME,2022-143T02:46:34.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,194,2500,5000,"LOW","LOW","POINT",-57343,2500,5000,"LOW","LOW","SPIN",-14708,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC())
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE())
),
command(5,
    SCHEDULED_TIME,\00:07:18\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG())
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC())
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Limb Down\")
),
end;

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>73</b>  | of <b>88</b> |

```

JRM_SCI_PAR("SCI_I1_S1",10,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,209,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-12712,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:05:46\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"South Aurora"
),
end;

request(JRM_081,
    START_TIME,2022-143T02:52:41.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,453,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-11475,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:04:44\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"South Pole"
),
end;

request(JRM_082,
    START_TIME,2022-143T02:57:46.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>74</b>  | of <b>88</b> |

```

        ),
        command(2,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,298,75,5000,"LOW","LOW"
            , "POINT",-57343,75,5000,"LOW","LOW","SPIN",-10219,"NO_SUMMED_SCI")
        ),
        command(3,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
        command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(5,
            SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\\"South Aurora"\)
        ),
    end;

request(JRM_083,
        START_TIME,2022-143T03:07:57.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,385,75,5000,"LOW","LOW"
        , "POINT",-57343,75,5000,"LOW","LOW","SPIN",-8184,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:04:44\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"South Pole"\)
    ),
end;

request(JRM_084,
        START_TIME,2022-143T03:13:02.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>75</b>  | of <b>88</b> |

```

        command(1,
            SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
            JRM_SET_PAR(74,2465)
        ),
        command(2,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,243,75,5000,"LOW","LOW",
            "POINT",-57343,75,5000,"LOW","LOW","SPIN",-8361,"NO_SUMMED_SCI")
        ),
        command(3,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
        command(4,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(5,
            SCHEDULED_TIME, \00:09:51\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        command(6,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \\"South Aurora"\)
        ),
    end;

request(JRM_085,
    START_TIME, 2022-143T03:23:12.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,408,75,5000,"LOW","LOW",
    "POINT",-57343,75,5000,"LOW","LOW","SPIN",-5510,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:04:45\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"South Pole"\)
),
end;

request(JRM_086,
    START_TIME, 2022-143T03:28:18.000,
    TITLE, "jm0420_JRM_Science",

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>76</b>  | of <b>88</b> |

```

REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,280,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-6468,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:09:50\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"South Aurora"\

),
end;

request(JRM_087,
    START_TIME, 2022-143T03:38:28.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",8,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,317,75,5000,"LOW","LOW"
,"POINT",-57343,75,5000,"LOW","LOW","SPIN",-4572,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:04:45\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"South Pole"\

),
end;

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>77</b>  | of <b>88</b> |

```

request(JRM_088,
        START_TIME,2022-143T03:43:33.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
            JRM_SET_PAR(74,2465)
        ),
    command(2,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,300,75,5000,"LOW","LOW",
                        ",POINT",-57343,75,5000,"LOW","LOW","SPIN",-4902,"NO_SUMMED SCI")
        ),
    command(3,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
    command(5,
            SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
    command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
    note(1,
          SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
          TEXT,\\"South Pole"\'
        ),
end;

request(JRM_089,
        START_TIME,2022-143T03:53:43.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
    command(1,
            SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
            JRM_SET_PAR(74,2465)
        ),
    command(2,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",18,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,300,75,5000,"LOW","LOW",
                        ",POINT",-57343,75,5000,"LOW","LOW","SPIN",-4271,"NO_SUMMED SCI")
        ),
    command(3,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
    command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
    command(5,
            SCHEDULED_TIME,\00:09:51\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
    command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
    note(1,
          SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
          TEXT,\\"South Pole"\'
        ),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>78</b>  | of <b>88</b> |

```

        ),
end;

request(JRM_090,
        START_TIME, 2022-143T04:03:54.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(74, 2465)
),
command(2,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1", 20, 1, 0, "IDIS SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 450, 75, 5000, "LOW", "LOW"
,"POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -4397, "NO_SUMMED SCI")
),
command(3,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME, \00:10:52\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \Atmosphere\
),
end;

request(JRM_091,
        START_TIME, 2022-143T04:15:35.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(74, 2465)
),
command(2,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1", 17, 1, 0, "IDIS SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 501, 75, 5000, "LOW", "LOW"
,"POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -4111, "NO_SUMMED SCI")
),
command(3,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME, \00:09:22\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>79</b>  | of <b>88</b> |

```

        note(1,
              SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
              TEXT,\\"Atmosphere"\'
            ),
        end;

request(JRM_092,
        START_TIME,2022-143T04:25:46.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
      ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,471,75,5000,"LOW","LOW"
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-3864,"NO_SUMMED SCI")
      ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
      ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
      ),
command(5,
        SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
      ),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
      ),
note(1,
      SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
      TEXT,\\"Atmosphere"\'
    ),
end;

request(JRM_093,
        START_TIME,2022-143T04:35:56.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
      ),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,447,75,5000,"LOW","LOW"
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-3650,"NO_SUMMED SCI")
      ),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
      ),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
      ),
command(5,
        SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
      ),
command(6,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>80</b>  | of <b>88</b> |

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Atmosphere"\'
),
end;

request(JRM_094,
        START_TIME,2022-143T04:46:06.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,424,75,5000,"LOW","LOW",
",POINT",-57343,75,5000,"LOW","LOW","SPIN",-3462,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\\"Atmosphere"\'
),
end;

request(JRM_095,
        START_TIME,2022-143T04:56:16.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,404,75,5000,"LOW","LOW",
",POINT",-57343,75,5000,"LOW","LOW","SPIN",-3295,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>81</b>  | of <b>88</b> |

```

        JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"\)
),
end;

request(JRM_096,
    START_TIME,2022-143T05:06:26.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,386,75,5000,"LOW","LOW",
    "POINT",-57343,75,5000,"LOW","LOW","SPIN",-3147,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"\)
),
end;

request(JRM_097,
    START_TIME,2022-143T05:16:36.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,369,75,5000,"LOW","LOW",
    "POINT",-57343,75,5000,"LOW","LOW","SPIN",-3013,"NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>82</b>  | of <b>88</b> |

```

        ),
    command(5,
        SCHEDULED_TIME, \00:09:20\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"Atmosphere"\)
    ),
end;

request(JRM_098,
    START_TIME, 2022-143T05:26:46.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,355,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2893,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:09:21\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"Atmosphere"\)
),
end;

request(JRM_099,
    START_TIME, 2022-143T05:36:57.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,342,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2783,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>83</b>  | of <b>88</b> |

```

        command(4,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(5,
            SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        command(6,
            SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\Atmosphere\
        ),
    end;

request(JRM_100,
    START_TIME,2022-143T05:47:07.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,330,75,5000,"LOW","LOW",
",POINT",-57343,75,5000,"LOW","LOW","SPIN",-2683,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\Atmosphere\
),
end;

request(JRM_101,
    START_TIME,2022-143T05:57:17.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,318,75,5000,"LOW","LOW",
",POINT",-57343,75,5000,"LOW","LOW","SPIN",-2592,"NO_SUMMED_SCI")
),
command(3,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>84</b>  | of <b>88</b> |

```

        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME, \00:09:20\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \\"Atmosphere"\)
    ),
end;

request(JRM_102,
    START_TIME, 2022-143T06:07:27.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74, 2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
JRM SCI PAR("SCI_I1_S1", 17, 1, 0, "IDIS SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 309, 75, 5000, "LOW", "LOW", "POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -2508, "NO_SUMMED SCI")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME, \00:09:20\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"Atmosphere"\)
),
end;

request(JRM_103,
    START_TIME, 2022-143T06:17:37.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(74, 2465)
),
command(2,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>85</b>  | of <b>88</b> |

```

JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,299,75,5000,"LOW","LOW
","POINT",-57343,75,5000,"LOW","LOW","SPIN",-2430,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"
),
end;

request(JRM_104,
    START_TIME,2022-143T06:27:47.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
),
command(2,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,290,75,5000,"LOW","LOW
","POINT",-57343,75,5000,"LOW","LOW","SPIN",-2358,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:20\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\\"Atmosphere"
),
end;

request(JRM_105,
    START_TIME,2022-143T06:37:57.000,
    TITLE, "jm0420_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2465)
)

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>86</b>  | of <b>88</b> |

```

        ),
        command(2,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1", 17, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 281, 75, 5000, "LOW", "LOW",
                        ", "POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -2290, "NO_SUMMED SCI")
        ),
        command(3,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
        command(4,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(5,
            SCHEDULED_TIME, \00:09:20\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        command(6,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \Atmosphere\
        ),
    end;

request(JRM_106,
        START_TIME, 2022-143T06:48:07.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(74, 2465)
),
command(2,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1", 17, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 274, 75, 5000, "LOW", "LOW",
                    ", "POINT", -57343, 75, 5000, "LOW", "LOW", "SPIN", -2228, "NO_SUMMED SCI")
),
command(3,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME, \00:09:20\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \Atmosphere\
),
end;

request(JRM_107,
        START_TIME, 2022-143T06:58:17.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>87</b>  | of <b>88</b> |

```

        command(1,
            SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
            JRM_SET_PAR(74,2465)
        ),
        command(2,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,267,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2169,"NO_SUMMED_SCI")
        ),
        command(3,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_START_HS_REC()
        ),
        command(4,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_SCIENCE()
        ),
        command(5,
            SCHEDULED_TIME, \00:09:20\, FROM_PREVIOUS_START,
            JRM_ERROR_LOG()
        ),
        command(6,
            SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
            JRM_STOP_HS_REC()
        ),
        note(1,
            SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
            TEXT, \Atmosphere\
        ),
    end;

request(JRM_108,
        START_TIME, 2022-143T07:08:27.000,
        TITLE, "jm0420_JRM_Science",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR(74,2465)
),
command(2,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",14,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,321,75,5000,"LOW","LOW",
", "POINT",-57343,75,5000,"LOW","LOW","SPIN",-2115,"NO_SUMMED_SCI")
),
command(3,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_START_HS_REC()
),
command(4,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_SCIENCE()
),
command(5,
        SCHEDULED_TIME, \00:07:49\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
),
command(6,
        SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
),
note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \Atmosphere\
),
end;

request(JRM_109,
        START_TIME, 2022-143T07:16:28.000,
        TITLE, "jm0420_JRM_Calibration",

```

|   |   |                             |            |              |
|---|---|-----------------------------|------------|--------------|
|  |  | <b>JIR-IAPS-SY-008-2022</b> |            |              |
|   |   | Issue                       | <b>1.0</b> | 24/10/2022   |
|   |   | Page                        | <b>88</b>  | of <b>88</b> |

```

REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(3,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
    SCHEDULED_TIME, \00:04:00\, FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(6,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"NaN\")
),
end;

request(JRM_110,
    START_TIME, 2022-143T07:20:48.000,
    TITLE, "jm0420_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
),
note(1,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    TEXT, \\"NaN\")
),
end;

request(JRM_111,
    START_TIME, 2022-143T07:21:04.000,
    TITLE, "jm0420_JRM_Heater_Op",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    THRM_SET_PT_SEL("JIRAM_OH","NON_OPERATIONAL")
),
command(2,
    SCHEDULED_TIME, \00:00:01\, FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_DECON","NON_OPERATIONAL")
),
command(3,
    SCHEDULED_TIME, \00:00:02\, FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_ELECT_BP","NON_OPERATIONAL")
),
end;

$$EOF

```