# 1 Behavioral responses of terrestrial mammals to COVID-19 lockdowns

2 Marlee A. Tucker<sup>1</sup>, Aafke M. Schipper<sup>1</sup>, Tempe S. F. Adams<sup>2</sup>, Nina Attias<sup>3,4</sup>, Tal Avgar<sup>5</sup>, 3 Natarsha L. Babic<sup>6</sup>, Kristin J. Barker<sup>7</sup>, Guillaume Bastille-Rousseau<sup>8</sup>, Dominik M. Behr<sup>9,10</sup>, 4 Jerrold L. Belant<sup>11</sup>, Dean E. Beyer, Jr. <sup>11</sup>, Niels Blaum<sup>12</sup>, J. David Blount<sup>13</sup>, Dirk Bockmühl<sup>14</sup>, 5 Ricardo Luiz Pires Boulhosa<sup>15</sup>, Michael B. Brown<sup>16,17</sup>, Bayarbaatar Buuveibaatar<sup>18</sup>, 6 Francesca Cagnacci<sup>19</sup>, Justin M. Calabrese<sup>20,21</sup>, Rok Černe<sup>22</sup>, Simon Chamaillé-Jammes<sup>23,24</sup>, 7 Aung Nyein Chan<sup>25,17</sup>, Michael J. Chase<sup>2</sup>, Yannick Chaval<sup>26,27</sup>, Yvette Chenaux-Ibrahim<sup>28</sup>, 8 Seth G. Cherry<sup>29</sup>, Duško Ćirović<sup>30</sup>, Emrah Çoban<sup>31</sup>, Eric K. Cole<sup>32</sup>, Laura Conlee<sup>33</sup>, Alyson 9 Courtemanch<sup>34</sup>, Gabriele Cozzi<sup>9,10</sup>, Sarah C. Davidson<sup>35,36,37</sup>, Darren DeBloois<sup>38</sup>, 10 Nandintsetseg Dejid<sup>39</sup>, Vickie DeNicola<sup>40</sup>, Arnaud L.J. Desbiez<sup>3,41,42</sup>, Iain Douglas-11 Hamilton<sup>43,44</sup>, David Drake<sup>45</sup>, Michael Egan<sup>8,27</sup>, Jasper A.J. Eikelboom<sup>46</sup>, William F. Fagan<sup>21</sup>, 12 Morgan J. Farmer<sup>47</sup>, Julian Fennessy<sup>16</sup>, Shannon P. Finnegan<sup>48</sup>, Christen H. Fleming<sup>21,49</sup>, 13 Bonnie Fournier<sup>50</sup>, Nicholas L. Fowler<sup>48,51</sup>, Mariela G. Gantchoff<sup>52,53</sup>, Alexandre Garnier<sup>26,54</sup>, 14 Benedikt Gehr<sup>55</sup>, Chris Geremia<sup>56</sup>, Jacob R. Goheen<sup>57</sup>, Morgan L. Hauptfleisch<sup>58</sup>, Mark 15 Hebblewhite<sup>59</sup>, Morten Heim<sup>60</sup>, Anne G. Hertel<sup>61</sup>, Marco Heurich<sup>62,63,64</sup>, A. J. Mark 16 Hewison<sup>26,27</sup>, James Hodson<sup>65</sup>, Nicholas Hoffman<sup>66</sup>, J. Grant C. Hopcraft<sup>67</sup>, Djuro Huber<sup>68</sup>, 17 Edmund J. Isaac<sup>28</sup>, Karolina Janik<sup>69</sup>, Miloš Ježek<sup>70</sup>, Örjan Johansson<sup>71,72</sup>, Neil R. 18 Jordan<sup>73,74,10</sup>, Petra Kaczensky<sup>75,76</sup>, Douglas N. Kamaru<sup>57,77</sup>, Matthew J. Kauffman<sup>78</sup>, Todd 19 M. Kautz<sup>48</sup>, Roland Kays<sup>79,80</sup>, Allicia P. Kelly<sup>81</sup>, Jonas Kindberg<sup>82,83</sup>, Miha Krofel<sup>84,85</sup>, Josip 20 Kusak<sup>68</sup>, Clayton T. Lamb<sup>86</sup>, Tayler N. LaSharr<sup>87</sup>, Peter Leimgruber<sup>17</sup>, Horst Leitner<sup>88</sup>, 21 Michael Lierz<sup>89</sup>, John D.C. Linnell<sup>60,90</sup>, Purevjav Lkhagvaja<sup>91</sup>, Ryan A. Long<sup>92</sup>, José Vicente 22 López-Bao<sup>93</sup>, Matthias-Claudio Loretto<sup>35,94,95</sup>, Pascal Marchand<sup>96</sup>, Hans Martin<sup>59</sup>, Lindsay A. 23 Martinez<sup>97</sup>, Roy T. McBride, Jr. 98, Ashley A.D. McLaren 99,100, Erling Meisingset 101, Joerg 24 Melzheimer<sup>14</sup>, Evelyn H. Merrill<sup>102</sup>, Arthur D. Middleton<sup>7</sup>, Kevin L. Monteith<sup>87</sup>, Seth A. 25 Moore<sup>28</sup>, Bram Van Moorter<sup>60</sup>, Nicolas Morellet<sup>26,27</sup>, Thomas Morrison<sup>67</sup>, Rebekka Müller<sup>14</sup>, Atle Mysterud<sup>103</sup>, Michael J Noonan<sup>104</sup>, David O'Connor<sup>105,106,107</sup>, Daniel Olson<sup>38</sup>, Kirk A. Olson<sup>108</sup>, Anna C. Ortega<sup>109,110</sup>, Federico Ossi<sup>19</sup>, Manuela Panzacchi<sup>60</sup>, Robert Patchett<sup>111</sup>, 26 27 28 Brent R. Patterson<sup>112,113</sup>, Rogerio Cunha de Paula<sup>114</sup>, John Payne<sup>115</sup>, Wibke Peters<sup>116</sup>, Tyler R. 29 Petroelje<sup>48</sup>, Benjamin J. Pitcher<sup>74,117</sup>, Boštjan Pokorny<sup>118,119,120</sup>, Kim Poole<sup>121</sup>, Hubert 30 Potočnik<sup>122</sup>, Marie-Pier Poulin<sup>123</sup>, Robert M. Pringle<sup>124</sup>, Herbert H.T. Prins<sup>125</sup>, Nathan 31 Ranc<sup>19,126,26</sup>, Slaven Reljić<sup>68,127</sup>, Benjamin Robb<sup>109</sup>, Ralf Röder<sup>14</sup>, Christer M. Rolandsen<sup>60</sup>, 32 Christian Rutz<sup>111</sup>, Albert R. Salemgareyev<sup>128</sup>, Gustaf Samelius<sup>72,129</sup>, Heather Sayine-33 Crawford<sup>65</sup>, Sarah Schooler<sup>48</sup>, Çağan H. Şekercioğlu<sup>13,130,31</sup>, Nuria Selva<sup>131,132</sup>, Paola 34 Semenzato<sup>133,19</sup>, Agnieszka Sergiel<sup>131</sup>, Koustubh Sharma<sup>134,135,136,137</sup>, Avery L. Shawler<sup>7</sup>, 35 Johannes Signer<sup>138</sup>, Václav Silovský<sup>70</sup>, João Paulo Silva<sup>139,140</sup>, Richard Simon<sup>141</sup>, Rachel A. 36 Smiley<sup>87</sup>, Douglas W. Smith<sup>56</sup>, Erling J. Solberg<sup>60</sup>, Diego Ellis-Soto<sup>142,143,144</sup>, Orr Spiegel<sup>145</sup>, 37 Jared Stabach<sup>17</sup>, Jenna Stacy-Dawes<sup>146</sup>, Daniel R. Stahler<sup>56</sup>, John Stephenson<sup>147</sup>, Cheyenne 38 Stewart<sup>148</sup>, Olav Strand<sup>60</sup>, Peter Sunde<sup>149</sup>, Nathan J. Svoboda<sup>150</sup>, Jonathan Swart<sup>151</sup>, Jeffrey J. 39 Thompson<sup>152,153</sup>, Katrina L. Toal<sup>141</sup>, Kenneth Uiseb<sup>154</sup>, Meredith C. VanAcker<sup>155,17</sup>, 40 Marianela Velilla<sup>152,153,156</sup>, Tana L. Verzuh<sup>87</sup>, Bettina Wachter<sup>14</sup>, Brittany L. Wagler<sup>87</sup>, Jesse 41 Whittington<sup>157</sup>, Martin Wikelski<sup>35,158</sup>, Christopher C. Wilmers<sup>159</sup>, George Wittemyer<sup>160,43</sup>, 42 Julie K. Young<sup>161,162</sup>, Filip Zieba<sup>163</sup>, Tomasz Zwijacz-Kozica<sup>163</sup>, Mark A. J. Huijbregts<sup>1</sup>, 43

44

Thomas Mueller<sup>39,164,17</sup>

- <sup>1</sup>Department of Environmental Science, Radboud Institute for Biological and Environmental
- 47 Sciences, Radboud University, P.O. Box 9010, 6500, GL Nijmegen, the Netherlands
- <sup>2</sup>Elephants Without Borders, P.O. Box 682, Kasane, Botswana
- 49 <sup>3</sup>Instituto de Conservação de Animais Silvestres (ICAS), Campo Grande, Mato Grosso do
- 50 Sul, Brazil
- <sup>4</sup>Department of Wildlife Ecology & Conservation, University of Florida, Gainesville, FL,
- 52 USA
- <sup>5</sup>Department of Wildland Resources and the Ecology Center, Utah State University, Logan,
- 54 Utah 84322 USA
- <sup>6</sup>School of Biological Sciences, Monash University, Clayton, Victoria 3800, Australia.
- <sup>7</sup>Department of Environmental Science, Policy, and Management, University of California,
- 57 Berkeley, Berkeley, CA 94720 USA
- <sup>8</sup>Cooperative Wildlife Research Laboratory, Southern Illinois University, Carbondale, IL,
- 59 62901
- <sup>9</sup>Department of Evolutionary Biology and Environmental Studies, University of Zurich,
- 61 Winterthurerstrasse 190, CH 8057 Zürich
- 62 <sup>10</sup>Botswana Predator Conservation, Private Bag 13, Maun, Botswana
- 63 <sup>11</sup>Department of Fisheries and Wildlife, Michigan State University, 480 Wilson Road, East
- Lansing, Michigan 48824, USA
- 65 <sup>12</sup>University of Potsdam, Plant Ecology and Nature Conservation, Am Mühlenberg 3, 14476
- 66 Potsdam, Germany
- 67 <sup>13</sup>School of Biological Sciences, University of Utah, 257 S 1400 E, Salt Lake City, Utah
- 68 84112, USA
- 69 <sup>14</sup>Department of Evolutionary Ecology, Leibniz Institute for Zoo and Wildlife Research,
- 70 Alfred-Kowalke-Str. 17, 10315 Berlin, Germany
- 71 <sup>15</sup>Instituto Pró-Carnívoros, Atibaia, SP, 12945010 Brazil
- 72 <sup>16</sup>Giraffe Conservation Foundation, Eros, PO Box 86099, Windhoek, Namibia
- 73 <sup>17</sup>Smithsonian National Zoo and Conservation Biology Institute, Conservation Ecology
- 74 Center, 1500 Remount Rd, Front Royal, VA, 22630, USA
- 75 <sup>18</sup>Wildlife Conservation Society, Mongolia Program, Ulaanbaatar, Mongolia
- <sup>19</sup>Animal Ecology Unit, Research and Innovation Centre, Fondazione Edmund Mach, Via E.
- 77 Mach 1, 38010 San Michele all'Adige, Italy.
- 78 <sup>20</sup>Center for Advanced Systems Understanding (CASUS), Goerlitz, Germany
- 79 <sup>21</sup>Department of Biology, University of Maryland, College Park, 4094 Campus Dr, College
- 80 Park, Maryland, USA
- 81 <sup>22</sup>Slovenia Forest service, Večna pot 2, 1000 Ljubljana, Slovenia
- 82 <sup>23</sup>CEFE, CNRS, Univ Montpellier, EPHE, IRD, Montpellier, France
- 83 <sup>24</sup>Mammal Research Institute, Department of Zoology & Entomology, University of Pretoria,
- 84 South Africa
- 85 <sup>25</sup>Dept. Fish, Wildlife and Conservation Biology, Colorado State University, Fort Collins, CO
- 86 80525, USA
- 87 <sup>26</sup>Université de Toulouse, INRAE, CEFS, F-31326 Castanet-Tolosan, France
- 88 <sup>27</sup>LTSER ZA PYRénées GARonne, F-31320 Auzeville-Tolosane, France
- 89 <sup>28</sup>Department of Biology and Environment, Grand Portage Band of Lake Superior Chippewa,
- 90 Grand Portage, MN 55605 USA
- 91 <sup>29</sup>Parks Canada Agency, Box 220, Radium Hot Springs, BC, V0A 1M0, Canada

- 92 <sup>30</sup>Faculty of Biology, University of Belgrade, Studentski trg 16, 11000 Belgrade, Serbia
- 93 <sup>31</sup>KuzeyDoğa Society, Ortakapı Mah. Şehit Yusuf Cad. 69, 36100 Kars, Turkey
- 94 <sup>32</sup>U.S. Fish and Wildlfe Service, National Elk Refuge, PO Box 510, Jackson, WY 83001
- 95 <sup>33</sup>Missouri Department of Conservation, Columbia, MO, 65201, USA
- 96 <sup>34</sup>Wyoming Game and Fish Department, Jackson, WY 83001, USA.
- 97 <sup>35</sup>Department of Migration, Max Planck Institute of Animal Behavior, 78315 Radolfzell,
- 98 Germany
- 99 <sup>36</sup>Department of Biology, University of Konstanz, 78464 Konstanz, Germany
- <sup>37</sup>Department of Civil, Environmental and Geodetic Engineering, The Ohio State University,
- 101 43210 Columbus, OH, USA
- 102 <sup>38</sup>Utah Division of Wildlife Resources
- <sup>39</sup>Senckenberg Biodiversity and Climate Research Centre, Senckenberganlage 25, 60325
- 104 Frankfurt am Main, Germany
- 105 <sup>40</sup>White Buffalo Inc., 26 Davison Road, Moodus, CT 06469 USA
- <sup>41</sup>Royal Zoological Society of Scotland (RZSS), Murrayfield, Edinburgh, United Kingdom
- 107 <sup>42</sup>Instituto de Pesquisas Ecológicas (IPÊ), Nazaré Paulista, São Paulo, Brazil
- 108 <sup>43</sup>Save the Elephants, Marula Manor, Marula Lane, Karen, Nairobi 00200, Kenya
- 109 <sup>44</sup>Department of Zoology, Oxford University, Oxford OX1 3PS, UK
- <sup>45</sup>Department of Forest and Wildlife Ecology, University of Wisconsin-Madison, Madison,
- 111 Wisconsin, 53706 USA
- <sup>46</sup>Wildlife Ecology and Conservation Group, Wageningen University and Research,
- Droevendaalsesteeg 3a, 6708 PB, Wageningen, Netherlands
- <sup>47</sup>Department of Forest and Wildlife Ecology, University of Wisconsin, 1630 Linden Drive,
- 115 Madison, WI 53706 USA
- <sup>48</sup>Global Wildlife Conservation Center, State University of New York College of
- Environmental Science and Forestry, 1 Forestry Drive, Syracuse, New York 13210, USA
- <sup>49</sup>Smithsonian Conservation Biology Institute, 1500 Remount Rd, Front Royal, Virginia,
- 119 USA
- 120 <sup>50</sup>Wildlife and Fish Division, Department of Environment and Natural Resources,
- Government of the Northwest Territories, P.O. Box 1320, Yellowknife, NT, Canada
- <sup>51</sup>Alaska Department of Fish and Game, 43961 Kalifornsky Beach Road, Suite B, Soldotna,
- 123 AK 99669, USA.
- <sup>52</sup>State University of New York College of Environmental Science and Forestry, Syracuse,
- 125 New York 13210, USA
- 126 <sup>53</sup>Department of Biology, College of Arts and Sciences, University of Dayton, Dayton, Ohio,
- 127 45469 USA
- <sup>54</sup>Parc National des Pyrénées, 65000 Tarbes, France
- 129 <sup>55</sup>Department of Evolutionary Biology and Environmental Studies, University of Zurich,
- Winterthurerstrasse 190, 8057, Zurich, Switzerland
- 131 <sup>56</sup>Yellowstone Center for Resources, PO Box 168, Yellowstone National Park, WY 82190
- <sup>57</sup>Department of Zoology and Physiology, University of Wyoming, Laramie, WY 82071 USA
- 133 <sup>58</sup>Biodiversity Research Centre, Namibia University of Science and Technnology Pvt bag
- 134 13388 Windhoek, Namibia
- 135 <sup>59</sup>Wildlife Biology Program, Franke College of Forestry and Conservation, University of
- Montana, Missoula, MT, 59801
- 137 <sup>60</sup>Norwegian Institute for Nature Research, Terrestrial Ecology Department, P.O. Box 5685

- 138 Torgarden, 7485 Trondheim, Norway
- 139 <sup>61</sup>Behavioural Ecology, Department of Biology, Ludwig Maximilian University of Munich,
- 140 Großhaderner Str. 2, 82152 Planegg-Martinsried, Germany
- 141 <sup>62</sup>Department of Visitor Management and National Park Monitoring, Bavarian Forest
- National Park, Freyunger Straße 2, 94481 Grafenau, Germany
- <sup>63</sup>Chair of Wildlife Ecology and Conservation Biology, Faculty of Environment and Natural
- 144 Resources, University of Freiburg, Tennenbacher Straße 4, 79106 Freiburg, Germany
- <sup>64</sup>Institute for forest and wildlife management, Faculty of Applied Ecology, Agricultural
- Sciences and Biotechnology, Campus Evenstad, Inland Norway University of Applied
- 147 Science, NO-2480 Koppang, Norway
- 148 <sup>65</sup>Wildlife and Fish Division, Department of Environment and Natural Resources,
- Government of the Northwest Territories, P.O. Box 1320, Yellowknife, NT Canada X1A 2L9
- 150 <sup>66</sup>Ecological Program, Pennsylvania Department of Military and Veterans Affairs, Fort
- 151 Indiantown Gap National Guard Training Center, Annville, PA 17003, USA.
- 152 <sup>67</sup>Institute of Biodiversity, Animal Health and Comparative Medicine, University of
- 153 Glasgow, Glasgow UK G12 8QQ
- 154 <sup>68</sup>Veterinary Biology Department, Faculty of Veterinary Medicine, University of Zagreb,
- Heinzelova 55, HR-10000 Zagreb, Croatia
- 156 <sup>69</sup>City of New York Parks & Recreation, Wildlife Unit, 1234 5th Avenue, 5th Floor, NY,
- 157 10029
- <sup>70</sup>Faculty of Forestry and Wood Sciences, Czech University of Life Sciences Prague, Czech
- 159 Republic
- <sup>71</sup>Grimsö Wildlife Research Station, Swedish University of Agricultural Sciences, 739 93,
- 161 Riddarhyttan, Sweden
- <sup>72</sup>Snow Leopard Trust, 4649 Sunnyside Avenue North, Seattle, WA 98103, USA
- <sup>73</sup>Centre for Ecosystem Science, School of Biological, Earth and Environmental Sciences,
- University of New South Wales, Sydney, NSW, 2052, Australia
- <sup>74</sup>Taronga Institute of Science and Learning, Taronga Conservation Society, Sydney, NSW,
- 166 2088, Australia
- 167 <sup>75</sup>Inland Norway University of Applied Sciences, Department of Forestry and Wildlife
- 168 Management, NORWAY
- <sup>76</sup>University of Veterinary Medicine Vienna, Research Institute of Wildlife Ecoloy,
- 170 AUSTRIA
- 171 <sup>77</sup>Wildlife Department, Ol Pejeta Conservancy, Private Bag-10400, Nanyuki, Kenya.
- 172 <sup>78</sup>U.S. Geological Survey, Wyoming Cooperative Fish and Wildlife Research Unit,
- Department of Zoology and Physiology, University of Wyoming, Laramie, WY 82071, USA.
- 174 <sup>79</sup>North Carolina Museum of Natural Sciences, Raleigh, NC, 27601, USA
- 175 <sup>80</sup>Department of Forestry and Environmental Resources, North Carolina State University,
- 176 Raleigh, NC, 27695, USA
- 177 <sup>81</sup>Department of Environment and Natural Resources, Government of the Northwest
- 178 Territories, P.O. Box 2668, Yellowknife, NT Canada X1A 2P9
- 179 <sup>82</sup>Norwegian Institute for Nature Research, NO-7484 Trondheim, Norway
- 180 <sup>83</sup>Department of Wildlife, Fish and Environmental studies, Swedish University of
- 181 Agricultural Sciences, SE- 901 83 Umeå, Sweden
- 182 <sup>84</sup>Department of Forestry, Biotechnical Faculty, University of Ljubljana, Večna pot 2, SI-
- 183 1000 Ljubljana, Slovenia

- 184 <sup>85</sup>Department of Evolutionary Ecology, Leibniz Institute for Zoo and Wildlife Research,
- 185 Alfred- Kowalke- Str. 17, 10315 Berlin, Germany
- 186 <sup>86</sup>Biological Sciences Centre, University of Alberta, Edmonton, Alberta, T6G 2E9 Canada
- 187 <sup>87</sup>Haub School of Environment and Natural Resources, Wyoming Cooperative Fish and
- Wildlife Research Unit, Department of Zoology and Physiology, University of Wyoming,
- 189 804 East Fremont, Laramie, WY 82072
- 190 <sup>88</sup>Büro für Wildökologie und Forstwirtschaft, Klagenfurth, Austria
- 191 <sup>89</sup>Clinic for birds, reptiles, amphibians and fish, Justus-Liebig-University Giessen, Germany
- 192 <sup>90</sup>Inland Norway University of Applied Sciences, Department of Forestry and Wildlife
- 193 Management, Anne Evenstads vei 80, 2480 Koppang, Norway
- 194 <sup>91</sup>Snow Leopard Conservation Foundation, Ulaanbaatar, Mongolia
- 195 <sup>92</sup>Department of Fish and Wildlife Sciences, University of Idaho, Moscow, ID 83844 USA
- 196 <sup>93</sup>Biodiversity Research Institute (CSIC Oviedo University Principality of Asturias),
- 197 Oviedo University, E-33600 Mieres, Spain.
- 198 <sup>94</sup>Technical University of Munich, TUM School of Life Sciences, Ecosystem Dynamics and
- 199 Forest Management Group, 85354 Freising, Germany
- 200 <sup>95</sup>Berchtesgaden National Park, 83471 Berchtesgaden, Germany
- 201 <sup>96</sup>Office Français de la Biodiversité, Direction de la Recherche et de l'Expertise, Unité
- 202 Ongulés Sauvages, Juvignac, France
- <sup>97</sup>Wyoming Cooperative Fish and Wildlife Research Unit, Department of Zoology and
- 204 Physiology, University of Wyoming, Laramie, WY 82071, USA
- <sup>98</sup>Faro Moro Eco Research, Estancia Faro Moro, Departmento de Boquerón, Paraguay
- <sup>99</sup>Ontario Ministry of Natural Resources and Forestry, Wildlife Research and Monitoring
- Section, Trent University, 2140 East Bank Drive, Peterborough, Ontario, K9J 7B8, Canada
- <sup>100</sup>Department of Environment and Natural Resources, Government of the Northwest
- Territories, Highway 5, PO Box 900, Fort Smith, Northwest Territories, X0E 0P0, Canada
- <sup>101</sup>Department of Forestry and Forestry resources, Norwegian Institute of Bioeconomy
- 211 Research, Tingvoll gard, NO-6630 Tingvoll, Norway
- <sup>102</sup>Department of Biological Sciences, University of Alberta, Edmonton, AB T6G 2E9,
- 213 Canada
- <sup>103</sup>Centre for Ecological and Evolutionary Synthesis (CEES), Department of Biosciences,
- University of Oslo, P.O. Box 1066 Blindern, NO-0316 Oslo, Norway.
- <sup>104</sup>Department of Biology, University of British Columbia Okanagan, Kelowna, British
- 217 Columbia, Canada.
- 218 <sup>105</sup>Save Giraffe Now, 8333 Douglas Avenue, Suite 300, Dallas, Texas 75225
- 219 <sup>106</sup>The Faculty of Biological Sciences, Goethe University, Max-von-Laue-Str. 9, 60438
- 220 Frankfurt am Main, Germany
- <sup>107</sup>National Geographic Partners, 1145 17th Street NW, Washington DC 20036, USA
- <sup>108</sup>Wildlife Conservation Society, Mongolia Program. Post 20A, Box 21, Ulaanbaatar 14200,
- 223 Mongolia
- <sup>109</sup>Wyoming Cooperative Fish and Wildlife Research Unit, Department of Zoology and
- 225 Physiology, University of Wyoming, Laramie, WY 82071, USA.
- <sup>110</sup>Program in Ecology, University of Wyoming, Laramie, WY 82071 USA.
- 227 liliCentre for Biological Diversity, School of Biology, University of St Andrews, Sir Harold
- 228 Mitchell Building, St Andrews, KY16 9TH, UK
- <sup>112</sup>Department of Environmental and Life Sciences, Trent University, 2140 East Bank Drive,

- 230 Peterborough, Ontario K9J 7B8, Canada
- 231 <sup>113</sup>Ontario Ministry of Natural Resources and Forestry, Wildlife Research and Monitoring
- Section, Trent University, 2140 East Bank Drive, Peterborough, Ontario K9J 7B8, Canada
- 233 <sup>114</sup>Centro Nacional de Pesquisa e Conservação de Mamíferos Carnívoros, Instituto Chico
- Mendes de Conservação da Biodiversidade, Atibaia, SP, 12952011 Brazil
- <sup>115</sup>Research Institute of Wildlife Ecology, University of Veterinary Medicine, Vienna,
- 236 Austria
- 237 <sup>116</sup>Department of Biodiversity, Conservation and Wildlife Management, Bavarian State
- 238 Institute for Forestry, Hans-Carl-von Carlowitz Platz 1, 85354 Freising
- <sup>117</sup>School of Natural Sciences, Faculty of Science and Engineering, Macquarie University,
- NSW, 2109, Australia
- <sup>118</sup>Faculty of Environmental Protection, Trg mladosti 7, 3320 Velenje, Slovenia
- <sup>119</sup>Slovenian Forestry Institute, Večna pot 2, 1000 Ljubljana, Slovenia
- <sup>120</sup>Department of Biodiversity, Faculty of Mathematics, Natural Sciences and Information
- Technologies, University of Primorska, Glagoljaška 8, 6000 Koper, Slovenia
- <sup>121</sup>Aurora Wildlife Research, 1918 Shannon Point Rd., Nelson, BC, V1L 6K1 Canada
- <sup>122</sup>Department of Biology, Biotechnical Faculty, University of Ljubljana, Jamnikarjeva 101,
- 247 1000 Ljubljana, Slovenia
- <sup>123</sup>Department of Zoology and Physiology, University of Wyoming, Laramie, WY, 82071
- 249 USA
- 250 <sup>124</sup>Department of Ecology & Evolutionary Biology, Princeton University, Princeton, NJ
- 251 08544 USA
- <sup>125</sup>Department of Animal Sciences, Wageningen University and Research, De Elst 1, 6708
- WD, Wageningen, Netherlands
- <sup>126</sup>Department of Organismic and Evolutionary Biology, Harvard University, 26 Oxford
- 255 Street, Cambridge MA02138, USA.
- <sup>127</sup>Oikon Ltd, Institute of Applied Ecology, Trg Senjskih uskoka 1-2, HR-10020 Zagreb,
- 257 Croatia
- <sup>128</sup>Association for the Conservation of Biodiversity of Kazakhstan (ACBK), Nur-Sultan,
- 259 010000, Kazakhstan
- 260 <sup>129</sup>Nordens Ark, 456 93 Hunnebostrand, Sweden
- <sup>130</sup>Koç University Department of Molecular Biology and Genetics, Faculty of Sciences,
- 262 Rumelifeneri, Istanbul, Sarıyer, Turkey
- <sup>131</sup>Institute of Nature Conservation Polish Academy of Sciences, Adama Mickiewicza 33, 31-
- 264 120 Kraków, Poland
- 265 <sup>132</sup> Departamento de Ciencias Integradas, Facultad de Ciencias Experimentales, Centro de
- 266 Estudios Avanzados en Física, Matemáticas y Computación, Universidad de Huelva, 21071
- 267 Huelva, Spain.
- <sup>133</sup>Dimension Research, Ecology and Environment (D.R.E.Am. Italia), Via Garibaldi, 3,
- 269 52015 Pratovecchio Stia (AR), Italy
- 270 <sup>134</sup>Snow Leopard Trust, Seattle, WA 98103, USA
- <sup>135</sup>Global Snow Leopard and Ecosystem Protection Program, Bishkek, Kyrgyzstan
- 272 <sup>136</sup>Snow Leopard Foundation, Kyrgyzstan Bishkek, Kyrgyzstan
- 273 <sup>137</sup>Nature Conservation Foundation, Mysore 570002, India
- <sup>138</sup>Wildlife Sciences, Faculty of Forest Sciences and Forest Ecology, University of
- 275 Goettingen, Göttingen Germany

- 276 <sup>139</sup>CIBIO, Centro de Investigação em Biodiversidade e Recursos Genéticos, InBIO
- 277 Laboratório Associado, Campus de Vairão, Universidade do Porto, 4485-661 Vairão,
- 278 Portugal
- 279 <sup>140</sup>BIOPOLIS Program in Genomics, Biodiversity and Land Planning, CIBIO, Campus de
- 280 Vairão, 4485-661 Vairão, Portugal
- <sup>141</sup>City of New York Parks & Recreation, Wildlife Unit, 1234 5th Avenue, 5th Floor, NY,
- 282 NY, 10029
- <sup>142</sup>Department of Ecology and Evolutionary Biology, Yale University, New Haven, CT
- <sup>143</sup>Center for Biodiversity and Global Change, Yale University, New Haven, CT
- <sup>144</sup>Max Planck Yale Center for Biodiversity Movement and Global Change, Yale University
- <sup>145</sup>School of Zoology, Faculty of Life Sciences, Tel Aviv University, Tel Aviv 69978, Israel.
- <sup>146</sup>San Diego Zoo Wildlife Alliance, 15600 San Pasqual Valley Road, Escondido, CA, 92027
- 288 U.S.A.
- 289 <sup>147</sup>Grand Teton National Park, PO Drawer 170, Moose, Wyoming 83012 USA
- <sup>148</sup>Wyoming Game and Fish Department, 700 Valley View Dr. Sheridan, WY 82801
- <sup>149</sup>Aarhus University, Department of Ecoscience Wildlife Ecology, C.F. Møllers Allé 4-8,
- 292 8000 Aarhus C, Denmark
- <sup>150</sup>Alaska Department of Fish and Game, Kodiak, AK 99615, USA
- <sup>151</sup>Welgevonden Game Reserve, P.O. Box 433, Vaalwater, South Africa
- 295 <sup>152</sup>Guyra Paraguay CONACYT, Asunción, Paraguay
- 296 <sup>153</sup>Instituto Saite, Asunción, Paraguay
- 297 <sup>154</sup>Ministry of Environment, Forestry and Tourism, Windhoek, Namibia
- <sup>155</sup>Ecology, Evolution and Environmental Biology, Columbia University, NY, NY 10027
- <sup>156</sup>School of Natural Resources, University of Arizona, 1064 E Lowell St, Tucson, AZ 85719,
- 300 USA
- 301 <sup>157</sup>Park Canada, Banff National Park Resource Conservation. PO Box 900, Banff, Alberta,
- 302 Canada. T1L 1K2. jesse.whittington@pc.gc.ca
- 303 <sup>158</sup>Centre for the Advanced Study of Collective Behaviour, University of Konstanz, 78457
- 304 Konstanz, Germany
- 305 <sup>159</sup>Center for Integrated Spatial Research, Environmental Studies Department, University of
- 306 California, Santa Cruz CA, 95064 USA
- 307 <sup>160</sup>Department of Fish, Wildlife and Conservation Biology, Colorado State University, Fort
- 308 Collins, CO 80523
- 309 <sup>161</sup>USDA National Wildlife Research Center, Predator Research Facility, Millville, UT 84326
- 310 USA
- 311 <sup>162</sup>Department of Wildland Resources, Utah State University, Logan, Utah 84322 USA
- 312 <sup>163</sup>Tatra National Park, Kuźnice 1, 34-500, Zakopane, Poland
- 313 <sup>164</sup>Department of Biological Sciences, Goethe University, Max-von-Laue-Strasse 9, 60438
- 314 Frankfurt am Main, Germany

315

316

317

COVID-19 lockdowns in early 2020 reduced human mobility, providing an opportunity to disentangle its effects on animals from those of landscape modifications. Using GPS data, we compared movements and road avoidance of 2300 terrestrial mammals (43 species) during the lockdowns to the same period in 2019. Individual responses were variable, with no change in average movements or road avoidance behavior, likely due to variable lockdown conditions. However, under strict lockdowns, 10-day 95th percentile displacements increased by 73%, suggesting increased landscape permeability. Animals' 1-hour 95th percentile displacements declined by 12%, and animals were 36% closer to roads in areas of high human footprint, indicating reduced avoidance during lockdowns. Overall, lockdowns rapidly altered some spatial behaviors, highlighting variable but substantial impacts of human mobility on wildlife worldwide.

In 2020, governments around the world introduced lockdown measures in an attempt to curb the spread of the novel SARS-CoV-2 virus (COVID-19). This resulted in a drastic reduction in human mobility including human confinement to living quarters, closure of recreation and protected areas, and reductions in the movement of vehicles and their associated by-products (e.g., noise and pollutants) (1). This 'anthropause' provides a unique opportunity to quantify the effects of human mobility on wildlife by decoupling these from landscape modification effects (e.g., roads) (2, 3). It is established that anthropogenic landscape modifications impact how animals use habitats (4) and interact with each other (5). For example, human infrastructure may induce various behavioral responses in animals, including avoidance (6), shifts in movement speed or habitat selection near roads (7), and altered diurnal patterns of habitat use (8). In addition to these landscape modification effects, animals can react directly to the presence and activity of humans (9). These often are perceived as a risk (10), which can lead to changes in habitat use due to the avoidance of areas heavily used by humans, increased energetic costs and physiological stress (11), and altered demography (e.g., reduced fecundity) (12). As large-scale, high-resolution human mobility data are rare, our ability to decouple the effects of landscape modification and human mobility has been limited. In particular, little is known about the overall impact of human mobility on terrestrial mammalian behavior across species and continents. Here, we make use of the quasi-experimental alteration of human mobility during COVID-19 lockdowns in early 2020 to study the effect of human mobility on animal behavior, specifically on movement and road avoidance in terrestrial mammals.

348349350

351

352

353

354

319

320

321

322323

324

325

326

327

328329

330

331332

333

334

335

336

337

338

339340

341

342

343

344

345

346

347

## Using animal tracking data to study behavioral changes during lockdowns

We used Global Positioning System (GPS) tracking data to evaluate how 2,300 individual terrestrial mammals, representing 43 species across 76 studies (Fig. 1 and Table S1), changed their spatial behavior during the initial 2020 COVID-19 lockdowns compared to the same time period a year earlier. For the initial 2020 lockdown period we included the date of the first government mandated

lockdown in each study area (between 1 February and 28 April, 2020) until 15 May, 2020. We used matching time periods from 2019 as a baseline for comparison. Individuals were tracked for an average of 59 days per observation period (range: 10 - 72 days). We focused on two behaviors: displacement distance (straight-line distance between two consecutive GPS locations) and distance to the nearest road. As changes in displacement might be scale-dependent, we considered displacements at 1-hour and 10-day intervals based on Tucker et al. (13). Changes in 1-hour displacements reflect immediate responses to altered human mobility (14). We expected that reduced human mobility during strict lockdowns would lead to an overall reduction in 1-hour displacements due to fewer avoidance and escape responses, or easier access to foraging areas due to reduced disturbance as has been previously shown for red deer (14). For the 10-day displacements, we expected a different response because previous analyses of the effects of land-modifications on mammal movements (13) have shown longer displacement distances in areas with low human footprint. Accordingly, displacement distances at the 10-day scale might be longer under lockdown conditions as animals might be able to cross barriers linked to human mobility during lockdowns (e.g., roads with lower traffic volumes during lockdowns). For each time scale, we evaluated the 50th (median) and 95th percentiles of the displacements. Median displacements represent a suite of behaviors including resting and sleeping (1-hour scale) or residency in the same area (10-day scale). The 95th percentile eliminates stationary behaviors and represents longer and more directed movements such as avoidance behaviors on the 1-hour time scale and long-distance displacements at the 10-day time scale (13). Because longer displacements generally have a greater probability of encountering humans or infrastructure, we expected stronger responses for the 95th-percentile displacements.

376377

378

379

380

355

356

357

358

359

360

361

362363

364

365

366367

368369

370371

372

373

374

375

While roads may benefit some species by providing foraging opportunities or movement corridors (15), their effects are more often negative as they not only create barriers but also increase mortality and facilitate human access to remote areas (16). We expected that declines in vehicular traffic during the early 2020 lockdowns (17) would reduce the perceived risk level and mammals would therefore be closer to roads.

381 382

383 384

385

386 387

388

389

390

391

To evaluate possible changes in displacements or distance to the nearest roads between the lockdown and baseline periods, we calculated log response ratios for each measure (medians and 95th percentiles of the 1-hour and 10-day displacements, and distance to roads) and each individual. Our analyses of the response ratios involved a two-step process following previous work (18). First, we used Bayesian mixed-effects models to examine the overall effect of lockdowns on movement distance and distance to the nearest road (i.e., intercept-only model) (19). Second, we used Bayesian mixed-effects models to examine possible relationships between the response ratios and various covariates indicative of environmental context (i.e., lockdown strictness, human footprint and productivity) and species traits (i.e., body mass, diet, activity and relative brain size) (19). For both

steps of the analyses, we included random effects for species-study combined to account for nonindependence between effect sizes from the same study and/or species. For the second step of the analysis, we included the Oxford COVID-19 Government Response Tracker Stringency Index (SI, (20)) in our models to examine country-level variation in lockdown strictness, ranging from 0 (no lockdown) to 100 (very strict lockdown; e.g., confined to home). We used the Human Footprint Index (HFI, 1-km resolution, (21)) as a proxy of direct and indirect human activities including roads, agriculture and human population density. The HFI values range from 0 to 50, where low values represent areas relatively undisturbed by humans and high values represent areas with high human development levels. We expected stronger behavioral responses to lockdowns in areas with a higher human footprint and in countries with stricter lockdowns for both displacement distances and distance to roads. To account for movement capacity, differences in movements related to diet, activity cycle and behavioral flexibility, we included body mass (range: 10 - 4000 kg), diet (carnivore, omnivore, herbivore), activity (diurnal or nocturnal) and relative brain size as additional explanatory variables. Finally, we also included the between-year difference in Normalized Difference Vegetation Index (NDVI) between 2019 and 2020 to account for potential differences in seasonality and productivity. We fit models for the median and 95th percentile of the 1-hour and 10-day displacements, and for distance to road including all covariates for lockdown strictness, environmental context and species traits (19). We report our results as the percentage increase or decrease in movement distance or distance to roads by back-transforming the response ratios (19) and reporting the 95% credible intervals (CI).

### Changes in movement displacements during lockdowns

We found an average 12% reduction in 1-hour 95th-percentile displacements when evaluating the impact of only the lockdown itself (intercept only model, 95% CI: 1 – 22%, Fig. 2, Table S2). This may indicate reduced avoidance and escape behavior of humans (e.g., no need to travel longer distances to avoid humans (22, 23)) as a result of altered human mobility levels during lockdowns. When exploring potential correlates of this response, no covariates had an effect that differed from zero (Table S3). For the 1-hour median displacements, we found no overall effect (Table S2) and again, no effect of the covariates (Table S4). Taken together, these results suggest that responses at the 1-hour scale were highly variable and not dependent on the selected species traits (body mass, diet, activity or relative brain size) or on the variables describing the local context (lockdown stringency or HFI).

The overall lockdown response was not different from zero for the 10-day 95th-percentile or long-distance displacements (15%, 95% CI; -30–5%, Fig. 2B, Table S2). However, when exploring the covariates that might explain variation in response ratios, the 95% credible intervals of the Stringency Index did not overlap zero (Table S5), with displacements increasing 73% on average in areas of

stricter lockdown (i.e., areas with an SI of 90; Fig. 3A). This may indicate that tighter restrictions on human movements, including confinement to living spaces and reduced human mobility in green spaces (e.g., Italy and France; Fig. 1) led to increased landscape permeability for mammals. This effect of human mobility is similar in magnitude to previous work that used the same displacement metric but examined the effect of permanent landscape alterations (land conversion and infrastructure) on terrestrial mammal movements (13). While this work used a spatial comparison rather than comparing changes over time within the same individuals, they found a decline of 67% of the 10-day 95th-percentile displacements in areas where the human footprint is high (13). We found no effect of the remaining covariates (HFI, body mass, diet, activity or relative brain size) (Tables S5).

We found that the 10-day 95th-percentile displacements in areas with lower lockdown stringency (SI values 50 to 70) were actually shorter (on average 22–72%) than during the lockdown than in 2019 (Fig. 3A). The movement reductions may reflect increased human mobility in semi-natural areas such as parks and other green spaces (24, 25). In fact, green space use by people in some areas of intermediate lockdown increased up to 350% (25). In addition to the lockdown effects, seasonality played a role in determining 10-day movement distances. The 10-day median (Fig. S1) and 95th percentile (Fig. 3B) displacements were longer during 2020, when we observed higher NDVI values compared to 2019, which may have led some individuals to begin their spring migration or reproduction earlier in 2020. For the 10-day median displacements, we found no overall lockdown effect (Table S2), no effect of lockdown stringency, and no effects of the other covariates (HFI, body mass, diet, activity or relative brain size) (Tables S6). This difference in responses between 95% and median movements suggests that lockdown stringency may have impacted mainly wide-ranging behavior, such as migratory movements, long-distance dispersal, exploratory excursions or long displacements within individuals' home ranges.

#### Mammals were closer to roads during lockdowns

We found no overall lockdown response in the distance of individuals to roads (-1%, 95% CI; -5 – 3%, Table S2) nor a relationship with the Stringency Index, NDVI difference or species traits (Table S7). However, the response ratios were negatively related to HFI, showing that animals in areas with a high human footprint were on average 36% closer to roads during lockdown (HFI = 36, Fig. 4). In many parts of the world, traffic volume was significantly reduced during lockdowns (26, 27), which in turn lessened the impact of roads on animals, including reduced barrier effects (15, 28) and road-kill numbers (17, 29). Our findings add context to these previous results by demonstrating that not only were road-kill numbers lower during lockdown (17, 29), but also animals were closer on average to roads in human-modified areas, indicating reduced avoidance.

Overall, we detected three main signals of a lockdown effect on terrestrial mammal behavior, although they were heterogeneously distributed across species and populations. These were (i) reductions in 1-hour 95th-percentile displacements suggesting relaxed avoidance behavior, reduced disturbance, and/or fewer escape responses, (ii) increased 10-day 95th-percentile displacements under strict lockdown conditions, suggesting increased landscape permeability, and (iii) closer proximity to roads in areas heavily used by humans, suggesting a reduction in traffic disturbance. A number of species-specific case studies are consistent with these findings. For example, evidence suggests that during the lockdowns, mountain lions' (*Puma concolor*) usual aversion to urban edges ceased (9), crested porcupine (*Hystrix cristata*) abundance increased in urban areas (30), diurnal activity of invasive Eastern cottontails (*Sylvilagus floridanus*) increased (30), and brown bears (*Ursus arctos*) exploited novel connectivity corridors (12).

Despite these three general responses to the lockdowns, considerable variation in responses existed across species and study regions (Fig. 2). This variability highlights that lockdown impacts are highly context dependent. For example, mountain lions explored more urban areas during the lockdown, while other species including American black bears (*Ursus americanus*), bobcats (*Lynx rufus*) and coyotes (*Canis latrans*) in the same areas did not (*31*). In addition, in our study, lockdown stringency was only measured at the country-level and did not account for local variability in restrictions. We also note that our data were predominantly from Europe and North America, so our results should be interpreted with caution for other regions. Finally, we note that a given movement metric could capture different behaviors in different species, especially at the 10-day scale, whereas displacements could capture behaviors ranging from within home range movements to dispersal.

 We show that human mobility is a key driver of some terrestrial mammal behaviors, with a magnitude potentially similar to that of landscape modifications. Therefore, when evaluating human impacts on animal behavior, or designing mitigation measures, it is important that both physical landscape alteration and human mobility are considered (see also (32)). Disentangling the effects of human mobility and landscape modification will allow the implementation of conservation measures specifically targeted at mitigating the impacts of human mobility, such as enticements to adjust timing, frequency and volume of traffic in areas important for animal movement. Mammals have been living with human disturbance for a long time. Yet, we demonstrate that many wildlife populations retain the capacity to respond to changes in human behavior, providing a positive outlook for future mitigation strategies designed to maintain animal movement and the ecosystem functions they provide.

#### 503 References

- 504 1. C. Rutz, Studying pauses and pulses in human mobility and their environmental impacts. *Nat. Rev. Earth Environ.* **3**, 157–159 (2022).
- 506 2. C. Rutz, *et al.*, COVID-19 lockdown allows researchers to quantify the effects of human activity on wildlife. *Nat. Ecol. Evol.* (2020), doi:10.1038/s41559-020-1237-z.
- 508 3. A. E. Bates *et al.*, Global COVID-19 lockdown highlights humans as both threats and custodians of the environment. *Biol. Conserv.* **263**, 109175 (2021).
- 510 4. M. Ciach, Ł. Pęksa, Human-induced environmental changes influence habitat use by an ungulate over the long term. *Curr. Zool.* **65**, 129–137 (2019).
- 5. C. A. DeMars, S. Boutin, Nowhere to hide: effects of linear features on predator–prey dynamics in a large mammal system. *J. Anim. Ecol.* **87**, 274–284 (2018).
- 514 6. M. Howe, M. M. Okello, J. M. Davis, Interspecific variation in the distribution of ungulates 515 relative to human infrastructure surrounding Amboseli National Park. *African Zool.* **48**, 159– 516 (2013).
- 517 7. M. A. Scrafford, T. Avgar, R. Heeres, M. S. Boyce, Roads elicit negative movement and habitat-selection responses by wolverines (*Gulo gulo luscus*). *Behav. Ecol.* **29**, 534–542 (2018).
- W. Neumann, G. Ericsson, H. Dettki, V. C. Radeloff, Behavioural response to infrastructure of wildlife adapted to natural disturbances. *Landsc. Urban Plan.* **114**, 9–27 (2013).
- 522 9. C. C. Wilmers, A. C. Nisi, N. Ranc, COVID-19 suppression of human mobility releases 523 mountain lions from a landscape of fear. *Curr. Biol.* (2021)
- 524 10. K. M. Gaynor, J. S. Brown, A. D. Middleton, M. E. Power, J. S. Brashares, Landscapes of Fear: Spatial Patterns of Risk Perception and Response. *Trends Ecol. Evol.* **34**, 355–368 526 (2019).
- 527 11. B. A. Nickel, J. P. Suraci, A. C. Nisi, C. C. Wilmers, Energetics and fear of humans constrain the spatial ecology of pumas. *Proc. Natl. Acad. Sci.* **118**, e2004592118 (2021).
- 529 12. A. Corradini *et al.*, Effects of cumulated outdoor activity on wildlife habitat use. *Biol. Conserv.* **253**, 108818 (2021).
- 531 13. M. A. Tucker *et al.*, Moving in the Anthropocene: Global reductions in terrestrial mammalian movements. *Science.* **359**, 466–469 (2018).
- 533 14. P. Sunde, C. R. Olesen, T. L. Madsen, L. Haugaard, Behavioural responses of GPS-collared female red deer *Cervus elaphus* to driven hunts. *Wildlife Biol.* **15**, 454–460 (2009).
- 535 J. E. Hill, T. L. DeVault, J. L. Belant, A review of ecological factors promoting road use by mammals. *Mamm. Rev.* **51**, 214–227 (2021).
- 537 16. A. W. Coffin, From roadkill to road ecology: a review of the ecological effects of roads. *J. Transp. Geogr.* **15**, 396–406 (2007).
- M. Bíl, R. Andrášik, V. Cícha, A. Arnon, M. Kruuse, J. Langbein, A. Náhlik, M. Niemi, B.
   Pokorny, V. J. Colino-Rabanal, COVID-19 related travel restrictions prevented numerous
   wildlife deaths on roads: A comparative analysis of results from 11 countries. *Biol. Conserv.* 256, 109076 (2021).
- 543 18. W. Viechtbauer, Conducting meta-analyses in R with the metafor package. Journal of Statistical Software, 36(3), 1-48. URL: https://www.jstatsoft.org/v36/i03/ (2010).
- 545 19. see Supplementary Materials and Methods.
- 546 20. T. Hale *et al.*, A global panel database of pandemic policies (Oxford COVID-19 Government Response Tracker). *Nat. Hum. Behav.* **5**, 529–538 (2021).
- 548 21. B. A. Williams *et al.*, Change in terrestrial human footprint drives continued loss of intact ecosystems. *One Earth.* **3**, 371–382 (2020).
- J. K. Rogala, M. Hebblewhite, J. Whittington, C. A. White, J. Coleshill, M. Musiani, Human activity differentially redistributes large mammals in the Canadian Rockies National Parks.
   *Ecol. Soc.* 16 (2011)
- 553 23. C. M. Prokopenko, M. S. Boyce, T. Avgar, Characterizing wildlife behavioural responses to roads using integrated step selection analysis. *J. Appl. Ecol.* **54**, 470–479 (2017).
- H. Burnett, J. R. Olsen, N. Nicholls, R. Mitchell, Change in time spent visiting and experiences of green space following restrictions on movement during the COVID-19
- pandemic: a nationally representative cross-sectional study of UK adults. BMJ Open. 11,

- 558 e044067 (2021).
- 559 25. D. (Christina) Geng, J. Innes, W. Wu, G. Wang, Impacts of COVID-19 pandemic on urban park visitation: a global analysis. *J. For. Res.* **32**, 553–567 (2021).
- 561 26. S. S. Patra, B. R. Chilukuri, L. Vanajakshi, Analysis of road traffic pattern changes due to activity restrictions during COVID-19 pandemic in Chennai. *Transp. Lett.* **13**, 1–9 (2021).
- Ö. Saladié, E. Bustamante, A. Gutiérrez, COVID-19 lockdown and reduction of traffic
   accidents in Tarragona province, Spain. *Transp. Res. Interdiscip. Perspect.* 8, 100218 (2020).
- 565 28. G. Shannon, K. R. Crooks, G. Wittemyer, K. M. Fristrup, L. M. Angeloni, Road noise causes 566 earlier predator detection and flight response in a free-ranging mammal. *Behav. Ecol.* **27**, 567 1370–1375 (2016).
- 568 29. F. Shilling *et al*, A Reprieve from US wildlife mortality on roads during the COVID-19 pandemic. *Biol. Conserv.* **256**, 109013 (2021).
- 570 30. R. Manenti *et al.*, The good, the bad and the ugly of COVID-19 lockdown effects on wildlife conservation: Insights from the first European locked down country. *Biol. Conserv.* **249**, 108728 (2020).
- 573 31. R. Vardi, O. Berger-Tal, U. Roll, iNaturalist insights illuminate COVID-19 effects on large mammals in urban centers. *Biol. Conserv.* **254**, 108953 (2021).
- 575 32. B. A. Nickel, J. P. Suraci, M. L. Allen, C. C. Wilmers, Human presence and human footprint have non-equivalent effects on wildlife spatiotemporal habitat use. *Biol. Conserv.* **241**, 108383 (2020).
- 578 33. M. A. Tucker *et al.* Supplementary data for Behavioral responses of terrestrial mammals to COVID-19 lockdowns. Dryad Dataset, https://doi.org/10.5061/dryad.c59zw3rbd. (2023)
- 580 34. M. A. Tucker *et al.* Supplementary code for Behavioral responses of terrestrial mammals to COVID-19 lockdowns. Zenodo Dataset, https://doi.org/10.5281/zenodo.6915169. (2023)
- 582 35. M. A. Tucker *et al.* Supplementary spatial data for Behavioral responses of terrestrial mammals to COVID-19 lockdowns. Zenodo Dataset, https://doi.org/10.5281/zenodo.7704108. (2023)
- 585 36. F. Chambat, B. Valette, Mean radius, mass, and inertia for reference Earth models. *Phys. Earth Planet. Inter.* **124**, 237–253 (2001).
- 587 37. K. Bjørneraas, B. Van Moorter, C. M. Rolandsen, I. Herfindal, Screening Global Positioning 588 System Location Data for Errors Using Animal Movement Characteristics. *J. Wildl. Manage*. 589 **74**, 1361–1366 (2010).
- 590 38. J. Meijer, M. A. J. Huijbregts, K. Schotten, A. Schipper, Global patterns of current and future road infrastructure. *Environ. Res. Lett.* (2018).
- 592 39. E. Pebesma, Simple Features for R: Standardized Support for Spatial Vector Data. The R Journal **10**, 439-446 (2018)
- 594 40. R. J. Hijmans, geosphere: Spherical Trigonometry. R package version 1.5-10. https://CRAN.R-project.org/package=geosphere.
- 596 41. R Core Development Team: A language and environment for statistical computing. R
  597 Foundation for Statistical Computing, Vienna, Austria. URL https://www.R-project.org/.
  598 (2018).
- 599 42. W. Jetz, C. Carbone, J. Fulford, J. H. Brown, The scaling of animal space use. *Science*. **306**, 600 266–268 (2004).
- H. Wilman, J. Belmaker, J. Simpson, C. de la Rosa, M. M. Rivadeneira, W. Jetz, EltonTraits
   1.0: Species-level foraging attributes of the world's birds and mammals. *Ecology.* 95, 2027
   (2014).
- 604 44. C. D. Soria, M. Pacifici, M. Di Marco, S. M. Stephen, C. Rondinini, COMBINE: a coalesced mammal database of intrinsic and extrinsic traits. *Ecology* **102**, e03344 (2021).
- 45. L. Santini, M. González-Suárez, D. Russo, A. Gonzalez-Voyer, A. von Hardenberg, L.
   Ancillotto, One strategy does not fit all: determinants of urban adaptation in mammals. *Ecol.*
- Ancillotto, One strategy does not fit all: determinants of urban adaptation in mammals. *Ecol. Lett.* **22**, 365–376 (2019).
- 609 46. F. Sayol, D. Sol, A. L. Pigot, Brain size and life history interact to predict urban tolerance in birds. *Front. Ecol. Evol.* **8**, 58 (2020).
- S. Benson-Amram, B. Dantzer, G. Stricker, E. M. Swanson, K. E. Holekamp, Brain size
   predicts problem-solving ability in mammalian carnivores. *Proc. Natl. Acad. Sci.* 113, 2532–

613 2537 (2016).

- 614 48. R. Hooper, B. Brett, A. Thornton, Problems with comparative analyses of avian brain size. *bioRxiv*, 2021.11.25.469898 (2021).
- 49. L. J. Revell, phytools: an R package for phylogenetic comparative biology (and other things).
   617 *Methods Ecol. Evol.* 3, 217–223 (2012).
- 50. J. B. Smaers, A. H. Turner, A. Gómez-Robles, C. C. Sherwood, A cerebellar substrate for cognition evolved multiple times independently in mammals. *Elife*. **7**, e35696 (2018).
- 51. J. R. Burger, M. A. George Jr, C. Leadbetter, F. Shaikh, The allometry of brain size in mammals. *J. Mammal.* **100**, 276–283 (2019).
- 52. N. S. Upham, J. A. Esselstyn, W. Jetz, Inferring the mammal tree: species-level sets of phylogenies for questions in ecology, evolution, and conservation. *PLoS Biol.* 17, e3000494 (2019).
- K. Didan, MOD13Q1 MODIS/Terra Vegetation Indices 16-Day L3 Global 250m SIN Grid
   V006 [Data set]. NASA EOSDIS Land Processes DAAC. Accessed 2020-06-13 from https://doi.org/10.5067/MODIS/MOD13Q1.006 (2015).
- 54. T. Mueller *et al.*, How landscape dynamics link individual- to population-level movement patterns: a multispecies comparison of ungulate relocation data. *Glob. Ecol. Biogeogr.* **20**, 683–694 (2011).
- W. Viechtbauer, Conducting meta-analyses in R with the metafor package. Journal of Statistical Software, **36**, 1-48. URL: https://www.jstatsoft.org/v36/i03/ (2010).
- P. Bürkner, brms: An R Package for Bayesian Multilevel Models Using Stan. Journal of Statistical Software, 80, 1-28. doi:10.18637/jss.v080.i01 (2018).
- 635 57. A. Benítez-López *et al.*, The impact of hunting on tropical mammal and bird populations. *Science.* **356**, 180–183 (2017).
- 58. A. Gelman, D. B. Rubin, Inference from iterative simulation using multiple sequences. *Stat. Sci.* **7**, 457–472 (1992).
- 59. S. Muff, E. B. Nilsen, R. B. O'Hara, C. R. Nater, Rewriting results sections in the language of evidence. *Trends Ecol. Evol.* (2021).
- 641 60. R. P. Freckleton, P. H. Harvey, M. Pagel, Phylogenetic analysis and comparative data: A test and review of evidence. *Am. Nat.* **160**, 712–726 (2002).

## Acknowledgements

660

661

662

663 664

665

666

667

668 669

670

671 672

673

674

675

676 677

678

679 680

681

682

683 684

685 686

687

688

689

690

691

692

693

694

695

696 697

698

699

700

701 702

703704

705

706 707

708

709

710 711 We wish to thank numerous people helping with fieldwork including the Ktunaxa Nation for their support of the Elk Valley grizzly bear collaring project, NP Tara (brown bear research), Tanzania Wildlife Research Institute and Tanzania National Parks, the leadership of Gorongosa National Park for allowing and facilitating research on spiral-horned antelope, the farmers of the Seeis, Hochfeld and Auas Oanob Conservancies for collaboration and the Namibian Ministry of Environment, Forestry and Tourism. We also thank all in Madison, WI, USA who support the UW Urban Canid Project. Collaring of khulan in Mongolia's South Gobi Region was conducted within the framework of the Oyu Tolgoi LLC (OT) Core Biodiversity Monitoring Program, implemented by the Wildlife Conservation Society through a cooperative agreement with Sustainability East Asia LLC (SEA). We thank the field team from Tatra National Park (Poland). We want to thank the Mongolian Ministry of Nature, Environment and Tourism of and staff from WCS, OT, SEA, and protected areas for the logistical and practical support during khulan capture. AK, JH, BF and HSC wish to thank the Indigenous governments and organizations across the Northwest Territories' boreal and barrenground caribou ranges for their support of caribou monitoring programs. We wish to thank Garth Mowat and Laura Smit for their support on the Elk Valley grizzly bear collaring project. We thank Save the Elephants and the Welgevonden Game Reserve for their elephant tracking data. We thank the Eastern Shoshone and Northern Arapahoe Fish and Game Department and the Wyoming State Veterinary Laboratory for assistance with the Wyoming bighorn sheep project. The Afognak and Sitkalidak islands elk and bear project was implemented through a cooperative effort of the Alaska Department of Fish and Game, Kodiak Brown Bear Trust, Rocky Mountain Elk Foundation, Koniag Native Corporation, Old Harbor Native Corporation, Afognak Native Corporation, Ouzinkie Native Corporation, Natives of Kodiak Native Corporation and the State University of New York, College of Environmental Science and Forestry. We also thank four anonymous reviewers for comments on the manuscript.

Funding: Supported by the Radboud Excellence Initiative (M.T.), the German Federal Ministry of Education and Research [MORESTEP, #01LC1710A and #01LC1820A (T.M. and N.D.)], the National Science Foundation [IIBR 1915347 (J.M.C., C.H.F., and W.F.F.)], Serbian Ministry of Education, Science and Technological Development [451-03-68/2022-14/ 200178 (D.C.)], Dutch Research Council NWO program "Advanced Instrumentation for Wildlife Protection" (H.H.T.P and J.A.J.E), Fondation Segré, RZSS, IPE, Greensboro Science Center, Houston Zoo, Jacksonville Zoo and Gardens, Nashville Zoo, Naples Zoo, Reid Park Zoo, Miller Park, WWF, ZCOG, Zoo Miami, Zoo Miami Foundation, Beauval Nature, Greenville Zoo, Riverbanks zoo and garden, SAC Zoo, La Passarelle Conservation, Parc Animalier d'Auvergne, Disney Conservation Fund, Fresno Chaffee zoo, Play for nature, North Florida Wildlife Center, Abilene Zoo, a Liber Ero Fellowship (C.T.L), the Fish and Wildlife Compensation Program, Habitat Conservation Trust Foundation, and Teck Coal (K.P.), the Grand Teton Association, the collection of Norwegian moose data was funded by the Norwegian Environment Agency, the German Ministry of Education and Research via the SPACES II project ORYCS [FKZ:01LL1804A (N.B.)], the Wyoming Game and Fish Department, Wyoming Game and Fish Commission, Bureau of Land Management, Muley Fanatic Foundation (including Southwest, Kemmerer, Upper Green, and Blue Ridge Chapters), Boone and Crockett Club, Wyoming Wildlife and Natural Resources Trust, Knobloch Family Foundation, Wyoming Animal Damage Management Board, Wyoming Governor's Big Game License Coalition, Bowhunters of Wyoming, Wyoming Outfitters and Guides Association, Pope and Young Club, U.S. Forest Service, and U.S. Fish and Wildlife Service, and the Rocky Mountain Elk Foundation, Wyoming Wild Sheep Foundation, Wild Sheep Foundation, and Wyoming Wildlife/Livestock Disease Research Partnership, the U.S. National Science Foundation [IOS-1656642 and IOS-1656527 (R.A.L. and R.M.P.)], the Spanish Ministry of Economy, Industry and Competitiveness [RYC-2015-18932; CGL2017-87528-R AEI/FEDER EU (J.V.L.B.)], and by a GRUPIN research grant from the Regional Government of Asturias [IDI/2021/000075 (J.V.L.B.)], Sigrid Rausing Trust, Batubay Özkan, Barbara Watkins, NSERC Discovery Grant [RGPIN-2021-02758 (M.J.N.)], the Federal Aid in Wildlife Restoration act under

712 Pittman-Robertson project [AKW-12, (N.J.S.)] and the State University of New York, College of 713 Environmental Science and Forestry, the Ministry of Education, Youth and Sport of the Czech 714 Republic [CZ.02.1.01/0.0/0.0/16 019/0000803; CZ.02.2.69/0.0/0.0/19 073/0016944 (M.J., M.S.P. and V.S.)], the Ministry of Agriculture of the Czech Republic [QK1910462 (M.J., M.S.P. and V.S.)], 715 Rufford Foundation [grant #29681-1(D.N.K.)], an American Society of Mammalogists African 716 717 Graduate Student Research Fund D.N.K.), the German Science Foundation [HE 8857/1-1 (A.G.H.)], the Israeli Science Foundation [grant 396/20 (O.S.)], the BSF-NSF [2019822 and IOS2015662 718 (O.S.)], the Ministry of Agriculture, Forestry and Food and Slovenian Research Agency (CRP V1-719 720 1626), the Aage V. Jensen Naturfond (project: Kronvildt - viden, værdier og værktøjer), the Deutsche Forschungsgemeinschaft (DFG, German Research Foundation) under Germany's Excellence Strategy 721 [EXC 2117 - 422037984, (M.W.)], National Centre for Research and Development in Poland 722 POLNOR/198352/85/2013 (project GLOBE), the Slovenian Research Agency [P4-0059 and N1-0163 723 (M.K.)], the David Shepherd Wildlife Foundation, Disney Conservation Fund, Whitley Fund for 724 725 Nature, Acton Family Giving, Zoo Basel, Columbus, Bioparc de Doué-la-Fontaine, Zoo Dresden, Zoo Idaho, Kolmården Zoo, Korkeasaari Zoo, La Passarelle, Zoo New England, Tierpark Berlin, Tulsa 726 Zoo, the Ministry of Environment and Tourism, Government of Mongolia, and the Mongolian 727 728 Academy of Sciences, the Federal Aid in Wildlife Restoration act and the Illinois Department of Natural Resources, the National Science Foundation [LTREB #1556248 and #2038704 9 M.H., 729 730 E.H.M, and H.M.)], Parks Canada, Natural Sciences and Engineering Research Council, Alberta 731 Environment and Parks, Rocky Mountain Elk Foundation, Safari Club International and Alberta 732 Conservation Association, the Consejo Nacional de Ciencias y Tecnología (CONACYT) of Paraguay [14-INV-208 and PRONII], the Norwegian Environment Agency and the Swedish Environmental 733 Protection Agency, EU funded Interreg SI-HR 410 Carnivora Dinarica project, Paklenica and Plitvice 734 Lakes National Parks, UK Wolf Conservation Trust, EURONATUR and Bernd Thies Foundation, the 735 Messerli Foundation in Switzerland and WWF Germany, the European Union's Horizon 2020 736 737 research and innovation programme under the Marie Skłodowska-Curie Actions [grant agreement No. 798091 (M.-C.L.)], NASA Ecological Forecasting Program [#80NSSC21K1182], the Ecotone 738 739 Telemetry company (S.C.-J.), the French National Research Agency (S.C.-J.), LANDTHIRST [ANR-16-CE02-0001-01 (S.C.-J.)], grant REPOS awarded by the i-Site MUSE thanks to the 740 "Investissements d'avenir" programme [ANR-16-IDEX-0006 (S.C.-J.)], the ANR Mov-It project 741 742 [ANR-16-CE02-0010 (A.J.M. H. and N.M.)], the USDA Hatch Act Formula Funding (MSN201473), the Fondation Segre and North American and European Zoos listed at http://www.giantanter.org/, the 743 744 Utah Division of Wildlife Resources (D.O., T.A. & J.K.Y), the Yellowstone Forever and the 745 National Park Service (D.R.S, D.W.S. C.G.), Missouri Department of Conservation, Federal Aid in Wildlife Restoration Grant PROJECT NO. MO W103-R1, and State University of New York, SNSF 746 [#31003A\_182286 and #310030\_204478 (G.C.)], various donors to the Botswana Predator 747 748 Conservation Program (G.C.), data from collared caribou in the Northwest Territories (APK, JH, BF, HSC) were made available through funds from the Department of Environment and Natural 749 750 Resources, Government of the Northwest Territories, the European Research Council Horizon2020 751 [AfricanBioServices 641918 (J.G.C.H. & T.M.)], the British Ecological Society (J.G.C.H. & T.M.), the Paul Jones Family Trust (J.G.C.H. & T.M.), and the Lord Kelvin Adam Smith fund (J.G.C.H. & 752 T.M.), the Tanzania Wildlife Research Institute and Tanzania National Parks (J.G.C.H. & T.M.), the 753 754 Eastern Shoshone and Northern Arapahoe Fish and Game Department and the Wyoming State Veterinary Laboratory, the Alaska Department of Fish and Game, Kodiak Brown Bear Trust, Rocky 755 756 Mountain Elk Foundation, Koniag Native Corporation, Old Harbor Native Corporation, Afognak Native Corporation, Ouzinkie Native Corporation, Natives of Kodiak Native Corporation and the 757 State University of New York, College of Environmental Science and Forestry, the Slovenia Hunters 758 Association and Slovenia Forest Service. F.C. was partly supported by the Resident Visiting 759 Researcher Fellowship, IMéRA/Aix-Marseille Université, Marseille. This work was partially funded 760 by the Center of Advanced Systems Understanding (CASUS), which is financed by Germany's 761 762 Federal Ministry of Education and Research (BMBF) and by the Saxon Ministry for Science, Culture

and Tourism (SMWK) with tax funds on the basis of the budget approved by the Saxon State Parliament. This article is a contribution of the COVID-19 Bio-Logging Initiative, which is funded in part by the Gordon and Betty Moore Foundation (GBMF9881) and the National Geographic Society (NGS-82515R-20) (both grants to C.R.)

**Author contributions**: M.A.T. and T.M. conceived the manuscript; M.A.T. conducted the analyses and M.A.T. and T.M. wrote the first manuscript draft. Co-authors contributed data and assisted with writing the final version of the manuscript.

**Competing Interests:** H.H.T.P is a Member of the Welgevonden Scientific Advisory Committee and A.D.M. is a Senior Advisor for Wildlife Conservation for the US Department of Agriculture. C.R. is the President of the International Bio-Logging Society, a member of an expert group providing advice on animal culture and social complexity to the Convention on the Conservation of Migratory Species of Wild Animals (CMS), and member of the advisory committee of a WILDLABS research program aimed at identifying research and funding priorities in movement ecology

Data and materials availability: The full dataset used in the final analyses (33) and associated code (34) are available at datadryad.org. A subset of the spatial coordinate datasets is available from Zenodo (34). Certain datasets of spatial coordinates will be available only through requests made to the authors due to conservation and Indigenous sovereignty concerns (see Table S1 for more information on data use restrictions and contact information for data requests). These sensitive data will be made available upon request to qualified researchers for research purposes, provided that the data use will not threaten the study populations, such as by distribution or publication of the coordinates or detailed maps. Some datasets, such as those overseen by government agencies, have additional legal restrictions on data sharing, and researchers may need to formally apply for data access. Collaborations with data holders are generally encouraged, and in cases where data are held by Indigenous groups or institutions from regions that are under-represented in the global science community, collaboration may be required to ensure inclusion.

- **Supplementary Materials**
- 794 This PDF file includes:
- 795 Materials and Methods
- 796 Fig. S1
- 797 Tables S1 to S15

809 Figure Captions

**Fig. 1 Distribution of GPS data from 43 terrestrial mammal species.** The map represents the mean Oxford COVID-19 Government Response Tracker Stringency Index (SI, (20)), which measures lockdown strictness, ranging from 0 (no lockdown) to 100 (very strict lockdown). Values are presented per country during the 2020 study period (i.e., initial lockdown date to 15 May, 2020), where higher values (red) represent countries with a stricter lockdown policy. Light grey represents countries with no SI data. SI values range from 10 to 92. Black points represent the centroids of each study-species combination (n = 90). Map in Mollweide projection.

**Fig. 2** Changes in 1-hour animal movement during the COVID-19 lockdowns. (A) Overall reduction in the 1-hour 95th-percentile displacements (intercept-only model). (B) Overall reduction in the 10-day 95th-percentile displacements (intercept-only model). Colored points represent individuals (n = 423 and 1,725), with point sizes proportional to the inverse sampling variance of the response ratio for each individual. The black points and error bars indicate the overall effect with 95% credible intervals. The 1-hour 95% credible intervals do not overlap 0 (-0.25 to -0.01), but the 10-day credible intervals did overlap 0 (-0.36 to 0.05). Negative values indicate reduced movement distances during the lockdowns.

**Fig. 3 Changes in 10-day animal movement during the COVID-19 lockdowns.** (**A**) Increasing 10-day 95th-percentile displacements in response to the Stringency Index, and (**B**) 10-day 95th-percentile displacements were longer during 2020 when we observed higher NDVI values compared to 2019. Colored points represent individuals (n = 1,725), with point size proportional to the inverse sampling variance of the response ratio for each individual. The black line is the fitted effect size (response ratio; RR). The shaded area indicates 95% credible intervals, and the dashed grey line at zero illustrate no change. Negative values indicate reduced movement distances during the early 2020 lockdowns, while positive values indicate increased movement distances during the lockdowns.

**Fig. 4 Changes in animal distance to roads during the COVID-19 lockdowns.** Decreasing distance to roads in response to the Human Footprint Index. Colored points represent individuals (n = 2,160), with point size proportional to the inverse sampling variance of the response ratio for each individual. The black line is the predicted effect size (response ratio; RR). The shaded area indicates 95% credible intervals, and the dashed grey line at zero illustrates no change. Negative values indicate closer proximity to roads during the early 2020 lockdowns, while positive values indicate increased distance from roads during the lockdowns.