

University of Dundee

Ferramentas/recursos de educação em saúde com adolescentes durante a pandemia COVID-19

Campos, Regina Kelly Guimarães Gomes ; da Costa Pinheiro, Patricia Neyva ; Vieira, Neiva Francenely Cunha; Lima, Francisca Elisangela Teixeira; Rodriguez, Andrea; Maniva, Samia Jardelle Costa de Freitas

DOI:

[10.26694/reufpi.v12i1.4170](https://doi.org/10.26694/reufpi.v12i1.4170)

Publication date:

2023

Licence:

CC BY

Document Version

Publisher's PDF, also known as Version of record

[Link to publication in Discovery Research Portal](#)

Citation for published version (APA):

Campos, R. K. G. G., da Costa Pinheiro, P. N., Vieira, N. F. C., Lima, F. E. T., Rodriguez, A., Maniva, S. J. C. D. F., & da Silva dos Santos, M. H. (2023). Ferramentas/recursos de educação em saúde com adolescentes durante a pandemia COVID-19: revisão integrativa. *Revista de Enfermagem da UFPI*, 12(1). <https://doi.org/10.26694/reufpi.v12i1.4170>

General rights

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Health education tools/resources with adolescents during the COVID-19 pandemic: an integrative review

Ferramentas/recursos de educação em saúde com adolescentes durante a pandemia COVID-19: revisão integrativa
Herramientas/recursos de educación en salud con adolescentes durante la pandemia de COVID-19: una revisión integradora

**Regina Kelly Guimarães
Gomes Campos¹**

ORCID: 0000-0002-2863-1002

**Patrícia Neyva da Costa
Pinheiro¹**

ORCID: 0000-0001-7022-8391

**Neiva Francenely Cunha
Vieira¹**

ORCID: 0000-0002-9622-2462

**Francisca Elisângela
Teixeira Lima¹**

ORCID: 0000-0002-7543-6947

**Andrea Rodriguez Lannes
Fernandes²**

ORCID: 0000-0002-5304-3106

**Samia Jardelle Costa de
Freitas Maniva¹**

ORCID: 0000-0002-3350-3195

**Miguel Henrique da Silva
dos Santos³**

ORCID: 0000-0003-1737-2137

¹Universidade Federal do Ceará.
Fortaleza, Ceará, Brasil.

²University of Dundee. Dundee,
Scotland.

³Universidade Federal de São Paulo.
São Paulo, São Paulo, Brasil.

Corresponding author:
Regina Kelly Guimarães Gomes
Campos
E-mail:
reginakellyguimaraesgomes@gmail.com

Abstract

Objective: To identify Health Education tools/resources used with adolescents during the COVID-19 pandemic. **Methods:** An integrative review conducted during January 2022 in the following databases: National Library of Medicine National/PUBMED (PMC), Embase, Cochrane Library, Web of Science and Cumulative Index to Nursing and Allied Health Literature (CINAHL). **Results:** The sample consisted of 22 articles, and the topics identified gave rise to four categories: Health Education tools/resources focused on preventing and reducing mental health-related problems (eight studies); Health Education tools/resources focused on promoting healthy lifestyle habits (five studies); Health Education tools/resources focused on establishing well-being-related feelings (two studies); and Health Education tools/resources on various topics (seven studies). **Conclusion:** The Health Education tools/resources focused on adolescents' health were mainly discussed in the context of preventing and reducing mental health-related problems triggered by the COVID-19 pandemic scenario.

Descriptors: Health Education; Adolescents' Health; COVID-19.

Whats is already known on this?

The COVID-19 pandemic triggered an educational crisis, demanding attention towards restoring the health and education of school-aged populations, such as adolescents.

What this study adds?

The study identified tools/resources that can assist in health education work with adolescents, positively impacting the vulnerabilities experienced by this population group.



How to cite this article: Campos RKG, Pinheiro PNC, Vieira NFC, Lima FET, Fernandes ARL, Maniva SJCF, Santos MHS. Health education tools/resources with adolescents during the COVID-19 pandemic: an integrative review. Rev. enferm. UFPI. [internet] 2023 [Cited: ano mês abreviado dia];12: e4170. DOI: 10.26694/reufpi.v12i1.4170

Resumo

Objetivo: Identificar ferramentas/recursos de educação em saúde utilizados com adolescentes durante a pandemia COVID-19. **Métodos:** Revisão integrativa, cuja busca ocorreu durante o mês de janeiro de 2022, nas bases de dados National Library of Medicine/PUBMED (PMC), Embase, Cochrane Library, Web of Science e Cumulative Index to Nursing and Allied Health Literature (CINAHL). **Resultados:** A amostra foi constituída por 22 artigos, cujos temas encontrados deram origem a quatro categorias: ferramentas/recursos de educação em saúde focados na prevenção e redução de agravos relacionados à saúde mental (oito estudos); ferramentas/recursos de educação em saúde focados na promoção de hábitos de vida saudáveis (cinco estudos); ferramentas/recursos de educação em saúde focados no estabelecimento de sentimentos ligados ao bem-estar (dois estudos); e ferramentas/recursos de educação em saúde de temas variados (sete estudos). **Conclusão:** As ferramentas/recursos de educação em saúde voltadas para a saúde dos adolescentes foram abordadas, principalmente no contexto sobre prevenção e redução de agravos relativos à saúde mental, desencadeados pelo cenário da pandemia COVID-19.

Descritores: Educação em Saúde; Saúde do Adolescente; COVID-19.

Resumen

Objetivo: Identificar herramientas/recursos de Educación en Salud utilizados con adolescentes durante la pandemia de COVID-19. **Métodos:** Revisión integradora, cuya búsqueda se realizó durante el mes de enero de 2022 en las siguientes bases de datos: National Library of Medicine/PUBMED (PMC), Embase, Cochrane Library, Web of Science y Cumulative Index to Nursing and Allied Health Literature (CINAHL). **Resultados:** La muestra estuvo compuesta por 22 artículos, cuyos temas dieron origen a cuatro categorías: Herramientas/Recursos de Educación en Salud enfocados en prevenir y reducir problemas relacionados con la salud mental (ocho estudios); Herramientas/Recursos de Educación en Salud enfocados en promover hábitos de vida saludables (cinco estudios); Herramientas/Recursos de Educación en Salud enfocados en establecer sentimientos ligados al bienestar (dos estudios); y Herramientas/Recursos de Educación en Salud sobre temas variados (siete estudios). **Conclusión:** Las Herramientas/Recursos de Educación en Salud dirigidas a la salud de los adolescentes se abordaron principalmente en el contexto de la prevención y reducción de problemas relacionados con la salud mental, desencadenados por la situación impuesta por la pandemia de COVID-19.

Descriptor: Educación en Salud; Salud del Adolescente; COVID-19.

INTRODUCTION

Health Education (HE) consists of combinations of learning experiences that aim at helping individuals and communities improve their own health through knowledge or behavioral changes and by means of resources that ease this strategy.⁽¹⁾

However, in the COVID-19 pandemic context, an adaptation of the HE promotion means was necessary, including the use of digital tools/resources, encouraging the dissemination of good quality technical-scientific content with accessible language. This has contributed to promoting the health of the population, particularly among adolescents.⁽²⁾

It is known that adolescence is a period that encompasses the age group from ten to 19 years old, being a vital period characterized by significant changes that occur in the life of an adolescent, including biological, social, psychological and sociobehavioral ones. These changes contribute to an increase in vulnerabilities.⁽³⁾

The adolescent population is significant in developing countries, and in Brazil, there were approximately 201.1 million people in 2019, with 53,759,457 of them under the age of 18 years. In 2020, the population belonging to the age group from 0 to 19 years old was 61,156,335. When comparing the estimates, it is noticed that the population of children and adolescents has been growing significantly, with an increase of over seven million within a one-year period.⁽⁴⁾

Amidst the many changes that already occur in the lives of adolescents, the COVID-19 pandemic has contributed to exacerbating the vulnerabilities inherent to this phase since, to contain spread of the disease, strategies to prevent and control virus transmission and disease incidence were recommended. These measures required adolescents to readjust their lifestyle, as many of them typically spend long periods of time socializing in groups.⁽⁵⁾

Considering this population panorama and the vulnerabilities inherent to this phase, in addition to the lack of studies on this theme during the intense period of social isolation/distancing, it is crucial to implement health education tools/resources specifically targeted at adolescents. These tools should value their contexts and needs, prioritizing not only care but also focusing on protection and individual and collective strengthening, in an attempt to minimize vulnerabilities and reinforce empowerment.⁽⁶⁾

Health Education tools/resources serve as important strategies that can bring health professionals closer to the community, especially adolescents, strengthening the bond that has been weakened during the COVID-19 pandemic. The study objective was to identify Health Education tools/resources used with adolescents during the COVID-19 pandemic.

METHODS

This is an integrative review with its protocol filed on the *FigShare* platform.⁽⁷⁾ The study followed these stages: formulation of the research question; definition of the databases and inclusion/exclusion criteria for studies; definition of the information to be extracted from the studies selected; evaluation of the studies included; interpretation of the results; and presentation of the review/knowledge synthesis.⁽⁸⁾

Formulation of the research question

The research question was formulated using the PICO (Population, Interest and Context) strategy: P - Adolescents; I - Health Education tools/resources; Co - COVID-19 pandemic. The strategy allowed formulating the following guiding question: "Which are the HE tools/resources used with adolescents during the COVID-19 pandemic?".

Definition of the databases and inclusion/exclusion criteria for studies.

The databases were defined by searching the Medical Literature Analysis and Retrieval System Online (MEDLINE) through the National Library of Medicine (PubMed) to identify the descriptors or keywords used in the studies that focused on HE tools/resources with adolescents during the COVID-19 pandemic. The controlled vocabularies were selected from the Descriptors in Health Sciences (*Descritores em Ciências da Saúde*, DeCS) and the Medical Subject Headings (MeSH), and the respective cross-references of the descriptors were conducted using the AND and OR Boolean operators (Chart 1).

Data collection was conducted in January 2022 through the CAPES Journals Portal, accessing the Federated Academic Community (*Comunidade Acadêmica Federada*, CAFE), in the following databases: Medical Literature Analysis and Retrieval System Online (MEDLINE) via the National Library of Medicine (PubMed); Cochrane Library; Web of Science; Cumulative Index to Nursing and Allied Health Literature (CINAHL); and Embase (Chart 1).

The inclusion criteria adopted were as follows: original articles that addressed HE tools/resources with adolescents during the COVID-19 pandemic; published in 2020 and 2021, as they were years in which social isolation/distancing was more intense, which forced adolescents to distance from their daily routines (school and leisure); in any language; and available electronically in full. Editorials, letters to the editor, reflexive studies and reviews were excluded, as well as populations and contexts that did not meet the research proposal.

Chart 1. Search strategy for the studies according to the databases identified. Fortaleza, Ceará, Brazil, 2022.

Database	Crossing	Number
Medical Literature Analysis and Retrieval System Online (MEDLINE) via the National Library of Medicine (PubMed)	(youth OR adolescent) AND ("health education" OR "community health education" OR education OR learning OR training) AND (COVID-19 OR "coronavirus infection" OR "COVID-19 virus disease" OR "COVID 19 virus disease" OR "COVID-19 virus diseases" OR "COVID-19 virus" OR "COVID-19 virus infection" OR "COVID 19 virus infection" OR "COVID-19 virus infections" OR "2019-nCoV infection" OR "2019 nCoV infection" OR "2019-nCoV infections" OR "2019-nCoV" OR "coronavirus disease-19" OR "coronavirus disease 19" OR "2019 novel coronavirus disease" OR "2019 novel coronavirus infection" OR "2019-nCoV disease" OR "2019 nCoVdisease" OR "2019-nCoV diseases" OR "coronavirus disease 2019" OR "SARS coronavirus 2 infection" OR "SARS-CoV-2 infection" OR "SARS-CoV-2" OR "SARS CoV 2 infection" OR "SARS-CoV-2 infections" OR "COVID-19 pandemic" OR "COVID 19 pandemic" OR "COVID-19 pandemics")	3,058
Cochrane Library		79
Web of Science		77
Cumulative Index to Nursing and Allied Health Literature (CINAHL)		1,905
Embase	(youth OR adolescent) AND ('health education' OR 'community health education' OR education OR learning OR training) AND (COVID-19 OR 'coronavirus infection' OR 'COVID-19 virus disease' OR 'COVID 19 virus disease' OR 'COVID-19 virus diseases' OR 'COVID-19 virus' OR 'COVID-19 virus infection' OR 'COVID 19 virus infection' OR 'COVID-19 virus infections' OR '2019-nCoV infection' OR '2019 nCoV infection' OR '2019-nCoV infections' OR '2019-nCoV' OR 'coronavirus disease-19' OR 'coronavirus disease 19' OR '2019 novel coronavirus disease' OR '2019 novel coronavirus infection' OR '2019-nCoV disease' OR '2019 nCoVdisease' OR '2019-nCoV diseases' OR 'coronavirus disease 2019' OR 'SARS coronavirus 2 infection' OR 'SARS-CoV-2 infection' OR	4,505

	'SARS-CoV-2' OR 'SARS CoV 2 infection' OR 'SARS-CoV-2 infections' OR 'COVID-19 pandemic' OR 'COVID 19 pandemic' OR 'COVID-19 pandemics')	
Total		9,654

Source: Research data.

Definition of the information to be extracted from the studies selected

The information to be extracted from the studies selected was defined following a template created in Excel, including the following information: author, title, year of publication, country, language, journal, objective, study design, number of participants, level of evidence, type of health education tool/resource, and outcome.

Evaluation of the studies included in the review

The studies included in the review were evaluated according to their level of evidence, following this classification: Level I - Systematic reviews and meta-analyses of randomized clinical trials; Level II - Randomized clinical trials; Level III - Non-randomized controlled trials; Level IV - Case-control or cohort studies; Level V - Systematic reviews of qualitative or descriptive studies; Level VI - Qualitative or descriptive studies; and Level VII - Experts' opinions and/or reports from experts' committees. This hierarchy classifies levels I and II as strong evidence, levels III to V as moderate evidence, and levels VI to VII as weak evidence.⁽⁹⁾


The Rayyan app⁽¹⁰⁾ was used to assist in the process of organizing and selecting the studies, as well as removing duplicates. Subsequently, the titles and abstracts of the articles were examined in the Rayyan app, and those that met the selection criteria were considered for the next phase. These were organized according to the selection database/library, in an Excel spreadsheet. Subsequently, the articles were read in full. Selection was carried out independently and simultaneously by two researchers, and the differences were solved by consensus.

Interpretation of the results and presentation of the review/knowledge synthesis

The data were interpreted descriptively, and the results were presented in a summary chart that included the author's name, year and country of publication, objective, study type, number of participants, level of evidence, and type of HE tool/resource. They were then discussed based on the available literature on the theme.

RESULTS

A total of 9,654 articles were identified and, after analyzing their titles and abstracts and applying the inclusion and exclusion criteria, 43 articles were pre-selected for full-text reading. Among the 43 articles analyzed, 22 were included in the final sample of this review. The search and study selection process was based on the recommendations set forth by the PRISMA group⁽¹¹⁻¹³⁾ and can be seen in the flowchart presented in Figure 1.

Figure 1. Flowchart corresponding to selection of the articles included in the review. Fortaleza, Ceará, Brazil, 2022.

Source: Adapted from PRISMA 2020 (Boers M, 2018; Mayo-Wilson E et al., 2018; Stovold E et al., 2014).

The 22 articles that comprised the final sample were published in the 2020 and 2021. Among the countries where the research studies were conducted, the United States (41.0%) and China (41.0%) led in terms of number of publications. Studies were also conducted in South Korea (4.5%), Brazil (4.5%), Australia (4.5%) and Greece (4.5%). Regarding the study designs, randomized controlled trials (63.7%) stood out. When evaluating the level of evidence, 50.0% of the publications were classified as Level II - Randomized clinical trials (Chart 2).

The types of HE tools/resources used in the approach with adolescents during the COVID-19 pandemic were applied remotely (95.5%); with 14 (63.7%) in individual educational guidance, seven (31.8%) in group guidance and one in a combined manner, that is, both in individual and in group guidance (4.5%) (Chart 2).

To better discuss the educational approach of the studies analyzed, we decided to organize the grouped articles into four categories of studies: health education tools/resources focused on the prevention and reduction of mental health-related problems (eight studies); health education tools/resources focused on promoting healthy lifestyle habits (five studies); health education tools/resources focused on establishing well-being-related feelings (two studies); and health education tools/resources on various topics (seven studies).

The HE tools/resources focused on the prevention and reduction of mental health-related problems that comprised the majority of the studies (8; 36.4%) were the following: psychological counseling combined with outdoor exercises; aerobic exercise combined with acceptance and commitment therapy; aerobic exercise and mindfulness meditation training; mindfulness training; peer social support; social network; online physical activity support group; solution-focused psychological counseling; and health education through video (Chart 2).

Chart 2. Characterization of the studies and health education tools/resources. Fortaleza, Ceará, Brazil, 2022.

Author/Year/Country	Objective	Study design* and number of participants	Level of evidence**	Health Education tool/resource
Zhang J; Zhou; Zhang W., 2021 ¹⁶ . China	To explore the effect of a research-based psychological counseling intervention on adolescents' mental health during the COVID-19 pandemic.	Randomized clinical trial n=160	II	Psychological counseling combined with outdoor exercises
Xu; Chen; Wang, 2021 ¹⁷ . China	To explore the effect of aerobic exercise combined with acceptance and commitment therapy on adolescents' mental health during the COVID-19 outbreak, based on the Dual-Factor Model of Mental Health theory.	Randomized clinical trial n=1,200	VI	Aerobic exercise combined with acceptance and commitment therapy
Chen et al., 2021 ¹⁸ . China	To explore the effect of an integration model intervention on adolescents' negative emotions during the COVID-19 epidemic.	Randomized clinical trial n=72	II	Aerobic exercise and mindfulness meditation training
Yuan, 2021 ²² . China	To explore how the resilience development paths are impacted by mindfulness training.	Randomized clinical trial n=90	II	Mindfulness training
Arenas et al., 2021 ²⁴ . Brazil	To describe how the 'Pega Leve' (PL) program is used at the Federal University of Rio Grande do Sul, Brazil.	Descriptive study n=42	VI	Peer social support
Berthaut; Chamignon, 2021 ³⁰ . United States	To describe the use of Discord.	Descriptive study n=15	VI	Social network
Jorgensen et al., 2021 ³¹ . United States	To evaluate how an online support group can enable a remote group of cystic fibrosis patients to connect, create a safe space to share experiences, and receive support.	Qualitative study n=5	VI	Online physical activity support group
Li; Liu, 2021 ³³ . China	To combine the solution-focused theory and video-based health education to explore the effect of this intervention model on adolescents' mental health.	Randomized clinical trial n=126	II	Solution-focused psychological counseling and video-based health education
Zheng Y et al., 2021 ³⁵ . China	To investigate whether a digital behavioral change intervention aimed at promoting physical activity might reduce anxiety and digital visual fatigue in adolescents during prolonged home-based education amid the COVID-19 pandemic.	Randomized clinical trial n=954	II	Digital behavioral change for physical activity
Jeong et al., 2020 ³⁶ . South Korea	To develop a physical education fitness program for adolescents to counteract the decline in physical activity levels caused by the COVID-19 pandemic, as well as to investigate the effect of the program.	Randomized clinical trial n=240	VI	Physical education activity program
Barcelona et al., 2021 ³⁷ . United States	To evaluate how young people's healthy eating and physical activity behaviors can be influenced by a school-wide program that was transformed into a virtual environment at the onset of the COVID-19 pandemic.	Exploratory study n=879	VI	Virtual program for healthy eating and physical activity
Linnemayr et al., 2021 ⁴¹ . United States	To evaluate the feasibility and acceptability of an automated text message intervention as a supplement to group counseling for	Randomized clinical trial n=77	II	Group session and text messages

	smoking cessation and provision of nicotine patches to assist homeless young people in quitting smoking.			
Murphy; Cooper, 2021 ⁴² . United States	To describe a group-based Telehealth intervention and compare it to face-to-face group therapy.	Randomized clinical trial n=20	II	Telehealth
Luo et al., 2021 ⁴⁸ . China	To explore the effects of using RPE exercise intensity monitoring methods and a 12-week aerobic team training program of moderate and low intensity on anxiety, depression and sleep quality among depressed High School students after the COVID-19 epidemic.	Randomized clinical trial n=69	II	Aerobic training
Baek; Wong; Tarshis, 2020 ⁵⁰ . United States	To implement and evaluate a <i>yoga</i> -based psychoeducation program in a school setting.	Randomized clinical trial n=33	II	Pilot <i>yoga</i> program
Batchelor et al., 2021 ⁵² . Australia	To examine how the Kids Helpline was used during the COVID-19 pandemic.	Descriptive study n=1,415,228	VI	National helpline via phone calls, WebChat and email.
Ding; Yao, 2020 ⁵⁴ . China	To evaluate the use of reasonable and efficient methods for intervening in adolescents' psychological problems during the COVID-19 pandemic.	Randomized clinical trial n=150	II	Peer social support
Flannery et al., 2021 ⁵⁶ . United States	To share the lessons learned from a pediatric and adolescent psychology service that offers online groups for young individuals with chronic health conditions and their healthcare teams.	Descriptive study	VI	Online groups
Kabakian et al., 2021 ⁵⁹ . United States	To evaluate adaptation of the SDE Program and its urgent implementation among CGMIS users.	Randomized clinical trial n=22	VI	Telemedicine
Deng et al., 2021 ⁶² . China	To present the Digital Storytelling Project and a qualitative study exploring the COVID-19 pandemic through the lens of adolescents who share their experiences through film-making and evoke cross-cultural empathy in their audience.	Qualitative study n=70	VI	Cinema
Kolyvas; Nikiforos, 2021 ⁶³ . Greece	To assess the impact of technology use on remote teaching in early adolescence.	Descriptive study n=22	VI	Digital classroom
Pekçetin; Günal, 2021 ⁶⁷ . United States	To evaluate the efficacy of a web-based time-use intervention on university students' occupational balance.	Randomized clinical trial n=60	II	Web-based time-use study

Source: Research data (2022).

*The types of studies listed in this chart are described as in the article analyzed.

**The level of evidence of the studies was determined according to the classification by Melnik BM; Fineout-Overholt E (2011).

DISCUSSION

The COVID-19 pandemic scenario required the adaptation of new methodologies, including HE tools and resources with the adolescent population, considering the challenges experienced during this period, mainly in relation to mental health, lifestyle habits and well-being. Therefore, it has been a major challenge during a time when flexibility, agility and innovation were crucial to implement Health Education in a digital format that is acceptable to the target audience.⁽¹⁴⁾

In relation to the HE tools/resources focused on the prevention and reduction of mental health problems, periodic exercise has been found to be beneficial in treating or preventing anxiety and depression. When performed outdoors, where individuals are exposed to the environment, it exerts a strong protective effect on adolescents' mental health⁽¹⁵⁾ and can be incorporated into psychological

interventions.⁽¹⁶⁾ Three studies presented successful experiences with HE tools/resources characterized by these features.

The implementation of outdoor aerobic exercises combined with a psychological counseling intervention,⁽¹⁶⁾ associated with an acceptance and commitment intervention⁽¹⁷⁾ and along mindfulness-based meditation training,⁽¹⁸⁾ emphasizes that, respectively, the researcher is the subject of their own psychological problem, serving as a starting point for this type of tool/resource and collaborating to reducing suicidal ideation in university students, alleviating the negative impact on adolescents' mental health, and strengthening resources for positive psychological effects.⁽¹⁹⁾ They also enhance individuals' psychological resilience, cognitively neutralizing negative experiences, and improving their well-being.⁽²⁰⁾ Additionally, they offer a new perspective to alleviate adolescents' emotional problems, focusing on maintaining mindfulness, purpose, being in the present moment, and without judgment.⁽²¹⁾

Authors also propose the possibility of applying mindfulness therapy in the mental health of adolescents attending school, aiming to observe improvements in anxiety, depression and adaptation as a standalone tool/resource;⁽²²⁾ it is considered useful for simultaneously reducing internalizing/externalizing adversities and increasing resilience among children and adolescents.⁽²³⁾

The presence of social media emerges as a strong alternative to address the problem of reduced contact with the support networks and a decrease in help-seeking behaviors, significantly impacting young people's behaviors, as evidenced by a study that used an online peer support tool/resource as a means to address university students' mental health amidst the COVID-19 pandemic,⁽²⁴⁾ corroborating with results from other research studies.^(25,26)

Adolescents use Internet for leisure, communication and education activities. Using the cyberspace to obtain information was increased by 24.8% between 2015 and 2020, and this trend was intensified during the pandemic scenario, where the growth of online education and communication was significantly expanded,⁽²⁷⁻²⁹⁾ what was shown in two studies.

One of the studies aimed at creating a support network among adolescents through the implementation of a social networking platform, setting up a virtual room where individual and group support could continue;⁽³⁰⁾ the other study was focused on the implementation of an online support group specifically addressing mental health topics,⁽³¹⁾ which allowed creating a safe space, sharing experiences, and receiving support among young individuals.⁽³²⁾

The video-based HE tools/resources are another effective way to alleviate the adolescents' anxiety and negative emotions and improve their positive ones,⁽³³⁾ as it assisted adolescents in developing cognitive processes and in properly understanding the epidemic, thereby preventing excessive worry, fear and other negative emotions resulting from information or imagination.⁽³⁴⁾

The identification of HE tools/resources focused on promoting healthy lifestyle habits was found in five studies that worked with the implementation and/or development of physical activity promotion programs. Promoting physical activity through a digital behavioral change tool/resource,⁽³⁵⁾ incorporating musical cues⁽³⁶⁾ and combining it with a healthy eating program aimed at understanding how it can influence student and family behaviors in the virtual home environment⁽³⁷⁾ proved to be an effective approach to promoting physical activity and/or reducing sedentary behaviors.⁽³⁸⁾ This is because the students can engage in these activities at their preferred time and place with minimal intervention from the teacher, thereby improving their motivation, responsibility and autonomy;⁽³⁹⁾ in addition, it is worth emphasizing that this type of health education tool/resource the need for educators to adopt a comprehensive approach to promoting physical and mental growth.⁽⁴⁰⁾

The feasibility and acceptability of an HE tool/resource on involving automated text messaging as an adjunct to group smoking cessation counseling and nicotine patch provision to help homeless youth quit smoking was also identified as a cataloged approach,⁽⁴¹⁾ where the smoking adolescents who were offered this type of tool/resource were more likely to abstain from smoking for seven days when compared to the Control Group, as observed in a meta-analysis of 22 studies.⁽⁴²⁾

The search to promote physical activity and healthy habits through Telehealth⁽⁴³⁾ was found in a study, identifying it as a relatively new approach to providing assistance during the COVID-19 outbreak and with the potential to promote online exercise programs or training and focus on discouraging sedentary behaviors while promoting healthy lifestyle habits in children and adolescents, which led to increased development of electronic devices, widespread use of online technologies, and enhanced exercise training and practice through apps, web channels and online platforms.⁽⁴⁴⁻⁴⁶⁾

In relation to the HE tools/resources focused on establishing feelings related to well-being, two studies were identified. It is important to emphasize that, during the COVID-19 pandemic, loneliness and lack of routines compromised adolescents' well-being⁽⁴⁷⁾ Frequently accompanied by anxiety, depression leads to sleep problems in depressed individuals.⁽⁴⁸⁾ Therefore, to address anxiety reduction, depression and sleep quality in depressed adolescents, a study explored the effects of using exercise intensity monitoring and long-term aerobic training methods.⁽⁴⁹⁾

It is observed that adolescents with strong socioemotional skills are better able to manage daily challenges, which, in turn, can lead to better social, professional and academic functioning. With the intention of promoting psychosocial well-being among High School students, another study implemented a pilot school *yoga* program that addressed psychosocial topics, breathing exercises, *yoga* postures and relaxation techniques.⁽⁵⁰⁾ The program concentrates on the following core elements: emotional and behavioral self-regulation, mindfulness practices, mental well-being, and physical movement, showing that any form of physical activity/movement can foster a positive framework for well-being and mobility.⁽⁵¹⁾

The research study summarized seven HE tools/resources focused on mixed topics. To provide ongoing and free information during the pandemic, ranging from "simple universal care measures" such as providing information or referrals to addressing "complex mental health care measures" or "risk of self-harm or harm to others", such as psychoeducation, continuous counseling and harm risk assessment, a study implemented a national online helpline⁽⁵²⁾ that offered a range of benefits valued by young people, including no-cost, privacy and/or anonymity, easy access and a greater sense of control. It had the capacity to effectively reduce distress, despite its limitations.⁽⁵³⁾

Another summarized study implemented Peer HE,⁽⁵⁴⁾ in which individuals share information, ideas or behavioral skills based on certain similarities such as age, gender, living environment and sociocultural experience and status.⁽⁵⁵⁾

To share experiences about healthcare provision and support, strengthen social connection and reduce isolation among young people with chronic diseases, a study resorted to online groups.⁽⁵⁶⁾ Positive results were observed in terms of identity, connection and management of health conditions, allowing for opportunities for social connectivity, peer support, shared experience and learning and growth that cannot be mirrored in individual appointments, especially during a time of widespread social isolation.^(57,58)

Telemedicine in providing educational assistance for young people with diabetes mellitus was another HE tool/resource found among the studies selected,⁽⁵⁹⁾ associated with better cost-effectiveness and patient satisfaction, leading to improved quality of life and fewer hospitalizations/emergency visits.⁽⁶⁰⁾

Online educational programs using short films are quite effective in improving people's knowledge,⁽⁶¹⁾ as evidenced by a research study that conducted cinema sessions through the exchange of films, allowing students to reflect on their own films and those of their peers, with the aim of evoking cross-cultural empathy in their audience.⁽⁶²⁾

In this regard, a study applied the digital classroom due to the impact of technology on remote teaching,⁽⁶³⁾ using appealing methods and materials that motivate students to use appropriate tools, such as interactive books, discussion forums and blogs.⁽⁶⁴⁾

Finally, it is known that the COVID-19 pandemic has caused certain deterioration in people's time management due to strict precautions to prevent spread of the virus, where adolescents, in particular, began to spend most of their day engaged in online games and using social media, which could lead to occupational imbalance.^(65,66) This issue was worked on by one of the studies, which aimed at evaluating the efficacy of a web-based time-use tool on university students' occupational balance during the pandemic,⁽⁶⁷⁾ as it has the potential to improve cost-effectiveness and resource utilization in several health programs for students.^(68,69)

The method used can be noted as a study limitation, which is not capable of conducting robust analyses, in addition to the quality of the evidence from the studies included. This research is relevant to the Nursing practice because the results obtained will contribute benefits for health professionals, especially nurses, to have options when adopting HE tools/resources with adolescents. In addition to this, promoting an emancipatory perspective goes beyond the curative model and expands knowledge about COVID-19, healthier lifestyles, prevention/control measures for the disease, and improving the quality of life and autonomy of individuals, especially adolescents, not only in pandemic scenarios but also in various other contexts.

CONCLUSION

Tools/resources focused on the prevention and reduction of mental health-related problems constituted the majority of the studies reviewed. The findings show that these tools/resources are viable and well-accepted by adolescents in the COVID-19 pandemic context, in addition to making up for the lack of studies evaluating the effectiveness of various HE tools/resources specifically targeted at this population group.

The results also reflect a diversity of approaches and themes in HE, aiming to address preventive care measures in various contexts experienced by adolescents during the pandemic, such as the need to promote healthy lifestyle habits and foster feelings related to well-being, among other topics.

Finally, it is essential to conduct new studies that investigate and compare different tools/technologies related to the topic and using more robust methodologies. This will allow for a comprehensive and evidence-based understanding of the efficacy of these tools in promoting adolescents' health.

CONTRIBUTIONS

Contributed to the conception or design of the study/research: Campos RKGG, Pinheiro, PNC. Contributed to data collection: Campos RKGG, Santos MH. Contributed to the analysis and/or interpretation of data: Campos RKGG, Santos MH. Contributed to article writing or critical review: Campos RKGG, Pinheiro PNC, Vieira NFC, Lima FET, Fernandes ARL, Maniva SJC. Final approval of the version to be published: Pinheiro PNC, Vieira NFC, Lima FET, Fernandes ARL, Maniva SJC.

REFERENCES

1. Rolls C, Prior Y. Non pharmacological interventions for people with fibromyalgia: A systematic review. *Rheumatology* [Internet]. 2018; 57: 164-5. Doi: 10.1093/rheumatology/key075.509
2. Souza TS, Ferreira FB, Bronze KM, Garcia RV, Rezende DF, Santos PR, et al. Mídias sociais e educação em saúde: o combate às fake news na pandemia por covid-19. *Enferm. Foco* [Internet]. 2020;11(Esp.1):124-30. Doi: 10.21675/2357-707X.2020.v11.n1.ESP.3579
3. World Health Organization. *The World Health Report 2008: primary health care now more than ever*. Geneva: WHO, 2008.
4. Instituto Brasileiro de Geografia e Estatística. *Pesquisa Nacional por Amostra de Domicílios Contínua. Características gerais dos domicílios e dos moradores: 2018*. Rio de Janeiro: 2019.
5. Masson LN, Silva MAI, Andrade LS, Gonçalves MFC, Santos BD. A educação em saúde crítica como ferramenta para o empoderamento de adolescentes escolares frente suas vulnerabilidades em saúde. *REME-Rev. Min. Enferm.* [Internet]. 2020; 24: e-1294. Doi: 10.5935/1415-2762.20200023.
6. Malta DC, Gomes CS, Barros MBA, Lima MG, Silva AG, Cardoso LSM, et al. A pandemia de COVID-19 e mudanças nos estilos de vida dos adolescentes brasileiros. *Rev. bras. epidemiol.* [Internet]. 2021; 24. Doi: 10.1590/1980-549720210012
7. Campos RKGG, Pinheiro PNC, Vieira NFC, Lima FET, Fernandes ARL, Maniva SJC, et al. Ferramentas/recursos de educação em saúde utilizados com adolescentes durante a pandemia de COVID-19: revisão integrativa. *FigShare*. 2023. Preprint. Doi: 10.6084/m9.figshare.22566202
8. Whittemore R, Knafl K. The integrative review: updated methodology. *J. Adv. Nurs.* [Internet]. 2005;52(5):546-53. Doi: 10.1111/j.1365-2648.2005.03621.x
9. Ouzzani M, Hammady H, Fedorowicz Z, Elmagarmid A. Rayyan - a web and mobile app for systematic reviews. *Syst. Rev.* [Internet]. 2016;5(1):210. Doi: 10.1186/s13643-016-0384-4.
10. Melnyk BM, Fineout-Overholt E. *Evidence-based practice in nursing & healthcare. A guide to best practice*. China: Wolters Kluwer/Lippincott Williams & Wilkins, 2011.

11. Boers M. Graphics and statistics for cardiology: designing effective tables for presentation and publication. *Heart* [Internet]. 2018; 104:192-200. Doi: 10.1136/heartjnl-2017-311581
12. Mayo-Wilson E, Li T, Fusco N, Dickersin K; MUDS investigators. Practical guidance for using multiple data sources in systematic reviews and meta-analyses (with examples from the MUDS study). *Res. Synth. Methods* [Internet]. 2018; 9(1):2-12. Doi: 10.1002/jrsm.1277
13. Stovold E, Beecher D, Foxlee R, Noel-Storr A. Study flow diagrams in Cochrane systematic review updates: an adapted PRISMA flow diagram. *Syst. Rev.* [Internet]. 2014; 3:54.
14. Beserra EP, de Araujo CES, Amarante KC, Lopes MMCT, Santos VEFA dos, Melo RC de O, et al. Application of active methodologies for nursing teaching in the midst of the COVID-19 pandemic. *Rev. Enferm. UFPI* [Internet]. 2023;11(1). Doi: 10.26694/reufpi.v11i1.2810
15. Liu WW, Wu XY, Tao FB. The Promoting Effect of Outdoor Activities on Children's Mental Health and Its Potential Mechanism. *Chin. J. Sch. Health.* 2020; 41:163-166.
16. Zhang J, Zhou Z, Zhang W. Intervention effect of research-based psychological counseling on adolescents' mental health during the covid-19 epidemic. *Psychiatr. Danub.* [Internet]. 2021; 33(2):209-216. Available from: <https://hrcak.srce.hr/259597>
17. Xu W, Shen W, Wang S. Intervention of adolescent' mental health during the outbreak of COVID-19 using aerobic exercise combined with acceptance and commitment therapy. *Child. Youth Serv. Rev.* [Internet]. 2021;124. Doi: 10.1016/j.childyouth.2021.105960
18. Chen J, Sang G, Zhang Y, Jiang A. Intervention Effect of the Integration Model on Negative Emotions of Adolescents during the Outbreak of Corona Virus Disease 2019. *Psychiatr. Danub.* [Internet]. 2021; 33(1):86-94. Doi: 10.24869/psyd.2021.86
19. Yang XG, Duan XY, Xu MJ, Huang XN, Huang XW. Intervention Study of Group Counseling Based on Research-based Psychological Counseling Mode on College Students' Suicidal Idea. *Xuexiao Dangjian Yu Sixiang Jiaoyu* [Internet]. 2015;13(37):72-73.
20. Xu YM, Zhang Q, Cao H. Intervention effect of acceptance and commitment therapy group treatment on improving mental health of college students. *J. Psychol.* [Internet]. 2019; 7(11):648-657. Doi: 10.16842/j.cnki.issn2095-5588.2019.11.002
21. Coronado-Montoya S, Levis AW, Kwakkenbos L, Steele RJ, Turner EH, Thombs BD. Reporting of positive results in randomized controlled trials of mindfulness-based mental health interventions. *PloS one* [Internet]. 2016; 11(4): e0153220. Doi: 10.1371/journal.pone.0153220
22. Yuan Y. Mindfulness training on the resilience of adolescents under the COVID-19 epidemic: A latent growth curve analysis. *Pers Individ. Diff.* [Internet]. 2021; 172:110560. Doi: 10.1016/j.paid.2020.110560
23. Lu S, Rios J, Huang CC. Mindfulness, emotion, and behavior: An intervention study with chinese migrant children. *Child. Soc.* [Internet]. 2018; 23(4):290-300. Doi: 10.1111/chso.12256
24. Arenas DL, Viduani AC, Bassols MAS, Hauck S. Peer support intervention as a tool to address college students' mental health amidst the COVID-19 pandemic. *Int. J. Soc. Psychiatry* [Internet]. 2021; 67(3):301-302. Doi: 10.1177/0020764020954468
25. Cheng P, Xia G, Pang P, Wu B, Jiang W, Li YT, et al. COVID-19 epidemic peer support and crisis intervention via social media. *Community Ment. Health J.* [Internet]. 2020; 56(5):786-792. Doi: 10.1007/s10597-020-00624-5

26. Viswanathan R, Myers MF, Fanous AH. Support groups and individual mental health care via video conferencing for frontline clinicians during the COVID-19 pandemic. *J. Psychosom Res.* [Internet]. 2020; 61(5): 538-43. Doi: 10.1016/j.psych.2020.06.014
27. Statistics Korea. Ministry of Gender Equality and Family. Statistics on the Youth, 2020. Available from: http://kostat.go.kr/portal/korea/kor_nw/1/1/index.board?bmode=read&aSeq=381815
28. Ministry of Science and ICT. Survey on the Internet Usage, 2020. Available from: https://www.nia.or.kr/site/nia_kor/ex/bbs/View.do;jsessionid=8297443C882037ECC0821396C30E6AD4.55820bfe7f7b06361509?cbIdx=99870&bcIdx=23213&parentSeq=23213
29. Choi S, Bang KS, Shin DA. eHealth Literacy, Awareness of Pandemic Infectious Diseases, and Healthy Lifestyle in Middle School Students. *Child.* [Internet]. 2021; 8(8):699. Doi: 10.3390/children8080699
30. Berthaut E, Chamignon T. Use of Discord in a psychiatric ward for adolescents during COVID crisis. *Neuropsychiatr. Enfance Adolesc.* [Internet]. 2021; 69(3):142-144. Doi: 10.1016/j.neurenf.2021.01.002
31. Jorgensen E, Held Z, Garcha S, Courtlandt C, Schellase D. Creating a virtual CF support group for adolescents during the COVID-19 pandemic. *J. Cyst. Fibros* [Internet]. 2021; 20(132): 274. Doi: covidwho-1454669
32. Calvo-Valderrama MG, Marroquín-Rivera A, Burn E, Ospina-Pinillos L, Bird V, Gómez-Restrepo C. Adapting a Mental Health Intervention for Adolescents During the COVID-19 Pandemic: Web-Based Synchronous Focus Group Study. *JMIR Form Res.* [Internet]. 2021; 5(11): e30293. Doi: 10.2196/30293
33. Li J, Liu Y. Intervention Effect of the Video Health Education Model Based on Solution-Focused Theory on Adolescents' Mental Health during the COVID-19 Pandemic. *Iran J. Public Health* [Internet]. 2021; 50 (11): 2202-2210. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8826342/>
34. Xiang Y, Yang Y, Li W, et al. Timely mental health care for the novel coronavirus outbreak of 2019 is urgently needed. *Lancet Psychiatry* [Internet]. 2020; 7(3):228-9, 2020. Doi: 10.1016/S2215-0366(20)30046-8
35. Zheng Y, Wang W, Zhong Y, Wu F, Zhu Z, Tham Y, Lamoureux E, Xiao L, Zhu E, Liu H, Jin L, Liang L, Luo L, He M, Morgan I, Congdon N, Liu Y. A peer-to-peer live streaming intervention for children during COVID-19 homeschooling to promote physical activity and reduce anxiety and eye strain: cluster randomized controlled trial. *J. Med. Internet Res.* [Internet]. 2021; 23(4): e24316. Doi: 10.2196/24316
36. Jeong HC, Lee EJ, Youn HS, So WY. Development and Implementation of a "Music Beeps" Program to Promote Physical Fitness in Adolescents. *Int. J. Environ. Res. Public Health* [Internet]. 2020; 17(17):6148. Doi: 10.3390/ijerph17176148
37. Barcelona J, Centeio E, Arvidson P, Hijazy K. Dearborn SHINES During the COVID-19 Pandemic: Youth Experiences and Outcomes With Virtual Physical Activity and Healthy Eating Programming. *J. Teach Phys. Educ.* [Internet]. 2021;40(4):674-681. Doi: 10.1123/jtpe.2020-0296
38. Stockwell S, Schofield P, Fisher A, Firth J, Jackson SE, Stubbs B, Smith L. Digital behavior change interventions to promote physical activity and/or reduce sedentary behavior in older adults: A systematic review and meta-analysis. *Exp. Gerontol.* [Internet]. 2020; 120:68-87. Doi: 10.1016/j.exger.2019.02.020
39. Lee, S. M. "A qualitative case study on physical education classes for efforts to overcome fine dust." *Korean Soc. Study Phys. Educ.* 2019; 24: 73-88.
40. Carson R, Webster CA. *Comprehensive school physical activity programs: Putting evidence-based research into practice.* Champaign, IL: Human Kinetics, 2019.

41. Linnemayr S; Zutshi R, Shadel W, Pedersen E, Deyoreo M, Tucker J. Text Messaging Intervention for Young Smokers Experiencing Homelessness: Lessons Learned From a Randomized Controlled Trial. *JMIR Mhealth Uhealth* [Internet]. 2021; 9(4):e23989. Doi: 10.2196/23989
42. Murphy M, Cooper A. Promoting physical activity (PA) and healthy habits via telehealth in adolescents with a physical disability during COVID-19: A service review. *Dev. Ave. Child. Neurol.* [Internet]. 2021; 63(2):71-72. Available from: <https://www.embase.com/search/results?subaction=viewrecord&id=L635282980&from=export U2 - L63528298>
43. Parker K, Uddin R, Ridgers ND, Brown H, Veitch J, Salmon J, et al. The Use of Digital Platforms for Adults' and Adolescents' Physical Activity During the COVID-19 Pandemic (Our Life at Home): Survey Study. *J. Med. Internet Res.* [Internet]. 2021;23(2):e23389. Doi: 10.2196/23389
44. Buoite Stella A, Ajčević M, Furlanis G, Cillotto T, Menichelli A, Accardo A, et al. Smart technology for physical activity and health assessment during COVID-19 lockdown. *J. Sports Med. Phys. Fitness* [Internet]. 2021;61(3):452-460. Doi: 10.23736/s0022-4707.20.11373-2.
45. Liang Y, Lau PWC, Jiang Y, Maddison R. Getting Active with Active Video Games: A Quasi-Experimental Study. *Int. J. Environ. Res. Public Health* [Internet]. 2020; 17(21): 7984. Doi: 10.3390/ijerph17217984
46. Caffo E, Scandrioglio F, Asta L. Debate: COVID-19 and psychological well-being of children and adolescents in Italy. *Child Adolesc. Ment. Health* [Internet]. 2020; 25(3):167-168. Doi: 10.1111/camh.12405
47. American College Health Association. American College Health Association-National College Health Assessment II: Sumário Executivo do Grupo de Referência de Estudantes de Graduação Primavera de 2018. Hanover MD: American College Health Association, 2018.
48. Luo L, Song N, Yang H, Huang J, Zhou L, Zhang L. Intervention Effect of Long-Term Aerobic Training on Anxiety, Depression, and Sleep Quality of Middle School Students With Depression After COVID-19. *Front. Psychiatry* [Internet]. 2021; 12. Doi: 10.3389/fpsy.2021.720833
49. Vandoni M, Cordella R, Pippi R, Carnevale Pellino V, Lovecchio N, Marin L, et al. Combatting Sedentary Behaviors by Delivering Remote Physical Exercise in Children and Adolescents with Obesity in the COVID-19 Era: A Narrative Review. *Nutrients* [Internet]. 2021; 13(12):4459. Doi: 10.3390/nu13124459
50. Baek JJ, Wong ML, Tarshis TP. A school yoga pilot program to promote psychosocial well being among high school students. *J. Am. Acad. Child. Adolesc. Psychiatry* [Internet]. 2020; 59(10):216. Doi: 10.1016/j.jaac.2020.08.293
51. Sanchez B, Allen D, Delgado J. Positive Psychological Effects of School-Based Yoga and Mindfulness Programs for At-Risk Hispanic Adolescents. *Contemp. Sch. Psychol.* [Internet]. 2022; 27:118-135. Doi: 10.1007/s40688-022-00427-3
52. Batchelor S, Stoyanov S, Pirkis J, Kolves K. Use of Kids Helpline by Children and Young People in Australia During the COVID-19 Pandemic. *J. Adolesc. Health* [Internet]. 2021; 68(6):1067-1074, 2021. Doi: 10.1016/j.jadohealth.2021.03.015
53. King R, Bambling M, Reid W, Thomas I. Telephone and online counselling for young people: A naturalistic comparison of session outcome, session impact and therapeutic alliance. *Couns. Psychother. Res.* [Internet]. 2020; 6(3):175-81, 2020. Doi: 10.1080/14733140600874084

54. Ding X, Yao J. Peer Education Intervention on Adolescents' Anxiety, Depression, and Sleep Disorder during the COVID-19 Pandemic. *Psychiatr. Danub.* [Internet]. 2020; 32(3-4):527-535. Doi: 10.24869/psyd.2020.527
55. Bilgiç N, Günay T. Evaluation of effectiveness of peer education on smoking behavior among high school students. *Saudi Med. J.* [Internet]. 2018; 39:635-637. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5885124/>
56. Flannery H, Portnoy S, Daniildi X, Gedara CK, Korchak G, Lambert D, et al. Keeping young people connected during COVID-19: the role of online groups. *Arch. Dis. Child.* [Internet]. 2021;106:739-744. Doi: 10.1136/archdischild-2020-320222
57. Casdagli L, Christie D, Girling I, Ali S, Fredman G. Evaluating the tree of life project: an innovative way of engaging children and young people with type 1 diabetes. *Diabetes Care Child. Young People* [Internet]. 2017; 6:9-15. Available from: <https://diabetesonthenet.com/wp-content/uploads/pdf/dotn753b25f6e9f758baa619f543bd7e0373.pdf>
58. Flannery H, Glew S, Brewster A. Measuring outcomes of psychological wellbeing within paediatric health settings. *Health Care* [Internet]. 2017; 6(1):1. Doi: 10.3390/healthcare6010001
59. Kabakian ML, Fernandez J, Veleasquez J, Santucci MP. Results of an educational intervention structured by telemedicine in children and adolescents with dm1 users of cgms during covid-19 emergency. *Diabetes Technol. Ther.* [Internet]. 2021; 23:112-113. Doi: covidwho-1271339
60. Evin F, Er E, Ata A, Jalilova A, Demir G, Atik Altinok Y, et al. The Value of Telemedicine for the Follow-up of Patients with New Onset Type 1 Diabetes Mellitus During COVID-19 Pandemic in Turkey: A Report of Eight Cases. *J. Clin. Res. Pediatr. Endocrinol.* [Internet]. 2021; 13(4):468-472. Doi: 10.4274/jcrpe.galenos.2020.2020.0160
61. Abra Pearl CT, Navaneetha M, Malarvilizhi S, Mony K. Online educational program for parents of adolescents on human papillomavirus vaccination during COVID pandemic: A feasibility check. *Indian J. Public Health* [Internet]. 2022; 66(2):104-108, 2022. Doi: 10.4103/ijph.ijph_1791_21
62. Deng S, Kang J, Ngo N, Lee A, Li C, Wong S, et al. The COVID-19 Pandemic Through the Lens of Teenagers: A Qualitative Study. *J. Am. Acad. Child. Adolesc. Psychiatry* [Internet]. 2021; 60(10):140-1. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8502579/>
63. Kolyvas S, Nikiforos S. Technology and Creativity on early adolescence: A case study during COVID-19 pandemic. *Curr. Psychol.*[Internet]. 2021. Doi: 10.1007/s12144-021-02349-4
64. Nacu D, Martin CK, Pinkard N. Designing for 21st century learning online: A heuristic method to enable educator learning support roles. *Education Tech. Research Dev.* [Internet]. 2018; 66(4):1029-1049. Doi: 10.1007/s11423-018-9603-0
65. Cellini N, Canale N, Mioni G, Costa SJ. Changes in sleep pattern, sense of time and digital media use during COVID-19 lockdown in Italy. *J. Sleep Res.* [Internet]. 2020; 29(4):e13074, 2020. Doi: 10.1111/jsr.13074
66. King DL, Delfabro PH, Billieux J, Potenza MN. Problematic online gaming and the COVID-19 pandemic. *J. Behav. Addict.* [Internet]. 2020; 9(2):184-186. Doi: 10.1556/2006.2020.00016
67. Pekçetin S, Günal A. Effect of Web-Based Time-Use Intervention on Occupational Balance During the Covid-19 Pandemic. *Can. J. Occup. Ther.* [Internet]. 2021; 88(1):83-90. Doi: 10.1177/0008417421994967

68. Coudray C, Palmer R, Frazier P. Moderators of the efficacy of a web-based stress management intervention for college students. *J. Couns. Psychol.* [Internet]. 2019; 66:747-754. Doi: 10.1037/cou0000340

69. Meredith LN, Frazier PA. Randomized trial of web-based stress management interventions for community college students. *Community Coll. J. Res. Pract.* [Internet]. 2019; 43:42-53. Doi: 10.1080/10668926.2017.1396267

Conflicts of interest: No

Submission: 2023/11/04

Revised: 2023/09/06

Accepted: 2023/23/06

Publication: 2023/28/08

Editor in Chief or Scientific: José Wicto Pereira Borges

Associate Editor: Ana Roberta Vilarouca da Silva

Authors retain copyright and grant the Revista de Enfermagem da UFPI the right of first publication, with the work simultaneously licensed under the Creative Commons Attribution BY 4.0 License, which allows sharing the work with acknowledgment of authorship and initial publication in this journal.