

Electronics Letters


Special issue Call for Papers

**Be Seen. Be Cited.
Submit your work to a new
IET special issue**

Connect with researchers and experts in your field and share knowledge.

Be part of the latest research trends, faster.

[Read more](#)



The Institution of
Engineering and Technology

Novel bidirectional universal 1-phase/3-phase-input unity power factor differential AC/DC converter

Héctor Sarnago,¹ Óscar Lucía,¹ Saransh Chhawchharia,² David Menzi,² and Johann W. Kolar²

¹Department of Electronic Engineering and Communications, University of Zaragoza, Zaragoza, Spain

²Power Electronic Systems Lab, ETH Zurich, Zurich, Switzerland

Email: menzi@lem.ee.ethz.ch




Fig. 1 Main circuit structure and input-output terminal voltage waveforms of the proposed bidirectional differential single-/three-phase input Y-rectifier in three-phase (a) and single-phase operation (b); the phase module a is highlighted in light gray. (a.i) grid voltages u_a, u_b, u_c , input / ac-stage capacitor voltages u_{an}, u_{bn}, u_{cn} and dc output voltage U_{dc} for three-phase operation; (a.ii) main power circuit structure for three-phase operation. (b.i) grid voltages u_a , input / ac-stage capacitor voltage u_{an} , and dc output voltage U_{dc} for single-phase operation (note that U_{dc} comprises the characteristic twice-mains-frequency voltage fluctuation on top of its average value \bar{U}_{dc}); (b.ii) main power circuit structure for single-phase operation.

A common 400 V dc bus for industrial motor drives advantageously allows the use of high-performance 600 V power semiconductor technology in the inverter drive converter stages and to lower the rated power of the supplying rectifier system. Ideally, this supplying rectifier system features unity power factor operation, bidirectional power flow and nominal power operation in the three-phase and the single-phase grid. This paper introduces a novel bidirectional universal single-/three-phase-input unity power factor differential ac-dc converter suitable for the above mentioned requirements. The basic operating principle and conduction states of the proposed topology are derived and discussed in detail. Then, the main power component voltage and current stresses are determined and simulation results in PLECS are provided. The concept is verified by means of experimental measurements conducted in both three-phase and single-phase operation with a 6 kW prototype system employing a switching frequency of 100 kHz and 1200 V SiC power semiconductors.

Introduction: A local dc distribution system[1–8], that is, several dc loads connected to a common dc bus which is supplied from the ac grid by a bidirectional Power Factor Correction (PFC) rectifier, advantageously decreases the realization effort compared to a solution where each dc load is supplied by an individual PFC rectifier. Further, regenerative loads can partially cover the power demands of other dc loads without loading the PFC rectifier (thus reducing conversion losses) and a local energy storage enables peak load shaving with an additional reduction of the peak grid power demand.

Typical examples of such local dc distribution systems are industrial automation and robotics where several Variable Speed Drives (VSDs) are connected to a common dc bus voltage. There, a dc-bus voltage of $U_{dc} = 400V$ allows the use of high-performance and cost-effective 600 V wide-bandgap power semiconductors in the VSD inverter stages [9]. In case the common dc bus is supplied from the European single-phase grid (line-to-neutral voltage $U_{ac} = 230V_{RMS}/\hat{U}_{ac} = 325V_{pk}$) a boost-type PFC rectifier generates the desired $U_{dc} = 400V$ [10]. In contrast, if the 400 V dc bus is supplied with higher power levels from the European three-phase grid a buck-type PFC rectifier is required (a boost-type system is limited to dc voltages above the line-to-line voltage $\sqrt{3} \cdot \hat{U}_{ac}$ [10] with typically $U_{dc} = 680 \dots 800V$) such that two different PFC rectifier systems are employed today depending on the considered single-phase or three-phase grid input.

Considering economies of scale, next generation PFC rectifiers for the supply of 400 V dc distribution systems feature nominal power operation in both a three-phase and a single-phase grid. This paper proposes the new PFC rectifier topology presented in Figure 1 which advantageously shows identical stresses of the main power components in single- and three-phase operation, such that nominal power delivery is possible independent of the available number of grid phases. The paper is structured as follows: First, the derivation of the topology, the basic operating behavior, and the voltage and current stress of the main power component is introduced. Then, simulation results for single- and three-phase operation are provided, and experimental results validating the converter concept based on a 6 kW prototype system are presented. Last, the findings and key contributions of the paper are summarized.

Proposed topology operating behavior: The proposed differential rectifier is based on the phase-modular buck-boost Y-rectifier [11, 12] and comprises three identical input stages, each one comprising a buck-boost

dc-dc converter structure connected to a common star “Y” point given by the negative dc output rail n . In case of three-phase operation (Figure 1a), grid phase voltages u_a, u_b, u_c (with amplitude \hat{U}_{ac}) are connected to the ac-side terminals a, b , and c , respectively, and the converter realizes sinusoidal grid currents i_a, i_b, i_c (with amplitude \hat{I}_{abc}) in phase with the respective grid voltages. In contrast to the standard Y-rectifier, for the proposed topology the positive terminal p of the dc output voltage is referenced to the grid neutral point N (highlighted in orange in (Figure 1), resulting in a phase module structure similar to the grid-side converter stage of [13]. In case of single-phase operation (Figure 1b), the grid voltage u_a is connected to the parallel-connected ac-side terminals a, b , and c such that the grid current i_{abc} is evenly shared between the phase modules with $i_a = i_b = i_c = \frac{1}{3}i_{abc}$, and the connection of the grid neutral point N and the positive dc output voltage terminal p creates a return path for the single-phase grid current i_{abc} .

The basic operating concept is identical for all phase modules a, b, c and is hence only explained for phase module a which is highlighted in Figure 1. The phase power $P_a = \frac{1}{2}\hat{U}_{ac}\hat{I}_{ac}$ (equal to $\frac{1}{3}$ of the total input power P_{abc}) is processed by two half-bridges A_I and A_{II} which are connected via the inductor L . The input capacitor C_a (serving filtering and commutation purposes) is placed in the half-bridge A_I , whose time-domain voltage is according to Kirchoff’s voltage law

$$u_{an}(t) = u_a(t) + U_{dc}, \tag{1}$$

as highlighted in Figures 1a.i and 1b.i for three-phase and single-phase operation, respectively. To prevent short-circuit via the anti-parallel diodes of the power switches T_I and T'_I the input stage voltage u_{an} has to be strictly positive and ac operation of the phase module is enabled by the differential interaction of the positive voltages u_{an} and U_{dc} (accordingly, the system is named differential rectifier [14]). The requirement of $u_{an} > 0$ and (1) constrain the dc output voltage to values above the grid line-to-neutral amplitude, that is

$$U_{dc} > \hat{U}_{ac}, \tag{2}$$

which corresponds to the operating limit of a standard boost-type single-phase PFC rectifier and represents a limitation compared to the standard Y-rectifier which can generate any $U_{dc} > 0$. Note that (2) applies here to both single- and three-phase operation of the proposed converter and is compatible with the considered $U_{dc} = 400V$ and $\hat{U}_{ac} = 325V_{pk}$ of the European grid.

The conduction states of the power semiconductor T_I/T'_I and T_{II}/T'_{II} are highlighted in Figure 2. When the mains voltage is positive, $u_a > 0$ (see Figure 2a), the converter operates in mode I where only the half-bridge A_I is switched, while the upper-side transistor of A_{II} , T_{II} , is continuously activated. This mode I corresponds to buck-boost operation with discontinuous power flow from the grid u_a to the dc voltage U_{dc} .




Fig. 2 Conduction states of the phase module *a* of the proposed converter structure in (a) mode I and (b) mode II (note that the grid voltage u_a represents the first filter stage capacitor of a real converter realization; also, the input/commutation capacitor C_a is assumed to be small such that it does not represent a relevant high-frequency current path). (a.i) Terminal voltage waveforms (grid voltage u_a , module input capacitor voltage u_{an} and dc output voltage U_{dc}) with highlighted mode I operating region where $u_{an} > U_{dc}$; (a.ii) mode I conduction state 1 (the inductor L is magnetized by the instantaneously positive grid voltage u_a); (a.iii) mode I conduction state 2 (the inductor L is demagnetized by the dc output voltage U_{dc}). (b.i) terminal voltage waveforms with highlighted mode II operating region where $u_{an} \leq U_{dc}$; (b.ii) mode II conduction state 1 (the inductor L is magnetized by the instantaneously negative grid voltage u_a); (b.iii) mode II conduction state 2 (the inductor L is demagnetized by the difference of the grid voltage u_a and dc output voltage U_{dc}).

Conversely, when the mains voltage is negative, $u_a < 0$ (see Figure 2b), the converter operates in mode II, and only the half-bridge A_{II} is switched, with the upper-side transistor of the opposite branch, T_I , continuously activated. This mode II corresponds to a step-up or boost operation with $|u_a(t)| < U_{dc}$.

Assuming that the switching frequency f_s is much higher than the mains frequency f_{ac} , the duty cycles d_{AI} and d_{AII} , which define the high-side switches activation of half-bridges A_I and A_{II} , respectively, are obtained as follows

$$d_{AI}(t) = \begin{cases} \frac{U_{dc}}{U_{dc} + u_a(t)}, & u_a \geq 0 \\ 1, & u_a < 0 \end{cases}, \quad (3)$$

$$d_{AII}(t) = \begin{cases} 1, & u_a \geq 0 \\ \frac{U_{dc} + u_a(t)}{U_{dc}}, & u_a < 0 \end{cases}. \quad (4)$$

Neglecting the low-frequency input capacitor C_a current, the local average current in a switching period $T_s = 1/f_s$ through the inductor (i_{La}) can be expressed as follows

$$\langle i_{La} \rangle(t) = \begin{cases} (1 + \frac{u_a(t)}{U_{dc}})i_a(t) = \frac{i_a(t)}{d_{AI}(t)}, & u_a \geq 0 \\ i_a(t), & u_a < 0 \end{cases}. \quad (5)$$

Therefore, assuming lossless and unity power factor operation, for a phase power $P_a = U_{ac}I_{ac}$, the low frequency RMS component of the inductor current flowing through the half-bridge branches can be expressed as

$$\langle I_{La} \rangle_{RMS} = \frac{I_{ac}}{U_{dc}} \sqrt{U_{dc}^2 + \frac{3}{4}U_{ac}^2 + \frac{8\sqrt{2}}{3\pi}U_{dc}U_{ac}}, \quad (6)$$

and is elevated by approximately 40% compared to the grid RMS current I_{ac} for the considered $U_{ac} = 230V_{RMS}$ and $U_{dc} = 400V$. Note that $\langle I_{La} \rangle_{RMS}$ is identical in both three-phase and single-phase operation for a given power and grid voltage level.

Another important converter metric is given by the required semiconductor blocking voltage. For the ac-stage A_I the maximum voltage is defined by $U_{an,max} = U_{dc} + \hat{U}_{ac} = 725V$ which hence requires 1200 V power semiconductors to ensure sufficient blocking voltage margin during switching transients (alternatively, the three-level flying capacitor ac-stage structure from [15] would allow the use of high-performance and cost-effective 600 V semiconductors). In contrast, the voltage stress in the dc-side half-bridge A_{II} branch is equal to the converter output voltage, $U_{dc} = 400V$, such that 600 V semiconductors can be employed. An important result and benefit of the proposed topology is that also equal

Table 1. Details of the employed prototype system from [17].

Designator	Details
$T_I/T'_I, T_{II}/T'_{II}$	1200 V / 25mΩ SiC MOSFETs ¹
$f_s = 100kHz$	ePWM modules of the TI TMS320F28335
$L = 85\mu H$	2 × TDK N97 EELP 43 Ferrite Core, 20 turns
$C_a = 1.3\mu F$	6 × 0.47μF / 1 kV Syfer X7R ²

¹Note that 600 V power semiconductors would be sufficient for the dc-stage.

²Referenced evenly to the positive p and negative n dc output rails.




Fig. 3 Simulated waveforms in open-loop modulation with an output power of 6 kW in three-phase (a) and single-phase operation (b). (x.i) grid voltages u_a, u_b, u_c and phase a grid current i_a ; (x.ii) phase a buck-stage d_{AI} and boost-stage duty cycle d_{AII} ; (x.iii) low-frequency grid currents (i_a), (i_b), (i_c) and phase a inductor current i_{La} (with the local-average value within one switching period $\langle i_{La} \rangle$ highlighted on top with a dashed line).

voltage stress results in both three-phase and single-phase operation provided that the line-to-neutral (RMS) voltage U_{ac} is the same.

Simulation results: The main simulation results of the proposed topology (specifications according to Table 1) using PLECS for $U_{ac} = 230V_{RMS} / f_{ac} = 50Hz$, an output voltage $U_{dc} = 400V$, and a power level $P_{abc} = 3 \times P_a = 6kW$ are presented in Figure 3 for three-phase (a) and single-phase (b) operation: The grid voltages, input capacitor voltages and output dc output voltage are highlighted in Figure 3x.i, the applied duty cycles of phase *a* in Figure 3x.ii, and the grid currents and the phase *a* inductor current in Figure 3x.iii.

In case of single-phase operation all the ac-side (stage I) half-bridges are connected in parallel (to ensure proper current sharing with $i_a = \frac{1}{3}i_{abc}$ individual current controllers can be employed in each phase module), and, therefore, also the same grid u_a and input capacitor voltage u_{an} is applied to all the bridge-legs. As can be observed in Figure 3x.i, the input capacitor voltages are the sum of the output voltage, $U_{dc} = 400V$, and the respective grid voltage, for example, u_a , independently of the operation in single-phase and three-phase mode. The applied duty cycle profiles d_{AI} and d_{AII} according to Equations (3) and (4), respectively, in Figure 3x.ii result in a mutually exclusive high-frequency switching operation of the two bridge-legs A_I and A_{II} in phase module *a* with reduced switching losses as only three out of six half-bridges are switched simultaneously in the rectifier system. Last, the phase currents and the module inductor current of phase *a* shown in Figure 3x.iii highlight how the low-frequency inductor current stress (5) increases during mode I operation.

The simulation results prove the ability of the proposed converter to operate in both grid situations with the same voltage and current stress in the power devices (for the same output power), which is the main benefit of the concept and enables nominal power three-phase and single-phase operation without requiring component overdimensioning [16].

Experimental verification: In order to experimentally prove the feasibility of the proposed three-/single-phase bidirectional converter, the existing prototype system from [17] has been reconfigured according to Figure 1. The prototype operates at a switching frequency of




Fig. 4 Experimental waveforms in open-loop modulation (i.e. inverter mode with a dc supply and a resistive load connected to the ac terminals a, b, c) with an output power of 6 kW in three-phase (a) and single-phase operation (b). (x.i) three-phase grid voltages u_a , u_b , u_c (or single-phase ac voltage u_a) and phase a grid current i_a (or single-phase grid current $i_{abc} = 3 \times i_a$); (x.ii) main converter waveforms of phase module a, that is, input capacitor voltage u_{an} , dc output voltage U_{dc} , inductor current i_{La} and grid current i_a .

$f_s = 100$ kHz, features 1200 V SiC power semiconductors, and further details are provided in Table 1. Again, the European grid with $U_{ac} = 230V_{RMS} / f_{ac} = 50$ Hz, an output voltage $U_{dc} = 400$ V, and a power level $P_{abc} = 3 \times P_a = 6$ kW is considered. Note that the system is operated in inverter mode, that is, supplied from a dc source and with a resistive load connected to the ac terminals.

Figure 4 presents the main experimental results of the proposed converter operating in both three-phase (a) and single-phase (b) configuration. In these figures, the grid voltages as well as the input grid current both in three-phase, u_a , u_b , u_c , and single-phase, u_a , configuration can be seen to deliver the same output power. Experimental waveforms prove the ability of the proposed converter to achieve a smooth output voltage, U_{dc} , regardless the operation mode. Moreover, the current through the phase a inductor, i_{La} remains the same regardless the grid situation. Thereby, the main advantage of the proposed converter, that is, three-phase and single-phase operation under the same voltage and current stress of the main power components (thus enabling nominal power single-/three-phase operation without component overdimensioning) is verified.

Conclusion: Modern 400 V dc distribution systems for, for example, industrial automation or robotics, are supplied by bidirectional PFC rectifiers which ideally can operate both from the three-phase and the single-phase grid. In this letter, a novel bidirectional universal single-/three-phase-input unity power factor differential ac-dc converter is presented. Unlike previous concepts, the proposed converter allows three-phase and single-phase operation with the same current and voltage stresses in the main power components regardless the available number of grid phases, hence representing a universal grid-input PFC rectifier. The proposed converter is analyzed theoretically and simulated. Experimental results using a 6 kW converter operating with a switching frequency of 100 kHz prove the ability of the converter to process full power both in three-phase and single-phase configuration under the same component stress, thereby verifying the main benefits of the new concept.

Acknowledgements: This work was partly supported by Project TED2021-129274B-I00 funded by MCIN/AEI/10.13039/501100011033 and by EU through NextGenerationEU/PRTR programs.

Conflict of interest statement: The authors declare no conflicts of interest.

Author contributions: Héctor Sarnago: Conceptualization, data curation, formal analysis, investigation, methodology, project administration, resources, software, writing - original draft, writing - review and editing. Óscar Lucía: Conceptualization, data curation, formal analysis, investigation, methodology, project administration, resources, visualization, writing - original draft, writing - review and editing. Saransh Chhawchharia: Data curation, formal analysis, investigation, resources, software, validation, visualization, writing - review and editing. David Menzi: Conceptualization, data curation, formal analysis, investigation, methodology, project administration, resources, software, visualization, writing - original draft, writing - review and editing. Johann W. Kolar:

Conceptualization, methodology, project administration, supervision, visualization, writing - original draft, writing - review and editing.

Data availability statement: Data available on request from the authors.

© 2023 The Authors. *Electronics Letters* published by John Wiley & Sons Ltd on behalf of The Institution of Engineering and Technology.

This is an open access article under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made.

Received: 3 May 2023 Accepted: 16 June 2023

doi: 10.1049/ell2.12857

References

- 1 Ferreira, F.J.T.E., De Almeida, A.T.: Reducing energy costs in electric-motor-driven systems. *IEEE Ind. Appl. Mag* **24**(1), 84–97 (2018)
- 2 Anand, S., Fernandes, B.G.: Optimal voltage level for DC microgrids. *Proc. IEEE Conf. Ind. Electron. IECON*, pp. 3034–3039. (2010)
- 3 Borchering, H., Austermann, J., Kuhlmann, T., Weis, B., Leonide, A.: Concepts for a DC network in industrial production. In: *IEEE International Conference on DC Microgrids (ICDCM)*, pp. 227–234. IEEE, Piscataway (2017)
- 4 Meike, D., Rankis, I.: New type of power converter for common-ground DC bus sharing to increase the energy efficiency in drive systems. In: *IEEE International Energy Conference and Exhibition (EnergyCon)*, pp. 225–230. IEEE, Piscataway (2012)
- 5 Puls, S., Koch, J.N., Ehlich, M., Borchering, H.: Particular requirements on drive inverters for safe and robust operation on an open industrial DC grid. In: *European Conference on Power Electronics and Applications (EPE'22 ECCE Europe)*, pp. 1–8. IEEE, Piscataway (2022)
- 6 Puls, S., Hegerfeld, J., Austermann, J., Borchering, H.: Transient over-voltage protection solutions for drive inverters operating on an open industrial DC grid. In: *Power Conversion Intelligent Motion Conference*, vol. 1, pp. 1772–1779. VDE Verlag, Berlin (2020)
- 7 Warkentin, S., Austermann, J., Borchering, H.: Modular experimental plant for industrial DC grid with controlled electrical drives. In: *Conference on Sustainable Energy Supply and Energy Storage Systems (NEIS)*, pp. 1–6. IEEE, Piscataway (2020)
- 8 Kolonic, F., Kunjasic, D., Jakopovic, Z.: Interaction of DC-link supply unit and supplied inverters with regenerative load. *Automatika: J. Control Meas. Electron. Comput. Commun.* **45**(1–2), 69–77 (2004)
- 9 Azurza-Anderson, J., Zulauf, G., Kolar, J.W., Deboy, G.: New figure-of-merit combining semiconductor and multi-level converter properties. *IEEE Open J. Power Electron.* **1**(July), 322–338 (2020)
- 10 Kolar, J.W., Friedli, T.: The essence of three-phase PFC rectifier systems - Part I. *IEEE Trans. Power Electron.* **28**(1), 176–198 (2013)
- 11 Shinichi, N., Denso Cooperation, assignee: US 007088595 B2: Reversible buck-boost chopper circuit, and inverter circuit with the same (2006)
- 12 Antvachis, M., Bortis, D., Schrittwieser, L., Kolar, J.W.: Three-phase buck-boost Y-inverter with wide dc input voltage range. In: *IEEE Conference on Applied Power Electronics Conference and Exposition (APEC)*, pp. 1492–1499. IEEE, Piscataway (2018)
- 13 Trubitsyn, A., Pierquet, B.J., Hayman, A.K., Gamache, G.E., Sullivan, C.R., Perreault, D.J.: High-efficiency inverter for photovoltaic applications. In: *IEEE Energy Conversion Congress and Exposition (ECCE USA)*, pp. 2803–2810. IEEE, Piscataway (2010)
- 14 Darwish, A., Massoud, A.M., Holliday, D., Ahmed, S., Williams, B.W.: Single-stage three-phase differential-mode buck-boost inverters with continuous input current for PV applications. *IEEE Trans. Power Electron.* **31**(12), 8218–8236 (2016)
- 15 Menzi, D., Zhang, M., Kolar, J.W., Everts, J.: 3- Φ bidirectional buck-boost sinusoidal input current three-level SiC Y-rectifier. In: *IEEE Conference on Applied Power Electronics Conference and Exposition (APEC)*, pp. 590–598. (2021)
- 16 Menzi, D., Kolar, J.W., Everts, J.: Single-phase full-power operable three-phase buck-boost Y-rectifier concepts. In: *IEEE Conference on Applied Power Electronics Conference and Exposition (APEC)*, pp. 599–606. IEEE, Piscataway (2021)
- 17 Menzi, D., Bortis, D., Kolar, J.W.: EMI filter design for a three-phase buck-boost Y-inverter VSD with unshielded cables considering IEC 61800-3 conducted & radiated emission limits. *IEEE Trans. Power Electron.* **36**(11), 12919–12937 (2021)