



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

## Synthesising personality with neural speech synthesis

**Citation for published version:**

Gao, S, Aylett, M, Braude, D & Lai, C 2023, 'Synthesising personality with neural speech synthesis', Paper presented at 24th Annual Meeting of the Special Interest Group on Discourse and Dialogue , Prague, 11/09/23 - 15/09/23. <[https://sigdialinlg2023.github.io/paper\\_sigdial146.html](https://sigdialinlg2023.github.io/paper_sigdial146.html)>

**Link:**

[Link to publication record in Edinburgh Research Explorer](#)

**Document Version:**

Peer reviewed version

**General rights**

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

**Take down policy**

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact [openaccess@ed.ac.uk](mailto:openaccess@ed.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.



# Synthesising Personality with Neural Speech Synthesis

Shilin Gao \*

The University of Edinburgh  
Cambridge University Press & Assessment  
shilin.gao@cambridge.org

Matthew P. Aylett

CereProc Ltd.  
Heriot-Watt University  
matthewaylett@gmail.com

David A. Braude †

CereProc Ltd.  
Sanas.ai  
david@sanas.ai

Catherine Lai

The University of Edinburgh  
c.lai@ed.ac.uk

## Abstract

Matching the personality of conversational agents to the personality of the user can significantly improve the user experience, with many successful examples in text-based chatbots. It is also important for a voice-based system to be able to alter the personality of the speech as perceived by the users. In this pilot study, fifteen voices were rated using Big Five personality traits. Five content-neutral sentences were chosen for the listening tests. The audio data, together with two rated traits (Extroversion and Agreeableness), were used to train a neural speech synthesiser based on one male and one female voices. The effect of altering the personality trait features was evaluated by a second listening test. Both perceived extroversion and agreeableness in the synthetic voices were affected significantly. The controllable range was limited due to a lack of variance in the source audio data. The perceived personality traits correlated with each other and with the naturalness of the speech.

## 1 Introduction

The law of attraction in human-robot interaction means users prefer social robots with similar personality traits to themselves (Park et al., 2012). Previous work has shown that it is possible to design a text-based chatbot with a pre-defined personality (Ahmad et al., 2020; Ruane et al., 2021), and matching the personality of the agent to the personality of the user can significantly improve the user experience (Smestad and Volden, 2019;

Fernau et al., 2022). Personality in voice-based conversational agent is much less investigated, but the effect is no less significant. People attribute traits to others in less than a second after hearing them in video and/or audio recordings (Reeves and Nass, 1996; Uleman et al., 2008). The same effect extends to machines that display human-like features including embodied conversational agents (Nass and Brave, 2005). The perceived personality from speech is consistent across listeners (McAleer et al., 2014). This opens the possibility of generating synthetic voices that encourage users to attribute pre-defined traits to the artificial intelligence conversational agents they interact with.

Previous work (Aylett et al., 2017) has shown that personality can be manipulated with a speech synthesis system. The effect is restrained by the system used: unit selection is heavily constrained by the corpus recorded (though there have been advances in addressing this (Buchanan et al., 2018)), whilst HMM-based Speech Synthesis (HTS) is constrained by perceived naturalness. Neural speech synthesis systems such as Wavenet (Oord et al., 2016) and Tacotron (Wang et al., 2017a) has shown an improved ability to generate natural sounding output. This has led to advancement in expressive speech synthesis (Wang et al., 2017b, 2018; Zhang et al., 2019). However the focus is on manipulating the style of single utterances and is different from synthesising a voice with a consistent personality. Recent work (Shiramizu et al., 2022) achieved altering the social perception of synthetic speech by controlling single speech-based features such as pitch. It is interesting to see the effect of using neural speech synthesis system to manipulate the perceived personality traits of the output voice.

In this work the use of Big Five scores is ex-

\*This author is currently affiliated with Cambridge University Press & Assessment. Research was conducted while studying at The University of Edinburgh.

†This author is currently affiliated with Sanas.ai. Research was conducted while working at CereProc Ltd.

033  
034  
035  
036  
037  
038  
039  
040  
041  
042  
043  
044  
045  
046  
047  
048  
049  
050  
051  
052  
053  
054  
055  
056  
057  
058  
059  
060  
061  
062  
063  
064  
065  
066  
067  
068  
069

070 plored for directly controlling the perceived person-  
 071 ality of the synthetic speech. Big Five, or OCEAN  
 072 model (John et al., 1999), is widely used the do-  
 073 main of human-computer interaction (Vinciarelli  
 074 and Mohammadi, 2014). A condensed version  
 075 (Rammstedt and John, 2007) that reduces the orig-  
 076 inal 44 statements to ten while preserving a high  
 077 level of accuracy was used.

## 078 2 Experiments

### 079 2.1 Big Five Rating of Source Voices

080 Our dataset comprised of 15 English native speaker  
 081 voices taken from CereProc’s voice bank. The  
 082 voices varied by accent and gender, see Table 1.

Gender	Received Pronun- ciation	Scottish	Irish En- glish	Total
Male	5	2	0	7
Female	5	2	1	8
Total	10	4	1	15

Table 1: Accent and gender distribution

083 For the listening tests, five news sentences were  
 084 chosen for their content being emotionally neutral  
 085 but can be read with different personalities (see Ap-  
 086 pendix A Table 2). 28 English native listeners were  
 087 recruited from Amazon Mechanical Turk (AMT)  
 088 to rate the Big Five personality traits of each source  
 089 voice. A web-based listening test was used to mea-  
 090 sure Big Five based on ten personality questions  
 091 (Rammstedt and John, 2007) with an additional  
 092 naturalness question using a 5-point Likert scale.  
 093 Two slide bars were used to measure perceived age  
 094 (10-70), and perceived gender (0-1, from woman  
 095 to man). The system displayed the audio transcript  
 096 and allowed participants to play the audio stimuli  
 097 repeated times. A screen shot of the listening test  
 098 page is in shown in Figure 2. Each participant  
 099 listened to a subset of 5 speakers and for each of  
 100 those speakers they listened to 5 audio examples.  
 101 The audio order was randomised for each listener  
 102 and each audio example was rated by nine or ten  
 103 listeners.

104 Results were averaged by voice to give an overall  
 105 personality score for that voice and are shown in  
 106 Figure 1. Extroversion and agreeableness were  
 107 chosen as the two personality traits to control as  
 108 they showed the most variation.

109 Figure 3 shows the spread of the voices in the  
 110 1-5 Likert scale across both traits. The variation




Figure 1: Box Plot of Big Five personalities averaged by voice.

111 across the two traits in the database is between 2  
 112 and 4. This is expected as voice talents are of-  
 113 ten chosen on similar criteria, and the recording  
 114 process for speech synthesis tends to avoid high  
 115 energy emotional content which puts an artificial  
 116 limit on the possible perceived personality varia-  
 117 tion within the voice. There is a positive correlation  
 118 between the two traits (Pearson  $r = 0.664$ ,  $df = 13$ ,  
 119  $p < 0.05$ ). The  $r$ -squared value is relatively low  
 120 (0.441), meaning that although there is a signifi-  
 121 cant positive correlation, it might not be linear or  
 122 the data might not be enough to make an accurate  
 123 prediction. Theoretically, the Big Five model is  
 124 based on factor analysis which aims at producing  
 125 independent dimensions (John et al., 1999), how-  
 126 ever, this is for *actual* personality and may not  
 127 translate to independence in *perceived* personality.

### 128 2.2 Building the Multiple Speaker Synthesis 129 Voice

130 We used CereProc’s Deep Neural Network (DNN)  
 131 speech synthesis system CereWave to build a multi-  
 132 speaker voice. CereWave uses a recurrent neural  
 133 network architecture to firstly produce prosody tar-  
 134 gets, and then produce an intermediate acoustic  
 135 feature set. After predicting the acoustic features,  
 136 it uses a custom neural vocoder to produce the final  
 137 output waveforms. Its inputs include phonetic, lin-  
 138 guistic, language, accent and speaker features, in  
 139 which speaker features include age and gender. For  
 140 this experiment, the personality dimensions chosen  
 141 at the first stage (extroversion and agreeableness)  
 142 are appended to the above features in the format  
 143 of an average voice score on a 5-point Likert scale.  
 144 Due to the time constraints of this research and




Figure 2: Screen shot of web based listening test used to evaluate Big Five.




Figure 3: Distribution of average perceived extroversion and agreeableness by voice, target voices circled.

its nature of pilot study, we limited the data to a total of 1,000 utterances from the neutral speaking style data (totalling approximately 2 hours of data), which puts an limitation on the naturalness.

When synthesising from an average voice, an original speaker specification can be used to generate synthesis sounding like that speaker. Two voices, one male and one female, close to the global mean for all voices in terms of extroversion and agreeableness, were chosen to synthesise stimuli (Male voice: mean extroversion 3.0, mean agreeableness 3.4; Female voice: mean extroversion 3.2, mean agreeableness 3.5). In addition, natural recordings for each of these speakers were used as a high naturalness anchor, and synthesis using

a previous generation DNN system were used as a low naturalness anchor. Five utterances were synthesised for all synthesis conditions.

### 2.3 Evaluating the Synthesis of Agreeableness and Extroversion

A second AMT listening test was carried out using the same interface and methodology described in section 2.1 with 18 participants. It is expected that synthesised voices' personality would not match the reference speakers exactly but should be similar. This was the case for the male voice but the synthesis process reduced both the perceived extroversion and agreeableness of the female voice (Male voice: mean extroversion 3.0, mean agreeableness 3.4; Female voice: mean extroversion 2.9, mean agreeableness 3.1).

Results were averaged over the 10 utterances (5 spoken by two voices) and a by-materials repeated measures MANOVA was carried out with perceived extroversion and agreeableness as the dependent variable. Target extroversion (tgt-e: low/high) and nested target agreeableness (tgt-a: low/high) were within-materials factors, with base synthesis voice (gender: male/female) as a between-materials factor. Both target factors were significant in a multivariate test (Wilks Lambda: tgt-a ( $F(2, 7)=21.258, p=0.001$ ), tgt-e ( $F(2, 7)=11.422, p<0.01$ )), gender did not have a significant effect. Univariate tests with a Greenhouse-Geisser correction (sphericity not assumed) showed that target extroversion significantly affected perceived extroversion (tgt-e  $F(1, 8)=24.981, p=0.001$ ) but not per-

160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191

ceived agreeableness, whereas target agreeableness significantly affected both perceived agreeability (tgt-e  $F(1, 8)=47.399$ ,  $p<0.001$ ) and extroversion (tgt-e  $F(1, 8)=34.561$ ,  $p<0.001$ ).

In terms of the adjusted means by target groups, agreeableness has the desired effect on perceived agreeableness (tgt-a low: mean 2.922, Standard Error (SE) 0.048; high: mean 3.206, SE 0.039), but also significantly affected perceived extroversion (tgt-a low: mean 2.639, SE 0.055; high: 3.156, SE 0.06). Extroversion had the opposite affect on perceived extroversion as the higher target actually reduced perceived extroversion (tgt-e low: mean 3.019, SE 0.053; high: 2.775, SE 0.034).

The effect of trait targeting on speech rate, pitch and amplitude is also evaluated using Pearson's correlation analysis. Only speech rate had a significant effect (extroversion/words-per-second:  $r(40)=0.29$ ,  $p<0.05$ ), agreeableness/words-per-second:  $r(40)=0.23$ ,  $p<0.005$ ).

Figure 4 shows the average extroversion/ agreeableness by synthesis type. The manipulation targets are: '+e+a' to be positioned at 4,4; '+e-a' at 4,2; '-e+a' at 2,4; and '-e-a' at 2,2. It is shown that the perceived variation is much lower than this (between 2.5 and 3.5), and the spread does not form the pattern expected above.




Figure 4: Distribution of average perceived extroversion and agreeableness for different synthesis types. 'def': synthesis with no personality modelling. '+': high(4), '-': low(2). 'e': extroversion, 'a': agreeableness.

### 2.3.1 Effect on naturalness

A univariate repeated measures ANOVA with a Greenhouse-Geisser correction (sphericity could

not be assumed) was carried out to explore the effect of trait targeting on perceived naturalness. Naturalness, initially recorded on a 1-5 Likert scale, was averaged by utterance for each synthesis type and used as the dependent variable. The model matched that used in the previous MANOVA. Target extroversion (tgt-e: low/high) and nested target agreeableness (tgt-a: low/high) were within-materials factors, with base synthesis voice (gender: male/female) as a between-materials factor. Target agreeableness was significant ( $F(1,8)=39.784$ ,  $p<0.001$ ) where a high target increased perceived naturalness (tgt-a low: mean 2.8, SE 0.073; high: mean 3.339, SE 0.052). There was also a significant effect for an interaction between voice and target extroversion ( $F(1,8)=5.967$ ,  $p<0.05$ ). This effect was caused by high target extroversion increasing perceived naturalness for the female voice (tgt-e\*gender low: mean 2.289, SE 0.091; high: mean 3.178, SE 0.078) and reducing naturalness for the male voice (tgt-e\*gender low: mean 3.144, SE 0.091; high: mean 2.967, SE 0.078).

Values for perceived extroversion, agreeableness and naturalness were averaged across subjects for each of the utterances in all four conditions (tgt-e: low/high, tgt-a: low/high) and for both male and female voices (40 data points in total). A Pearson correlation showed a significant positive correlation between perceived extroversion, perceived agreeableness and perceived naturalness. (extroversion/agreeableness:  $r(40)=0.507$ ,  $p=0.001$ , extroversion/naturalness:  $r(40)=0.641$ ,  $p<0.001$ , agreeableness/naturalness  $r(40)=0.512$ ,  $p=0.001$ ).

## 3 Discussion

This pilot study shows that using the personality traits to control the perceived personality of a synthetic voice is feasible with a modern DNN / neural vocoder system. Readers are invited to listen to sample natural and synthetic speech from <https://cereproc.s3-eu-west-1.amazonaws.com/samples/shilin2019/index.html>. Changing input features and manipulating the target for agreeableness both alter the perceived personalities in the expected direction. However, the range in agreeableness that can be controlled, as well as the lack of a similar result for extroversion, show that controlling perceived personality is a far from simple process.

Two limitations have compromised the results of the study: 1) The corpus used as a basis for

this experiment was comprised of voices originally selected for being extrovert and agreeable, which can be seen from Figure 1 and Figure 3. With a machine learning approach this means when targets are set within outlying regions the system has to extrapolate the results which leads to unnatural results as they are not based on actual observations. This is shown for agreeableness where lower target scores (unseen in the data) generate stimuli rated lower for naturalness. In future work it will be important to source a corpus with a much wider variation in perceived Big Five personality traits. 2) The interaction between traits and naturalness appear to complicate perceived trait scores. In previous work, using actual vocal change in the data, or changing synthesis style, appeared to change Big Five without correlating with naturalness variation (Aylett et al., 2017). This work, however, shows a strong correlation between perceived agreeableness and perceived extroversion and naturalness. Such collinearity means it is difficult to produce stable results. The confounding effect is possibly intensified by using an average voice built with a limited amount of source data.

#### 4 Conclusion and future work

To summarise our findings: 1) The prototype system showed a Big Five trait could be learned and controlled, though control may be limited in the controllable range. 2) Naturalness can interact with personality traits and ensuring the underlying average voice is as natural as possible is an important consideration. 3) Correlations across traits may interfere with final results.

The next steps would be to repeat the annotation and training with a dataset that contains a wide variety of speakers such as VCTK (Yamagishi et al., 2019), and apply the synthetic voice in a multi-turn voice-based conversational agent set-up. Spontaneous speech corpus rather than fluence read speech corpus can also be used to build synthetic voice with distinctive perceived personality (Gustafson et al., 2021). Methods of including personality features that are more sophisticated than concatenation on the input features can be explored, both in terms of architecture and training approaches (Gibiansky et al., 2017).

Further experiments can be using personality synthesis in speech together with text-based personality generation. This work suggests the possibility of making a chatbot speak in a voice with

1) pre-defined personality based on the generated text, which can be matching or mismatching, and 2) adaptive personality based on the personality of the user, as such adaptation is shown possible in text-based chatbots (Fernau et al., 2022). A multi-turn conversational set-up can be used to experiment the consistency of synthesised personality. The perception and impact of synthesised personality in different cultural context can also be explored in various user studies.

#### 5 Acknowledgements

This work was supported by the European Union's Horizon 2020 Research and Innovation program under Grant Agreement No 780890 (Grassroot Wavelengths). Research was conducted while Shilin Gao was studying at The University of Edinburgh. This author is currently working at Cambridge University Press & Assessment.

#### References

- Rangina Ahmad, Dominik Siemon, and Susanne Robra-Bissantz. 2020. Extrabot vs introbot: The influence of linguistic cues on communication satisfaction. In *AMCIS*.
- Matthew P Aylett, Alessandro Vinciarelli, and Mirjam Wester. 2017. Speech synthesis for the generation of artificial personality. *IEEE Transactions on Affective Computing*.
- Christopher G. Buchanan, Matthew P. Aylett, and David A. Braude. 2018. Adding personality to neutral speech synthesis voices. In *SPECOM*.
- Daniel Fernau, Stefan Hillmann, Nils Feldhus, Tim Polzehl, and Sebastian Möller. 2022. Towards personality-aware chatbots. In *Proceedings of the 23rd Annual Meeting of the Special Interest Group on Discourse and Dialogue*, pages 135–145.
- Andrew Gibiansky, Sercan Arik, Gregory Damos, John Miller, Kainan Peng, Wei Ping, Jonathan Raiman, and Yanqi Zhou. 2017. *Deep voice 2: Multi-speaker neural text-to-speech*. In I. Guyon, U. V. Luxburg, S. Bengio, H. Wallach, R. Fergus, S. Vishwanathan, and R. Garnett, editors, *Advances in Neural Information Processing Systems 30*, pages 2962–2970. Curran Associates, Inc.
- Joakim Gustafson, Jonas Beskow, and Éva Székely. 2021. Personality in the mix-investigating the contribution of fillers and speaking style to the perception of spontaneous speech synthesis. *Proc. 11th ISCA SSW*, pages 48–53.

370	Oliver P John, Sanjay Srivastava, et al. 1999. The big	Yuxuan Wang, RJ Skerry-Ryan, Daisy Stanton, Yonghui	423
371	five trait taxonomy: History, measurement, and theo-	Wu, Ron J Weiss, Navdeep Jaitly, Zongheng Yang,	424
372	retical perspectives. <i>Handbook of personality: The-</i>	Ying Xiao, Zhifeng Chen, Samy Bengio, et al.	425
373	<i>ory and research</i> , 2(1999):102–138.	2017a. Tacotron: Towards end-to-end speech synthe-	426
		sis. <i>arXiv preprint arXiv:1703.10135</i> .	427
374	Phil McAleer, Alexander Todorov, and Pascal Belin.	Yuxuan Wang, RJ Skerry-Ryan, Ying Xiao, Daisy Stan-	428
375	2014. How do you say ‘hello’? personality impres-	ton, Joel Shor, Eric Battenberg, Rob Clark, and	429
376	sions from brief novel voices. <i>PLoS one</i> , 9(3).	Rif A Saurous. 2017b. Uncovering latent style fac-	430
		tors for expressive speech synthesis. <i>arXiv preprint</i>	431
377	C. Nass and S. Brave. 2005. <i>Wired for speech: How</i>	<i>arXiv:1711.00520</i> .	432
378	<i>voice activates and advances the Human-Computer</i>		
379	<i>relationship</i> . The MIT Press.	Yuxuan Wang, Daisy Stanton, Yu Zhang, RJ Skerry-	433
		Ryan, Eric Battenberg, Joel Shor, Ying Xiao, Fei	434
380	Aaron van den Oord, Sander Dieleman, Heiga Zen,	Ren, Ye Jia, and Rif A Saurous. 2018. Style to-	435
381	Karen Simonyan, Oriol Vinyals, Alex Graves,	kens: Unsupervised style modeling, control and trans-	436
382	Nal Kalchbrenner, Andrew Senior, and Koray	fer in end-to-end speech synthesis. <i>arXiv preprint</i>	437
383	Kavukcuoglu. 2016. Wavenet: A generative model	<i>arXiv:1803.09017</i> .	438
384	for raw audio. <i>arXiv preprint arXiv:1609.03499</i> .		
		Junichi Yamagishi, Christophe Veaux, Kirsten MacDon-	439
385	Eunil Park, Dallae Jin, and Angel P del Pobil. 2012.	ald, et al. 2019. Cstr vctk corpus: English multi-	440
386	The law of attraction in human-robot interaction. <i>In-</i>	speaker corpus for cstr voice cloning toolkit (version	441
387	<i>ternational Journal of Advanced Robotic Systems</i> ,	0.92).	442
388	9(2):35.	Ya-Jie Zhang, Shifeng Pan, Lei He, and Zhen-Hua	443
		Ling. 2019. Learning latent representations for style	444
389	Beatrice Rammstedt and Oliver P John. 2007. Measur-	control and transfer in end-to-end speech synthesis.	445
390	ing personality in one minute or less: A 10-item short	In <i>ICASSP 2019-2019 IEEE International Confer-</i>	446
391	version of the big five inventory in english and ger-	<i>ence on Acoustics, Speech and Signal Processing</i>	447
392	man. <i>Journal of research in Personality</i> , 41(1):203–	( <i>ICASSP</i> ), pages 6945–6949. IEEE.	448
393	212.		
		B. Reeves and C. Nass. 1996. <i>The media equation: How</i>	
394	people treat computers, television, and new media	<i>like real people and places</i> . Cambridge University	
395	Press.		
396		Elayne Ruane, Sinead Farrell, and Anthony Ventresque.	
397		2021. User perception of text-based chatbot person-	
398		ality. In <i>Chatbot Research and Design: 4th Interna-</i>	
399		<i>tional Workshop, CONVERSATIONS 2020, Virtual</i>	
400		<i>Event, November 23–24, 2020, Revised Selected Pa-</i>	
401		<i>pers 4</i> , pages 32–47. Springer.	
402			
403			
		Victor Kenji M Shiramizu, Anthony J Lee, Daria	
404		Altenburg, David R Feinberg, and Benedict C	
405		Jones. 2022. The role of valence, dominance, and	
406		pitch in perceptions of artificial intelligence (ai)	
407		conversational agents’ voices. <i>Scientific Reports</i> ,	
408		12(1):22479.	
409			
		Tuva Lunde Smestad and Frode Volden. 2019. Chatbot	
410		personalities matters: improving the user experience	
411		of chatbot interfaces. In <i>Internet Science: INSCI</i>	
412		<i>2018 International Workshops, St. Petersburg, Russia,</i>	
413		<i>October 24–26, 2018, Revised Selected Papers 5</i> ,	
414		pages 170–181. Springer.	
415			
		James S Uleman, S Adil Saribay, and Celia M Gonzalez.	
416		2008. Spontaneous inferences, implicit impressions,	
417		and implicit theories. <i>Annu. Rev. Psychol.</i> , 59:329–	
418		360.	
419			
		Alessandro Vinciarelli and Gelareh Mohammadi. 2014.	
420		A survey of personality computing. <i>IEEE Transac-</i>	
421		<i>tions on Affective Computing</i> , 5(3):273–291.	
422			

**A Appendix A: Sentences used in the listening tests**

Sentence ID	Sentence
180	He also defended the company's policy of releasing new services and tools to users before they were finished products.
189	No charges were made, but two men have been thrown off the programme.
205	After a gruelling ten minute phone interview the reporter had a new job.
216	There is controversy around these findings: some people have tried to replicate them, although not using exactly the same methods, and got different results.
259	Even as voters drift away from party politics, they can get very heated and involved in the politics of the high street.

Table 2: Selected sentences for listening tests