ELSEVIER

Contents lists available at ScienceDirect

Journal of Hazardous Materials

journal homepage: www.elsevier.com/locate/jhazmat



Corrigendum



Corrigendum to "Removal of As(V), Cr(VI) and Cu(II) using novel amine functionalized composite nanofiltration membranes fabricated on ceramic tubular substrate" [J. Hazard. Mater. 399 (2020) 122841]

Sanjukta Roy ^{a,b}, Swachchha Majumdar ^a, Ganesh C. Sahoo ^a, Subhamoy Bhowmick ^c, Amit K. Kundu ^d, Priyanka Mondal ^{a,b,*}

- ^a Water Technology Division, CSIR-Central Glass and Ceramic Research Institute, 196, Raja S.C. Mullick Road, Kolkata 700032, India
- ^b Academy of Scientific and Innovative Research (AcSIR), Ghaziabad 201002, India
- ^c Kolkata Zonal Center, CSIR-National Environmental Engineering Research Institute (NEERI), Kolkata 700107, West Bengal, India

The authors regret affiliation modification from ^bAcademy of Scientific and Innovative Research (AcSIR), CSIR-Central Glass and Ceramic Research Institute, 196, Raja S.C. Mullick Road, Kolkata 700032, India to ^bAcademy of Scientific and Innovative Research (AcSIR), Ghaziabad

201002, *India* of the authors in the published paper which is urgently needed for the fulfilment of the Ph.D. thesis of Ms. Sanjukta Roy.

The authors would like to apologise for any inconvenience caused.

^d Department of Chemistry, University of Kalyani, Nadia 741235, West Bengal, India

 $DOI\ of\ original\ article:\ https://doi.org/10.1016/j.jhazmat.2020.122841.$

^{*} Correspondence to: Water Technology Division, CSIR-CGCRI, Kolkata, India. E-mail address: priyankaa_mondal@yahoo.co.in (P. Mondal).