

**2021 Nevada Middle School
Youth Risk Behavior Survey (YRBS)
Washoe County Special Report**



School of Public Health

Making Health Happen™

7/1/2023

Acknowledgements

We would like to acknowledge those who assisted with the 2021 Nevada High School Youth Risk Behavior Survey (YRBS) including the Nevada Department of Education; Nevada Department of Health and Human Services, Division of Public and Behavioral Health; school district superintendents; school principals, teachers, and staff; and the Nevada Statewide Coalition Partnership.

Recommended Citation

Brandon, K., Anderson, M., Nolle, O., Zhang, F., Peek, J., Clements-Nolle, K., Yang, W. (2023). University of Nevada, Reno School of Public Health and State of Nevada, Division of Public and Behavioral Health. *2021 Nevada Middle School Youth Risk Behavior Survey (YRBS) Washoe County Special Report*.

Funding Source

This surveillance project was partially supported by a grant from the Centers for Disease Control and Prevention (CDC-PS18-1807). Supplemental funding was also provided by the Nevada Division of Public and Behavioral Health. The report contents are solely the responsibility of the authors and do not necessarily represent the official views of the funders.

Additional Resources

Nevada YRBS Statewide and Special Reports

<https://www.unr.edu/public-health/research-activities/nevada-youth-risk-behavior-survey>

YRBS Adolescent and School Health

<http://www.cdc.gov/HealthyYouth/yrbs/index.htm>

Nevada Division of Public and Behavioral Health

<http://dpbh.nv.gov/>

For additional information regarding this publication, contact:

Kristen Clements-Nolle, Ph.D., MPH

University of Nevada, Reno

School of Public Health

clements@unr.edu

775-682-7097

Meghan Anderson, PhD Student

University of Nevada, Reno

School of Public Health

meghana@nevada.unr.edu

775-682-6999

Contents

| | |
|---|-----------|
| INTRODUCTION | 1 |
| METHODS | 1 |
| Table 1: School-property related questions removed in 2021 due to COVID-19 | 2 |
| PERMISSION STATUS AND RESPONSE RATES | 2 |
| RESULTS | 3 |
| PARTICIPANT CHARACTERISTICS | 3 |
| Table 2: Demographic characteristics of participating students | 3 |
| Table 3: Percentage of middle school students who had parents or other adults in the home serving on active duty in the military..... | 4 |
| Table 4: Percentage of middle school students who qualified for or received free or reduced price lunches at school..... | 5 |
| Table 5: Percentage of middle school students who experienced housing insecurity during the 30 days before the survey..... | 6 |
| VIOLENCE-RELATED BEHAVIORS | 7 |
| Table 6: Percentage of middle school students who were electronically bullied during the 12 months before the survey..... | 7 |
| Table 7: Percentage of middle school students who did not go to school because they felt unsafe at school or on their way to or from school during the 30 days before the survey | 8 |
| ADVERSE CHILDHOOD EXPERIENCES | 9 |
| Table 8: Percentage of middle school students who have ever been hit, beaten, kicked, or physically hurt in any way by an adult | 9 |
| Table 9: Percentage of middle school students who were ever physically forced to have sexual intercourse when they did not want to | 10 |
| Table 10: Percentage of middle school students who have ever been sworn at, insulted by, or put down by an adult..... | 11 |
| Table 11: Percentage of middle school students who have ever seen or heard adults in their home slap, hit, kick, punch, or beat each other up | 12 |
| Table 12: Percentage of middle school students who have ever lived with someone who was depressed, mentally ill, or suicidal..... | 13 |
| Table 13: Percentage of middle school students who have ever lived with someone who was a problem drinker, alcoholic, or abused street or prescription drugs..... | 14 |
| Table 14: Percentage of middle school students who have ever been separated from a parent or guardian because their parent/guardian went to jail, prison, or a detention center | 15 |
| EMOTIONAL HEALTH | 16 |
| Table 15: Percentage of middle school students who felt sad or hopeless almost every day for two or more weeks in a row during the 12 months before the survey | 16 |
| Table 16: Percentage of middle school students who seriously considered killing themselves during the 12 months before the survey | 17 |

Table 17: Percentage of middle school students who made a plan about how they would kill themselves during the 12 months before the survey..... 18

Table 18: Percentage of middle school students who tried to kill themselves during the 12 months before the survey..... 19

Table 19: Percentage of middle school students who have done something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose during the 12 months before the survey 20

Table 20: Percentage of middle school students who ever got the kind help they need when they felt sad, empty, hopeless, angry, or anxious 21

TOBACCO USE 22

Table 21: Percentage of middle school students who ever smoked cigarettes 22

Table 22: Percentage of middle school students who smoked cigarettes for the first time before age 11 years..... 23

Table 23: Percentage of middle school students who smoked cigarettes during the 30 days before the survey 24

Table 24: Percentage of middle school students who smoked cigarettes on 20 or more days during the 30 days before the survey 25

Table 25: Percentage of middle school students who used smokeless tobacco during the 30 days before the survey..... 26

ELECTRONIC VAPOR PRODUCT USE 27

Table 26: Percentage of middle school students who ever used electronic vapor products 27

Table 27: Percentage of middle school students who tried electronic vapor products for the first time before age 11 years 28

Table 28: Percentage of middle school students who used electronic vapor products during the 30 days before the survey..... 29

Table 29: Percentage of middle school students who used electronic vapor products on 20 or more days during the 30 days before the survey..... 30

Table 30: Percentage of middle school students who used an electronic vapor product to vape marijuana during the 30 days before the survey 31

Table 31: Percentage of middle school students who used an electronic vapor product to vape nicotine during the 30 days before the survey 32

Table 32: Percentage of middle school students who usually obtained their own electronic vapor products by buying them in a store or gas station during the 30 days before the survey 33

ALCOHOL USE 34

Table 33: Percentage of middle school students who ever drank alcohol 34

Table 34: Percentage of middle school students who drank alcohol for the first time before age 11 years..... 35

Table 35: Percentage of middle school students who had at least one drink of alcohol during the 30 days before the survey 36

Table 36: Percentage of middle school students who had at least one drink of alcohol on 20 or more days during the 30 days before the survey..... 37

Table 37: Percentage of middle school students who usually got the alcohol they drank by various means during the 30 days before the survey..... 38

| | |
|---|-----------|
| Table 38: Percentage of middle school students who have ever rode with a driver who had been drinking alcohol..... | 39 |
| MARIJUANA USE | 40 |
| Table 39: Percentage of middle school students who ever used marijuana..... | 40 |
| Table 40: Percentage of middle school students who tried marijuana for the first time before age 11 years..... | 41 |
| Table 41: Percentage of middle school students who used marijuana during the 30 days before the survey | 42 |
| Table 42: Percentage of middle school students who used marijuana 20 or more times during the 30 days before the survey | 43 |
| Table 43: Percentage of middle school students who usually used marijuana by different methods during the 30 days before the survey..... | 44 |
| Table 44: Percentage of middle school students who have ever rode with a driver who had been using marijuana..... | 45 |
| NON-MEDICAL PRESCRIPTION PAIN MEDICINE USE | 46 |
| Table 45: Percentage of middle school students who ever took prescription pain medicine without a doctor’s prescription or differently than how a doctor told them to use it | 46 |
| Table 46: Percentage of middle school students who took prescription pain medicine without a doctor’s prescription or differently than how a doctor told them to use it during the 30 days before the survey..... | 47 |
| OTHER DRUG USE..... | 48 |
| Table 47: Percentage of middle school students who ever used cocaine..... | 48 |
| Table 48: Percentage of middle school students who ever used heroin..... | 49 |
| Table 49 Percentage of middle school students who ever used methamphetamines | 50 |
| Table 50: Percentage of middle school students who ever used ecstasy | 51 |
| Table 51: Percentage of middle school students who ever used synthetic marijuana | 52 |
| SUBSTANCE USE – PERCEPTION OF RISK | 53 |
| Table 52: Percentage of middle school students who reported that they think people risk harming themselves physically or in other ways when they have five or more drinks of an alcoholic beverage once or twice a week | 53 |
| Table 53: Percentage of middle school students who reported that they think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day..... | 54 |
| Table 54: Percentage of middle school students who reported that they think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week | 55 |
| Table 55: Percentage of middle school students who reported that they think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them..... | 56 |
| SUBSTANCE USE – PERCEPTION OF PARENT DISAPPROVAL..... | 57 |
| Table 56: Percentage of middle school students who reported that their parents feel it would be wrong for them to have one or two drinks of an alcoholic beverage nearly every day | 57 |

Table 57: Percentage of middle school students who reported that their parents feel it would be wrong for them to smoke tobacco..... 58

Table 58: Percentage of middle school students who reported that their parents feel it would be wrong for them to smoke marijuana 59

Table 59: Percentage of middle school students who reported that their parents feel it would be wrong for them to use prescription drugs not prescribed to them 60

SUBSTANCE USE – PERCEPTION OF PEER DISAPPROVAL..... 61

Table 60: Percentage of middle school students who reported that their friends feel it would be wrong for them to have one or two drinks of an alcoholic beverage nearly every day 61

Table 61: Percentage of middle school students who reported that their friends feel it would be wrong for them to smoke tobacco..... 62

Table 62: Percentage of middle school students who reported that their friends feel it would be wrong for them to smoke marijuana 63

Table 63: Percentage of middle school students who reported that their friends feel it would be wrong for them to use prescription drugs not prescribed to them 64

PHYSICAL ACTIVITY 65

Table 64: Percentage of middle school students who did not participate in at least 60 minutes of physical activity on any day during the 7 days before the survey..... 65

Table 65: Percentage of middle school students who were physically active at least 60 minutes/day on 5 or more days during the 7 days before the survey 66

Table 66: Percentage of middle school students who were physically active at least 60 minutes/day on all 7 days before the survey..... 67

Table 67: Percentage of middle school students who spent 3 or more hours per day on screentime..... 68

Table 68: Percentage of middle school students who attended physical education (PE) classes on one or more days in an average school week..... 69

Table 69: Percentage of middle school students who attended physical education (PE) classes daily 70

Table 70: Percentage of middle school students who had 9 or more hours of sleep on an average school night 71

RESILIENCY FACTORS 72

Table 71: Percentage of middle school students who talked to their parents or other adults in their home about their problems 72

Table 72: Percentage of middle school students who talked to their parents about what is right and wrong 73

Table 73: Percentage of middle school students who felt comfortable talking to their parents about personal matters 74

Table 74: Percentage of middle school students who felt close to people at their school... 75

Table 75: Percentage of middle school students who were happy to be at their school 76

Table 76: Percentage of middle school students who reported that the teachers at their school treat students fairly 77

OTHER 78

Table 77: Percentage of middle school students who went hungry because there was not enough food in their home during the 30 days before the survey..... 78
Table 78: Percentage of middle school students who visited a dentist during the 12 months before the survey 79
Table 79: Percentage of middle school students who they themselves or someone in their home ever tested positive for COVID-19 80

INTRODUCTION

Priority health risk behaviors (i.e. preventable behaviors that contribute to the leading causes of morbidity and mortality) are often established during childhood and adolescence and extend into adulthood. Ongoing surveillance of youth risk behaviors is critical for the design, implementation, and evaluation of public health interventions to improve adolescent health. The Youth Risk Behavior Survey (YRBS) is a national surveillance system that was established in 1991 by the Centers for Disease Control and Prevention (CDC) to monitor the prevalence of health risk behaviors among youth. YRBS data are routinely collected on high school students, but only a few states collect data in middle schools. The Nevada Middle School YRBS is biennial, anonymous and voluntary survey of students in 6th through 8th grade in regular public, charter, and alternative schools. Students self-report their behaviors in five major areas of health that directly lead to morbidity and mortality, these include:

- 1) Behaviors that contribute to unintentional injuries and violence;
- 2) Tobacco use;
- 3) Alcohol and other drug use;
- 4) Unhealthy dietary behaviors; and
- 5) Physical inactivity.

The Nevada Division of Public and Behavioral Health contracted with the University of Nevada, Reno, School of Public Health to conduct the YRBS in all middle schools throughout the state. The 2021 Nevada Middle School YRBS provides statewide data to assess priority health-risk behaviors among middle school students; measure progress toward achieving national health objectives for *Healthy People 2030* and other program and policy indicators; and evaluate the impact of school and community interventions at the national, state, and local level. It is our intention that these data will be used by education and health professionals, policy makers, community members, and researchers to improve the health of Nevada's middle school students. **This report focuses on 2021 YRBS data from Washoe County Middle Schools (21 Middle Schools and 2149 students).**

METHODS

Sampling, Weighting, and Analysis

The 2021 Nevada YRBS sampling plan was designed to ensure that every eligible student had an equal chance of selection. A random cluster sample design was used to produce a representative sample of students in grades 6-8 (all Nevada regular public, charter, and alternative middle schools). In order to provide regional data that represent all counties in the state, all 17 school districts were grouped into 8 regions that generally reflect the Nevada Statewide Coalition Partnership. The regional grouping also helped ensure that individual schools could not be identified. Next, classes were randomly selected within every school with the probability based on a required margin of error in the sample size for each region. Intact classes of either all second period or all required English courses were randomly selected from each school (second period classes were

sampled in Washoe County). The questionnaire was administered to all students in sampled classes from September 2021 to December 2021. The 2021 Nevada YRBS administration was delayed from the spring semester to the fall semester due to the COVID-19 pandemic and subsequent school closures. Additionally, certain questions asking about events that occurred on school property were removed from the 2021 YRBS due to the COVID-19 pandemic-related school closures (Table 1).

The 2021 Nevada YRBS data in this report were weighted based on the sex, race/ethnicity, and grade level of students in each region. The weighting process ensured that the estimates accurately represent the entire student population in each region and the state as a whole. Non-response or poor sampling procedures can result in a sample that is not a representative subset of the population; therefore, un-weighted results from these samples may not accurately reflect student behaviors and could be misleading. This report only displays weighted results.

NOTE: Because 2021 YRBS data were collected spring semester rather than fall semester, the students were younger on average. Age can influence the risk behavior prevalence estimates. When comparing 2021 data to other years, please refer to the UNR trend reports which weight the data by age for all years compared.

Table 1: School-property related questions removed in 2021 due to COVID-19

| Section | Question |
|----------------------------|---|
| Violence-related behaviors | During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property? |
| | During the past 12 months, how many times were you in a physical fight on school property? |
| | During the past 12 months, have you ever been bullied on school property? |
| Physical Activity | During the past 12 months, on how many sports teams did you play? |

Permission Status and Response Rates

The Nevada legislature passed SB69, which requires Nevada public, charter, and alternative secondary schools to participate in the Nevada YRBS. SB69 also requires passive parental permission for YRBS participation. Passive parental permission means the students take a permission form home and return it only if their parent or guardian does not want them to participate in the survey. In 2021, Washoe County had an overall response rate (a combination of school and student response rates) of 75.1%.

RESULTS

Participant Characteristics

Table 2: Demographic characteristics of participating students — Nevada YRBS 2021

| | | Student Participants ^a | Unweighted % | Weighted % |
|-----------------------|---|-----------------------------------|--------------|------------|
| Total | | 2149 | 100.0% | 100.0% |
| Sex | Female | 1034 | 49.5% | 48.7% |
| | Male | 1055 | 50.5% | 51.3% |
| Age Groups | 11 years old or younger | 593 | 27.6% | 26.2% |
| | 12 years old | 767 | 35.8% | 34.3% |
| | 13 years old | 728 | 33.9% | 36.7% |
| | 14 years old or older | 57 | 2.7% | 2.8% |
| Grade | 6th | 647 | 30.4% | 29.2% |
| | 7th | 762 | 35.8% | 33.7% |
| | 8th | 719 | 33.8% | 37.1% |
| Race/Ethnicity | American Indian/Alaska Native^d | 64 | 3.2% | 1.0% |
| | Asian^d | 95 | 4.8% | 4.3% |
| | Black^d | 70 | 3.5% | 2.6% |
| | Native Hawaiian/Pacific Islander^d | 41 | 2.1% | 1.3% |
| | White^d | 799 | 40.1% | 40.8% |
| | Hispanic/Latino | 817 | 41.1% | 43.7% |
| | Other/Multiple^d | 103 | 5.2% | 6.3% |

^a The sample size in the total and subgroups may differ due to missing data

^d Non-Hispanic

Table 3: Percentage of middle school students who had parents or other adults in the home serving on active duty in the military — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 135 | 6.6% | (5.3-7.9) | 1925 | 93.4% | (92.1-94.7) |
| Sex | Female | 64 | 6.5% | (4.7-8.2) | 928 | 93.5% | (91.8-95.3) |
| | Male | 65 | 6.4% | (4.6-8.3) | 950 | 93.6% | (91.7-95.4) |
| Age | 11 years old or younger | 40 | 7.0% | (5.0-9.1) | 523 | 93.0% | (90.9-95.0) |
| | 12 years old | 51 | 7.5% | (5.0-10.1) | 686 | 92.5% | (89.9-95.0) |
| | 13 years old | 39 | 5.2% | (3.5-7.0) | 662 | 94.8% | (93.0-96.5) |
| | 14 years old or older | 5 | 9.5% | (0.5-18.6) | 51 | 90.5% | (81.4-99.5) |
| Grade | 6th | 48 | 7.9% | (5.4-10.5) | 562 | 92.1% | (89.5-94.6) |
| | 7th | 47 | 6.8% | (4.2-9.4) | 690 | 93.2% | (90.6-95.8) |
| | 8th | 39 | 5.4% | (3.6-7.1) | 657 | 94.6% | (92.9-96.4) |
| Race/Ethnicity | American Indian/Alaska Native^d | 5 | 7.8% | (1.6-13.9) | 59 | 92.2% | (86.1-98.4) |
| | Asian^d | 8 | 8.9% | (2.9-15.0) | 81 | 91.1% | (85.0-97.1) |
| | Black^d | 7 | 10.8% | (3.1-18.6) | 59 | 89.2% | (81.4-96.9) |
| | Native Hawaiian/Pacific Islander^d | 2 | 5.3% | (0.0-12.8) | 38 | 94.7% | (87.2-100.0) |
| | White^d | 46 | 5.8% | (4.1-7.6) | 741 | 94.2% | (92.4-95.9) |
| | Hispanic/Latino | 51 | 6.4% | (4.1-8.7) | 734 | 93.6% | (91.3-95.9) |
| | Other/Multiple^d | 10 | 10.0% | (3.8-16.1) | 89 | 90.0% | (83.9-96.2) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 4: Percentage of middle school students who qualified for or received free or reduced price lunches at school — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 756 | 37.1% | (33.4-40.7) | 1301 | 62.9% | (59.3-66.6) |
| Sex | Female | 348 | 35.8% | (31.4-40.1) | 646 | 64.2% | (59.9-68.6) |
| | Male | 394 | 38.7% | (34.7-42.8) | 619 | 61.3% | (57.2-65.3) |
| Age | 11 years old or younger | 213 | 38.9% | (32.3-45.4) | 353 | 61.1% | (54.6-67.7) |
| | 12 years old | 279 | 38.5% | (31.4-45.6) | 446 | 61.5% | (54.4-68.6) |
| | 13 years old | 244 | 35.0% | (29.8-40.2) | 463 | 65.0% | (59.8-70.2) |
| | 14 years old or older | 19 | 30.7% | (18.9-42.5) | 38 | 69.3% | (57.5-81.1) |
| Grade | 6th | 225 | 37.2% | (31.5-43.0) | 389 | 62.8% | (57.0-68.5) |
| | 7th | 282 | 39.6% | (32.1-47.0) | 442 | 60.4% | (53.0-67.9) |
| | 8th | 241 | 34.7% | (29.3-40.0) | 461 | 65.3% | (60.0-70.7) |
| Race/Ethnicity | American Indian/Alaska Native^d | 25 | 39.0% | (27.2-50.7) | 39 | 61.0% | (49.3-72.8) |
| | Asian^d | 34 | 36.3% | (26.0-46.6) | 59 | 63.7% | (53.4-74.0) |
| | Black^d | 24 | 37.3% | (25.6-49.1) | 41 | 62.7% | (50.9-74.4) |
| | Native Hawaiian/Pacific Islander^d | 13 | 33.2% | (16.8-49.6) | 27 | 66.8% | (50.4-83.2) |
| | White^d | 283 | 35.8% | (32.1-39.6) | 504 | 64.2% | (60.4-67.9) |
| | Hispanic/Latino | 310 | 40.0% | (34.9-45.1) | 465 | 60.0% | (54.9-65.1) |
| | Other/Multiple^d | 28 | 27.9% | (17.7-38.1) | 72 | 72.1% | (61.9-82.3) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 5: Percentage of middle school students who experienced housing insecurity during the 30 days before the survey^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 55 | 2.4% | (1.7-3.2) | 2030 | 97.6% | (96.8-98.3) |
| Sex | Female | 26 | 2.3% | (1.3-3.3) | 988 | 97.7% | (96.7-98.7) |
| | Male | 27 | 2.5% | (1.5-3.4) | 992 | 97.5% | (96.6-98.5) |
| Age | 11 years old or younger | 19 | 3.3% | (1.7-4.9) | 556 | 96.7% | (95.1-98.3) |
| | 12 years old | 20 | 2.3% | (1.1-3.6) | 721 | 97.7% | (96.4-98.9) |
| | 13 years old | 16 | 2.1% | (1.0-3.1) | 695 | 97.9% | (96.9-99.0) |
| | 14 years old or older | 0 | . | (-.) | 55 | 100.0% | (100.0-100.0) |
| Grade | 6th | 20 | 3.2% | (1.6-4.9) | 604 | 96.8% | (95.1-98.4) |
| | 7th | 21 | 2.4% | (1.1-3.6) | 718 | 97.6% | (96.4-98.9) |
| | 8th | 13 | 1.7% | (0.8-2.7) | 691 | 98.3% | (97.3-99.2) |
| Race/Ethnicity | American Indian/Alaska Native^d | 5 | 7.7% | (0.0-15.3) | 59 | 92.3% | (84.7-100.0) |
| | Asian^d | 4 | 4.3% | (0.1-8.5) | 88 | 95.7% | (91.5-99.9) |
| | Black^d | 5 | 7.4% | (0.0-14.8) | 62 | 92.6% | (85.2-100.0) |
| | Native Hawaiian/Pacific Islander^d | 1 | 2.7% | (0.0-8.0) | 37 | 97.3% | (92.0-100.0) |
| | White^d | 22 | 2.8% | (1.5-4.0) | 767 | 97.2% | (96.0-98.5) |
| | Hispanic/Latino | 12 | 1.5% | (0.7-2.3) | 778 | 98.5% | (97.7-99.3) |
| | Other/Multiple^d | 2 | 2.0% | (0.0-4.7) | 99 | 98.0% | (95.3-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e In the home of other people, shelter or emergency housing, motel or hotel, public place, or no usual place

* **Note: We caution against group comparisons when a cell size is less than 5.**

Violence-Related Behaviors

Table 6: Percentage of middle school students who were electronically bullied during the 12 months before the survey^e — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 384 | 17.9% | (16.0-19.8) | 1711 | 82.1% | (80.2-84.0) |
| Sex | Female | 218 | 21.3% | (18.6-24.1) | 792 | 78.7% | (75.9-81.4) |
| | Male | 148 | 13.9% | (11.7-16.1) | 887 | 86.1% | (83.9-88.3) |
| Age | 11 years old or younger | 99 | 16.8% | (13.5-20.0) | 478 | 83.2% | (80.0-86.5) |
| | 12 years old | 153 | 20.0% | (17.0-23.0) | 593 | 80.0% | (77.0-83.0) |
| | 13 years old | 119 | 16.7% | (13.7-19.6) | 594 | 83.3% | (80.4-86.3) |
| | 14 years old or older | 13 | 20.9% | (10.3-31.5) | 44 | 79.1% | (68.5-89.7) |
| Grade | 6th | 110 | 17.2% | (13.8-20.5) | 517 | 82.8% | (79.5-86.2) |
| | 7th | 156 | 20.6% | (17.0-24.1) | 587 | 79.4% | (75.9-83.0) |
| | 8th | 115 | 16.1% | (13.2-19.0) | 592 | 83.9% | (81.0-86.8) |
| Race/Ethnicity | American Indian/Alaska Native^d | 14 | 22.1% | (10.8-33.3) | 49 | 77.9% | (66.7-89.2) |
| | Asian^d | 26 | 27.4% | (18.8-35.9) | 68 | 72.6% | (64.1-81.2) |
| | Black^d | 12 | 17.5% | (8.4-26.6) | 56 | 82.5% | (73.4-91.6) |
| | Native Hawaiian/Pacific Islander^d | 7 | 17.4% | (6.5-28.3) | 33 | 82.6% | (71.7-93.5) |
| | White^d | 150 | 18.8% | (16.3-21.3) | 637 | 81.2% | (78.7-83.7) |
| | Hispanic/Latino | 130 | 16.3% | (13.6-19.1) | 666 | 83.7% | (80.9-86.4) |
| | Other/Multiple^d | 17 | 16.4% | (9.3-23.4) | 85 | 83.6% | (76.6-90.7) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Including being bullied through texting, Instagram, Facebook, or other social media

Table 7: Percentage of middle school students who did not go to school because they felt unsafe at school or on their way to or from school during the 30 days before the survey — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 93 | 4.3% | (3.3-5.3) | 1994 | 95.7% | (94.7-96.7) |
| Sex | Female | 54 | 5.3% | (3.6-6.9) | 957 | 94.7% | (93.1-96.4) |
| | Male | 34 | 3.0% | (1.8-4.3) | 993 | 97.0% | (95.7-98.2) |
| Age | 11 years old or younger | 19 | 2.5% | (1.1-3.9) | 557 | 97.5% | (96.1-98.9) |
| | 12 years old | 35 | 4.7% | (3.0-6.4) | 707 | 95.3% | (93.6-97.0) |
| | 13 years old | 35 | 5.0% | (3.2-6.8) | 676 | 95.0% | (93.2-96.8) |
| | 14 years old or older | 4 | 7.7% | (0.8-14.5) | 52 | 92.3% | (85.5-99.2) |
| Grade | 6th | 21 | 2.6% | (1.2-4.0) | 606 | 97.4% | (96.0-98.8) |
| | 7th | 36 | 5.0% | (3.1-6.9) | 700 | 95.0% | (93.1-96.9) |
| | 8th | 35 | 5.0% | (3.1-6.8) | 672 | 95.0% | (93.2-96.9) |
| Race/Ethnicity | American Indian/Alaska Native^d | 4 | 6.0% | (0.0-12.9) | 60 | 94.0% | (87.1-100.0) |
| | Asian^d | 5 | 5.4% | (1.0-9.7) | 89 | 94.6% | (90.3-99.0) |
| | Black^d | 3 | 4.7% | (0.0-9.8) | 63 | 95.3% | (90.2-100.0) |
| | Native Hawaiian/Pacific Islander^d | 3 | 7.9% | (0.0-16.6) | 37 | 92.1% | (83.4-100.0) |
| | White^d | 22 | 2.7% | (1.5-4.0) | 770 | 97.3% | (96.0-98.5) |
| | Hispanic/Latino | 44 | 5.6% | (3.9-7.2) | 746 | 94.4% | (92.8-96.1) |
| | Other/Multiple^d | 4 | 4.1% | (0.3-7.8) | 97 | 95.9% | (92.2-99.7) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Adverse Childhood Experiences

Table 8: Percentage of middle school students who have ever been hit, beaten, kicked, or physically hurt in any way by an adult^e — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 227 | 11.1% | (9.6-12.6) | 1845 | 88.9% | (87.4-90.4) |
| Sex | Female | 116 | 11.5% | (9.5-13.6) | 887 | 88.5% | (86.4-90.5) |
| | Male | 102 | 10.4% | (8.3-12.5) | 918 | 89.6% | (87.5-91.7) |
| Age | 11 years old or younger | 58 | 10.6% | (7.8-13.5) | 510 | 89.4% | (86.5-92.2) |
| | 12 years old | 71 | 9.7% | (7.4-12.0) | 669 | 90.3% | (88.0-92.6) |
| | 13 years old | 90 | 12.4% | (9.8-15.0) | 617 | 87.6% | (85.0-90.2) |
| | 14 years old or older | 7 | 14.0% | (5.7-22.3) | 48 | 86.0% | (77.7-94.3) |
| Grade | 6th | 62 | 10.4% | (7.5-13.4) | 556 | 89.6% | (86.6-92.5) |
| | 7th | 77 | 10.6% | (8.1-13.0) | 664 | 89.4% | (87.0-91.9) |
| | 8th | 84 | 11.8% | (9.2-14.3) | 613 | 88.2% | (85.7-90.8) |
| Race/Ethnicity | American Indian/Alaska Native^d | 9 | 14.3% | (5.8-22.7) | 55 | 85.7% | (77.3-94.2) |
| | Asian^d | 8 | 8.5% | (2.6-14.3) | 86 | 91.5% | (85.7-97.4) |
| | Black^d | 13 | 19.4% | (9.1-29.7) | 54 | 80.6% | (70.3-90.9) |
| | Native Hawaiian/Pacific Islander^d | 8 | 21.0% | (9.8-32.3) | 30 | 79.0% | (67.7-90.2) |
| | White^d | 66 | 8.5% | (6.3-10.7) | 717 | 91.5% | (89.3-93.7) |
| | Hispanic/Latino | 101 | 12.9% | (10.3-15.5) | 683 | 87.1% | (84.5-89.7) |
| | Other/Multiple^d | 13 | 12.9% | (5.6-20.2) | 87 | 87.1% | (79.8-94.4) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Not including spanking for bad behavior

Table 9: Percentage of middle school students who were ever physically forced to have sexual intercourse when they did not want to — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 81 | 4.1% | (3.1-5.0) | 1981 | 95.9% | (95.0-96.9) |
| Sex | Female | 55 | 5.9% | (4.5-7.3) | 933 | 94.1% | (92.7-95.5) |
| | Male | 24 | 2.3% | (1.3-3.2) | 1004 | 97.7% | (96.8-98.7) |
| Age | 11 years old or younger | 19 | 3.4% | (1.9-4.9) | 542 | 96.6% | (95.1-98.1) |
| | 12 years old | 28 | 4.1% | (2.6-5.6) | 704 | 95.9% | (94.4-97.4) |
| | 13 years old | 31 | 4.4% | (2.7-6.0) | 680 | 95.6% | (94.0-97.3) |
| | 14 years old or older | 3 | 5.6% | (0.0-11.5) | 54 | 94.4% | (88.5-100.0) |
| Grade | 6th | 23 | 4.1% | (2.3-5.8) | 585 | 95.9% | (94.2-97.7) |
| | 7th | 26 | 3.6% | (2.4-4.9) | 706 | 96.4% | (95.1-97.6) |
| | 8th | 31 | 4.4% | (2.6-6.1) | 675 | 95.6% | (93.9-97.4) |
| Race/Ethnicity | American Indian/Alaska Native^d | 1 | 1.7% | (0.0-4.9) | 62 | 98.3% | (95.1-100.0) |
| | Asian^d | 5 | 5.4% | (0.8-10.0) | 87 | 94.6% | (90.0-99.2) |
| | Black^d | 1 | 1.4% | (0.0-4.3) | 63 | 98.6% | (95.7-100.0) |
| | Native Hawaiian/Pacific Islander^d | 6 | 15.0% | (1.1-29.0) | 34 | 85.0% | (71.0-98.9) |
| | White^d | 20 | 2.6% | (1.3-3.9) | 759 | 97.4% | (96.1-98.7) |
| | Hispanic/Latino | 42 | 5.3% | (3.9-6.7) | 743 | 94.7% | (93.3-96.1) |
| | Other/Multiple^d | 4 | 3.8% | (0.1-7.6) | 97 | 96.2% | (92.4-99.9) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 10: Percentage of middle school students who have ever been sworn at, insulted by, or put down by an adult in their home — Nevada YRBS 2021*

| | | Never/Rarely | | | Sometimes | | | Most of the time/Always | | |
|-----------------------|--|----------------|----------------|-------------------------|----------------|----------------|-------------------------|-------------------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 1446 | 69.8% | (66.8-72.7) | 427 | 20.8% | (18.6-22.9) | 191 | 9.5% | (7.6-11.3) |
| Sex | Female | 659 | 65.6% | (61.8-69.5) | 232 | 23.4% | (20.5-26.2) | 107 | 11.0% | (8.5-13.5) |
| | Male | 763 | 74.7% | (71.6-77.8) | 177 | 17.6% | (15.0-20.1) | 77 | 7.7% | (5.9-9.5) |
| Age | 11 years old or younger | 423 | 74.9% | (70.9-78.8) | 104 | 18.6% | (14.7-22.6) | 36 | 6.5% | (3.9-9.1) |
| | 12 years old | 516 | 70.3% | (66.4-74.3) | 161 | 21.9% | (18.6-25.2) | 56 | 7.8% | (5.5-10.0) |
| | 13 years old | 466 | 65.9% | (60.4-71.4) | 149 | 20.9% | (16.9-24.9) | 94 | 13.2% | (10.2-16.2) |
| | 14 years old or older | 40 | 68.5% | (53.9-83.0) | 12 | 23.2% | (11.0-35.4) | 5 | 8.3% | (0.3-16.3) |
| Grade | 6th | 461 | 74.9% | (70.9-78.8) | 116 | 19.3% | (15.5-23.1) | 36 | 5.9% | (3.4-8.3) |
| | 7th | 516 | 70.5% | (66.3-74.7) | 149 | 20.4% | (17.3-23.5) | 64 | 9.1% | (6.5-11.7) |
| | 8th | 459 | 65.5% | (60.0-71.0) | 156 | 22.0% | (18.4-25.5) | 90 | 12.6% | (9.1-16.0) |
| Race/Ethnicity | American Indian/ Alaska Native^d | 48 | 74.9% | (63.4-86.4) | 12 | 18.8% | (8.9-28.7) | 4 | 6.3% | (0.1-12.4) |
| | Asian^d | 59 | 64.4% | (53.9-74.9) | 22 | 24.4% | (15.1-33.7) | 10 | 11.2% | (5.6-16.7) |
| | Black^d | 43 | 63.9% | (52.2-75.5) | 17 | 25.9% | (15.7-36.1) | 7 | 10.3% | (2.5-18.1) |
| | Native Hawaiian/ Pacific Islander^d | 22 | 55.9% | (40.3-71.5) | 9 | 22.8% | (10.8-34.9) | 8 | 21.3% | (9.5-33.0) |
| | White^d | 558 | 71.6% | (67.4-75.7) | 159 | 20.4% | (16.9-23.8) | 63 | 8.1% | (5.8-10.3) |
| | Hispanic/Latino | 543 | 69.5% | (65.8-73.2) | 158 | 20.2% | (17.4-23.0) | 80 | 10.3% | (7.9-12.8) |
| | Other/Multiple^d | 67 | 67.3% | (56.6-77.9) | 23 | 22.9% | (13.7-32.1) | 10 | 9.9% | (3.7-16.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 11: Percentage of middle school students who have ever seen or heard adults in their home slap, hit, kick, punch, or beat each other up — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 275 | 13.2% | (11.3-15.2) | 1800 | 86.8% | (84.8-88.7) |
| Sex | Female | 151 | 15.1% | (12.8-17.4) | 841 | 84.9% | (82.6-87.2) |
| | Male | 115 | 11.3% | (8.7-13.8) | 918 | 88.7% | (86.2-91.3) |
| Age | 11 years old or younger | 68 | 12.1% | (8.7-15.5) | 498 | 87.9% | (84.5-91.3) |
| | 12 years old | 102 | 13.7% | (10.1-17.2) | 640 | 86.3% | (82.8-89.9) |
| | 13 years old | 96 | 13.5% | (10.3-16.7) | 613 | 86.5% | (83.3-89.7) |
| | 14 years old or older | 9 | 16.5% | (6.2-26.9) | 47 | 83.5% | (73.1-93.8) |
| Grade | 6th | 76 | 12.6% | (9.4-15.8) | 539 | 87.4% | (84.2-90.6) |
| | 7th | 103 | 13.8% | (10.4-17.1) | 639 | 86.2% | (82.9-89.6) |
| | 8th | 93 | 13.2% | (9.9-16.5) | 607 | 86.8% | (83.5-90.1) |
| Race/Ethnicity | American Indian/Alaska Native^d | 12 | 19.1% | (9.2-29.1) | 50 | 80.9% | (70.9-90.8) |
| | Asian^d | 8 | 8.5% | (2.7-14.4) | 85 | 91.5% | (85.6-97.3) |
| | Black^d | 10 | 15.3% | (7.4-23.2) | 55 | 84.7% | (76.8-92.6) |
| | Native Hawaiian/Pacific Islander^d | 8 | 20.8% | (7.5-34.2) | 31 | 79.2% | (65.8-92.5) |
| | White^d | 80 | 10.2% | (7.6-12.7) | 704 | 89.8% | (87.3-92.4) |
| | Hispanic/Latino | 125 | 15.9% | (13.2-18.5) | 661 | 84.1% | (81.5-86.8) |
| | Other/Multiple^d | 16 | 15.9% | (8.2-23.6) | 84 | 84.1% | (76.4-91.8) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 12: Percentage of middle school students who have ever lived with someone who was depressed, mentally ill, or suicidal — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 513 | 26.1% | (23.5-28.8) | 1496 | 73.9% | (71.2-76.5) |
| Sex | Female | 288 | 30.0% | (26.6-33.5) | 693 | 70.0% | (66.5-73.4) |
| | Male | 203 | 21.4% | (18.0-24.7) | 776 | 78.6% | (75.3-82.0) |
| Age | 11 years old or younger | 103 | 19.1% | (15.0-23.3) | 444 | 80.9% | (76.7-85.0) |
| | 12 years old | 175 | 25.2% | (21.7-28.6) | 530 | 74.8% | (71.4-78.3) |
| | 13 years old | 219 | 31.6% | (27.7-35.5) | 482 | 68.4% | (64.5-72.3) |
| | 14 years old or older | 15 | 29.0% | (17.3-40.7) | 38 | 71.0% | (59.3-82.7) |
| Grade | 6th | 119 | 20.4% | (16.2-24.7) | 472 | 79.6% | (75.3-83.8) |
| | 7th | 165 | 23.6% | (20.1-27.2) | 543 | 76.4% | (72.8-79.9) |
| | 8th | 222 | 32.2% | (28.4-36.0) | 472 | 67.8% | (64.0-71.6) |
| Race/Ethnicity | American Indian/Alaska Native^d | 11 | 18.3% | (5.2-31.4) | 49 | 81.7% | (68.6-94.8) |
| | Asian^d | 17 | 18.7% | (10.2-27.3) | 73 | 81.3% | (72.7-89.8) |
| | Black^d | 22 | 33.9% | (22.8-45.0) | 43 | 66.1% | (55.0-77.2) |
| | Native Hawaiian/Pacific Islander^d | 10 | 25.8% | (14.3-37.2) | 29 | 74.2% | (62.8-85.7) |
| | White^d | 204 | 26.5% | (22.2-30.8) | 568 | 73.5% | (69.2-77.8) |
| | Hispanic/Latino | 188 | 25.1% | (21.7-28.5) | 565 | 74.9% | (71.5-78.3) |
| | Other/Multiple^d | 34 | 35.0% | (25.6-44.5) | 63 | 65.0% | (55.5-74.4) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 13: Percentage of middle school students who have ever lived with someone who was a problem drinker, alcoholic, or abused street or prescription drugs — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 393 | 19.9% | (17.5-22.3) | 1622 | 80.1% | (77.7-82.5) |
| Sex | Female | 233 | 24.2% | (20.8-27.6) | 756 | 75.8% | (72.4-79.2) |
| | Male | 154 | 16.0% | (13.3-18.7) | 825 | 84.0% | (81.3-86.7) |
| Age | 11 years old or younger | 72 | 13.9% | (10.6-17.2) | 473 | 86.1% | (82.8-89.4) |
| | 12 years old | 136 | 19.1% | (15.5-22.7) | 577 | 80.9% | (77.3-84.5) |
| | 13 years old | 177 | 25.2% | (20.6-29.8) | 524 | 74.8% | (70.2-79.4) |
| | 14 years old or older | 8 | 14.1% | (3.3-24.9) | 45 | 85.9% | (75.1-96.7) |
| Grade | 6th | 81 | 14.2% | (11.0-17.4) | 509 | 85.8% | (82.6-89.0) |
| | 7th | 141 | 20.2% | (16.4-24.0) | 573 | 79.8% | (76.0-83.6) |
| | 8th | 164 | 23.5% | (19.3-27.7) | 529 | 76.5% | (72.3-80.7) |
| Race/Ethnicity | American Indian/Alaska Native^d | 8 | 13.5% | (3.6-23.4) | 52 | 86.5% | (76.6-96.4) |
| | Asian^d | 12 | 13.7% | (6.6-20.9) | 76 | 86.3% | (79.1-93.4) |
| | Black^d | 16 | 25.2% | (15.0-35.4) | 49 | 74.8% | (64.6-85.0) |
| | Native Hawaiian/Pacific Islander^d | 8 | 21.0% | (8.5-33.5) | 31 | 79.0% | (66.5-91.5) |
| | White^d | 146 | 18.8% | (15.4-22.3) | 627 | 81.2% | (77.7-84.6) |
| | Hispanic/Latino | 155 | 20.5% | (17.5-23.6) | 601 | 79.5% | (76.4-82.5) |
| | Other/Multiple^d | 26 | 25.8% | (17.1-34.5) | 74 | 74.2% | (65.5-82.9) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 14: Percentage of middle school students who have ever been separated from a parent or guardian because their parent/guardian went to jail, prison, or a detention center— Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 269 | 13.8% | (11.9-15.6) | 1743 | 86.2% | (84.4-88.1) |
| Sex | Female | 139 | 14.2% | (11.6-16.7) | 850 | 85.8% | (83.3-88.4) |
| | Male | 123 | 13.3% | (10.6-16.0) | 854 | 86.7% | (84.0-89.4) |
| Age | 11 years old or younger | 56 | 10.8% | (8.0-13.6) | 487 | 89.2% | (86.4-92.0) |
| | 12 years old | 96 | 13.6% | (10.8-16.4) | 618 | 86.4% | (83.6-89.2) |
| | 13 years old | 108 | 15.6% | (12.5-18.7) | 591 | 84.4% | (81.3-87.5) |
| | 14 years old or older | 9 | 18.3% | (7.0-29.5) | 45 | 81.7% | (70.5-93.0) |
| Grade | 6th | 68 | 12.4% | (9.5-15.3) | 519 | 87.6% | (84.7-90.5) |
| | 7th | 90 | 12.5% | (10.0-15.0) | 625 | 87.5% | (85.0-90.0) |
| | 8th | 110 | 16.0% | (12.6-19.3) | 584 | 84.0% | (80.7-87.4) |
| Race/Ethnicity | American Indian/Alaska Native^d | 8 | 13.2% | (3.9-22.5) | 52 | 86.8% | (77.5-96.1) |
| | Asian^d | 4 | 4.4% | (0.1-8.6) | 84 | 95.6% | (91.4-99.9) |
| | Black^d | 13 | 19.9% | (9.3-30.5) | 52 | 80.1% | (69.5-90.7) |
| | Native Hawaiian/Pacific Islander^d | 8 | 21.4% | (5.8-37.0) | 31 | 78.6% | (63.0-94.2) |
| | White^d | 97 | 12.6% | (9.8-15.4) | 677 | 87.4% | (84.6-90.2) |
| | Hispanic/Latino | 115 | 15.3% | (12.7-17.9) | 638 | 84.7% | (82.1-87.3) |
| | Other/Multiple^d | 14 | 14.2% | (5.9-22.4) | 86 | 85.8% | (77.6-94.1) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Emotional Health

Table 15: Percentage of middle school students who felt sad or hopeless almost every day for two or more weeks in a row during the 12 months before the survey^e — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 661 | 32.7% | (29.8-35.6) | 1402 | 67.3% | (64.4-70.2) |
| Sex | Female | 404 | 41.7% | (38.3-45.2) | 589 | 58.3% | (54.8-61.7) |
| | Male | 225 | 22.7% | (19.3-26.0) | 793 | 77.3% | (74.0-80.7) |
| Age | 11 years old or younger | 152 | 27.7% | (22.3-33.1) | 417 | 72.3% | (66.9-77.7) |
| | 12 years old | 238 | 33.0% | (30.1-36.0) | 492 | 67.0% | (64.0-69.9) |
| | 13 years old | 248 | 35.2% | (30.5-40.0) | 457 | 64.8% | (60.0-69.5) |
| | 14 years old or older | 23 | 42.3% | (24.8-59.9) | 34 | 57.7% | (40.1-75.2) |
| Grade | 6th | 177 | 29.4% | (24.5-34.2) | 441 | 70.6% | (65.8-75.5) |
| | 7th | 230 | 32.1% | (28.6-35.7) | 500 | 67.9% | (64.3-71.4) |
| | 8th | 251 | 36.0% | (30.8-41.2) | 447 | 64.0% | (58.8-69.2) |
| Race/Ethnicity | American Indian/Alaska Native^d | 20 | 32.5% | (21.7-43.3) | 42 | 67.5% | (56.7-78.3) |
| | Asian^d | 30 | 31.8% | (21.6-42.1) | 64 | 68.2% | (57.9-78.4) |
| | Black^d | 23 | 33.6% | (20.9-46.3) | 44 | 66.4% | (53.7-79.1) |
| | Native Hawaiian/Pacific Islander^d | 13 | 33.6% | (17.5-49.8) | 26 | 66.4% | (50.2-82.5) |
| | White^d | 201 | 25.8% | (21.6-30.1) | 575 | 74.2% | (69.9-78.4) |
| | Hispanic/Latino | 298 | 38.1% | (34.6-41.5) | 483 | 61.9% | (58.5-65.4) |
| | Other/Multiple^d | 43 | 42.3% | (33.2-51.3) | 58 | 57.7% | (48.7-66.8) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e So that they stopped doing some usual activities

Table 16: Percentage of middle school students who seriously considered killing themselves during the 12 months before the survey — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 353 | 17.7% | (15.5-20.0) | 1702 | 82.3% | (80.0-84.5) |
| Sex | Female | 225 | 23.8% | (20.4-27.2) | 759 | 76.2% | (72.8-79.6) |
| | Male | 111 | 11.3% | (9.0-13.6) | 914 | 88.7% | (86.4-91.0) |
| Age | 11 years old or younger | 74 | 13.9% | (10.6-17.2) | 488 | 86.1% | (82.8-89.4) |
| | 12 years old | 118 | 16.6% | (13.7-19.6) | 606 | 83.4% | (80.4-86.3) |
| | 13 years old | 149 | 21.1% | (17.2-24.9) | 562 | 78.9% | (75.1-82.8) |
| | 14 years old or older | 12 | 22.5% | (10.1-34.9) | 44 | 77.5% | (65.1-89.9) |
| Grade | 6th | 84 | 14.7% | (11.4-18.0) | 527 | 85.3% | (82.0-88.6) |
| | 7th | 117 | 16.3% | (13.0-19.5) | 606 | 83.7% | (80.5-87.0) |
| | 8th | 150 | 21.4% | (17.4-25.3) | 553 | 78.6% | (74.7-82.6) |
| Race/Ethnicity | American Indian/Alaska Native^d | 10 | 16.4% | (6.6-26.2) | 51 | 83.6% | (73.8-93.4) |
| | Asian^d | 15 | 16.0% | (8.5-23.5) | 78 | 84.0% | (76.5-91.5) |
| | Black^d | 12 | 17.8% | (8.2-27.4) | 55 | 82.2% | (72.6-91.8) |
| | Native Hawaiian/Pacific Islander^d | 6 | 16.1% | (4.7-27.4) | 32 | 83.9% | (72.6-95.3) |
| | White^d | 114 | 14.7% | (11.6-17.7) | 662 | 85.3% | (82.3-88.4) |
| | Hispanic/Latino | 152 | 19.5% | (16.6-22.4) | 628 | 80.5% | (77.6-83.4) |
| | Other/Multiple^d | 28 | 28.5% | (19.3-37.7) | 70 | 71.5% | (62.3-80.7) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 17: Percentage of middle school students who made a plan about how they would kill themselves during the 12 months before the survey — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 226 | 11.3% | (9.4-13.3) | 1825 | 88.7% | (86.7-90.6) |
| Sex | Female | 157 | 16.4% | (13.5-19.4) | 825 | 83.6% | (80.6-86.5) |
| | Male | 58 | 5.9% | (4.2-7.7) | 968 | 94.1% | (92.3-95.8) |
| Age | 11 years old or younger | 41 | 7.9% | (5.4-10.3) | 520 | 92.1% | (89.7-94.6) |
| | 12 years old | 79 | 11.4% | (8.4-14.4) | 645 | 88.6% | (85.6-91.6) |
| | 13 years old | 97 | 13.4% | (10.2-16.6) | 610 | 86.6% | (83.4-89.8) |
| | 14 years old or older | 9 | 15.6% | (5.6-25.5) | 48 | 84.4% | (74.5-94.4) |
| Grade | 6th | 46 | 8.3% | (6.0-10.7) | 562 | 91.7% | (89.3-94.0) |
| | 7th | 76 | 10.6% | (7.5-13.8) | 648 | 89.4% | (86.2-92.5) |
| | 8th | 102 | 14.2% | (10.8-17.5) | 600 | 85.8% | (82.5-89.2) |
| Race/Ethnicity | American Indian/Alaska Native^d | 6 | 9.8% | (1.0-18.6) | 55 | 90.2% | (81.4-99.0) |
| | Asian^d | 9 | 9.7% | (4.3-15.1) | 84 | 90.3% | (84.9-95.7) |
| | Black^d | 8 | 11.6% | (3.5-19.7) | 59 | 88.4% | (80.3-96.5) |
| | Native Hawaiian/Pacific Islander^d | 4 | 11.0% | (1.5-20.5) | 33 | 89.0% | (79.5-98.5) |
| | White^d | 68 | 8.8% | (6.3-11.3) | 707 | 91.2% | (88.7-93.7) |
| | Hispanic/Latino | 103 | 13.3% | (10.4-16.1) | 673 | 86.7% | (83.9-89.6) |
| | Other/Multiple^d | 17 | 16.7% | (8.9-24.5) | 83 | 83.3% | (75.5-91.1) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 18: Percentage of middle school students who tried to kill themselves during the 12 months before the survey — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 120 | 5.9% | (4.8-7.1) | 1921 | 94.1% | (92.9-95.2) |
| Sex | Female | 75 | 7.8% | (5.8-9.8) | 902 | 92.2% | (90.2-94.2) |
| | Male | 38 | 3.7% | (2.5-5.0) | 977 | 96.3% | (95.0-97.5) |
| Age | 11 years old or younger | 23 | 4.0% | (2.2-5.8) | 539 | 96.0% | (94.2-97.8) |
| | 12 years old | 45 | 6.5% | (4.6-8.3) | 676 | 93.5% | (91.7-95.4) |
| | 13 years old | 50 | 6.9% | (4.8-9.1) | 651 | 93.1% | (90.9-95.2) |
| | 14 years old or older | 2 | 4.0% | (0.0-9.8) | 53 | 96.0% | (90.2-100.0) |
| Grade | 6th | 27 | 4.4% | (2.6-6.2) | 583 | 95.6% | (93.8-97.4) |
| | 7th | 42 | 6.1% | (4.2-8.1) | 679 | 93.9% | (91.9-95.8) |
| | 8th | 51 | 7.1% | (4.9-9.2) | 644 | 92.9% | (90.8-95.1) |
| Race/Ethnicity | American Indian/Alaska Native^d | 5 | 8.4% | (1.2-15.6) | 55 | 91.6% | (84.4-98.8) |
| | Asian^d | 3 | 3.3% | (0.0-6.9) | 88 | 96.7% | (93.1-100.0) |
| | Black^d | 5 | 7.4% | (1.2-13.7) | 63 | 92.6% | (86.3-98.8) |
| | Native Hawaiian/Pacific Islander^d | 4 | 10.8% | (0.7-21.0) | 33 | 89.2% | (79.0-99.3) |
| | White^d | 35 | 4.5% | (2.9-6.1) | 740 | 95.5% | (93.9-97.1) |
| | Hispanic/Latino | 53 | 6.9% | (4.8-8.9) | 718 | 93.1% | (91.1-95.2) |
| | Other/Multiple^d | 9 | 8.9% | (3.3-14.5) | 89 | 91.1% | (85.5-96.7) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 19: Percentage of middle school students who have done something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose during the 12 months before the survey — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 372 | 18.5% | (16.5-20.5) | 1689 | 81.5% | (79.5-83.5) |
| Sex | Female | 247 | 26.2% | (22.5-29.8) | 737 | 73.8% | (70.2-77.5) |
| | Male | 104 | 10.3% | (8.5-12.1) | 929 | 89.7% | (87.9-91.5) |
| Age | 11 years old or younger | 81 | 15.3% | (12.2-18.3) | 483 | 84.7% | (81.7-87.8) |
| | 12 years old | 124 | 17.5% | (14.6-20.3) | 606 | 82.5% | (79.7-85.4) |
| | 13 years old | 154 | 21.4% | (17.8-25.1) | 554 | 78.6% | (74.9-82.2) |
| | 14 years old or older | 13 | 23.5% | (12.0-35.1) | 44 | 76.5% | (64.9-88.0) |
| Grade | 6th | 87 | 15.0% | (12.2-17.9) | 528 | 85.0% | (82.1-87.8) |
| | 7th | 128 | 18.0% | (14.8-21.1) | 601 | 82.0% | (78.9-85.2) |
| | 8th | 154 | 21.6% | (18.1-25.1) | 546 | 78.4% | (74.9-81.9) |
| Race/Ethnicity | American Indian/Alaska Native^d | 6 | 9.7% | (2.2-17.3) | 55 | 90.3% | (82.7-97.8) |
| | Asian^d | 20 | 21.1% | (13.1-29.1) | 74 | 78.9% | (70.9-86.9) |
| | Black^d | 13 | 19.4% | (10.3-28.5) | 55 | 80.6% | (71.5-89.7) |
| | Native Hawaiian/Pacific Islander^d | 8 | 20.6% | (6.3-34.9) | 32 | 79.4% | (65.1-93.7) |
| | White^d | 130 | 16.7% | (13.8-19.6) | 646 | 83.3% | (80.4-86.2) |
| | Hispanic/Latino | 156 | 19.9% | (16.7-23.0) | 625 | 80.1% | (77.0-83.3) |
| | Other/Multiple^d | 21 | 20.8% | (12.9-28.7) | 78 | 79.2% | (71.3-87.1) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 20: Percentage of middle school students who ever got the kind help they need when they felt sad, empty, hopeless, angry, or anxious^e — Nevada YRBS 2021

| | | Never/Rarely | | | Sometimes | | | Most of the time/Always | | |
|-----------------------|--|----------------|----------------|-------------------------|----------------|----------------|-------------------------|-------------------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 803 | 48.3% | (45.9-50.8) | 334 | 19.9% | (17.8-21.9) | 535 | 31.8% | (29.2-34.5) |
| Sex | Female | 407 | 47.2% | (43.2-51.1) | 186 | 21.3% | (18.6-24.0) | 280 | 31.5% | (27.5-35.5) |
| | Male | 367 | 48.9% | (45.6-52.3) | 136 | 18.0% | (15.3-20.7) | 247 | 33.1% | (29.6-36.5) |
| Age | 11 years old or younger | 195 | 41.9% | (37.8-45.9) | 95 | 19.3% | (15.2-23.4) | 176 | 38.8% | (34.8-42.9) |
| | 12 years old | 279 | 47.3% | (42.5-52.0) | 119 | 20.2% | (17.0-23.5) | 197 | 32.5% | (28.2-36.8) |
| | 13 years old | 300 | 52.6% | (48.3-57.0) | 112 | 20.1% | (17.2-23.0) | 154 | 27.2% | (23.0-31.5) |
| | 14 years old or older | 29 | 64.3% | (47.8-80.7) | 8 | 17.3% | (6.2-28.4) | 8 | 18.4% | (7.1-29.8) |
| Grade | 6th | 213 | 42.4% | (38.8-45.9) | 98 | 18.6% | (14.6-22.5) | 192 | 39.1% | (35.0-43.2) |
| | 7th | 286 | 48.2% | (43.8-52.6) | 123 | 21.0% | (17.4-24.7) | 185 | 30.8% | (26.5-35.1) |
| | 8th | 297 | 52.8% | (48.8-56.9) | 111 | 20.0% | (17.3-22.7) | 154 | 27.2% | (23.1-31.3) |
| Race/Ethnicity | American Indian/ Alaska Native^d | 25 | 54.9% | (39.7-70.2) | 9 | 19.5% | (8.1-30.8) | 12 | 25.6% | (13.4-37.8) |
| | Asian^d | 45 | 63.5% | (52.5-74.5) | 11 | 15.6% | (8.5-22.7) | 15 | 20.9% | (11.0-30.8) |
| | Black^d | 30 | 52.5% | (39.9-65.1) | 10 | 17.8% | (7.2-28.5) | 17 | 29.7% | (17.8-41.6) |
| | Native Hawaiian/ Pacific Islander^d | 15 | 48.7% | (31.5-65.8) | 10 | 32.0% | (16.0-48.1) | 6 | 19.3% | (2.7-35.9) |
| | White^d | 270 | 43.7% | (39.4-47.9) | 116 | 18.7% | (15.7-21.7) | 234 | 37.6% | (33.1-42.2) |
| | Hispanic/Latino | 337 | 52.1% | (48.5-55.7) | 126 | 19.3% | (16.2-22.4) | 186 | 28.6% | (25.1-32.1) |
| | Other/Multiple^d | 35 | 40.8% | (29.7-51.8) | 27 | 31.3% | (21.4-41.2) | 24 | 27.9% | (18.5-37.4) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Among those who felt sad, empty, hopeless, angry, or anxious

Tobacco Use

Table 21: Percentage of middle school students who ever smoked cigarettes^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 161 | 8.3% | (6.8-9.8) | 1846 | 91.7% | (90.2-93.2) |
| Sex | Female | 81 | 8.4% | (6.5-10.2) | 891 | 91.6% | (89.8-93.5) |
| | Male | 75 | 8.0% | (6.2-9.8) | 910 | 92.0% | (90.2-93.8) |
| Age | 11 years old or younger | 30 | 5.5% | (3.1-7.9) | 523 | 94.5% | (92.1-96.9) |
| | 12 years old | 48 | 7.3% | (4.9-9.8) | 660 | 92.7% | (90.2-95.1) |
| | 13 years old | 80 | 11.2% | (8.6-13.9) | 612 | 88.8% | (86.1-91.4) |
| | 14 years old or older | 3 | 6.1% | (0.0-12.4) | 49 | 93.9% | (87.6-100.0) |
| Grade | 6th | 39 | 6.8% | (4.6-9.1) | 558 | 93.2% | (90.9-95.4) |
| | 7th | 46 | 6.9% | (4.6-9.2) | 666 | 93.1% | (90.8-95.4) |
| | 8th | 76 | 10.7% | (8.1-13.3) | 609 | 89.3% | (86.7-91.9) |
| Race/Ethnicity | American Indian/Alaska Native^d | 4 | 6.8% | (0.4-13.2) | 56 | 93.2% | (86.8-99.6) |
| | Asian^d | 4 | 4.4% | (0.1-8.7) | 86 | 95.6% | (91.3-99.9) |
| | Black^d | 11 | 16.4% | (6.1-26.7) | 57 | 83.6% | (73.3-93.9) |
| | Native Hawaiian/Pacific Islander^d | 7 | 19.9% | (8.2-31.6) | 29 | 80.1% | (68.4-91.8) |
| | White^d | 50 | 6.6% | (4.4-8.9) | 713 | 93.4% | (91.1-95.6) |
| | Hispanic/Latino | 70 | 9.3% | (7.3-11.4) | 682 | 90.7% | (88.6-92.7) |
| | Other/Multiple^d | 9 | 9.6% | (2.8-16.3) | 87 | 90.4% | (83.7-97.2) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Even one or two puffs

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 22: Percentage of middle school students who smoked cigarettes for the first time before age 11 years^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 69 | 3.7% | (2.7-4.7) | 1916 | 96.3% | (95.3-97.3) |
| Sex | Female | 30 | 3.2% | (2.0-4.5) | 935 | 96.8% | (95.5-98.0) |
| | Male | 36 | 4.0% | (2.7-5.4) | 935 | 96.0% | (94.6-97.3) |
| Age | 11 years old or younger | 16 | 2.8% | (1.1-4.5) | 530 | 97.2% | (95.5-98.9) |
| | 12 years old | 24 | 3.9% | (2.1-5.7) | 678 | 96.1% | (94.3-97.9) |
| | 13 years old | 29 | 4.4% | (2.8-6.1) | 656 | 95.6% | (93.9-97.2) |
| | 14 years old or older | 0 | . | (-.) | 50 | 100.0% | (100.0-100.0) |
| Grade | 6th | 20 | 3.4% | (1.8-5.1) | 566 | 96.6% | (94.9-98.2) |
| | 7th | 26 | 4.1% | (2.1-6.0) | 683 | 95.9% | (94.0-97.9) |
| | 8th | 23 | 3.6% | (2.2-5.1) | 653 | 96.4% | (94.9-97.8) |
| Race/Ethnicity | American Indian/Alaska Native^d | 1 | 1.7% | (0.0-5.2) | 56 | 98.3% | (94.8-100.0) |
| | Asian^d | 0 | . | (-.) | 89 | 100.0% | (100.0-100.0) |
| | Black^d | 6 | 9.0% | (1.3-16.7) | 60 | 91.0% | (83.3-98.7) |
| | Native Hawaiian/Pacific Islander^d | 1 | 2.9% | (0.0-8.4) | 35 | 97.1% | (91.6-100.0) |
| | White^d | 21 | 2.8% | (1.6-4.0) | 734 | 97.2% | (96.0-98.4) |
| | Hispanic/Latino | 29 | 3.9% | (2.4-5.4) | 716 | 96.1% | (94.6-97.6) |
| | Other/Multiple^d | 9 | 9.7% | (2.8-16.6) | 85 | 90.3% | (83.4-97.2) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Even one or two puffs

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 23: Percentage of middle school students who smoked cigarettes during the 30 days before the survey^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 39 | 1.8% | (1.2-2.4) | 2033 | 98.2% | (97.6-98.8) |
| Sex | Female | 21 | 2.0% | (1.1-2.9) | 980 | 98.0% | (97.1-98.9) |
| | Male | 15 | 1.4% | (0.7-2.1) | 1004 | 98.6% | (97.9-99.3) |
| Age | 11 years old or younger | 5 | 0.7% | (0.0-1.5) | 565 | 99.3% | (98.5-100.0) |
| | 12 years old | 16 | 2.4% | (1.2-3.6) | 721 | 97.6% | (96.4-98.8) |
| | 13 years old | 18 | 2.1% | (1.0-3.2) | 691 | 97.9% | (96.8-99.0) |
| | 14 years old or older | 0 | . | (-.-) | 54 | 100.0% | (100.0-100.0) |
| Grade | 6th | 9 | 1.5% | (0.6-2.4) | 609 | 98.5% | (97.6-99.4) |
| | 7th | 13 | 1.9% | (0.8-3.0) | 724 | 98.1% | (97.0-99.2) |
| | 8th | 16 | 1.8% | (0.8-2.8) | 684 | 98.2% | (97.2-99.2) |
| Race/Ethnicity | American Indian/Alaska Native^d | 1 | 1.7% | (0.0-5.0) | 62 | 98.3% | (95.0-100.0) |
| | Asian^d | 3 | 3.2% | (0.0-6.8) | 90 | 96.8% | (93.2-100.0) |
| | Black^d | 4 | 6.0% | (0.4-11.6) | 64 | 94.0% | (88.4-99.6) |
| | Native Hawaiian/Pacific Islander^d | 2 | 5.3% | (0.0-12.6) | 37 | 94.7% | (87.4-100.0) |
| | White^d | 8 | 1.0% | (0.4-1.7) | 769 | 99.0% | (98.3-99.6) |
| | Hispanic/Latino | 17 | 2.1% | (1.1-3.1) | 768 | 97.9% | (96.9-98.9) |
| | Other/Multiple^d | 1 | 1.0% | (0.0-2.9) | 100 | 99.0% | (97.1-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e One or more days during the 30 days before the survey

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 24: Percentage of middle school students who smoked cigarettes on 20 or more days during the 30 days before the survey^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 11 | 28.5% | (11.7-45.3) | 28 | 71.5% | (54.7-88.3) |
| Sex | Female | 5 | 20.3% | (3.5-37.0) | 16 | 79.7% | (63.0-96.5) |
| | Male | 5 | 37.4% | (10.1-64.7) | 10 | 62.6% | (35.3-89.9) |
| Age | 11 years old or younger | 1 | 28.7% | (0.0-81.0) | 4 | 71.3% | (19.0-100.0) |
| | 12 years old | 5 | 31.9% | (8.4-55.4) | 11 | 68.1% | (44.6-91.6) |
| | 13 years old | 5 | 24.9% | (0.0-51.7) | 13 | 75.1% | (48.3-100.0) |
| | 14 years old or older | 4 | 49.8% | (12.8-86.8) | 5 | 50.2% | (13.2-87.2) |
| Grade | 6th | 2 | 16.3% | (0.0-36.6) | 11 | 83.7% | (63.4-100.0) |
| | 7th | 5 | 28.7% | (0.0-58.7) | 11 | 71.3% | (41.3-100.0) |
| | 8th | 1 | 100.0% | (100.0-100.0) | 0 | . | (.-) |
| Race/Ethnicity | American Indian/Alaska Native^d | 0 | . | (.-) | 3 | 100.0% | (100.0-100.0) |
| | Asian^d | 0 | . | (.-) | 4 | 100.0% | (100.0-100.0) |
| | Black^d | 0 | . | (.-) | 2 | 100.0% | (100.0-100.0) |
| | Native Hawaiian/Pacific Islander^d | 4 | 50.8% | (14.0-87.6) | 4 | 49.2% | (12.4-86.0) |
| | White^d | 5 | 29.7% | (7.2-52.1) | 12 | 70.3% | (47.9-92.8) |
| | Hispanic/Latino | 0 | . | (.-) | 1 | 100.0% | (100.0-100.0) |
| | Other/Multiple^d | 11 | 28.5% | (11.7-45.3) | 28 | 71.5% | (54.7-88.3) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Among those who smoked cigarettes during the 30 days before the survey

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 25: Percentage of middle school students who used smokeless tobacco during the 30 days before the survey^{e,f} — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 32 | 1.5% | (1.0-2.0) | 2044 | 98.5% | (98.0-99.0) |
| Sex | Female | 15 | 1.5% | (0.6-2.3) | 991 | 98.5% | (97.7-99.4) |
| | Male | 15 | 1.4% | (0.7-2.0) | 1003 | 98.6% | (98.0-99.3) |
| Age | 11 years old or younger | 8 | 1.1% | (0.3-1.9) | 563 | 98.9% | (98.1-99.7) |
| | 12 years old | 7 | 1.1% | (0.3-1.8) | 729 | 98.9% | (98.2-99.7) |
| | 13 years old | 17 | 2.2% | (1.2-3.3) | 697 | 97.8% | (96.7-98.8) |
| | 14 years old or older | 0 | . | (-.) | 53 | 100.0% | (100.0-100.0) |
| Grade | 6th | 9 | 1.3% | (0.4-2.1) | 610 | 98.7% | (97.9-99.6) |
| | 7th | 7 | 1.0% | (0.3-1.7) | 729 | 99.0% | (98.3-99.7) |
| | 8th | 15 | 1.9% | (0.9-2.9) | 689 | 98.1% | (97.1-99.1) |
| Race/Ethnicity | American Indian/Alaska Native^d | 2 | 3.4% | (0.0-8.2) | 59 | 96.6% | (91.8-100.0) |
| | Asian^d | 0 | . | (-.) | 93 | 100.0% | (100.0-100.0) |
| | Black^d | 2 | 3.1% | (0.0-7.2) | 64 | 96.9% | (92.8-100.0) |
| | Native Hawaiian/Pacific Islander^d | 3 | 7.7% | (0.0-16.4) | 37 | 92.3% | (83.6-100.0) |
| | White^d | 10 | 1.3% | (0.5-2.0) | 775 | 98.7% | (98.0-99.5) |
| | Hispanic/Latino | 12 | 1.6% | (0.7-2.4) | 774 | 98.4% | (97.6-99.3) |
| | Other/Multiple^d | 1 | 1.0% | (0.0-2.9) | 99 | 99.0% | (97.1-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Chewing tobacco, snuff, dip, snus, or dissolvable tobacco products such as: "Copenhagen", "Grizzly", "Skoal", or "Camel Snus"

^f One or more days during the 30 days before the survey

* **Note: We caution against group comparisons when a cell size is less than 5.**

Electronic Vapor Product Use

Table 26: Percentage of middle school students who ever used electronic vapor products^e — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 292 | 15.6% | (13.0-18.1) | 1688 | 84.4% | (81.9-87.0) |
| Sex | Female | 148 | 16.2% | (13.0-19.3) | 802 | 83.8% | (80.7-87.0) |
| | Male | 136 | 15.0% | (12.4-17.6) | 846 | 85.0% | (82.4-87.6) |
| Age | 11 years old or younger | 43 | 8.4% | (6.0-10.7) | 501 | 91.6% | (89.3-94.0) |
| | 12 years old | 91 | 13.9% | (10.8-17.0) | 613 | 86.1% | (83.0-89.2) |
| | 13 years old | 145 | 21.8% | (17.2-26.4) | 534 | 78.2% | (73.6-82.8) |
| | 14 years old or older | 13 | 23.0% | (14.5-31.5) | 38 | 77.0% | (68.5-85.5) |
| Grade | 6th | 50 | 9.0% | (6.5-11.5) | 544 | 91.0% | (88.5-93.5) |
| | 7th | 88 | 13.3% | (10.1-16.4) | 611 | 86.7% | (83.6-89.9) |
| | 8th | 152 | 22.8% | (18.4-27.2) | 519 | 77.2% | (72.8-81.6) |
| Race/Ethnicity | American Indian/Alaska Native^d | 6 | 10.2% | (2.1-18.2) | 54 | 89.8% | (81.8-97.9) |
| | Asian^d | 5 | 5.6% | (0.7-10.4) | 85 | 94.4% | (89.6-99.3) |
| | Black^d | 17 | 27.8% | (15.4-40.2) | 46 | 72.2% | (59.8-84.6) |
| | Native Hawaiian/Pacific Islander^d | 6 | 16.2% | (4.9-27.5) | 33 | 83.8% | (72.5-95.1) |
| | White^d | 92 | 12.3% | (9.3-15.3) | 662 | 87.7% | (84.7-90.7) |
| | Hispanic/Latino | 134 | 18.4% | (14.9-21.8) | 606 | 81.6% | (78.2-85.1) |
| | Other/Multiple^d | 22 | 22.7% | (14.3-31.0) | 76 | 77.3% | (69.0-85.7) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods such as “JUUL”, “SMOK”, “Suorin”, “Vuse”, and “blu”

Table 27: Percentage of middle school students who tried electronic vapor products for the first time before age 11 years^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 96 | 5.2% | (4.1-6.3) | 1877 | 94.8% | (93.7-95.9) |
| Sex | Female | 38 | 4.2% | (2.7-5.6) | 911 | 95.8% | (94.4-97.3) |
| | Male | 54 | 6.0% | (4.4-7.5) | 924 | 94.0% | (92.5-95.6) |
| Age | 11 years old or younger | 30 | 6.0% | (3.7-8.4) | 512 | 94.0% | (91.6-96.3) |
| | 12 years old | 37 | 5.9% | (4.1-7.7) | 662 | 94.1% | (92.3-95.9) |
| | 13 years old | 28 | 4.3% | (2.7-5.9) | 653 | 95.7% | (94.1-97.3) |
| | 14 years old or older | 1 | 2.1% | (0.0-6.0) | 48 | 97.9% | (94.0-100.0) |
| Grade | 6th | 34 | 6.3% | (3.8-8.9) | 556 | 93.7% | (91.1-96.2) |
| | 7th | 36 | 5.7% | (3.8-7.6) | 662 | 94.3% | (92.4-96.2) |
| | 8th | 26 | 4.0% | (2.4-5.6) | 643 | 96.0% | (94.4-97.6) |
| Race/Ethnicity | American Indian/Alaska Native^d | 2 | 3.3% | (0.0-7.9) | 58 | 96.7% | (92.1-100.0) |
| | Asian^d | 3 | 3.4% | (0.0-7.3) | 86 | 96.6% | (92.7-100.0) |
| | Black^d | 5 | 8.3% | (1.7-14.9) | 58 | 91.7% | (85.1-98.3) |
| | Native Hawaiian/Pacific Islander^d | 1 | 2.7% | (0.0-7.9) | 38 | 97.3% | (92.1-100.0) |
| | White^d | 33 | 4.4% | (2.8-6.0) | 718 | 95.6% | (94.0-97.2) |
| | Hispanic/Latino | 43 | 5.8% | (4.1-7.5) | 693 | 94.2% | (92.5-95.9) |
| | Other/Multiple^d | 8 | 8.1% | (2.6-13.7) | 89 | 91.9% | (86.3-97.4) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods such as “JUUL”, “SMOK”, “Suorin”, “Vuse”, and “blu”

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 28: Percentage of middle school students who used electronic vapor products during the 30 days before the survey^{e,f} — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 117 | 6.1% | (4.5-7.6) | 1891 | 93.9% | (92.4-95.5) |
| Sex | Female | 69 | 7.4% | (5.3-9.4) | 905 | 92.6% | (90.6-94.7) |
| | Male | 43 | 4.6% | (3.2-6.0) | 941 | 95.4% | (94.0-96.8) |
| Age | 11 years old or younger | 10 | 1.9% | (0.7-3.1) | 548 | 98.1% | (96.9-99.3) |
| | 12 years old | 42 | 6.6% | (4.1-9.1) | 672 | 93.4% | (90.9-95.9) |
| | 13 years old | 62 | 8.7% | (6.2-11.2) | 621 | 91.3% | (88.8-93.8) |
| | 14 years old or older | 3 | 4.3% | (0.0-9.5) | 48 | 95.7% | (90.5-100.0) |
| Grade | 6th | 15 | 2.7% | (1.2-4.2) | 594 | 97.3% | (95.8-98.8) |
| | 7th | 40 | 6.1% | (3.5-8.6) | 671 | 93.9% | (91.4-96.5) |
| | 8th | 61 | 8.6% | (6.0-11.3) | 611 | 91.4% | (88.7-94.0) |
| Race/Ethnicity | American Indian/Alaska Native^d | 2 | 3.5% | (0.0-8.2) | 60 | 96.5% | (91.8-100.0) |
| | Asian^d | 2 | 2.2% | (0.0-5.3) | 89 | 97.8% | (94.7-100.0) |
| | Black^d | 8 | 13.1% | (4.2-22.1) | 55 | 86.9% | (77.9-95.8) |
| | Native Hawaiian/Pacific Islander^d | 3 | 8.0% | (0.0-16.8) | 36 | 92.0% | (83.2-100.0) |
| | White^d | 27 | 3.5% | (1.8-5.2) | 735 | 96.5% | (94.8-98.2) |
| | Hispanic/Latino | 65 | 8.6% | (6.5-10.7) | 694 | 91.4% | (89.3-93.5) |
| | Other/Multiple^d | 5 | 5.5% | (0.0-11.1) | 87 | 94.5% | (88.9-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods such as “JUUL”, “SMOK”, “Suorin”, “Vuse”, and “blu”

^f One or more days during the 30 days before the survey

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 29: Percentage of middle school students who used electronic vapor products on 20 or more days during the 30 days before the survey^{e,f} — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 17 | 15.1% | (7.7-22.5) | 100 | 84.9% | (77.5-92.3) |
| Sex | Female | 9 | 13.6% | (6.1-21.1) | 60 | 86.4% | (78.9-93.9) |
| | Male | 7 | 16.5% | (4.3-28.7) | 36 | 83.5% | (71.3-95.7) |
| Age | 11 years old or younger | 2 | 22.4% | (0.0-46.9) | 8 | 77.6% | (53.1-100.0) |
| | 12 years old | 7 | 16.3% | (3.9-28.6) | 35 | 83.7% | (71.4-96.1) |
| | 13 years old | 8 | 13.7% | (4.8-22.7) | 54 | 86.3% | (77.3-95.2) |
| | 14 years old or older | 0 | . | (-.) | 3 | 100.0% | (100.0-100.0) |
| Grade | 6th | 2 | 14.2% | (0.0-28.6) | 13 | 85.8% | (71.4-100.0) |
| | 7th | 7 | 18.1% | (4.8-31.3) | 33 | 81.9% | (68.7-95.2) |
| | 8th | 8 | 13.8% | (5.1-22.4) | 53 | 86.2% | (77.6-94.9) |
| Race/Ethnicity | American Indian/Alaska Native^d | 0 | . | (-.) | 2 | 100.0% | (100.0-100.0) |
| | Asian^d | 0 | . | (-.) | 2 | 100.0% | (100.0-100.0) |
| | Black^d | 1 | 13.0% | (0.0-34.3) | 7 | 87.0% | (65.7-100.0) |
| | Native Hawaiian/Pacific Islander^d | 1 | 33.3% | (0.0-88.5) | 2 | 66.7% | (11.5-100.0) |
| | White^d | 5 | 18.8% | (2.8-34.8) | 22 | 81.2% | (65.2-97.2) |
| | Hispanic/Latino | 9 | 13.6% | (2.9-24.2) | 56 | 86.4% | (75.8-97.1) |
| | Other/Multiple^d | 1 | 20.5% | (0.0-59.4) | 4 | 79.5% | (40.6-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods such as “JUUL”, “SMOK”, “Suorin”, “Vuse”, and “blu”

^f Among those who used electronic vapor products during the 30 days before the survey

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 30: Percentage of middle school students who used an electronic vapor product to vape marijuana during the 30 days before the survey^{e,f,g} — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 94 | 4.6% | (3.4-5.8) | 1986 | 95.4% | (94.2-96.6) |
| Sex | Female | 51 | 5.2% | (3.5-6.9) | 958 | 94.8% | (93.1-96.5) |
| | Male | 38 | 3.8% | (2.4-5.1) | 981 | 96.2% | (94.9-97.6) |
| Age | 11 years old or younger | 8 | 1.5% | (0.3-2.7) | 565 | 98.5% | (97.3-99.7) |
| | 12 years old | 32 | 4.7% | (2.8-6.7) | 705 | 95.3% | (93.3-97.2) |
| | 13 years old | 52 | 6.9% | (4.7-9.1) | 662 | 93.1% | (90.9-95.3) |
| | 14 years old or older | 2 | 2.1% | (0.0-5.7) | 52 | 97.9% | (94.3-100.0) |
| Grade | 6th | 11 | 2.0% | (0.6-3.5) | 610 | 98.0% | (96.5-99.4) |
| | 7th | 33 | 4.7% | (2.6-6.9) | 706 | 95.3% | (93.1-97.4) |
| | 8th | 49 | 6.4% | (4.3-8.5) | 654 | 93.6% | (91.5-95.7) |
| Race/Ethnicity | American Indian/Alaska Native^d | 2 | 3.4% | (0.0-8.2) | 61 | 96.6% | (91.8-100.0) |
| | Asian^d | 1 | 1.1% | (0.0-3.4) | 90 | 98.9% | (96.6-100.0) |
| | Black^d | 8 | 12.1% | (5.2-19.1) | 59 | 87.9% | (80.9-94.8) |
| | Native Hawaiian/Pacific Islander^d | 4 | 10.3% | (1.3-19.4) | 36 | 89.7% | (80.6-98.7) |
| | White^d | 17 | 2.2% | (1.1-3.3) | 767 | 97.8% | (96.7-98.9) |
| | Hispanic/Latino | 55 | 6.9% | (4.9-9.0) | 738 | 93.1% | (91.0-95.1) |
| | Other/Multiple^d | 3 | 3.0% | (0.0-6.3) | 97 | 97.0% | (93.7-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods such as “JUUL”, “SMOK”, “Suorin”, “Vuse”, and “blu”

^f Used marijuana (also called “pot” or “weed”), including THC, THC concentrates, hash oils, or waxes

^g One or more days during the 30 days before the survey

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 31: Percentage of middle school students who used an electronic vapor product to vape nicotine during the 30 days before the survey^{e,f} — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 127 | 6.4% | (4.9-7.9) | 1951 | 93.6% | (92.1-95.1) |
| Sex | Female | 77 | 7.9% | (5.8-10.0) | 930 | 92.1% | (90.0-94.2) |
| | Male | 46 | 4.8% | (3.3-6.4) | 974 | 95.2% | (93.6-96.7) |
| Age | 11 years old or younger | 14 | 2.6% | (1.0-4.2) | 557 | 97.4% | (95.8-99.0) |
| | 12 years old | 44 | 6.5% | (3.9-9.0) | 695 | 93.5% | (91.0-96.1) |
| | 13 years old | 63 | 8.8% | (6.5-11.1) | 649 | 91.2% | (88.9-93.5) |
| | 14 years old or older | 6 | 9.7% | (2.5-17.0) | 48 | 90.3% | (83.0-97.5) |
| Grade | 6th | 17 | 3.0% | (1.4-4.6) | 603 | 97.0% | (95.4-98.6) |
| | 7th | 46 | 6.6% | (4.0-9.3) | 694 | 93.4% | (90.7-96.0) |
| | 8th | 63 | 8.8% | (6.5-11.1) | 638 | 91.2% | (88.9-93.5) |
| Race/Ethnicity | American Indian/Alaska Native^d | 1 | 1.7% | (0.0-5.0) | 62 | 98.3% | (95.0-100.0) |
| | Asian^d | 2 | 2.2% | (0.0-5.1) | 89 | 97.8% | (94.9-100.0) |
| | Black^d | 9 | 13.7% | (6.2-21.2) | 58 | 86.3% | (78.8-93.8) |
| | Native Hawaiian/Pacific Islander^d | 4 | 10.3% | (1.3-19.4) | 36 | 89.7% | (80.6-98.7) |
| | White^d | 29 | 3.7% | (2.1-5.3) | 754 | 96.3% | (94.7-97.9) |
| | Hispanic/Latino | 74 | 9.3% | (7.0-11.6) | 718 | 90.7% | (88.4-93.0) |
| | Other/Multiple^d | 4 | 4.1% | (0.0-9.0) | 95 | 95.9% | (91.0-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods such as “JUUL”, “SMOK”, “Suorin”, “Vuse”, and “blu”

^f One or more days during the 30 days before the survey

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 32: Percentage of middle school students who usually obtained their own electronic vapor products by buying them in a store or gas station during the 30 days before the survey^{d,e,f} — Nevada YRBS 2021*

| | | Bought them myself in a store | | | On the internet | | | Got or bought them from a friend, family member, or someone else | | | Others | | |
|----------------|--------------|-------------------------------|----------------|-------------------------|-----------------|----------------|-------------------------|--|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 1 | 0.7% | (0.0-2.1) | 2 | 1.9% | (0.0-4.7) | 57 | 53.0% | (42.2-63.8) | 48 | 44.4% | (34.0-54.7) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods such as “JUUL”, “SMOK”, “Suorin”, “Vuse”, and “blu”

^e Such as a convenience store, supermarket, discount store, gas station, or vape store

^f Among students who used electronic vapor products during the 30 days before the survey

* **Note: Due to limited sample size, data on sex, age, grade, and race/ethnicity are unavailable.**

Alcohol Use

Table 33: Percentage of middle school students who ever drank alcohol^e — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 382 | 21.0% | (18.1-23.8) | 1490 | 79.0% | (76.2-81.9) |
| Sex | Female | 205 | 23.0% | (19.3-26.7) | 711 | 77.0% | (73.3-80.7) |
| | Male | 161 | 18.2% | (15.1-21.2) | 747 | 81.8% | (78.8-84.9) |
| Age | 11 years old or younger | 65 | 13.3% | (9.1-17.5) | 447 | 86.7% | (82.5-90.9) |
| | 12 years old | 139 | 21.0% | (18.1-23.8) | 540 | 79.0% | (76.2-81.9) |
| | 13 years old | 160 | 24.9% | (19.9-29.9) | 476 | 75.1% | (70.1-80.1) |
| | 14 years old or older | 17 | 42.5% | (28.1-56.9) | 26 | 57.5% | (43.1-71.9) |
| Grade | 6th | 76 | 14.2% | (10.3-18.1) | 484 | 85.8% | (81.9-89.7) |
| | 7th | 135 | 20.7% | (17.7-23.6) | 535 | 79.3% | (76.4-82.3) |
| | 8th | 168 | 26.6% | (21.3-31.8) | 460 | 73.4% | (68.2-78.7) |
| Race/Ethnicity | American Indian/Alaska Native^d | 8 | 15.4% | (5.0-25.8) | 45 | 84.6% | (74.2-95.0) |
| | Asian^d | 11 | 14.0% | (7.2-20.8) | 70 | 86.0% | (79.2-92.8) |
| | Black^d | 17 | 30.0% | (15.8-44.2) | 40 | 70.0% | (55.8-84.2) |
| | Native Hawaiian/Pacific Islander^d | 11 | 30.2% | (13.7-46.7) | 26 | 69.8% | (53.3-86.3) |
| | White^d | 129 | 17.7% | (13.5-21.8) | 600 | 82.3% | (78.2-86.5) |
| | Hispanic/Latino | 171 | 24.6% | (21.1-28.0) | 527 | 75.4% | (72.0-78.9) |
| | Other/Multiple^d | 18 | 20.3% | (12.1-28.4) | 72 | 79.7% | (71.6-87.9) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Other than a few sips

Table 34: Percentage of middle school students who drank alcohol for the first time before age 11 years^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 214 | 11.7% | (9.9-13.4) | 1630 | 88.3% | (86.6-90.1) |
| Sex | Female | 112 | 12.5% | (10.1-14.9) | 786 | 87.5% | (85.1-89.9) |
| | Male | 94 | 10.7% | (8.6-12.8) | 803 | 89.3% | (87.2-91.4) |
| Age | 11 years old or younger | 56 | 11.5% | (8.0-15.1) | 448 | 88.5% | (84.9-92.0) |
| | 12 years old | 80 | 12.2% | (9.9-14.6) | 578 | 87.8% | (85.4-90.1) |
| | 13 years old | 75 | 11.5% | (8.8-14.3) | 565 | 88.5% | (85.7-91.2) |
| | 14 years old or older | 3 | 8.7% | (0.0-17.8) | 36 | 91.3% | (82.2-100.0) |
| Grade | 6th | 60 | 11.4% | (8.0-14.8) | 482 | 88.6% | (85.2-92.0) |
| | 7th | 76 | 11.7% | (9.2-14.1) | 580 | 88.3% | (85.9-90.8) |
| | 8th | 75 | 11.8% | (8.9-14.6) | 555 | 88.2% | (85.4-91.1) |
| Race/Ethnicity | American Indian/Alaska Native^d | 5 | 9.6% | (1.3-17.8) | 47 | 90.4% | (82.2-98.7) |
| | Asian^d | 4 | 5.0% | (0.4-9.7) | 77 | 95.0% | (90.3-99.6) |
| | Black^d | 10 | 17.6% | (6.4-28.9) | 46 | 82.4% | (71.1-93.6) |
| | Native Hawaiian/Pacific Islander^d | 8 | 22.1% | (7.4-36.9) | 28 | 77.9% | (63.1-92.6) |
| | White^d | 67 | 9.2% | (7.1-11.3) | 657 | 90.8% | (88.7-92.9) |
| | Hispanic/Latino | 99 | 14.4% | (11.7-17.0) | 590 | 85.6% | (83.0-88.3) |
| | Other/Multiple^d | 10 | 11.4% | (5.1-17.6) | 79 | 88.6% | (82.4-94.9) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Other than a few sips

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 35: Percentage of middle school students who had at least one drink of alcohol during the 30 days before the survey^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 121 | 6.4% | (5.1-7.7) | 1921 | 93.6% | (92.3-94.9) |
| Sex | Female | 67 | 7.5% | (5.8-9.2) | 922 | 92.5% | (90.8-94.2) |
| | Male | 47 | 5.0% | (3.2-6.7) | 953 | 95.0% | (93.3-96.8) |
| Age | 11 years old or younger | 18 | 3.6% | (1.7-5.6) | 545 | 96.4% | (94.4-98.3) |
| | 12 years old | 44 | 6.8% | (5.2-8.4) | 680 | 93.2% | (91.6-94.8) |
| | 13 years old | 56 | 8.0% | (5.8-10.2) | 646 | 92.0% | (89.8-94.2) |
| | 14 years old or older | 3 | 6.9% | (0.0-16.2) | 47 | 93.1% | (83.8-100.0) |
| Grade | 6th | 22 | 4.1% | (2.4-5.9) | 588 | 95.9% | (94.1-97.6) |
| | 7th | 41 | 6.3% | (4.8-7.8) | 681 | 93.7% | (92.2-95.2) |
| | 8th | 58 | 8.3% | (5.7-10.9) | 636 | 91.7% | (89.1-94.3) |
| Race/Ethnicity | American Indian/Alaska Native^d | 1 | 1.8% | (0.0-5.4) | 60 | 98.2% | (94.6-100.0) |
| | Asian^d | 3 | 3.3% | (0.0-7.0) | 89 | 96.7% | (93.0-100.0) |
| | Black^d | 4 | 6.3% | (0.4-12.2) | 61 | 93.7% | (87.8-99.6) |
| | Native Hawaiian/Pacific Islander^d | 3 | 8.2% | (0.0-16.8) | 36 | 91.8% | (83.2-100.0) |
| | White^d | 34 | 4.4% | (2.7-6.1) | 737 | 95.6% | (93.9-97.3) |
| | Hispanic/Latino | 67 | 8.7% | (6.6-10.7) | 707 | 91.3% | (89.3-93.4) |
| | Other/Multiple^d | 7 | 7.4% | (2.0-12.7) | 89 | 92.6% | (87.3-98.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e One or more days during the 30 days before the survey

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 36: Percentage of middle school students who had at least one drink of alcohol on 20 or more days during the 30 days before the survey^d — Nevada YRBS 2021*

| | | Yes | | | No | | |
|----------------|--------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 7 | 5.8% | (1.7-9.8) | 114 | 94.2% | (90.2-98.3) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Among those who drank alcohol during the 30 days before the survey

* **Note: Due to limited sample size, data on sex, age, grade, and race/ethnicity are unavailable.**

Table 37: Percentage of middle school students who usually got the alcohol they drank by various means during the 30 days before the survey^d — Nevada YRBS 2021*

| | | In a store | | | I bought it somewhere else | | | Got from someone | | | Other | | |
|----------------|--------------|----------------|----------------|-------------------------|----------------------------|----------------|-------------------------|------------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 5 | 4.5% | (0.5-8.5) | 5 | 4.9% | (0.5-9.2) | 39 | 35.7% | (26.1-45.3) | 58 | 54.9% | (44.2-65.6) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Among students who drank alcohol during the 30 days before the survey

* **Note: Due to limited sample size, data on sex, age, grade, and race/ethnicity are unavailable.**

Table 38: Percentage of middle school students who have ever rode with a driver who had been drinking alcohol— Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 396 | 19.8% | (17.4-22.2) | 1654 | 80.2% | (77.8-82.6) |
| Sex | Female | 210 | 21.9% | (19.0-24.7) | 776 | 78.1% | (75.3-81.0) |
| | Male | 176 | 17.8% | (14.5-21.0) | 836 | 82.2% | (79.0-85.5) |
| Age | 11 years old or younger | 85 | 16.2% | (12.2-20.3) | 476 | 83.8% | (79.7-87.8) |
| | 12 years old | 139 | 20.1% | (16.3-23.8) | 581 | 79.9% | (76.2-83.7) |
| | 13 years old | 161 | 22.2% | (18.7-25.7) | 549 | 77.8% | (74.3-81.3) |
| | 14 years old or older | 10 | 16.9% | (5.8-27.9) | 46 | 83.1% | (72.1-94.2) |
| Grade | 6th | 95 | 16.5% | (13.0-20.1) | 513 | 83.5% | (79.9-87.0) |
| | 7th | 140 | 20.3% | (15.8-24.8) | 583 | 79.7% | (75.2-84.2) |
| | 8th | 155 | 21.6% | (18.0-25.1) | 547 | 78.4% | (74.9-82.0) |
| Race/Ethnicity | American Indian/Alaska Native^d | 7 | 11.3% | (2.5-20.0) | 57 | 88.7% | (80.0-97.5) |
| | Asian^d | 12 | 13.1% | (6.4-19.8) | 81 | 86.9% | (80.2-93.6) |
| | Black^d | 13 | 19.6% | (10.6-28.7) | 54 | 80.4% | (71.3-89.4) |
| | Native Hawaiian/Pacific Islander^d | 8 | 21.5% | (9.0-33.9) | 30 | 78.5% | (66.1-91.0) |
| | White^d | 143 | 18.3% | (14.5-22.0) | 635 | 81.7% | (78.0-85.5) |
| | Hispanic/Latino | 165 | 21.5% | (18.3-24.7) | 606 | 78.5% | (75.3-81.7) |
| | Other/Multiple^d | 24 | 24.9% | (16.2-33.7) | 71 | 75.1% | (66.3-83.8) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Marijuana Use

Table 39: Percentage of middle school students who ever used marijuana^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 134 | 7.1% | (5.3-8.8) | 1825 | 92.9% | (91.2-94.7) |
| Sex | Female | 69 | 7.6% | (5.7-9.6) | 882 | 92.4% | (90.4-94.3) |
| | Male | 61 | 6.4% | (4.3-8.6) | 898 | 93.6% | (91.4-95.7) |
| Age | 11 years old or younger | 10 | 1.6% | (0.4-2.7) | 533 | 98.4% | (97.3-99.6) |
| | 12 years old | 41 | 6.3% | (3.9-8.8) | 655 | 93.7% | (91.2-96.1) |
| | 13 years old | 77 | 11.4% | (8.4-14.4) | 591 | 88.6% | (85.6-91.6) |
| | 14 years old or older | 6 | 11.6% | (3.8-19.4) | 43 | 88.4% | (80.6-96.2) |
| Grade | 6th | 12 | 1.9% | (0.5-3.3) | 576 | 98.1% | (96.7-99.5) |
| | 7th | 41 | 6.2% | (3.7-8.6) | 649 | 93.8% | (91.4-96.3) |
| | 8th | 81 | 12.1% | (9.0-15.1) | 584 | 87.9% | (84.9-91.0) |
| Race/Ethnicity | American Indian/Alaska Native^d | 3 | 5.3% | (0.0-11.2) | 56 | 94.7% | (88.8-100.0) |
| | Asian^d | 1 | 1.1% | (0.0-3.3) | 86 | 98.9% | (96.7-100.0) |
| | Black^d | 9 | 16.4% | (6.5-26.3) | 47 | 83.6% | (73.7-93.5) |
| | Native Hawaiian/Pacific Islander^d | 5 | 13.5% | (2.1-24.9) | 33 | 86.5% | (75.1-97.9) |
| | White^d | 40 | 5.5% | (3.2-7.8) | 702 | 94.5% | (92.2-96.8) |
| | Hispanic/Latino | 65 | 8.9% | (6.4-11.4) | 678 | 91.1% | (88.6-93.6) |
| | Other/Multiple^d | 5 | 5.2% | (0.8-9.6) | 92 | 94.8% | (90.4-99.2) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Used marijuana (also called “pot” or “weed”), not including CBD-only or hemp products

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 40: Percentage of middle school students who tried marijuana for the first time before age 11 years^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 37 | 1.9% | (1.2-2.6) | 1919 | 98.1% | (97.4-98.8) |
| Sex | Female | 14 | 1.4% | (0.6-2.2) | 937 | 98.6% | (97.8-99.4) |
| | Male | 23 | 2.4% | (1.3-3.6) | 934 | 97.6% | (96.4-98.7) |
| Age | 11 years old or younger | 7 | 0.9% | (0.0-1.9) | 534 | 99.1% | (98.1-100.0) |
| | 12 years old | 14 | 2.1% | (1.0-3.2) | 683 | 97.9% | (96.8-99.0) |
| | 13 years old | 16 | 2.5% | (1.2-3.7) | 651 | 97.5% | (96.3-98.8) |
| | 14 years old or older | 0 | . | (-.) | 48 | 100.0% | (100.0-100.0) |
| Grade | 6th | 9 | 1.2% | (0.0-2.5) | 578 | 98.8% | (97.5-100.0) |
| | 7th | 10 | 1.5% | (0.6-2.4) | 680 | 98.5% | (97.6-99.4) |
| | 8th | 18 | 2.8% | (1.4-4.1) | 645 | 97.2% | (95.9-98.6) |
| Race/Ethnicity | American Indian/Alaska Native^d | 1 | 1.7% | (0.0-5.2) | 58 | 98.3% | (94.8-100.0) |
| | Asian^d | 0 | . | (-.) | 87 | 100.0% | (100.0-100.0) |
| | Black^d | 4 | 7.4% | (0.5-14.2) | 52 | 92.6% | (85.8-99.5) |
| | Native Hawaiian/Pacific Islander^d | 2 | 5.2% | (0.0-12.2) | 36 | 94.8% | (87.8-100.0) |
| | White^d | 14 | 1.9% | (0.9-3.0) | 727 | 98.1% | (97.0-99.1) |
| | Hispanic/Latino | 13 | 1.8% | (0.9-2.7) | 729 | 98.2% | (97.3-99.1) |
| | Other/Multiple^d | 1 | 1.1% | (0.0-3.2) | 96 | 98.9% | (96.8-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Used marijuana (also called “pot” or “weed”), not including CBD-only or hemp products

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 41: Percentage of middle school students who used marijuana during the 30 days before the survey^{e,f} — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 70 | 3.6% | (2.4-4.8) | 1943 | 96.4% | (95.2-97.6) |
| Sex | Female | 41 | 4.5% | (3.0-5.9) | 942 | 95.5% | (94.1-97.0) |
| | Male | 27 | 2.8% | (1.4-4.2) | 955 | 97.2% | (95.8-98.6) |
| Age | 11 years old or younger | 4 | 0.8% | (0.0-1.9) | 554 | 99.2% | (98.1-100.0) |
| | 12 years old | 22 | 3.3% | (1.7-5.0) | 690 | 96.7% | (95.0-98.3) |
| | 13 years old | 41 | 5.8% | (3.7-7.9) | 649 | 94.2% | (92.1-96.3) |
| | 14 years old or older | 3 | 4.8% | (0.0-10.7) | 47 | 95.2% | (89.3-100.0) |
| Grade | 6th | 5 | 1.0% | (0.0-2.2) | 597 | 99.0% | (97.8-100.0) |
| | 7th | 22 | 3.2% | (1.6-4.7) | 687 | 96.8% | (95.3-98.4) |
| | 8th | 43 | 6.2% | (4.0-8.3) | 642 | 93.8% | (91.7-96.0) |
| Race/Ethnicity | American Indian/Alaska Native^d | 1 | 1.7% | (0.0-5.0) | 58 | 98.3% | (95.0-100.0) |
| | Asian^d | 1 | 1.1% | (0.0-3.2) | 88 | 98.9% | (96.8-100.0) |
| | Black^d | 3 | 5.0% | (0.0-10.4) | 58 | 95.0% | (89.6-100.0) |
| | Native Hawaiian/Pacific Islander^d | 2 | 5.4% | (0.0-13.0) | 36 | 94.6% | (87.0-100.0) |
| | White^d | 13 | 1.8% | (0.5-3.1) | 749 | 98.2% | (96.9-99.5) |
| | Hispanic/Latino | 43 | 5.7% | (3.8-7.5) | 719 | 94.3% | (92.5-96.2) |
| | Other/Multiple^d | 3 | 3.0% | (0.0-6.4) | 98 | 97.0% | (93.6-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Used marijuana (also called “pot” or “weed”), not including CBD-only or hemp products

^f One or more times during the 30 days before the survey

*** Note: We caution against group comparisons when a cell size is less than 5.**

Table 42: Percentage of middle school students who used marijuana 20 or more times during the 30 days before the survey^{d,e} — Nevada YRBS 2021*

| | | Yes | | | No | | |
|----------------|--------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 9 | 13.6% | (6.6-20.5) | 61 | 86.4% | (79.5-93.4) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Used marijuana (also called “pot” or “weed”), not including CBD-only or hemp products

^e Among those who used marijuana during the 30 days before the survey

*** Note: Due to limited sample size, data on sex, age, grade, and race/ethnicity are unavailable.**

Table 43: Percentage of middle school students who usually used marijuana by different methods during the 30 days before the survey^{e,f} — Nevada YRBS 2021*

| | | Smoked it in a joint, bong, pipe, or blunt | | | Consumed it using food or drink | | | Vaporized it | | | Dabbed it using waxes or concentrates | | | Used it in some other way | | |
|------------------------|--|--|----------------|-------------------------|---------------------------------|----------------|-------------------------|----------------|----------------|-------------------------|---------------------------------------|----------------|-------------------------|---------------------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 35 | 56.5% | (43.0-70.1) | 8 | 13.4% | (5.2-21.7) | 8 | 13.0% | (3.3-22.7) | 6 | 11.3% | (1.8-20.8) | 3 | 5.8% | (0.2-11.3) |
| Sex | Female | 21 | 65.0% | (45.8-84.3) | 4 | 13.9% | (0.0-27.8) | 5 | 14.3% | (1.3-27.3) | 2 | 6.8% | (0.0-16.5) | 0 | . | (-.) |
| | Male | 13 | 46.5% | (26.3-66.7) | 3 | 9.9% | (0.0-22.8) | 3 | 12.4% | (0.0-25.6) | 4 | 17.8% | (0.1-35.4) | 3 | 13.4% | (1.2-25.5) |
| Age | 11 years old or younger | 3 | 74.2% | (41.8-100.0) | 0 | . | (-.) | 0 | . | (-.) | 0 | . | (-.) | 1 | 25.8% | (0.0-58.2) |
| | 12 years old | 9 | 43.8% | (21.6-65.9) | 3 | 17.2% | (2.2-32.2) | 5 | 28.1% | (8.0-48.2) | 2 | 10.9% | (0.0-25.8) | 0 | . | (-.) |
| | 13 years old | 21 | 61.3% | (42.1-80.5) | 4 | 10.9% | (0.0-22.8) | 3 | 7.2% | (0.0-17.8) | 4 | 13.7% | (0.0-28.4) | 2 | 6.9% | (0.0-14.7) |
| | 14 years old or older | 2 | 58.4% | (0.0-100.0) | 1 | 41.6% | (0.0-100.0) | 0 | . | (-.) | 0 | . | (-.) | 0 | . | (-.) |
| Grade | 6th | 2 | 38.8% | (7.4-70.2) | 0 | . | (-.) | 2 | 41.1% | (8.0-74.3) | 0 | . | (-.) | 1 | 20.1% | (0.0-41.3) |
| | 7th | 11 | 57.0% | (32.9-81.0) | 3 | 13.7% | (1.3-26.1) | 3 | 17.4% | (1.2-33.7) | 2 | 11.9% | (0.0-28.0) | 0 | . | (-.) |
| | 8th | 22 | 59.0% | (41.8-76.2) | 5 | 15.3% | (3.6-27.1) | 3 | 6.6% | (0.0-16.5) | 4 | 12.7% | (0.0-26.5) | 2 | 6.3% | (0.0-13.2) |
| Race/ Ethnicity | American Indian/ Alaska Native^d | 0 | . | (-.) | 1 | 100.0% | (100.0-100.0) | 0 | . | (-.) | 0 | . | (-.) | 0 | . | (-.) |
| | Asian^d | 1 | 100.0% | (100.0-100.0) | 0 | . | (-.) | 0 | . | (-.) | 0 | . | (-.) | 0 | . | (-.) |
| | Black^d | 3 | 100.0% | (100.0-100.0) | 0 | . | (-.) | 0 | . | (-.) | 0 | . | (-.) | 0 | . | (-.) |
| | Native Hawaiian/ Pacific Islander^d | 2 | 100.0% | (100.0-100.0) | 0 | . | (-.) | 0 | . | (-.) | 0 | . | (-.) | 0 | . | (-.) |
| | White^d | 5 | 45.7% | (19.8-71.7) | 1 | 8.7% | (0.0-22.8) | 3 | 26.7% | (0.0-54.3) | 1 | 9.5% | (0.0-28.7) | 1 | 9.5% | (0.0-28.7) |
| | Hispanic/Latino | 20 | 55.4% | (38.1-72.6) | 6 | 16.8% | (4.1-29.4) | 3 | 8.0% | (0.0-16.8) | 5 | 14.1% | (1.8-26.4) | 2 | 5.8% | (0.0-13.5) |
| | Other/Multiple^d | 1 | 51.6% | (0.0-100.0) | 0 | . | (-.) | 1 | 48.4% | (0.0-100.0) | 0 | . | (-.) | 0 | . | (-.) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Used marijuana (also called “pot” or “weed”), not including CBD-only or hemp products

^f Among those who used marijuana during the 30 days before the survey

* **Note: In 2019, “I dabbed it using waxes or concentrates” was added as a response.**

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 44: Percentage of middle school students who have ever rode with a driver who had been using marijuana^e— Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 293 | 13.8% | (11.9-15.7) | 1787 | 86.2% | (84.3-88.1) |
| Sex | Female | 149 | 14.5% | (12.1-16.8) | 851 | 85.5% | (83.2-87.9) |
| | Male | 135 | 13.0% | (10.4-15.5) | 893 | 87.0% | (84.5-89.6) |
| Age | 11 years old or younger | 63 | 10.8% | (8.0-13.6) | 510 | 89.2% | (86.4-92.0) |
| | 12 years old | 92 | 12.2% | (9.8-14.7) | 645 | 87.8% | (85.3-90.2) |
| | 13 years old | 125 | 16.7% | (13.2-20.3) | 587 | 83.3% | (79.7-86.8) |
| | 14 years old or older | 12 | 20.8% | (10.0-31.6) | 44 | 79.2% | (68.4-90.0) |
| Grade | 6th | 68 | 11.0% | (8.5-13.5) | 553 | 89.0% | (86.5-91.5) |
| | 7th | 97 | 12.9% | (10.3-15.4) | 640 | 87.1% | (84.6-89.7) |
| | 8th | 124 | 16.7% | (13.1-20.2) | 580 | 83.3% | (79.8-86.9) |
| Race/Ethnicity | American Indian/Alaska Native^d | 16 | 25.2% | (14.3-36.2) | 48 | 74.8% | (63.8-85.7) |
| | Asian^d | 5 | 5.4% | (0.2-10.5) | 88 | 94.6% | (89.5-99.8) |
| | Black^d | 21 | 31.6% | (17.8-45.3) | 47 | 68.4% | (54.7-82.2) |
| | Native Hawaiian/Pacific Islander^d | 8 | 21.0% | (7.4-34.6) | 31 | 79.0% | (65.4-92.6) |
| | White^d | 85 | 10.9% | (8.2-13.5) | 701 | 89.1% | (86.5-91.8) |
| | Hispanic/Latino | 114 | 14.6% | (11.9-17.2) | 674 | 85.4% | (82.8-88.1) |
| | Other/Multiple^d | 23 | 23.1% | (14.9-31.3) | 76 | 76.9% | (68.7-85.1) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Using marijuana (also called “pot” or “weed”)

Non-Medical Prescription Pain Medicine Use

Table 45: Percentage of middle school students who ever took prescription pain medicine without a doctor’s prescription or differently than how a doctor told them to use it^e— Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 135 | 6.8% | (5.6-8.0) | 1873 | 93.2% | (92.0-94.4) |
| Sex | Female | 79 | 8.3% | (6.5-10.1) | 894 | 91.7% | (89.9-93.5) |
| | Male | 52 | 5.3% | (3.9-6.7) | 933 | 94.7% | (93.3-96.1) |
| Age | 11 years old or younger | 29 | 5.4% | (3.4-7.4) | 517 | 94.6% | (92.6-96.6) |
| | 12 years old | 48 | 7.2% | (4.8-9.5) | 660 | 92.8% | (90.5-95.2) |
| | 13 years old | 57 | 7.9% | (6.1-9.7) | 642 | 92.1% | (90.3-93.9) |
| | 14 years old or older | 1 | 2.1% | (0.0-6.2) | 51 | 97.9% | (93.8-100.0) |
| Grade | 6th | 31 | 5.5% | (3.5-7.4) | 557 | 94.5% | (92.6-96.5) |
| | 7th | 48 | 7.1% | (4.8-9.4) | 663 | 92.9% | (90.6-95.2) |
| | 8th | 55 | 7.6% | (5.8-9.4) | 636 | 92.4% | (90.6-94.2) |
| Race/Ethnicity | American Indian/Alaska Native^d | 7 | 12.0% | (3.4-20.7) | 51 | 88.0% | (79.3-96.6) |
| | Asian^d | 4 | 4.3% | (0.4-8.2) | 86 | 95.7% | (91.8-99.6) |
| | Black^d | 9 | 14.3% | (5.9-22.8) | 53 | 85.7% | (77.2-94.1) |
| | Native Hawaiian/Pacific Islander^d | 5 | 14.6% | (4.0-25.1) | 31 | 85.4% | (74.9-96.0) |
| | White^d | 41 | 5.3% | (3.5-7.1) | 732 | 94.7% | (92.9-96.5) |
| | Hispanic/Latino | 61 | 8.1% | (5.9-10.2) | 696 | 91.9% | (89.8-94.1) |
| | Other/Multiple^d | 6 | 6.1% | (1.3-10.8) | 90 | 93.9% | (89.2-98.7) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Took prescription pain medicine (e.g., codeine, “Vicodin”, “Oxycontin”, “Hydrocodone”, or “Percocet”)

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 46: Percentage of middle school students who took prescription pain medicine without a doctor’s prescription or differently than how a doctor told them to use it during the 30 days before the survey^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 66 | 3.4% | (2.5-4.2) | 1953 | 96.6% | (95.8-97.5) |
| Sex | Female | 38 | 4.0% | (2.7-5.3) | 942 | 96.0% | (94.7-97.3) |
| | Male | 25 | 2.6% | (1.4-3.8) | 964 | 97.4% | (96.2-98.6) |
| Age | 11 years old or younger | 18 | 3.1% | (1.7-4.5) | 531 | 96.9% | (95.5-98.3) |
| | 12 years old | 19 | 2.9% | (1.4-4.4) | 694 | 97.1% | (95.6-98.6) |
| | 13 years old | 28 | 4.1% | (2.6-5.5) | 673 | 95.9% | (94.5-97.4) |
| | 14 years old or older | 1 | 2.1% | (0.0-6.1) | 52 | 97.9% | (93.9-100.0) |
| Grade | 6th | 20 | 3.3% | (2.1-4.6) | 573 | 96.7% | (95.4-97.9) |
| | 7th | 17 | 2.5% | (1.0-4.1) | 694 | 97.5% | (95.9-99.0) |
| | 8th | 29 | 4.2% | (2.7-5.7) | 667 | 95.8% | (94.3-97.3) |
| Race/Ethnicity | American Indian/Alaska Native^d | 5 | 8.6% | (1.3-15.9) | 53 | 91.4% | (84.1-98.7) |
| | Asian^d | 3 | 3.3% | (0.0-6.8) | 88 | 96.7% | (93.2-100.0) |
| | Black^d | 3 | 4.7% | (0.0-9.8) | 61 | 95.3% | (90.2-100.0) |
| | Native Hawaiian/Pacific Islander^d | 2 | 5.7% | (0.0-13.5) | 35 | 94.3% | (86.5-100.0) |
| | White^d | 19 | 2.5% | (1.2-3.7) | 754 | 97.5% | (96.3-98.8) |
| | Hispanic/Latino | 32 | 4.2% | (2.7-5.7) | 728 | 95.8% | (94.3-97.3) |
| | Other/Multiple^d | 2 | 2.1% | (0.0-5.0) | 95 | 97.9% | (95.0-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Took prescription pain medicine (e.g., codeine, “Vicodin”, “Oxycontin”, “Hydrocodone”, or “Percocet”)

* **Note: We caution against group comparisons when a cell size is less than 5.**

Other Drug Use

Table 47: Percentage of middle school students who ever used cocaine^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 22 | 1.2% | (0.7-1.6) | 2025 | 98.8% | (98.4-99.3) |
| Sex | Female | 12 | 1.3% | (0.6-2.0) | 987 | 98.7% | (98.0-99.4) |
| | Male | 9 | 1.0% | (0.3-1.7) | 988 | 99.0% | (98.3-99.7) |
| Age | 11 years old or younger | 6 | 1.2% | (0.3-2.1) | 556 | 98.8% | (97.9-99.7) |
| | 12 years old | 4 | 0.6% | (0.0-1.2) | 718 | 99.4% | (98.8-100.0) |
| | 13 years old | 11 | 1.6% | (0.7-2.4) | 695 | 98.4% | (97.6-99.3) |
| | 14 years old or older | 1 | 2.0% | (0.0-6.0) | 53 | 98.0% | (94.0-100.0) |
| Grade | 6th | 6 | 1.1% | (0.2-1.9) | 603 | 98.9% | (98.1-99.8) |
| | 7th | 4 | 0.6% | (0.0-1.2) | 715 | 99.4% | (98.8-100.0) |
| | 8th | 11 | 1.6% | (0.8-2.4) | 690 | 98.4% | (97.6-99.2) |
| Race/Ethnicity | American Indian/Alaska Native^d | 0 | . | (-.) | 59 | 100.0% | (100.0-100.0) |
| | Asian^d | 2 | 2.1% | (0.0-5.0) | 92 | 97.9% | (95.0-100.0) |
| | Black^d | 1 | 1.6% | (0.0-4.9) | 62 | 98.4% | (95.1-100.0) |
| | Native Hawaiian/Pacific Islander^d | 1 | 2.6% | (0.0-7.5) | 38 | 97.4% | (92.5-100.0) |
| | White^d | 7 | 0.9% | (0.2-1.7) | 773 | 99.1% | (98.3-99.8) |
| | Hispanic/Latino | 10 | 1.3% | (0.6-2.1) | 761 | 98.7% | (97.9-99.4) |
| | Other/Multiple^d | 1 | 1.0% | (0.0-3.1) | 99 | 99.0% | (96.9-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Used any form of cocaine including powder, crack, or freebase

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 48: Percentage of middle school students who ever used heroin^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 16 | 0.8% | (0.4-1.1) | 2020 | 99.2% | (98.9-99.6) |
| Sex | Female | 11 | 1.1% | (0.5-1.7) | 984 | 98.9% | (98.3-99.5) |
| | Male | 5 | 0.5% | (0.1-0.9) | 987 | 99.5% | (99.1-99.9) |
| Age | 11 years old or younger | 4 | 0.7% | (0.0-1.5) | 551 | 99.3% | (98.5-100.0) |
| | 12 years old | 4 | 0.6% | (0.0-1.1) | 717 | 99.4% | (98.9-100.0) |
| | 13 years old | 7 | 0.9% | (0.3-1.5) | 696 | 99.1% | (98.5-99.7) |
| | 14 years old or older | 1 | 2.0% | (0.0-6.0) | 53 | 98.0% | (94.0-100.0) |
| Grade | 6th | 4 | 0.7% | (0.0-1.3) | 598 | 99.3% | (98.7-100.0) |
| | 7th | 5 | 0.7% | (0.0-1.4) | 715 | 99.3% | (98.6-100.0) |
| | 8th | 7 | 0.9% | (0.3-1.5) | 690 | 99.1% | (98.5-99.7) |
| Race/Ethnicity | American Indian/Alaska Native^d | 0 | . | (-.) | 59 | 100.0% | (100.0-100.0) |
| | Asian^d | 1 | 1.1% | (0.0-3.2) | 89 | 98.9% | (96.8-100.0) |
| | Black^d | 2 | 3.1% | (0.0-7.4) | 62 | 96.9% | (92.6-100.0) |
| | Native Hawaiian/Pacific Islander^d | 3 | 8.3% | (0.0-17.9) | 34 | 91.7% | (82.1-100.0) |
| | White^d | 4 | 0.5% | (0.0-1.0) | 776 | 99.5% | (99.0-100.0) |
| | Hispanic/Latino | 5 | 0.7% | (0.1-1.2) | 762 | 99.3% | (98.8-99.9) |
| | Other/Multiple^d | 1 | 1.0% | (0.0-2.9) | 99 | 99.0% | (97.1-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Used heroin (also called “smack”, “junk”, or “China White”)

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 49 Percentage of middle school students who ever used methamphetamines^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 21 | 1.0% | (0.5-1.5) | 2012 | 99.0% | (98.5-99.5) |
| Sex | Female | 9 | 0.9% | (0.3-1.5) | 985 | 99.1% | (98.5-99.7) |
| | Male | 11 | 1.0% | (0.3-1.7) | 979 | 99.0% | (98.3-99.7) |
| Age | 11 years old or younger | 4 | 0.7% | (0.0-1.6) | 550 | 99.3% | (98.4-100.0) |
| | 12 years old | 7 | 0.9% | (0.1-1.8) | 709 | 99.1% | (98.2-99.9) |
| | 13 years old | 9 | 1.2% | (0.5-1.9) | 697 | 98.8% | (98.1-99.5) |
| | 14 years old or older | 1 | 2.0% | (0.0-6.0) | 53 | 98.0% | (94.0-100.0) |
| Grade | 6th | 4 | 0.6% | (0.0-1.4) | 594 | 99.4% | (98.6-100.0) |
| | 7th | 8 | 1.1% | (0.2-2.1) | 709 | 98.9% | (97.9-99.8) |
| | 8th | 8 | 1.1% | (0.4-1.7) | 692 | 98.9% | (98.3-99.6) |
| Race/Ethnicity | American Indian/Alaska Native^d | 1 | 1.7% | (0.0-5.2) | 59 | 98.3% | (94.8-100.0) |
| | Asian^d | 1 | 1.1% | (0.0-3.2) | 88 | 98.9% | (96.8-100.0) |
| | Black^d | 3 | 4.5% | (0.0-11.0) | 62 | 95.5% | (89.0-100.0) |
| | Native Hawaiian/Pacific Islander^d | 0 | . | (-.) | 39 | 100.0% | (100.0-100.0) |
| | White^d | 8 | 1.0% | (0.2-1.9) | 771 | 99.0% | (98.1-99.8) |
| | Hispanic/Latino | 7 | 0.9% | (0.3-1.6) | 758 | 99.1% | (98.4-99.7) |
| | Other/Multiple^d | 0 | . | (-.) | 100 | 100.0% | (100.0-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Used methamphetamines (also called “speed”, “crystal meth”, “crank”, “ice”, or “meth”)

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 50: Percentage of middle school students who ever used ecstasy^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 35 | 1.8% | (1.1-2.4) | 1972 | 98.2% | (97.6-98.9) |
| Sex | Female | 18 | 2.0% | (1.1-2.8) | 960 | 98.0% | (97.2-98.9) |
| | Male | 16 | 1.5% | (0.6-2.4) | 965 | 98.5% | (97.6-99.4) |
| Age | 11 years old or younger | 7 | 1.5% | (0.3-2.7) | 540 | 98.5% | (97.3-99.7) |
| | 12 years old | 10 | 1.4% | (0.3-2.4) | 700 | 98.6% | (97.6-99.7) |
| | 13 years old | 16 | 2.1% | (1.0-3.2) | 679 | 97.9% | (96.8-99.0) |
| | 14 years old or older | 2 | 4.1% | (0.0-9.2) | 50 | 95.9% | (90.8-100.0) |
| Grade | 6th | 9 | 1.8% | (0.5-3.1) | 580 | 98.2% | (96.9-99.5) |
| | 7th | 8 | 1.0% | (0.1-2.0) | 705 | 99.0% | (98.0-99.9) |
| | 8th | 18 | 2.4% | (1.2-3.6) | 672 | 97.6% | (96.4-98.8) |
| Race/Ethnicity | American Indian/Alaska Native^d | 0 | . | (.-) | 59 | 100.0% | (100.0-100.0) |
| | Asian^d | 0 | . | (.-) | 89 | 100.0% | (100.0-100.0) |
| | Black^d | 4 | 6.0% | (0.0-13.0) | 62 | 94.0% | (87.0-100.0) |
| | Native Hawaiian/Pacific Islander^d | 2 | 5.7% | (0.0-13.7) | 35 | 94.3% | (86.3-100.0) |
| | White^d | 9 | 1.2% | (0.2-2.2) | 755 | 98.8% | (97.8-99.8) |
| | Hispanic/Latino | 17 | 2.2% | (1.3-3.2) | 741 | 97.8% | (96.8-98.7) |
| | Other/Multiple^d | 1 | 1.0% | (0.0-2.9) | 98 | 99.0% | (97.1-100.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Used ecstasy (also called “MDMA” or “Molly”)

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 51: Percentage of middle school students who ever used synthetic marijuana^e — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 102 | 4.9% | (3.9-5.9) | 1954 | 95.1% | (94.1-96.1) |
| Sex | Female | 52 | 5.4% | (4.0-6.8) | 944 | 94.6% | (93.2-96.0) |
| | Male | 44 | 4.3% | (2.9-5.7) | 964 | 95.7% | (94.3-97.1) |
| Age | 11 years old or younger | 27 | 4.8% | (2.8-6.7) | 538 | 95.2% | (93.3-97.2) |
| | 12 years old | 31 | 4.2% | (2.7-5.8) | 695 | 95.8% | (94.2-97.3) |
| | 13 years old | 42 | 5.8% | (3.9-7.6) | 667 | 94.2% | (92.4-96.1) |
| | 14 years old or older | 2 | 4.2% | (0.0-9.9) | 51 | 95.8% | (90.1-100.0) |
| Grade | 6th | 30 | 4.9% | (3.1-6.8) | 582 | 95.1% | (93.2-96.9) |
| | 7th | 36 | 4.9% | (3.2-6.5) | 690 | 95.1% | (93.5-96.8) |
| | 8th | 36 | 5.1% | (3.3-6.8) | 666 | 94.9% | (93.2-96.7) |
| Race/Ethnicity | American Indian/Alaska Native^d | 4 | 6.8% | (0.0-13.6) | 56 | 93.2% | (86.4-100.0) |
| | Asian^d | 5 | 5.4% | (0.1-10.7) | 89 | 94.6% | (89.3-99.9) |
| | Black^d | 3 | 4.6% | (0.0-9.9) | 60 | 95.4% | (90.1-100.0) |
| | Native Hawaiian/Pacific Islander^d | 4 | 10.4% | (0.3-20.5) | 35 | 89.6% | (79.5-99.7) |
| | White^d | 32 | 4.2% | (2.6-5.7) | 747 | 95.8% | (94.3-97.4) |
| | Hispanic/Latino | 44 | 5.6% | (4.3-6.9) | 739 | 94.4% | (93.1-95.7) |
| | Other/Multiple^d | 4 | 4.2% | (0.2-8.2) | 93 | 95.8% | (91.8-99.8) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Used synthetic marijuana (also called “Spice”, “fake weed”, “K2”, or “Black Mamba”)

* **Note: We caution against group comparisons when a cell size is less than 5.**

Substance Use – Perception of Risk

Table 52: Percentage of middle school students who reported that they think people risk harming themselves physically or in other ways when they have five or more drinks of an alcoholic beverage once or twice a week — Nevada YRBS 2021

| | | No risk | | | Slight risk | | | Moderate risk | | | Great risk | | |
|----------------------------|--|----------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 358 | 18.2% | (15.6-20.8) | 409 | 22.5% | (20.3-24.6) | 666 | 36.1% | (33.6-38.7) | 446 | 23.2% | (21.1-25.3) |
| Sex | Female | 139 | 14.5% | (11.7-17.4) | 217 | 24.4% | (21.0-27.8) | 338 | 36.8% | (33.3-40.2) | 228 | 24.3% | (21.2-27.4) |
| | Male | 211 | 21.8% | (18.6-25.1) | 180 | 20.2% | (17.6-22.8) | 313 | 35.6% | (32.1-39.0) | 208 | 22.3% | (19.1-25.6) |
| Age | 11 years old or younger | 127 | 24.8% | (20.1-29.5) | 101 | 21.7% | (16.9-26.5) | 137 | 28.8% | (23.5-34.1) | 127 | 24.7% | (19.2-30.1) |
| | 12 years old | 127 | 19.1% | (15.5-22.8) | 133 | 20.4% | (17.4-23.4) | 236 | 36.2% | (32.4-40.0) | 158 | 24.3% | (21.1-27.4) |
| | 13 years old | 93 | 12.9% | (9.6-16.3) | 160 | 24.2% | (20.6-27.7) | 272 | 40.6% | (36.9-44.3) | 155 | 22.3% | (19.3-25.4) |
| | 14 years old or older | 11 | 20.8% | (8.9-32.6) | 14 | 28.5% | (15.5-41.6) | 21 | 39.5% | (26.6-52.3) | 6 | 11.2% | (0.7-21.7) |
| Grade | 6th | 141 | 25.8% | (21.0-30.7) | 100 | 20.1% | (15.7-24.6) | 154 | 30.0% | (25.0-35.0) | 135 | 24.0% | (18.7-29.3) |
| | 7th | 121 | 17.8% | (14.5-21.1) | 140 | 21.0% | (18.2-23.9) | 243 | 37.4% | (33.2-41.6) | 155 | 23.7% | (21.3-26.2) |
| | 8th | 94 | 13.2% | (9.9-16.6) | 162 | 24.7% | (21.1-28.3) | 265 | 39.7% | (36.0-43.3) | 154 | 22.4% | (19.3-25.4) |
| Race/ Ethnicity | American Indian/ Alaska Native^d | 13 | 22.8% | (14.3-31.3) | 10 | 16.7% | (7.0-26.4) | 16 | 27.5% | (15.5-39.5) | 19 | 33.0% | (21.6-44.4) |
| | Asian^d | 15 | 17.8% | (10.1-25.6) | 13 | 15.1% | (7.8-22.5) | 33 | 39.8% | (28.5-51.1) | 23 | 27.2% | (17.4-37.0) |
| | Black^d | 19 | 31.5% | (20.1-42.9) | 13 | 21.8% | (11.4-32.2) | 16 | 26.8% | (17.1-36.4) | 12 | 19.9% | (8.3-31.6) |
| | Native Hawaiian/ Pacific Islander^d | 11 | 31.4% | (15.3-47.5) | 7 | 19.9% | (8.6-31.3) | 8 | 22.1% | (7.7-36.5) | 10 | 26.6% | (10.7-42.5) |
| | White^d | 113 | 15.4% | (12.3-18.6) | 162 | 22.4% | (19.1-25.7) | 291 | 40.1% | (36.7-43.5) | 160 | 22.1% | (18.8-25.4) |
| | Hispanic/Latino | 142 | 20.2% | (16.2-24.2) | 164 | 23.3% | (20.4-26.2) | 241 | 34.2% | (30.7-37.7) | 158 | 22.3% | (19.7-24.9) |
| | Other/Multiple^d | 13 | 13.5% | (5.9-21.0) | 24 | 25.2% | (14.7-35.8) | 28 | 29.6% | (20.0-39.2) | 30 | 31.7% | (22.5-40.9) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 53: Percentage of middle school students who reported that they think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day — Nevada YRBS 2021

| | | No risk | | | Slight risk | | | Moderate risk | | | Great risk | | |
|----------------------------|--|----------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 327 | 16.9% | (14.8-19.1) | 356 | 19.1% | (17.1-21.0) | 487 | 26.3% | (24.1-28.4) | 698 | 37.7% | (34.9-40.5) |
| Sex | Female | 125 | 13.3% | (10.7-16.0) | 202 | 22.2% | (19.6-24.8) | 267 | 29.6% | (26.2-33.0) | 325 | 34.9% | (31.7-38.1) |
| | Male | 194 | 20.3% | (17.2-23.4) | 145 | 16.1% | (13.4-18.8) | 203 | 22.5% | (19.4-25.6) | 363 | 41.1% | (37.1-45.1) |
| Age | 11 years old or younger | 101 | 20.5% | (15.9-25.1) | 88 | 18.4% | (14.3-22.5) | 110 | 22.6% | (18.6-26.6) | 188 | 38.5% | (32.9-44.2) |
| | 12 years old | 120 | 18.1% | (14.6-21.5) | 126 | 19.2% | (16.6-21.9) | 174 | 26.5% | (22.8-30.2) | 235 | 36.3% | (32.4-40.1) |
| | 13 years old | 96 | 13.7% | (10.7-16.6) | 133 | 19.6% | (16.3-22.9) | 186 | 28.0% | (24.6-31.4) | 257 | 38.7% | (33.6-43.8) |
| | 14 years old or older | 9 | 15.9% | (5.7-26.2) | 9 | 16.2% | (5.2-27.2) | 17 | 31.4% | (17.5-45.4) | 18 | 36.5% | (25.5-47.4) |
| Grade | 6th | 116 | 22.0% | (17.3-26.8) | 89 | 17.3% | (13.4-21.3) | 118 | 22.8% | (19.1-26.5) | 201 | 37.9% | (32.2-43.5) |
| | 7th | 114 | 16.7% | (13.6-19.7) | 132 | 20.0% | (17.6-22.4) | 175 | 26.5% | (22.9-30.0) | 238 | 36.9% | (33.4-40.4) |
| | 8th | 93 | 13.4% | (10.6-16.2) | 134 | 19.6% | (16.2-23.1) | 188 | 28.4% | (24.8-32.0) | 256 | 38.6% | (33.5-43.7) |
| Race/ Ethnicity | American Indian/ Alaska Native^d | 8 | 14.2% | (4.7-23.7) | 9 | 15.7% | (6.1-25.4) | 12 | 20.8% | (10.8-30.9) | 28 | 49.2% | (37.2-61.2) |
| | Asian^d | 11 | 13.3% | (5.9-20.6) | 23 | 28.0% | (19.6-36.4) | 16 | 19.0% | (10.1-27.9) | 33 | 39.8% | (28.7-50.8) |
| | Black^d | 18 | 30.9% | (20.6-41.2) | 17 | 29.2% | (18.1-40.4) | 9 | 15.8% | (6.3-25.3) | 14 | 24.0% | (12.9-35.2) |
| | Native Hawaiian/ Pacific Islander^d | 9 | 26.6% | (8.0-45.3) | 7 | 19.7% | (6.9-32.6) | 10 | 28.3% | (14.4-42.2) | 9 | 25.3% | (11.5-39.2) |
| | White^d | 107 | 14.7% | (11.8-17.5) | 140 | 19.1% | (16.5-21.7) | 185 | 25.4% | (22.1-28.8) | 295 | 40.8% | (36.6-44.9) |
| | Hispanic/Latino | 137 | 19.6% | (16.2-23.1) | 123 | 17.6% | (14.6-20.6) | 190 | 27.2% | (23.9-30.5) | 248 | 35.5% | (31.9-39.1) |
| | Other/Multiple^d | 9 | 9.1% | (3.8-14.5) | 19 | 19.4% | (11.4-27.4) | 33 | 33.6% | (24.8-42.5) | 36 | 37.8% | (27.1-48.6) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 54: Percentage of middle school students who reported that they think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week — Nevada YRBS 2021

| | | No risk | | | Slight risk | | | Moderate risk | | | Great risk | | |
|----------------------------|--|----------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 402 | 21.2% | (18.5-23.9) | 408 | 22.6% | (20.5-24.8) | 548 | 30.3% | (27.8-32.8) | 482 | 25.8% | (23.5-28.2) |
| Sex | Female | 163 | 18.0% | (14.6-21.3) | 228 | 25.7% | (22.3-29.0) | 264 | 29.4% | (26.1-32.7) | 245 | 27.0% | (23.8-30.2) |
| | Male | 229 | 24.2% | (20.7-27.7) | 171 | 19.6% | (16.3-22.8) | 268 | 30.9% | (27.5-34.4) | 232 | 25.3% | (21.9-28.7) |
| Age | 11 years old or younger | 114 | 22.7% | (17.6-27.8) | 96 | 20.1% | (15.8-24.4) | 125 | 26.9% | (22.8-31.0) | 146 | 30.3% | (24.4-36.1) |
| | 12 years old | 146 | 22.5% | (19.1-26.0) | 126 | 19.8% | (16.5-23.1) | 198 | 31.1% | (27.0-35.2) | 172 | 26.5% | (23.3-29.8) |
| | 13 years old | 127 | 18.6% | (14.5-22.6) | 176 | 26.8% | (23.2-30.4) | 210 | 32.0% | (28.2-35.9) | 152 | 22.6% | (19.6-25.6) |
| | 14 years old or older | 14 | 27.3% | (14.8-39.7) | 10 | 21.0% | (7.5-34.5) | 15 | 28.1% | (14.6-41.5) | 12 | 23.7% | (10.4-36.9) |
| Grade | 6th | 128 | 24.0% | (18.6-29.4) | 102 | 20.0% | (15.9-24.2) | 129 | 25.7% | (21.5-29.9) | 159 | 30.2% | (24.3-36.1) |
| | 7th | 142 | 21.4% | (17.5-25.2) | 130 | 20.2% | (17.2-23.3) | 206 | 32.5% | (27.9-37.2) | 167 | 25.9% | (22.8-28.9) |
| | 8th | 128 | 18.9% | (14.6-23.2) | 174 | 26.6% | (23.4-29.8) | 210 | 31.8% | (28.1-35.4) | 152 | 22.7% | (19.8-25.7) |
| Race/ Ethnicity | American Indian/ Alaska Native^d | 13 | 22.8% | (12.3-33.4) | 14 | 24.7% | (13.3-36.0) | 12 | 20.8% | (10.3-31.4) | 18 | 31.7% | (19.9-43.5) |
| | Asian^d | 14 | 17.2% | (8.5-25.8) | 15 | 18.6% | (11.6-25.7) | 28 | 34.7% | (24.4-45.1) | 24 | 29.4% | (19.8-39.1) |
| | Black^d | 25 | 43.9% | (30.5-57.3) | 14 | 24.1% | (13.0-35.2) | 9 | 16.3% | (6.4-26.2) | 9 | 15.7% | (7.0-24.4) |
| | Native Hawaiian/ Pacific Islander^d | 8 | 23.6% | (8.0-39.2) | 10 | 29.1% | (11.8-46.3) | 8 | 22.4% | (6.5-38.2) | 9 | 24.9% | (8.6-41.2) |
| | White^d | 134 | 18.6% | (15.1-22.0) | 164 | 23.0% | (19.3-26.6) | 235 | 32.7% | (28.4-36.9) | 186 | 25.8% | (21.9-29.7) |
| | Hispanic/Latino | 162 | 23.7% | (19.9-27.4) | 157 | 22.9% | (19.2-26.5) | 195 | 28.4% | (24.4-32.3) | 173 | 25.1% | (21.7-28.5) |
| | Other/Multiple^d | 15 | 15.2% | (8.0-22.5) | 20 | 20.8% | (12.5-29.2) | 32 | 33.1% | (23.3-42.9) | 30 | 30.8% | (21.7-39.9) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 55: Percentage of middle school students who reported that they think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them — Nevada YRBS 2021*

| | | No risk | | | Slight risk | | | Moderate risk | | | Great risk | | |
|----------------------------|--|----------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 284 | 15.2% | (12.8-17.5) | 213 | 11.3% | (9.7-12.9) | 456 | 24.7% | (22.8-26.7) | 891 | 48.8% | (46.0-51.6) |
| Sex | Female | 112 | 12.3% | (9.5-15.0) | 120 | 13.1% | (10.7-15.5) | 240 | 26.6% | (23.2-29.9) | 431 | 48.0% | (44.3-51.8) |
| | Male | 166 | 17.9% | (14.8-21.1) | 86 | 9.4% | (7.0-11.9) | 203 | 22.8% | (20.1-25.5) | 443 | 49.8% | (46.1-53.5) |
| Age | 11 years old or younger | 91 | 18.7% | (13.9-23.5) | 50 | 10.1% | (6.8-13.3) | 113 | 23.5% | (19.0-28.0) | 231 | 47.8% | (42.8-52.7) |
| | 12 years old | 107 | 17.0% | (13.5-20.5) | 73 | 10.9% | (8.3-13.5) | 152 | 23.8% | (20.6-27.1) | 303 | 48.3% | (44.4-52.1) |
| | 13 years old | 79 | 11.6% | (8.6-14.5) | 85 | 12.6% | (9.9-15.2) | 178 | 26.2% | (23.3-29.1) | 329 | 49.7% | (44.7-54.7) |
| | 14 years old or older | 7 | 12.4% | (1.5-23.3) | 5 | 10.0% | (1.8-18.2) | 12 | 25.4% | (13.6-37.2) | 28 | 52.2% | (38.2-66.2) |
| Grade | 6th | 105 | 20.2% | (15.4-25.1) | 54 | 10.4% | (7.2-13.6) | 120 | 23.3% | (18.9-27.7) | 241 | 46.1% | (41.0-51.1) |
| | 7th | 103 | 16.1% | (12.7-19.4) | 73 | 10.7% | (8.1-13.2) | 153 | 23.7% | (20.8-26.7) | 310 | 49.6% | (45.8-53.4) |
| | 8th | 72 | 10.6% | (7.7-13.5) | 86 | 12.7% | (9.9-15.5) | 179 | 26.5% | (23.5-29.5) | 333 | 50.2% | (44.8-55.6) |
| Race/ Ethnicity | American Indian/ Alaska Native^d | 4 | 7.0% | (1.2-12.8) | 6 | 10.3% | (1.9-18.7) | 16 | 27.4% | (15.3-39.4) | 32 | 55.4% | (42.4-68.4) |
| | Asian^d | 10 | 12.9% | (5.4-20.3) | 10 | 12.9% | (6.0-19.7) | 19 | 24.0% | (15.3-32.8) | 39 | 50.3% | (39.9-60.6) |
| | Black^d | 15 | 26.1% | (14.1-38.0) | 11 | 19.2% | (9.2-29.3) | 12 | 21.1% | (8.7-33.6) | 19 | 33.6% | (22.5-44.6) |
| | Native Hawaiian/ Pacific Islander^d | 8 | 23.1% | (7.8-38.3) | 7 | 19.6% | (4.5-34.8) | 9 | 25.3% | (9.1-41.5) | 12 | 32.0% | (13.3-50.7) |
| | White^d | 93 | 12.8% | (9.8-15.8) | 73 | 10.1% | (7.8-12.4) | 186 | 26.0% | (22.8-29.1) | 368 | 51.2% | (47.0-55.3) |
| | Hispanic/Latino | 122 | 17.6% | (14.3-21.0) | 80 | 11.6% | (9.0-14.2) | 168 | 24.3% | (21.1-27.4) | 321 | 46.5% | (42.4-50.6) |
| | Other/Multiple^d | 11 | 11.3% | (5.2-17.4) | 11 | 11.4% | (5.6-17.1) | 21 | 21.5% | (13.2-29.8) | 54 | 55.8% | (44.5-67.2) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Substance Use – Perception of Parent Disapproval

Table 56: Percentage of middle school students who reported that their parents feel it would be wrong for them to have one or two drinks of an alcoholic beverage nearly every day — Nevada YRBS 2021*

| | | Not at all wrong | | | A little bit wrong | | | Wrong | | | Very wrong | | |
|----------------------------|--|------------------|----------------|-------------------------|--------------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 59 | 2.9% | (2.1-3.8) | 98 | 5.3% | (4.2-6.4) | 319 | 17.4% | (15.5-19.3) | 1395 | 74.3% | (72.3-76.4) |
| Sex | Female | 19 | 2.0% | (1.1-2.8) | 44 | 5.0% | (3.7-6.4) | 168 | 18.7% | (15.8-21.6) | 698 | 74.3% | (71.4-77.2) |
| | Male | 37 | 3.7% | (2.3-5.1) | 50 | 5.4% | (3.7-7.2) | 141 | 16.1% | (13.6-18.6) | 671 | 74.8% | (71.9-77.6) |
| Age | 11 years old or younger | 19 | 3.5% | (1.7-5.4) | 21 | 3.8% | (2.0-5.6) | 76 | 15.6% | (12.0-19.2) | 383 | 77.1% | (72.8-81.3) |
| | 12 years old | 20 | 2.8% | (1.4-4.2) | 31 | 5.2% | (3.2-7.2) | 113 | 18.1% | (15.5-20.8) | 482 | 73.9% | (70.9-76.8) |
| | 13 years old | 17 | 2.4% | (1.4-3.5) | 41 | 6.0% | (4.4-7.7) | 121 | 17.9% | (14.2-21.7) | 494 | 73.6% | (70.3-76.9) |
| | 14 years old or older | 3 | 6.4% | (0.0-15.1) | 5 | 10.6% | (0.7-20.5) | 9 | 18.4% | (8.3-28.6) | 35 | 64.6% | (48.9-80.3) |
| Grade | 6th | 23 | 3.9% | (1.9-5.9) | 24 | 4.2% | (2.1-6.2) | 80 | 15.2% | (11.8-18.6) | 410 | 76.7% | (72.4-81.0) |
| | 7th | 17 | 2.4% | (1.2-3.7) | 34 | 5.7% | (3.5-7.8) | 115 | 18.4% | (15.9-20.9) | 485 | 73.5% | (70.3-76.7) |
| | 8th | 17 | 2.4% | (1.2-3.6) | 40 | 5.9% | (4.2-7.7) | 120 | 18.0% | (14.7-21.4) | 492 | 73.6% | (70.3-76.9) |
| Race/ Ethnicity | American Indian/ Alaska Native^d | 4 | 7.0% | (0.3-13.7) | 3 | 5.4% | (0.0-11.5) | 7 | 12.4% | (4.3-20.6) | 43 | 75.2% | (64.4-86.0) |
| | Asian^d | 3 | 3.6% | (0.0-7.7) | 4 | 4.6% | (0.0-10.0) | 13 | 15.5% | (6.9-24.0) | 63 | 76.4% | (66.4-86.3) |
| | Black^d | 3 | 4.8% | (0.0-11.8) | 2 | 3.4% | (0.0-8.2) | 8 | 13.8% | (4.7-23.0) | 46 | 77.9% | (67.1-88.7) |
| | Native Hawaiian/ Pacific Islander^d | 3 | 8.7% | (0.0-18.2) | 2 | 6.1% | (0.0-14.0) | 2 | 5.7% | (0.0-13.8) | 28 | 79.5% | (66.2-92.7) |
| | White^d | 9 | 1.2% | (0.5-2.0) | 34 | 4.7% | (3.0-6.4) | 121 | 16.7% | (13.8-19.5) | 560 | 77.4% | (73.9-80.9) |
| | Hispanic/Latino | 31 | 4.5% | (2.9-6.1) | 39 | 5.6% | (3.9-7.4) | 130 | 18.6% | (15.6-21.6) | 499 | 71.3% | (67.7-74.8) |
| | Other/Multiple^d | 1 | 1.0% | (0.0-3.0) | 8 | 8.2% | (2.9-13.6) | 20 | 20.5% | (12.5-28.5) | 69 | 70.3% | (61.4-79.1) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 57: Percentage of middle school students who reported that their parents feel it would be wrong for them to smoke tobacco — Nevada YRBS 2021*

| | | Not at all wrong | | | A little bit wrong | | | Wrong | | | Very wrong | | |
|----------------------------|--|------------------|----------------|-------------------------|--------------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 37 | 1.9% | (1.1-2.7) | 28 | 1.4% | (0.9-1.9) | 191 | 10.1% | (8.7-11.6) | 1615 | 86.6% | (84.9-88.3) |
| Sex | Female | 14 | 1.5% | (0.6-2.3) | 10 | 1.0% | (0.4-1.6) | 98 | 10.9% | (8.7-13.1) | 802 | 86.7% | (84.5-88.8) |
| | Male | 22 | 2.3% | (1.1-3.5) | 17 | 1.8% | (0.9-2.7) | 86 | 9.1% | (7.1-11.2) | 779 | 86.8% | (84.2-89.4) |
| Age | 11 years old or younger | 11 | 2.0% | (0.7-3.4) | 6 | 0.7% | (0.1-1.4) | 36 | 6.8% | (4.4-9.2) | 445 | 90.4% | (87.8-93.0) |
| | 12 years old | 11 | 1.5% | (0.4-2.7) | 8 | 1.3% | (0.4-2.2) | 79 | 12.6% | (10.1-15.1) | 547 | 84.6% | (81.7-87.4) |
| | 13 years old | 13 | 2.0% | (0.7-3.2) | 13 | 1.8% | (0.9-2.8) | 71 | 10.2% | (8.0-12.3) | 578 | 86.1% | (83.5-88.7) |
| | 14 years old or older | 2 | 4.2% | (0.0-9.7) | 1 | 1.8% | (0.0-5.4) | 5 | 10.4% | (2.8-18.0) | 44 | 83.6% | (73.2-94.1) |
| Grade | 6th | 14 | 2.4% | (0.8-3.9) | 7 | 0.9% | (0.2-1.6) | 40 | 7.1% | (4.7-9.6) | 476 | 89.6% | (86.7-92.4) |
| | 7th | 9 | 1.3% | (0.2-2.4) | 9 | 1.4% | (0.4-2.4) | 79 | 12.5% | (9.8-15.1) | 553 | 84.8% | (81.6-88.1) |
| | 8th | 12 | 1.8% | (0.6-3.0) | 12 | 1.7% | (0.8-2.7) | 70 | 10.2% | (8.1-12.3) | 575 | 86.3% | (83.7-88.8) |
| Race/ Ethnicity | American Indian/ Alaska Native^d | 1 | 1.7% | (0.0-5.2) | 1 | 1.8% | (0.0-5.5) | 7 | 12.3% | (4.0-20.7) | 48 | 84.1% | (74.6-93.6) |
| | Asian^d | 0 | . | (.-) | 2 | 2.3% | (0.0-5.5) | 4 | 4.7% | (0.2-9.1) | 78 | 93.0% | (86.9-99.2) |
| | Black^d | 4 | 6.6% | (0.6-12.5) | 4 | 6.8% | (0.2-13.5) | 4 | 6.7% | (0.3-13.2) | 47 | 79.9% | (69.3-90.5) |
| | Native Hawaiian/ Pacific Islander^d | 2 | 5.7% | (0.0-13.5) | 1 | 3.0% | (0.0-8.8) | 3 | 8.7% | (0.0-18.5) | 29 | 82.6% | (69.5-95.8) |
| | White^d | 6 | 0.9% | (0.2-1.5) | 8 | 1.1% | (0.4-1.8) | 77 | 10.6% | (8.1-13.1) | 633 | 87.5% | (84.9-90.1) |
| | Hispanic/Latino | 20 | 2.9% | (1.2-4.6) | 7 | 1.0% | (0.3-1.8) | 73 | 10.4% | (8.2-12.6) | 599 | 85.7% | (82.9-88.5) |
| | Other/Multiple^d | 1 | 1.0% | (0.0-3.0) | 2 | 2.2% | (0.0-5.3) | 10 | 10.2% | (4.1-16.4) | 85 | 86.6% | (79.1-94.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 58: Percentage of middle school students who reported that their parents feel it would be wrong for them to smoke marijuana — Nevada YRBS 2021*

| | | Not at all wrong | | | A little bit wrong | | | Wrong | | | Very wrong | | |
|----------------------------|--|------------------|----------------|-------------------------|--------------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 50 | 2.5% | (1.7-3.4) | 71 | 3.8% | (3.0-4.7) | 183 | 9.8% | (8.3-11.2) | 1573 | 83.8% | (81.9-85.7) |
| Sex | Female | 16 | 1.6% | (0.8-2.4) | 40 | 4.6% | (3.3-6.0) | 90 | 9.8% | (7.9-11.7) | 783 | 84.0% | (81.5-86.5) |
| | Male | 33 | 3.5% | (2.1-4.9) | 28 | 2.9% | (1.9-4.0) | 84 | 9.5% | (7.5-11.4) | 759 | 84.2% | (81.8-86.5) |
| Age | 11 years old or younger | 13 | 2.3% | (1.1-3.6) | 11 | 2.4% | (1.1-3.6) | 30 | 5.5% | (3.8-7.3) | 441 | 89.8% | (87.4-92.2) |
| | 12 years old | 17 | 2.6% | (1.1-4.0) | 21 | 3.2% | (2.0-4.5) | 69 | 10.7% | (8.4-13.1) | 546 | 83.5% | (80.4-86.5) |
| | 13 years old | 17 | 2.4% | (1.3-3.4) | 36 | 5.2% | (3.7-6.6) | 80 | 11.9% | (9.5-14.3) | 544 | 80.6% | (77.7-83.5) |
| | 14 years old or older | 3 | 6.7% | (0.0-13.8) | 3 | 6.1% | (0.0-13.0) | 4 | 7.3% | (0.2-14.4) | 41 | 79.9% | (66.9-92.9) |
| Grade | 6th | 17 | 2.8% | (1.3-4.4) | 10 | 2.2% | (0.8-3.5) | 33 | 5.7% | (4.0-7.5) | 476 | 89.3% | (86.4-92.2) |
| | 7th | 14 | 2.1% | (0.7-3.5) | 28 | 4.1% | (2.6-5.6) | 68 | 10.6% | (8.1-13.0) | 545 | 83.2% | (80.0-86.4) |
| | 8th | 16 | 2.3% | (1.2-3.4) | 33 | 4.9% | (3.5-6.3) | 80 | 11.9% | (9.5-14.2) | 542 | 81.0% | (77.9-84.0) |
| Race/ Ethnicity | American Indian/ Alaska Native^d | 2 | 3.4% | (0.0-8.3) | 2 | 3.3% | (0.0-8.0) | 9 | 15.6% | (6.2-24.9) | 46 | 77.7% | (66.5-88.8) |
| | Asian^d | 0 | . | (.-) | 2 | 2.3% | (0.0-5.5) | 5 | 6.0% | (0.0-12.0) | 76 | 91.7% | (84.3-99.2) |
| | Black^d | 3 | 4.8% | (0.0-11.8) | 8 | 13.9% | (5.4-22.4) | 6 | 10.3% | (2.9-17.6) | 42 | 71.0% | (59.8-82.2) |
| | Native Hawaiian/ Pacific Islander^d | 2 | 5.6% | (0.0-13.1) | 1 | 2.9% | (0.0-8.6) | 2 | 5.5% | (0.0-13.1) | 31 | 86.1% | (74.3-97.9) |
| | White^d | 15 | 2.1% | (0.9-3.3) | 19 | 2.6% | (1.5-3.8) | 74 | 10.3% | (7.9-12.6) | 615 | 85.0% | (82.0-88.0) |
| | Hispanic/Latino | 20 | 2.9% | (1.4-4.3) | 34 | 4.8% | (3.4-6.3) | 67 | 9.5% | (7.2-11.8) | 584 | 82.8% | (79.9-85.7) |
| | Other/Multiple^d | 3 | 3.1% | (0.0-6.6) | 3 | 2.9% | (0.0-6.2) | 10 | 10.7% | (4.1-17.4) | 81 | 83.2% | (75.7-90.8) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 59: Percentage of middle school students who reported that their parents feel it would be wrong for them to use prescription drugs not prescribed to them — Nevada YRBS 2021*

| | | Not at all wrong | | | A little bit wrong | | | Wrong | | | Very wrong | | |
|----------------------------|--|------------------|----------------|-------------------------|--------------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 41 | 2.1% | (1.4-2.9) | 51 | 2.7% | (1.9-3.5) | 236 | 12.8% | (11.2-14.3) | 1539 | 82.4% | (80.5-84.3) |
| Sex | Female | 14 | 1.5% | (0.7-2.4) | 27 | 3.2% | (2.0-4.3) | 127 | 14.2% | (11.8-16.6) | 756 | 81.1% | (78.2-83.9) |
| | Male | 26 | 2.7% | (1.6-3.8) | 24 | 2.3% | (1.2-3.4) | 94 | 10.6% | (8.7-12.6) | 755 | 84.3% | (81.9-86.8) |
| Age | 11 years old or younger | 14 | 2.6% | (1.3-4.0) | 9 | 1.7% | (0.6-2.7) | 52 | 10.5% | (7.3-13.7) | 414 | 85.2% | (81.8-88.7) |
| | 12 years old | 13 | 1.9% | (0.8-3.1) | 20 | 2.9% | (1.4-4.4) | 91 | 14.3% | (11.7-16.8) | 528 | 80.9% | (78.0-83.8) |
| | 13 years old | 12 | 1.8% | (0.7-2.9) | 22 | 3.4% | (2.1-4.7) | 86 | 12.8% | (10.2-15.5) | 553 | 82.0% | (78.9-85.0) |
| | 14 years old or older | 2 | 4.2% | (0.0-9.7) | 0 | . | (.-) | 7 | 14.1% | (4.2-24.0) | 43 | 81.7% | (70.1-93.3) |
| Grade | 6th | 17 | 3.0% | (1.3-4.8) | 12 | 2.0% | (0.7-3.2) | 52 | 9.9% | (7.0-12.8) | 448 | 85.1% | (81.4-88.7) |
| | 7th | 11 | 1.6% | (0.5-2.7) | 19 | 2.8% | (1.3-4.3) | 94 | 14.4% | (11.9-17.0) | 532 | 81.1% | (78.3-84.0) |
| | 8th | 11 | 1.7% | (0.6-2.7) | 20 | 3.1% | (1.8-4.4) | 89 | 13.4% | (10.9-16.0) | 548 | 81.8% | (78.6-85.0) |
| Race/ Ethnicity | American Indian/ Alaska Native^d | 2 | 3.3% | (0.0-8.0) | 1 | 1.6% | (0.0-4.8) | 8 | 13.5% | (5.1-21.9) | 48 | 81.5% | (72.2-90.9) |
| | Asian^d | 0 | . | (.-) | 2 | 2.4% | (0.0-5.8) | 9 | 11.0% | (3.4-18.6) | 71 | 86.6% | (77.9-95.3) |
| | Black^d | 3 | 5.1% | (0.0-10.7) | 3 | 4.8% | (0.0-10.1) | 3 | 5.0% | (0.0-10.5) | 50 | 85.2% | (75.4-95.0) |
| | Native Hawaiian/ Pacific Islander^d | 2 | 5.6% | (0.0-13.1) | 1 | 3.0% | (0.0-9.0) | 4 | 10.8% | (0.2-21.4) | 29 | 80.6% | (66.9-94.4) |
| | White^d | 12 | 1.7% | (0.7-2.6) | 20 | 2.8% | (1.5-4.0) | 84 | 11.4% | (9.1-13.8) | 607 | 84.1% | (81.2-87.0) |
| | Hispanic/Latino | 16 | 2.3% | (1.0-3.7) | 16 | 2.3% | (1.2-3.4) | 103 | 14.8% | (12.3-17.4) | 563 | 80.5% | (77.5-83.6) |
| | Other/Multiple^d | 3 | 3.0% | (0.0-6.3) | 4 | 4.2% | (0.3-8.0) | 12 | 12.5% | (5.3-19.6) | 78 | 80.4% | (72.1-88.7) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Substance Use – Perception of Peer Disapproval

Table 60: Percentage of middle school students who reported that their friends feel it would be wrong for them to have one or two drinks of an alcoholic beverage nearly every day — Nevada YRBS 2021*

| | | Not at all wrong | | | A little bit wrong | | | Wrong | | | Very wrong | | |
|----------------------------|--|------------------|----------------|-------------------------|--------------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 90 | 4.9% | (3.7-6.1) | 223 | 12.1% | (10.5-13.8) | 559 | 31.2% | (29.0-33.4) | 968 | 51.8% | (48.7-54.8) |
| Sex | Female | 35 | 3.9% | (2.5-5.3) | 113 | 12.8% | (10.3-15.4) | 278 | 31.7% | (28.8-34.6) | 483 | 51.5% | (47.6-55.4) |
| | Male | 52 | 5.7% | (4.1-7.4) | 105 | 11.6% | (9.5-13.7) | 268 | 30.5% | (27.1-33.9) | 464 | 52.1% | (48.2-56.1) |
| Age | 11 years old or younger | 16 | 3.1% | (1.4-4.7) | 50 | 10.3% | (7.2-13.5) | 134 | 28.4% | (24.2-32.6) | 286 | 58.2% | (53.1-63.3) |
| | 12 years old | 23 | 3.4% | (2.0-4.8) | 78 | 12.4% | (9.4-15.3) | 190 | 30.9% | (26.9-34.8) | 347 | 53.4% | (48.9-57.8) |
| | 13 years old | 47 | 7.1% | (5.1-9.1) | 90 | 13.2% | (10.4-16.1) | 215 | 32.5% | (29.4-35.7) | 312 | 47.1% | (42.9-51.2) |
| | 14 years old or older | 4 | 8.5% | (1.3-15.7) | 5 | 10.5% | (2.5-18.4) | 20 | 40.9% | (25.5-56.4) | 22 | 40.1% | (23.8-56.4) |
| Grade | 6th | 20 | 3.5% | (1.8-5.2) | 50 | 9.6% | (6.8-12.4) | 137 | 27.0% | (22.7-31.3) | 318 | 59.9% | (54.8-65.0) |
| | 7th | 23 | 3.4% | (2.0-4.8) | 80 | 12.7% | (9.7-15.6) | 208 | 33.5% | (29.4-37.5) | 328 | 50.5% | (46.0-55.0) |
| | 8th | 45 | 6.9% | (4.7-9.1) | 93 | 13.7% | (10.9-16.5) | 209 | 32.3% | (28.9-35.7) | 315 | 47.1% | (42.6-51.6) |
| Race/ Ethnicity | American Indian/ Alaska Native^d | 4 | 7.2% | (0.0-14.4) | 3 | 5.0% | (0.0-10.8) | 17 | 29.1% | (17.6-40.6) | 34 | 58.7% | (46.0-71.5) |
| | Asian^d | 1 | 1.2% | (0.0-3.5) | 4 | 4.9% | (0.3-9.6) | 29 | 35.5% | (23.9-47.0) | 48 | 58.4% | (47.0-69.8) |
| | Black^d | 8 | 13.6% | (5.6-21.6) | 13 | 22.1% | (12.6-31.6) | 14 | 24.7% | (13.7-35.7) | 23 | 39.6% | (28.6-50.7) |
| | Native Hawaiian/ Pacific Islander^d | 5 | 14.0% | (3.3-24.6) | 4 | 11.4% | (0.6-22.3) | 5 | 13.8% | (2.3-25.2) | 22 | 60.9% | (44.0-77.7) |
| | White^d | 17 | 2.5% | (1.1-3.8) | 71 | 10.1% | (7.5-12.7) | 212 | 29.8% | (26.2-33.4) | 409 | 57.6% | (53.1-62.1) |
| | Hispanic/Latino | 46 | 6.8% | (4.8-8.8) | 101 | 14.5% | (11.9-17.2) | 228 | 32.8% | (29.9-35.7) | 318 | 45.8% | (42.3-49.4) |
| | Other/Multiple^d | 5 | 5.5% | (0.8-10.2) | 11 | 11.5% | (5.3-17.6) | 32 | 33.9% | (25.1-42.8) | 47 | 49.1% | (39.2-59.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 61: Percentage of middle school students who reported that their friends feel it would be wrong for them to smoke tobacco — Nevada YRBS 2021*

| | | Not at all wrong | | | A little bit wrong | | | Wrong | | | Very wrong | | |
|----------------------------|--|------------------|----------------|-------------------------|--------------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 69 | 3.7% | (2.6-4.7) | 170 | 9.5% | (7.9-11.1) | 511 | 27.9% | (25.7-30.2) | 1095 | 58.9% | (55.7-62.0) |
| Sex | Female | 29 | 3.1% | (1.8-4.5) | 83 | 9.5% | (7.1-11.8) | 258 | 29.0% | (25.6-32.5) | 541 | 58.4% | (54.0-62.7) |
| | Male | 39 | 4.2% | (2.6-5.8) | 84 | 9.7% | (7.8-11.7) | 239 | 26.6% | (23.2-29.9) | 531 | 59.5% | (55.4-63.6) |
| Age | 11 years old or younger | 15 | 2.6% | (1.0-4.2) | 26 | 5.6% | (3.7-7.5) | 110 | 23.0% | (19.4-26.5) | 334 | 68.8% | (65.2-72.4) |
| | 12 years old | 14 | 2.1% | (0.8-3.3) | 60 | 9.3% | (7.0-11.6) | 177 | 28.0% | (23.8-32.3) | 388 | 60.6% | (56.3-64.8) |
| | 13 years old | 36 | 5.3% | (3.4-7.2) | 79 | 12.2% | (9.3-15.1) | 209 | 31.0% | (27.8-34.1) | 345 | 51.6% | (46.9-56.2) |
| | 14 years old or older | 4 | 8.6% | (0.7-16.5) | 5 | 10.6% | (0.0-21.4) | 15 | 28.6% | (17.1-40.0) | 27 | 52.2% | (36.4-68.1) |
| Grade | 6th | 17 | 2.6% | (1.1-4.2) | 27 | 5.4% | (3.9-7.0) | 112 | 21.5% | (18.3-24.7) | 369 | 70.4% | (66.8-74.0) |
| | 7th | 16 | 2.4% | (1.1-3.8) | 61 | 9.5% | (7.1-11.9) | 194 | 30.7% | (26.0-35.4) | 371 | 57.4% | (52.8-62.0) |
| | 8th | 35 | 5.3% | (3.3-7.3) | 80 | 12.3% | (9.5-15.1) | 202 | 30.5% | (27.2-33.8) | 346 | 51.9% | (47.1-56.7) |
| Race/ Ethnicity | American Indian/ Alaska Native^d | 2 | 3.5% | (0.0-8.4) | 2 | 3.3% | (0.0-8.0) | 15 | 25.9% | (14.9-36.9) | 39 | 67.3% | (55.2-79.5) |
| | Asian^d | 1 | 1.3% | (0.0-3.9) | 3 | 3.6% | (0.0-7.4) | 29 | 35.0% | (24.4-45.7) | 50 | 60.1% | (48.2-71.9) |
| | Black^d | 10 | 17.4% | (7.6-27.1) | 6 | 10.6% | (2.9-18.3) | 16 | 28.8% | (16.4-41.1) | 25 | 43.2% | (30.2-56.1) |
| | Native Hawaiian/ Pacific Islander^d | 2 | 5.3% | (0.0-12.5) | 6 | 15.7% | (5.0-26.3) | 6 | 15.9% | (3.4-28.4) | 24 | 63.1% | (46.5-79.7) |
| | White^d | 14 | 2.0% | (0.9-3.2) | 58 | 8.2% | (5.7-10.8) | 202 | 28.4% | (24.7-32.1) | 436 | 61.3% | (56.4-66.1) |
| | Hispanic/Latino | 32 | 4.7% | (2.9-6.5) | 80 | 11.7% | (9.0-14.4) | 184 | 26.5% | (23.5-29.6) | 395 | 57.1% | (53.1-61.0) |
| | Other/Multiple^d | 3 | 3.4% | (0.0-7.2) | 7 | 7.3% | (1.9-12.6) | 30 | 31.8% | (22.8-40.8) | 55 | 57.6% | (48.4-66.7) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 62: Percentage of middle school students who reported that their friends feel it would be wrong for them to smoke marijuana — Nevada YRBS 2021*

| | | Not at all wrong | | | A little bit wrong | | | Wrong | | | Very wrong | | |
|----------------------------|--|------------------|----------------|-------------------------|--------------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 124 | 6.8% | (5.2-8.4) | 187 | 10.6% | (8.8-12.4) | 417 | 23.0% | (20.7-25.2) | 1111 | 59.7% | (56.0-63.3) |
| Sex | Female | 58 | 6.5% | (4.2-8.8) | 94 | 10.6% | (8.1-13.1) | 218 | 24.3% | (21.1-27.4) | 546 | 58.7% | (54.3-63.0) |
| | Male | 65 | 7.2% | (5.3-9.1) | 89 | 10.5% | (8.3-12.7) | 184 | 21.1% | (17.8-24.4) | 546 | 61.1% | (56.6-65.7) |
| Age | 11 years old or younger | 20 | 3.8% | (1.8-5.8) | 23 | 4.7% | (3.0-6.5) | 93 | 19.5% | (15.8-23.2) | 349 | 71.9% | (67.9-76.0) |
| | 12 years old | 28 | 4.3% | (2.6-6.1) | 73 | 11.8% | (9.3-14.3) | 142 | 22.7% | (18.5-27.0) | 394 | 61.1% | (56.2-66.0) |
| | 13 years old | 70 | 10.3% | (7.6-12.9) | 84 | 13.0% | (10.0-16.0) | 170 | 25.4% | (22.2-28.5) | 342 | 51.3% | (46.1-56.6) |
| | 14 years old or older | 6 | 13.4% | (4.1-22.7) | 7 | 14.4% | (4.7-24.1) | 12 | 23.2% | (11.6-34.9) | 25 | 48.9% | (30.8-67.0) |
| Grade | 6th | 21 | 3.7% | (1.7-5.7) | 25 | 4.9% | (3.4-6.4) | 96 | 18.7% | (14.9-22.4) | 383 | 72.8% | (68.7-76.8) |
| | 7th | 31 | 4.8% | (2.7-6.8) | 72 | 11.4% | (8.6-14.3) | 151 | 24.1% | (19.3-28.8) | 386 | 59.7% | (54.6-64.9) |
| | 8th | 70 | 10.4% | (7.7-13.2) | 88 | 13.7% | (10.6-16.8) | 166 | 25.1% | (21.9-28.4) | 336 | 50.7% | (45.5-55.9) |
| Race/ Ethnicity | American Indian/ Alaska Native^d | 4 | 7.1% | (0.0-14.2) | 3 | 5.1% | (0.0-10.8) | 10 | 17.5% | (7.5-27.5) | 40 | 70.3% | (57.8-82.9) |
| | Asian^d | 1 | 1.2% | (0.0-3.5) | 4 | 4.9% | (0.4-9.4) | 22 | 27.1% | (17.2-37.0) | 55 | 66.8% | (54.5-79.2) |
| | Black^d | 13 | 23.1% | (12.6-33.5) | 8 | 14.4% | (5.4-23.4) | 14 | 24.5% | (13.7-35.3) | 22 | 38.0% | (24.7-51.4) |
| | Native Hawaiian/ Pacific Islander^d | 2 | 5.4% | (0.0-12.8) | 5 | 13.4% | (2.4-24.4) | 7 | 19.0% | (5.7-32.3) | 23 | 62.2% | (44.3-80.0) |
| | White^d | 34 | 4.9% | (2.9-7.0) | 65 | 9.3% | (6.6-11.9) | 157 | 22.2% | (19.3-25.1) | 451 | 63.6% | (58.7-68.5) |
| | Hispanic/Latino | 59 | 8.7% | (6.2-11.1) | 85 | 12.4% | (9.5-15.2) | 159 | 22.9% | (19.7-26.2) | 389 | 56.1% | (51.6-60.5) |
| | Other/Multiple^d | 4 | 4.4% | (0.0-8.8) | 10 | 10.6% | (4.8-16.5) | 25 | 26.5% | (18.0-35.0) | 56 | 58.4% | (49.2-67.7) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 63: Percentage of middle school students who reported that their friends feel it would be wrong for them to use prescription drugs not prescribed to them — Nevada YRBS 2021*

| | | Not at all wrong | | | A little bit wrong | | | Wrong | | | Very wrong | | |
|----------------------------|--|------------------|----------------|-------------------------|--------------------|----------------|-------------------------|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 68 | 3.8% | (2.7-4.8) | 148 | 8.2% | (6.7-9.8) | 408 | 22.9% | (20.9-24.8) | 1188 | 65.1% | (62.1-68.2) |
| Sex | Female | 31 | 3.6% | (2.2-4.9) | 71 | 8.1% | (6.2-10.0) | 212 | 23.8% | (20.7-26.8) | 584 | 64.6% | (60.4-68.7) |
| | Male | 35 | 3.9% | (2.3-5.4) | 69 | 7.9% | (5.9-9.9) | 192 | 22.4% | (19.3-25.6) | 580 | 65.8% | (61.6-70.0) |
| Age | 11 years old or younger | 18 | 3.4% | (1.9-4.9) | 27 | 5.7% | (3.6-7.9) | 96 | 20.6% | (16.6-24.7) | 334 | 70.3% | (65.4-75.1) |
| | 12 years old | 22 | 3.6% | (1.9-5.4) | 60 | 9.3% | (6.8-11.9) | 126 | 20.6% | (17.2-24.1) | 415 | 66.4% | (62.4-70.5) |
| | 13 years old | 26 | 4.1% | (2.4-5.8) | 55 | 8.5% | (6.4-10.7) | 174 | 26.1% | (23.3-29.0) | 407 | 61.2% | (56.8-65.7) |
| | 14 years old or older | 2 | 4.3% | (0.0-9.9) | 6 | 12.6% | (0.0-25.3) | 12 | 23.0% | (9.0-37.0) | 31 | 60.1% | (41.9-78.3) |
| Grade | 6th | 21 | 3.6% | (2.1-5.1) | 34 | 6.4% | (4.3-8.5) | 94 | 19.1% | (15.1-23.1) | 364 | 70.9% | (66.0-75.8) |
| | 7th | 21 | 3.6% | (1.7-5.4) | 52 | 8.2% | (5.8-10.7) | 141 | 22.4% | (19.0-25.8) | 415 | 65.8% | (61.7-69.9) |
| | 8th | 25 | 4.0% | (2.2-5.8) | 60 | 9.3% | (6.7-11.9) | 171 | 26.1% | (23.3-28.9) | 400 | 60.6% | (55.9-65.4) |
| Race/ Ethnicity | American Indian/ Alaska Native^d | 2 | 3.5% | (0.0-8.5) | 1 | 1.7% | (0.0-5.2) | 15 | 26.1% | (14.6-37.5) | 39 | 68.7% | (56.1-81.3) |
| | Asian^d | 0 | . | (.-) | 6 | 7.5% | (0.9-14.1) | 23 | 29.4% | (17.9-41.0) | 51 | 63.1% | (51.0-75.2) |
| | Black^d | 5 | 8.6% | (1.9-15.4) | 9 | 15.9% | (6.0-25.7) | 12 | 21.4% | (9.6-33.1) | 31 | 54.1% | (39.2-69.0) |
| | Native Hawaiian/ Pacific Islander^d | 3 | 7.7% | (0.0-16.3) | 2 | 5.6% | (0.0-13.2) | 6 | 15.4% | (3.4-27.4) | 27 | 71.3% | (54.4-88.2) |
| | White^d | 17 | 2.4% | (1.2-3.7) | 48 | 7.0% | (4.8-9.2) | 165 | 23.8% | (20.7-26.9) | 463 | 66.8% | (62.5-71.1) |
| | Hispanic/Latino | 36 | 5.3% | (3.3-7.3) | 62 | 9.0% | (6.7-11.2) | 142 | 20.9% | (17.9-23.9) | 444 | 64.8% | (60.9-68.7) |
| | Other/Multiple^d | 2 | 2.2% | (0.0-5.1) | 9 | 9.8% | (3.0-16.6) | 26 | 27.7% | (18.9-36.6) | 57 | 60.3% | (50.6-70.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Physical Activity

Table 64: Percentage of middle school students who did not participate in at least 60 minutes of physical activity on any day during the 7 days before the survey^e — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 413 | 20.0% | (17.0-23.0) | 1581 | 80.0% | (77.0-83.0) |
| Sex | Female | 206 | 20.6% | (17.1-24.1) | 764 | 79.4% | (75.9-82.9) |
| | Male | 195 | 19.1% | (15.2-23.0) | 781 | 80.9% | (77.0-84.8) |
| Age | 11 years old or younger | 140 | 24.7% | (18.7-30.7) | 397 | 75.3% | (69.3-81.3) |
| | 12 years old | 146 | 20.4% | (16.3-24.5) | 557 | 79.6% | (75.5-83.7) |
| | 13 years old | 120 | 16.9% | (12.4-21.5) | 578 | 83.1% | (78.5-87.6) |
| | 14 years old or older | 7 | 13.3% | (2.5-24.2) | 46 | 86.7% | (75.8-97.5) |
| Grade | 6th | 149 | 24.2% | (18.4-30.1) | 434 | 75.8% | (69.9-81.6) |
| | 7th | 150 | 20.9% | (16.6-25.2) | 555 | 79.1% | (74.8-83.4) |
| | 8th | 112 | 16.0% | (11.3-20.7) | 579 | 84.0% | (79.3-88.7) |
| Race/Ethnicity | American Indian/Alaska Native^d | 9 | 15.2% | (7.6-22.9) | 50 | 84.8% | (77.1-92.4) |
| | Asian^d | 15 | 16.8% | (9.6-23.9) | 73 | 83.2% | (76.1-90.4) |
| | Black^d | 20 | 31.0% | (18.8-43.1) | 44 | 69.0% | (56.9-81.2) |
| | Native Hawaiian/Pacific Islander^d | 12 | 30.3% | (16.3-44.3) | 27 | 69.7% | (55.7-83.7) |
| | White^d | 100 | 12.9% | (9.9-16.0) | 670 | 87.1% | (84.0-90.1) |
| | Hispanic/Latino | 208 | 27.7% | (23.5-31.9) | 540 | 72.3% | (68.1-76.5) |
| | Other/Multiple^d | 10 | 9.7% | (4.0-15.5) | 90 | 90.3% | (84.5-96.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e No participation in any kind of physical activity that increased their heart rate and made them breathe hard some of the time

Table 65: Percentage of middle school students who were physically active at least 60 minutes/day on 5 or more days during the 7 days before the survey^e — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 865 | 44.3% | (40.9-47.6) | 1129 | 55.7% | (52.4-59.1) |
| Sex | Female | 373 | 38.4% | (34.3-42.5) | 597 | 61.6% | (57.5-65.7) |
| | Male | 476 | 50.4% | (46.2-54.7) | 500 | 49.6% | (45.3-53.8) |
| Age | 11 years old or younger | 210 | 40.8% | (35.2-46.4) | 327 | 59.2% | (53.6-64.8) |
| | 12 years old | 291 | 41.0% | (36.2-45.9) | 412 | 59.0% | (54.1-63.8) |
| | 13 years old | 338 | 49.1% | (43.9-54.3) | 360 | 50.9% | (45.7-56.1) |
| | 14 years old or older | 24 | 49.4% | (32.1-66.7) | 29 | 50.6% | (33.3-67.9) |
| Grade | 6th | 238 | 42.8% | (37.0-48.7) | 345 | 57.2% | (51.3-63.0) |
| | 7th | 281 | 39.3% | (34.2-44.3) | 424 | 60.7% | (55.7-65.8) |
| | 8th | 337 | 49.5% | (43.8-55.1) | 354 | 50.5% | (44.9-56.2) |
| Race/Ethnicity | American Indian/Alaska Native^d | 21 | 35.4% | (22.2-48.5) | 38 | 64.6% | (51.5-77.8) |
| | Asian^d | 34 | 39.0% | (28.4-49.6) | 54 | 61.0% | (50.4-71.6) |
| | Black^d | 27 | 42.9% | (30.6-55.2) | 37 | 57.1% | (44.8-69.4) |
| | Native Hawaiian/Pacific Islander^d | 19 | 49.0% | (34.0-64.0) | 20 | 51.0% | (36.0-66.0) |
| | White^d | 409 | 53.5% | (49.1-57.9) | 361 | 46.5% | (42.1-50.9) |
| | Hispanic/Latino | 262 | 35.3% | (31.0-39.6) | 486 | 64.7% | (60.4-69.0) |
| | Other/Multiple^d | 49 | 49.5% | (39.2-59.8) | 51 | 50.5% | (40.2-60.8) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Were physically active doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time

Table 66: Percentage of middle school students who were physically active at least 60 minutes/day on all 7 days before the survey^e — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 477 | 24.3% | (21.5-27.0) | 1517 | 75.7% | (73.0-78.5) |
| Sex | Female | 182 | 18.4% | (15.4-21.4) | 788 | 81.6% | (78.6-84.6) |
| | Male | 286 | 30.2% | (26.5-33.9) | 690 | 69.8% | (66.1-73.5) |
| Age | 11 years old or younger | 115 | 22.4% | (18.2-26.6) | 422 | 77.6% | (73.4-81.8) |
| | 12 years old | 182 | 25.7% | (21.9-29.4) | 521 | 74.3% | (70.6-78.1) |
| | 13 years old | 164 | 23.7% | (19.3-28.2) | 534 | 76.3% | (71.8-80.7) |
| | 14 years old or older | 14 | 29.5% | (14.1-44.9) | 39 | 70.5% | (55.1-85.9) |
| Grade | 6th | 136 | 24.7% | (20.1-29.3) | 447 | 75.3% | (70.7-79.9) |
| | 7th | 167 | 23.2% | (19.8-26.6) | 538 | 76.8% | (73.4-80.2) |
| | 8th | 169 | 24.7% | (19.5-29.9) | 522 | 75.3% | (70.1-80.5) |
| Race/Ethnicity | American Indian/Alaska Native^d | 16 | 27.0% | (14.6-39.3) | 43 | 73.0% | (60.7-85.4) |
| | Asian^d | 13 | 14.7% | (7.4-22.0) | 75 | 85.3% | (78.0-92.6) |
| | Black^d | 17 | 26.6% | (14.9-38.3) | 47 | 73.4% | (61.7-85.1) |
| | Native Hawaiian/Pacific Islander^d | 11 | 28.3% | (15.5-41.2) | 28 | 71.7% | (58.8-84.5) |
| | White^d | 228 | 29.8% | (26.0-33.6) | 542 | 70.2% | (66.4-74.0) |
| | Hispanic/Latino | 142 | 19.1% | (16.1-22.1) | 606 | 80.9% | (77.9-83.9) |
| | Other/Multiple^d | 27 | 27.1% | (18.5-35.8) | 73 | 72.9% | (64.2-81.5) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Were physically active doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time

Table 67: Percentage of middle school students who spent 3 or more hours per day on screentime^{e,f,g} — Nevada YRBS 2021*

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 888 | 44.6% | (41.6-47.6) | 1125 | 55.4% | (52.4-58.4) |
| Sex | Female | 455 | 46.6% | (42.7-50.5) | 529 | 53.4% | (49.5-57.3) |
| | Male | 406 | 42.2% | (38.6-45.8) | 574 | 57.8% | (54.2-61.4) |
| Age | 11 years old or younger | 199 | 36.8% | (30.7-43.0) | 340 | 63.2% | (57.0-69.3) |
| | 12 years old | 312 | 44.0% | (39.5-48.5) | 401 | 56.0% | (51.5-60.5) |
| | 13 years old | 340 | 48.7% | (44.2-53.2) | 364 | 51.3% | (46.8-55.8) |
| | 14 years old or older | 37 | 68.2% | (54.1-82.4) | 18 | 31.8% | (17.6-45.9) |
| Grade | 6th | 215 | 36.8% | (31.4-42.2) | 369 | 63.2% | (57.8-68.6) |
| | 7th | 314 | 44.5% | (39.6-49.4) | 400 | 55.5% | (50.6-60.4) |
| | 8th | 353 | 51.0% | (46.6-55.5) | 344 | 49.0% | (44.5-53.4) |
| Race/Ethnicity | American Indian/Alaska Native^d | 21 | 35.0% | (22.6-47.4) | 39 | 65.0% | (52.6-77.4) |
| | Asian^d | 54 | 59.3% | (48.5-70.0) | 37 | 40.7% | (30.0-51.5) |
| | Black^d | 32 | 51.0% | (39.0-63.0) | 31 | 49.0% | (37.0-61.0) |
| | Native Hawaiian/Pacific Islander^d | 16 | 41.1% | (24.4-57.7) | 23 | 58.9% | (42.3-75.6) |
| | White^d | 304 | 39.3% | (34.8-43.9) | 471 | 60.7% | (56.1-65.2) |
| | Hispanic/Latino | 362 | 48.2% | (44.2-52.3) | 391 | 51.8% | (47.7-55.8) |
| | Other/Multiple^d | 45 | 45.6% | (35.8-55.4) | 54 | 54.4% | (44.6-64.2) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e For something that was not school work

^f Including time spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media

^g On an average school day

* **Note: In 2021, this question was changed to incorporate all types of screen time. Comparisons should not be made with data in surveys conducted 2019 or earlier.**

Table 68: Percentage of middle school students who attended physical education (PE) classes on one or more days in an average school week — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 856 | 43.2% | (37.1-49.4) | 1128 | 56.8% | (50.6-62.9) |
| Sex | Female | 476 | 49.8% | (43.0-56.6) | 504 | 50.2% | (43.4-57.0) |
| | Male | 357 | 36.6% | (30.3-43.0) | 599 | 63.4% | (57.0-69.7) |
| Age | 11 years old or younger | 211 | 38.9% | (27.8-49.9) | 323 | 61.1% | (50.1-72.2) |
| | 12 years old | 282 | 40.3% | (32.2-48.4) | 416 | 59.7% | (51.6-67.8) |
| | 13 years old | 338 | 48.5% | (40.2-56.8) | 360 | 51.5% | (43.2-59.8) |
| | 14 years old or older | 25 | 49.0% | (27.9-70.1) | 26 | 51.0% | (29.9-72.1) |
| Grade | 6th | 229 | 38.9% | (27.6-50.1) | 347 | 61.1% | (49.9-72.4) |
| | 7th | 287 | 41.1% | (32.0-50.3) | 414 | 58.9% | (49.7-68.0) |
| | 8th | 333 | 48.3% | (39.3-57.2) | 357 | 51.7% | (42.8-60.7) |
| Race/Ethnicity | American Indian/Alaska Native^d | 19 | 33.5% | (20.1-47.0) | 39 | 66.5% | (53.0-79.9) |
| | Asian^d | 42 | 46.8% | (34.7-59.0) | 47 | 53.2% | (41.0-65.3) |
| | Black^d | 23 | 36.3% | (23.1-49.5) | 39 | 63.7% | (50.5-76.9) |
| | Native Hawaiian/Pacific Islander^d | 17 | 46.7% | (31.2-62.2) | 20 | 53.3% | (37.8-68.8) |
| | White^d | 319 | 41.7% | (33.9-49.4) | 446 | 58.3% | (50.6-66.1) |
| | Hispanic/Latino | 329 | 44.2% | (37.0-51.3) | 418 | 55.8% | (48.7-63.0) |
| | Other/Multiple^d | 46 | 47.8% | (35.7-60.0) | 50 | 52.2% | (40.0-64.3) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 69: Percentage of middle school students who attended physical education (PE) classes daily^e — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 591 | 29.9% | (24.1-35.7) | 1393 | 70.1% | (64.3-75.9) |
| Sex | Female | 254 | 24.9% | (19.0-30.9) | 726 | 75.1% | (69.1-81.0) |
| | Male | 325 | 35.0% | (28.5-41.4) | 631 | 65.0% | (58.6-71.5) |
| Age | 11 years old or younger | 145 | 27.9% | (18.7-37.2) | 389 | 72.1% | (62.8-81.3) |
| | 12 years old | 219 | 30.9% | (21.6-40.2) | 479 | 69.1% | (59.8-78.4) |
| | 13 years old | 211 | 30.3% | (21.8-38.9) | 487 | 69.7% | (61.1-78.2) |
| | 14 years old or older | 16 | 31.1% | (13.0-49.2) | 35 | 68.9% | (50.8-87.0) |
| Grade | 6th | 153 | 27.7% | (18.2-37.2) | 423 | 72.3% | (62.8-81.8) |
| | 7th | 223 | 31.0% | (20.7-41.3) | 478 | 69.0% | (58.7-79.3) |
| | 8th | 210 | 30.7% | (21.3-40.2) | 480 | 69.3% | (59.8-78.7) |
| Race/Ethnicity | American Indian/Alaska Native^d | 23 | 39.1% | (25.1-53.1) | 35 | 60.9% | (46.9-74.9) |
| | Asian^d | 29 | 33.0% | (21.1-44.9) | 60 | 67.0% | (55.1-78.9) |
| | Black^d | 21 | 34.6% | (22.7-46.5) | 41 | 65.4% | (53.5-77.3) |
| | Native Hawaiian/Pacific Islander^d | 8 | 20.7% | (8.4-33.0) | 29 | 79.3% | (67.0-91.6) |
| | White^d | 222 | 29.1% | (22.6-35.6) | 543 | 70.9% | (64.4-77.4) |
| | Hispanic/Latino | 230 | 30.8% | (23.7-38.0) | 517 | 69.2% | (62.0-76.3) |
| | Other/Multiple^d | 24 | 25.4% | (15.6-35.1) | 72 | 74.6% | (64.9-84.4) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e 5 days in an average week when they were in school

Table 70: Percentage of middle school students who had 9 or more hours of sleep on an average school night — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 389 | 19.6% | (17.1-22.0) | 1567 | 80.4% | (78.0-82.9) |
| Sex | Female | 164 | 16.2% | (13.3-19.1) | 797 | 83.8% | (80.9-86.7) |
| | Male | 219 | 23.3% | (20.0-26.5) | 729 | 76.7% | (73.5-80.0) |
| Age | 11 years old or younger | 156 | 29.2% | (24.7-33.6) | 369 | 70.8% | (66.4-75.3) |
| | 12 years old | 133 | 19.9% | (16.7-23.2) | 551 | 80.1% | (76.8-83.3) |
| | 13 years old | 92 | 13.2% | (10.3-16.2) | 601 | 86.8% | (83.8-89.7) |
| | 14 years old or older | 7 | 14.2% | (5.0-23.4) | 44 | 85.8% | (76.6-95.0) |
| Grade | 6th | 165 | 29.0% | (24.5-33.6) | 399 | 71.0% | (66.4-75.5) |
| | 7th | 130 | 18.9% | (15.9-22.0) | 560 | 81.1% | (78.0-84.1) |
| | 8th | 91 | 13.3% | (10.3-16.3) | 594 | 86.7% | (83.7-89.7) |
| Race/Ethnicity | American Indian/Alaska Native^d | 12 | 20.6% | (11.0-30.3) | 45 | 79.4% | (69.7-89.0) |
| | Asian^d | 15 | 16.6% | (9.1-24.1) | 75 | 83.4% | (75.9-90.9) |
| | Black^d | 7 | 11.3% | (3.5-19.1) | 55 | 88.7% | (80.9-96.5) |
| | Native Hawaiian/Pacific Islander^d | 10 | 25.9% | (13.3-38.6) | 29 | 74.1% | (61.4-86.7) |
| | White^d | 174 | 22.9% | (19.4-26.4) | 587 | 77.1% | (73.6-80.6) |
| | Hispanic/Latino | 122 | 16.7% | (13.9-19.5) | 603 | 83.3% | (80.5-86.1) |
| | Other/Multiple^d | 19 | 20.1% | (11.2-29.0) | 74 | 79.9% | (71.0-88.8) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Resiliency Factors

Table 71: Percentage of middle school students who talked to their parents or other adults in their home about their problems — Nevada YRBS 2021

| | | Never/Rarely | | | Sometimes | | | Most of the time/Always | | |
|-----------------------|--|----------------|----------------|-------------------------|----------------|----------------|-------------------------|-------------------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 905 | 45.8% | (43.2-48.4) | 442 | 22.5% | (20.6-24.4) | 637 | 31.7% | (29.0-34.4) |
| Sex | Female | 443 | 46.0% | (42.7-49.3) | 211 | 22.1% | (19.1-25.1) | 319 | 31.9% | (28.7-35.1) |
| | Male | 436 | 45.3% | (41.2-49.3) | 216 | 22.5% | (19.7-25.4) | 308 | 32.2% | (28.6-35.8) |
| Age | 11 years/younger | 208 | 39.3% | (34.2-44.4) | 117 | 22.2% | (19.2-25.2) | 208 | 38.5% | (33.8-43.1) |
| | 12 years old | 329 | 46.9% | (43.2-50.7) | 131 | 18.8% | (16.4-21.3) | 240 | 34.2% | (30.2-38.2) |
| | 13 years old | 341 | 48.8% | (44.9-52.7) | 179 | 25.5% | (22.4-28.6) | 177 | 25.7% | (22.8-28.6) |
| | 14 years old or older | 26 | 51.5% | (35.6-67.3) | 14 | 26.3% | (14.1-38.5) | 12 | 22.2% | (8.4-36.1) |
| Grade | 6th grade | 230 | 40.4% | (34.6-46.1) | 120 | 20.8% | (17.8-23.8) | 225 | 38.9% | (33.7-44.0) |
| | 7th grade | 326 | 46.5% | (42.8-50.2) | 140 | 20.2% | (17.4-23.0) | 238 | 33.3% | (28.7-37.8) |
| | 8th grade | 340 | 48.9% | (44.8-53.0) | 177 | 25.6% | (22.3-29.0) | 172 | 25.5% | (22.6-28.3) |
| Race/Ethnicity | American Indian/ Alaska Native^d | 27 | 45.9% | (32.5-59.4) | 14 | 23.6% | (13.6-33.6) | 18 | 30.4% | (20.3-40.5) |
| | Asian^d | 53 | 59.4% | (49.7-69.2) | 18 | 20.6% | (12.8-28.3) | 18 | 20.0% | (12.1-28.0) |
| | Black^d | 34 | 51.9% | (38.5-65.3) | 16 | 24.5% | (13.2-35.8) | 16 | 23.6% | (11.7-35.5) |
| | Native Hawaiian/ Pacific Islander^d | 18 | 48.0% | (33.4-62.6) | 12 | 32.1% | (19.0-45.1) | 8 | 20.0% | (7.5-32.4) |
| | White^d | 317 | 41.7% | (38.0-45.4) | 169 | 22.5% | (19.7-25.3) | 274 | 35.9% | (32.0-39.8) |
| | Hispanic/Latino | 365 | 49.4% | (45.8-53.0) | 155 | 21.0% | (18.4-23.5) | 221 | 29.7% | (25.9-33.4) |
| | Other/Multiple^d | 38 | 38.4% | (28.2-48.7) | 31 | 31.1% | (22.1-40.2) | 30 | 30.4% | (21.4-39.5) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 72: Percentage of middle school students who talked to their parents about what is right and wrong — Nevada YRBS 2021

| | | Never/Rarely | | | Sometimes | | | Most of the time/Always | | |
|-----------------------|--|----------------|----------------|-------------------------|----------------|----------------|-------------------------|-------------------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 780 | 40.3% | (37.7-42.9) | 537 | 27.4% | (25.3-29.5) | 638 | 32.3% | (29.8-34.8) |
| Sex | Female | 364 | 37.7% | (34.7-40.8) | 273 | 29.0% | (25.8-32.2) | 325 | 33.3% | (29.9-36.6) |
| | Male | 392 | 42.1% | (38.3-45.9) | 251 | 25.9% | (22.9-28.9) | 302 | 32.0% | (28.3-35.8) |
| Age | 11 years/younger | 212 | 42.0% | (38.0-46.1) | 142 | 26.8% | (23.4-30.2) | 168 | 31.2% | (27.5-34.8) |
| | 12 years old | 260 | 36.6% | (32.7-40.6) | 188 | 27.7% | (23.9-31.4) | 244 | 35.7% | (31.7-39.7) |
| | 13 years old | 286 | 42.1% | (38.0-46.1) | 192 | 27.7% | (24.4-31.1) | 211 | 30.2% | (26.2-34.2) |
| | 14 years old or older | 22 | 45.9% | (30.2-61.6) | 14 | 25.8% | (12.3-39.2) | 14 | 28.3% | (10.7-45.9) |
| Grade | 6th grade | 226 | 41.2% | (36.5-45.8) | 154 | 26.8% | (23.4-30.1) | 183 | 32.0% | (27.9-36.2) |
| | 7th grade | 264 | 37.5% | (33.7-41.4) | 189 | 27.8% | (23.8-31.9) | 241 | 34.6% | (30.4-38.9) |
| | 8th grade | 284 | 42.0% | (37.7-46.2) | 189 | 27.6% | (24.3-30.8) | 209 | 30.5% | (26.3-34.7) |
| Race/Ethnicity | American Indian/ Alaska Native^d | 23 | 39.8% | (27.5-52.0) | 14 | 24.0% | (13.8-34.1) | 21 | 36.3% | (24.4-48.1) |
| | Asian^d | 46 | 51.5% | (40.4-62.6) | 22 | 24.3% | (15.7-33.0) | 22 | 24.1% | (15.4-32.9) |
| | Black^d | 29 | 45.9% | (33.4-58.4) | 18 | 28.6% | (16.8-40.4) | 16 | 25.5% | (14.5-36.4) |
| | Native Hawaiian/ Pacific Islander^d | 21 | 55.6% | (41.2-70.0) | 10 | 26.2% | (13.6-38.8) | 7 | 18.2% | (7.3-29.1) |
| | White^d | 273 | 36.3% | (32.6-40.0) | 215 | 28.6% | (25.0-32.3) | 265 | 35.1% | (31.0-39.1) |
| | Hispanic/Latino | 321 | 44.3% | (40.6-48.1) | 181 | 24.7% | (21.6-27.8) | 226 | 31.0% | (27.5-34.4) |
| | Other/Multiple^d | 28 | 28.5% | (18.7-38.2) | 39 | 39.0% | (29.8-48.2) | 32 | 32.5% | (23.4-41.6) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 73: Percentage of middle school students who felt comfortable talking to their parents about personal matters — Nevada YRBS 2021

| | | Never/Rarely | | | Sometimes | | | Most of the time/Always | | |
|-----------------------|--|----------------|----------------|-------------------------|----------------|----------------|-------------------------|-------------------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 773 | 39.3% | (36.4-42.2) | 390 | 19.9% | (18.1-21.7) | 802 | 40.8% | (38.0-43.7) |
| Sex | Female | 401 | 41.8% | (38.4-45.2) | 189 | 19.5% | (17.0-22.1) | 379 | 38.7% | (35.3-42.0) |
| | Male | 343 | 35.7% | (31.2-40.2) | 189 | 20.3% | (17.7-23.0) | 414 | 44.0% | (39.6-48.5) |
| Age | 11 years/younger | 189 | 36.4% | (31.5-41.3) | 94 | 17.9% | (14.3-21.5) | 245 | 45.7% | (41.3-50.0) |
| | 12 years old | 277 | 39.4% | (35.5-43.3) | 138 | 19.9% | (16.9-22.9) | 278 | 40.7% | (36.1-45.3) |
| | 13 years old | 280 | 40.1% | (35.3-44.8) | 148 | 21.4% | (18.5-24.2) | 263 | 38.6% | (34.0-43.1) |
| | 14 years old or older | 26 | 53.4% | (35.9-70.9) | 9 | 16.4% | (6.3-26.5) | 16 | 30.2% | (14.5-45.9) |
| Grade | 6th grade | 193 | 34.5% | (29.4-39.7) | 110 | 19.6% | (16.2-23.0) | 265 | 45.8% | (41.3-50.4) |
| | 7th grade | 286 | 40.6% | (36.2-45.0) | 137 | 19.5% | (16.0-23.0) | 274 | 39.9% | (34.8-45.1) |
| | 8th grade | 286 | 41.3% | (36.2-46.4) | 142 | 20.7% | (17.6-23.7) | 257 | 38.0% | (33.7-42.4) |
| Race/Ethnicity | American Indian/ Alaska Native^d | 26 | 43.4% | (32.1-54.8) | 9 | 14.7% | (7.6-21.9) | 25 | 41.8% | (30.5-53.2) |
| | Asian^d | 43 | 49.0% | (38.8-59.2) | 25 | 28.2% | (18.0-38.5) | 20 | 22.8% | (14.1-31.4) |
| | Black^d | 31 | 48.5% | (35.8-61.2) | 15 | 23.7% | (14.0-33.4) | 18 | 27.8% | (16.0-39.6) |
| | Native Hawaiian/ Pacific Islander^d | 19 | 50.2% | (30.6-69.7) | 5 | 13.6% | (2.8-24.4) | 14 | 36.2% | (19.3-53.2) |
| | White^d | 250 | 33.0% | (29.0-36.9) | 161 | 21.2% | (18.5-23.9) | 346 | 45.8% | (41.7-50.0) |
| | Hispanic/Latino | 331 | 45.0% | (41.5-48.5) | 127 | 17.4% | (14.8-20.0) | 277 | 37.6% | (33.8-41.4) |
| | Other/Multiple^d | 31 | 31.1% | (21.8-40.4) | 22 | 22.3% | (14.8-29.9) | 46 | 46.6% | (37.7-55.5) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 74: Percentage of middle school students who felt close to people at their school — Nevada YRBS 2021

| | | Never/Rarely | | | Sometimes | | | Most of the time/Always | | |
|-----------------------|--|----------------|----------------|-------------------------|----------------|----------------|-------------------------|-------------------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 466 | 22.8% | (20.2-25.4) | 583 | 29.8% | (27.6-32.0) | 914 | 47.4% | (44.7-50.0) |
| Sex | Female | 222 | 22.1% | (18.9-25.3) | 288 | 30.1% | (26.9-33.4) | 461 | 47.7% | (44.0-51.4) |
| | Male | 223 | 22.6% | (19.0-26.1) | 277 | 29.0% | (25.9-32.1) | 444 | 48.5% | (45.3-51.6) |
| Age | 11 years/younger | 134 | 24.4% | (19.2-29.6) | 155 | 30.3% | (26.0-34.5) | 230 | 45.3% | (40.5-50.1) |
| | 12 years old | 167 | 23.3% | (19.7-26.9) | 208 | 30.4% | (26.5-34.4) | 322 | 46.3% | (41.5-51.0) |
| | 13 years old | 148 | 20.7% | (16.9-24.4) | 210 | 29.8% | (26.0-33.7) | 334 | 49.5% | (45.2-53.8) |
| | 14 years old or older | 16 | 30.3% | (14.8-45.8) | 10 | 18.8% | (8.8-28.7) | 27 | 51.0% | (37.0-65.0) |
| Grade | 6th grade | 144 | 24.7% | (19.4-29.9) | 159 | 28.6% | (24.6-32.6) | 258 | 46.8% | (41.4-52.2) |
| | 7th grade | 172 | 23.5% | (19.9-27.1) | 218 | 31.7% | (28.0-35.5) | 310 | 44.7% | (40.3-49.1) |
| | 8th grade | 144 | 20.4% | (16.4-24.5) | 200 | 28.8% | (25.2-32.5) | 342 | 50.7% | (46.7-54.8) |
| Race/Ethnicity | American Indian/ Alaska Native^d | 22 | 36.8% | (24.1-49.5) | 15 | 25.2% | (13.8-36.6) | 23 | 38.0% | (24.5-51.6) |
| | Asian^d | 18 | 20.5% | (12.0-29.0) | 29 | 33.3% | (22.2-44.4) | 41 | 46.2% | (36.4-55.9) |
| | Black^d | 19 | 29.5% | (18.1-40.9) | 12 | 19.7% | (10.1-29.4) | 32 | 50.7% | (37.1-64.4) |
| | Native Hawaiian/ Pacific Islander^d | 8 | 20.9% | (7.6-34.3) | 16 | 42.4% | (26.3-58.5) | 14 | 36.7% | (22.2-51.1) |
| | White^d | 145 | 19.2% | (15.6-22.8) | 215 | 28.5% | (25.4-31.7) | 391 | 52.2% | (48.4-56.1) |
| | Hispanic/Latino | 188 | 25.5% | (22.0-29.1) | 228 | 30.9% | (27.5-34.3) | 319 | 43.6% | (40.0-47.1) |
| | Other/Multiple^d | 23 | 23.5% | (14.1-32.9) | 30 | 30.4% | (21.1-39.6) | 45 | 46.1% | (34.8-57.5) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Table 75: Percentage of middle school students who were happy to be at their school — Nevada YRBS 2021*

| | | Never/Rarely | | | Sometimes | | | Most of the time/Always | | |
|-----------------------|--|----------------|----------------|-------------------------|----------------|----------------|-------------------------|-------------------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 418 | 21.1% | (18.8-23.4) | 574 | 29.4% | (27.3-31.6) | 974 | 49.5% | (47.0-51.9) |
| Sex | Female | 175 | 17.6% | (14.9-20.3) | 304 | 31.7% | (28.7-34.6) | 493 | 50.7% | (47.2-54.3) |
| | Male | 226 | 23.7% | (20.7-26.8) | 255 | 27.1% | (24.2-30.0) | 465 | 49.2% | (45.8-52.6) |
| Age | 11 years/younger | 96 | 18.4% | (14.3-22.5) | 141 | 26.6% | (22.3-30.8) | 287 | 55.0% | (49.3-60.8) |
| | 12 years old | 140 | 19.2% | (15.5-23.0) | 198 | 29.6% | (26.4-32.8) | 354 | 51.2% | (47.8-54.6) |
| | 13 years old | 168 | 24.0% | (20.3-27.8) | 216 | 30.9% | (27.0-34.9) | 311 | 45.0% | (41.0-49.1) |
| | 14 years old or older | 13 | 27.1% | (12.2-41.9) | 19 | 35.0% | (21.5-48.6) | 20 | 37.9% | (26.5-49.3) |
| Grade | 6th grade | 104 | 18.5% | (14.3-22.7) | 149 | 26.4% | (22.4-30.4) | 311 | 55.1% | (49.8-60.4) |
| | 7th grade | 146 | 19.9% | (16.2-23.6) | 205 | 30.1% | (27.0-33.2) | 346 | 50.0% | (46.7-53.3) |
| | 8th grade | 163 | 23.7% | (19.9-27.5) | 217 | 31.3% | (27.4-35.2) | 309 | 45.0% | (41.1-49.0) |
| Race/Ethnicity | American Indian/ Alaska Native^d | 18 | 30.5% | (17.9-43.1) | 18 | 30.6% | (17.7-43.6) | 23 | 38.8% | (25.9-51.7) |
| | Asian^d | 15 | 16.8% | (8.8-24.9) | 36 | 40.8% | (29.6-52.0) | 38 | 42.3% | (31.6-53.1) |
| | Black^d | 14 | 21.8% | (11.5-32.1) | 22 | 34.3% | (23.4-45.1) | 29 | 43.9% | (30.4-57.5) |
| | Native Hawaiian/ Pacific Islander^d | 4 | 10.6% | (1.6-19.5) | 11 | 30.1% | (17.0-43.3) | 22 | 59.3% | (46.7-71.9) |
| | White^d | 160 | 21.4% | (18.0-24.8) | 200 | 26.6% | (23.3-29.9) | 393 | 52.0% | (48.0-56.0) |
| | Hispanic/Latino | 161 | 22.0% | (18.6-25.5) | 228 | 30.9% | (27.5-34.3) | 347 | 47.1% | (43.9-50.3) |
| | Other/Multiple^d | 15 | 16.0% | (8.3-23.6) | 28 | 29.5% | (20.3-38.8) | 52 | 54.5% | (43.7-65.4) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 76: Percentage of middle school students who reported that the teachers at their school treat students fairly — Nevada YRBS 2021

| | | Never/Rarely | | | Sometimes | | | Most of the time/Always | | |
|-----------------------|--|----------------|----------------|-------------------------|----------------|----------------|-------------------------|-------------------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 206 | 10.5% | (8.7-12.3) | 344 | 17.7% | (15.6-19.8) | 1399 | 71.8% | (68.7-74.9) |
| Sex | Female | 84 | 8.4% | (6.2-10.7) | 167 | 17.2% | (14.5-20.0) | 713 | 74.3% | (70.7-78.0) |
| | Male | 118 | 12.6% | (10.0-15.3) | 169 | 18.3% | (15.4-21.2) | 650 | 69.0% | (64.9-73.2) |
| Age | 11 years/younger | 43 | 7.6% | (5.3-10.0) | 68 | 13.4% | (9.4-17.4) | 412 | 79.0% | (74.1-83.8) |
| | 12 years old | 66 | 10.0% | (7.0-13.0) | 115 | 16.4% | (13.7-19.2) | 502 | 73.6% | (69.1-78.0) |
| | 13 years old | 89 | 12.7% | (9.6-15.8) | 145 | 20.6% | (17.0-24.1) | 455 | 66.8% | (62.0-71.5) |
| | 14 years old or older | 7 | 13.0% | (2.8-23.2) | 16 | 33.2% | (20.0-46.3) | 28 | 53.8% | (39.1-68.6) |
| Grade | 6th grade | 50 | 8.5% | (6.1-10.9) | 72 | 13.3% | (9.7-16.8) | 439 | 78.3% | (73.3-83.3) |
| | 7th grade | 64 | 9.6% | (6.5-12.8) | 124 | 17.5% | (14.2-20.7) | 501 | 72.9% | (67.9-77.8) |
| | 8th grade | 87 | 12.4% | (9.2-15.5) | 146 | 21.1% | (17.8-24.3) | 451 | 66.5% | (61.9-71.2) |
| Race/Ethnicity | American Indian/ Alaska Native^d | 9 | 15.3% | (5.6-25.0) | 9 | 15.3% | (7.2-23.3) | 41 | 69.5% | (57.9-81.0) |
| | Asian^d | 8 | 9.5% | (3.1-15.9) | 14 | 16.2% | (7.7-24.7) | 65 | 74.3% | (61.8-86.7) |
| | Black^d | 8 | 12.4% | (3.6-21.2) | 18 | 28.3% | (16.6-39.9) | 38 | 59.3% | (47.8-70.9) |
| | Native Hawaiian/ Pacific Islander^d | 7 | 18.8% | (6.5-31.1) | 11 | 27.8% | (12.3-43.4) | 21 | 53.4% | (38.4-68.4) |
| | White^d | 61 | 8.2% | (6.1-10.4) | 115 | 15.4% | (12.5-18.3) | 573 | 76.4% | (72.6-80.1) |
| | Hispanic/Latino | 91 | 12.6% | (9.8-15.4) | 134 | 18.5% | (15.2-21.8) | 503 | 68.9% | (64.3-73.5) |
| | Other/Multiple^d | 9 | 9.4% | (4.1-14.7) | 21 | 22.3% | (13.7-30.9) | 66 | 68.3% | (59.7-77.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

Other

Table 77: Percentage of middle school students who went hungry because there was not enough food in their home during the 30 days before the survey — Nevada YRBS 2021*

| | | Never/Rarely | | | Sometimes | | | Most of the time/Always | | |
|-----------------------|--|----------------|----------------|-------------------------|----------------|----------------|-------------------------|-------------------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 1812 | 90.5% | (89.1-91.8) | 146 | 7.3% | (6.1-8.4) | 48 | 2.3% | (1.6-3.0) |
| Sex | Female | 896 | 90.5% | (88.6-92.4) | 68 | 6.9% | (5.3-8.5) | 27 | 2.6% | (1.6-3.6) |
| | Male | 879 | 91.0% | (89.1-93.0) | 69 | 7.2% | (5.5-9.0) | 18 | 1.7% | (0.8-2.7) |
| Age | 11 years/younger | 470 | 86.7% | (84.3-89.1) | 56 | 10.1% | (7.8-12.3) | 19 | 3.2% | (1.9-4.5) |
| | 12 years old | 646 | 92.1% | (89.7-94.5) | 45 | 6.5% | (4.2-8.8) | 11 | 1.4% | (0.5-2.3) |
| | 13 years old | 646 | 91.7% | (89.6-93.8) | 39 | 5.7% | (4.0-7.4) | 18 | 2.6% | (1.3-4.0) |
| | 14 years old or older | 47 | 87.6% | (79.0-96.3) | 6 | 12.4% | (3.7-21.0) | 0 | . | (-.) |
| Grade | 6th grade | 509 | 87.3% | (85.0-89.6) | 55 | 9.2% | (7.1-11.2) | 22 | 3.5% | (2.1-5.0) |
| | 7th grade | 649 | 92.0% | (89.5-94.6) | 48 | 6.9% | (4.5-9.3) | 9 | 1.1% | (0.4-1.8) |
| | 8th grade | 636 | 91.3% | (89.3-93.3) | 42 | 6.2% | (4.6-7.8) | 17 | 2.5% | (1.2-3.7) |
| Race/Ethnicity | American Indian/ Alaska Native^d | 52 | 87.0% | (78.3-95.6) | 6 | 9.9% | (2.4-17.4) | 2 | 3.1% | (0.0-7.6) |
| | Asian^d | 75 | 82.0% | (74.2-89.8) | 12 | 13.2% | (5.8-20.7) | 4 | 4.7% | (0.4-9.1) |
| | Black^d | 53 | 84.5% | (74.9-94.0) | 8 | 12.4% | (3.3-21.5) | 2 | 3.1% | (0.0-7.4) |
| | Native Hawaiian/ Pacific Islander^d | 33 | 84.6% | (73.2-96.0) | 3 | 7.6% | (0.0-16.3) | 3 | 7.9% | (0.0-16.1) |
| | White^d | 721 | 93.8% | (92.1-95.4) | 36 | 4.7% | (3.3-6.1) | 12 | 1.5% | (0.7-2.4) |
| | Hispanic/Latino | 664 | 88.2% | (86.0-90.4) | 69 | 9.2% | (7.2-11.2) | 19 | 2.6% | (1.5-3.6) |
| | Other/Multiple^d | 92 | 93.2% | (88.1-98.2) | 5 | 4.9% | (0.6-9.2) | 2 | 1.9% | (0.0-4.6) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

* **Note: We caution against group comparisons when a cell size is less than 5.**

Table 78: Percentage of middle school students who visited a dentist during the 12 months before the survey^e — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 1391 | 71.0% | (68.1-73.9) | 599 | 29.0% | (26.1-31.9) |
| Sex | Female | 703 | 73.3% | (69.6-77.0) | 272 | 26.7% | (23.0-30.4) |
| | Male | 666 | 69.8% | (66.1-73.5) | 298 | 30.2% | (26.5-33.9) |
| Age | 11 years old or younger | 341 | 64.2% | (59.6-68.7) | 198 | 35.8% | (31.3-40.4) |
| | 12 years old | 482 | 69.4% | (64.9-73.9) | 219 | 30.6% | (26.1-35.1) |
| | 13 years old | 531 | 77.5% | (73.3-81.8) | 163 | 22.5% | (18.2-26.7) |
| | 14 years old or older | 35 | 66.1% | (53.0-79.2) | 18 | 33.9% | (20.8-47.0) |
| Grade | 6th | 366 | 64.1% | (59.8-68.4) | 215 | 35.9% | (31.6-40.2) |
| | 7th | 488 | 69.6% | (65.3-73.8) | 217 | 30.4% | (26.2-34.7) |
| | 8th | 526 | 77.6% | (73.3-81.8) | 161 | 22.4% | (18.2-26.7) |
| Race/Ethnicity | American Indian/Alaska Native^d | 40 | 66.7% | (52.6-80.8) | 20 | 33.3% | (19.2-47.4) |
| | Asian^d | 61 | 68.9% | (58.7-79.2) | 28 | 31.1% | (20.8-41.3) |
| | Black^d | 38 | 58.9% | (46.2-71.6) | 27 | 41.1% | (28.4-53.8) |
| | Native Hawaiian/Pacific Islander^d | 17 | 43.7% | (23.9-63.6) | 22 | 56.3% | (36.4-76.1) |
| | White^d | 592 | 77.2% | (73.3-81.0) | 176 | 22.8% | (19.0-26.7) |
| | Hispanic/Latino | 499 | 67.7% | (63.9-71.5) | 240 | 32.3% | (28.5-36.1) |
| | Other/Multiple^d | 66 | 66.8% | (56.6-76.9) | 33 | 33.2% | (23.1-43.4) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic

^e Saw a dentist for a check-up, exam, teeth cleaning, or other dental work

Table 79: Percentage of middle school students who they themselves or someone in their home ever tested positive for COVID-19 — Nevada YRBS 2021

| | | Yes | | | No | | |
|-----------------------|---|----------------|----------------|-------------------------|----------------|----------------|-------------------------|
| | | N ^a | % ^b | C.I. ^c (95%) | N ^a | % ^b | C.I. ^c (95%) |
| Overall | Total | 671 | 34.5% | (32.1-36.9) | 1283 | 65.5% | (63.1-67.9) |
| Sex | Female | 323 | 33.8% | (30.5-37.2) | 629 | 66.2% | (62.8-69.5) |
| | Male | 333 | 35.5% | (32.5-38.5) | 622 | 64.5% | (61.5-67.5) |
| Age | 11 years old or younger | 172 | 33.7% | (28.8-38.6) | 355 | 66.3% | (61.4-71.2) |
| | 12 years old | 237 | 34.7% | (31.2-38.2) | 448 | 65.3% | (61.8-68.8) |
| | 13 years old | 248 | 35.4% | (31.4-39.4) | 441 | 64.6% | (60.6-68.6) |
| | 14 years old or older | 14 | 29.5% | (14.0-45.1) | 37 | 70.5% | (54.9-86.0) |
| Grade | 6th | 192 | 35.0% | (30.3-39.7) | 372 | 65.0% | (60.3-69.7) |
| | 7th | 231 | 33.9% | (30.1-37.6) | 458 | 66.1% | (62.4-69.9) |
| | 8th | 243 | 34.8% | (31.2-38.5) | 442 | 65.2% | (61.5-68.8) |
| Race/Ethnicity | American Indian/Alaska Native^d | 19 | 32.9% | (21.5-44.2) | 39 | 67.1% | (55.8-78.5) |
| | Asian^d | 26 | 30.0% | (21.2-38.8) | 62 | 70.0% | (61.2-78.8) |
| | Black^d | 28 | 43.8% | (30.7-56.9) | 36 | 56.2% | (43.1-69.3) |
| | Native Hawaiian/Pacific Islander^d | 14 | 37.3% | (22.8-51.7) | 24 | 62.7% | (48.3-77.2) |
| | White^d | 251 | 33.2% | (29.8-36.6) | 502 | 66.8% | (63.4-70.2) |
| | Hispanic/Latino | 261 | 35.8% | (32.3-39.4) | 469 | 64.2% | (60.6-67.7) |
| | Other/Multiple^d | 32 | 34.0% | (25.0-43.0) | 63 | 66.0% | (57.0-75.0) |

^a The sample size in the total and subgroups may differ due to missing data

^b Weighted row percent

^c 95% confidence interval

^d Non-Hispanic