

Montana Tech Library

Digital Commons @ Montana Tech

Silver Bow Creek/Butte Area Superfund Site

Montana Superfund

Winter 1-27-2023

**Residential Metals Abatement Program Investigation Summary
Report (Non-Residential Parcels – Indoor Dust) Highland View
Christian School**

Environmental Resource Management (ERM)

Follow this and additional works at: https://digitalcommons.mtech.edu/superfund_silverbowbutte



Part of the [Environmental Health and Protection Commons](#), [Environmental Indicators and Impact Assessment Commons](#), and the [Environmental Monitoring Commons](#)

Atlantic Richfield Company

317 Anaconda Road
Butte MT 59701

Mike McAnulty

Liability Manager

Direct (406) 782-9964

Fax (406) 782-9980

February 2, 2023

Nikia Greene
Remedial Project Manager
US EPA – Montana Office
Baucus Federal Building
10 West 15th Street, Suite 3200
Helena, Montana 59626

Erin Agee
Senior Assistant Regional Counsel
US EPA Region 8 Office of Regional Counsel
CERCLA Enforcement Section
1595 Wynkoop Street
Denver, CO 80202
Mail Code: 8ORC-C

Daryl Reed
DEQ Project Officer
P.O. Box 200901
Helena, Montana 59620-0901

Jonathan Morgan, Esq.
DEQ, Legal Counsel
P.O. Box 200901
Helena, Montana 59620-0901

RE: Residential Metals Abatement Program – Interior School Dust – Investigation Summary Report – Highland View Christian School

Agency Representatives:

I am writing to you on behalf of Atlantic Richfield Company to submit the Draft 2023 *Residential Metals Abatement Program Investigation Summary Report (Non-Residential Parcels – Indoor Dust) – Highland View Christian School*.

The report may be downloaded at the following link:


https://theermgroup-my.sharepoint.com/:f:/g/personal/thomas_beckman_erm_com/Eg4dOFYWA7ZBqjc2J6vVrzABWwPpdmx_eAVN6gS60AkdMA?e=om87dU

If you have any questions or comments, please call me at (907) 355-3914.

Sincerely,



Mike McAnulty
Liability Manager
Remediation Management Services Company
An Affiliate of **Atlantic Richfield Company**





Residential Metals Abatement Program Investigation Summary Report (Non-Residential Parcels – Indoor Dust)

Highland View Christian School

27 January 2023

Project No.: 0643586

Signature Page


27 January 2023

Residential Metals Abatement Program Investigation Summary Report (Non- Residential Parcels – Indoor Dust)


Highland View Christian School



Elsie King
Quality Manager



Christopher Berg
Project Manager



Thomas J. Beckman
Partner

ERM
1 Ninth Street Island Drive
Livingston, MT 59047

T: +1 406 222 7600

F: +1 406 222 7677

© Copyright 2023 by The ERM International Group Limited and/or its affiliates ('ERM').
All Rights Reserved. No part of this work may be reproduced or transmitted in any form
or by any means, without prior written permission of ERM.

CONTENTS

1.	INTRODUCTION	1
1.1	Background.....	1
1.2	Site Description.....	1
2.	FIELD SAMPLING ACTIVITIES.....	2
3.	INVESTIGATION RESULTS	2
3.1	Floor Mat Sample Results.....	2
3.2	Floor Surface Sample Results	2
4.	DATA QUALITY AND USABILITY REVIEW	2
5.	CONCLUSIONS AND REMEDIAL RECOMMENDATION	3
6.	REFERENCES	4

List of Tables

Table 1 Summary of Analytical Sampling Results

List of Figures

Figure 1 Highland View Christian Location
Figure 2 Highland View Christian Sample Locations
Figure 3 Highland View Christian Action Required Locations

APPENDIX A	SITE PHOTOGRAPHS
APPENDIX B	FIELD NOTES AND SAMPLE DATA SHEETS
APPENDIX C	LABORATORY REPORTS
APPENDIX D	VALIDATION REPORTS

Acronyms and Abbreviations

Name	Description
ARCO	Atlantic Richfield Company
BPSOU	Butte Priority Soils Operable Unit
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EDD	electronic data deliverable
ERM	ERM-West, Inc.
Environmental Standards	Environmental Standards, Inc.
FSP	Field Sampling Plan
MDL	method detection limit
mg/kg	milligrams per kilogram
QAPP	Quality Assurance Project Plan
RL	reporting limit
RMAP	Residential Metals Abatement Program
USEPA	United States Environmental Protection Agency

1. INTRODUCTION

This investigation summary report provides a summary of indoor dust field sampling activities and presents the results of the 2022 Residential Metals Abatement Program (RMAP) school indoor dust sampling for Highland View Christian School.

1.1 Background

The Butte-Silver Bow County Multi-Pathway RMAP (BSB and ARCO 2020) is designed to mitigate exposure of residents of the Butte Priority Soils Operable Unit (BPSOU), the larger Butte community, and rural residential development within the Silver Bow Creek/Butte Area Superfund Site to sources of arsenic, lead, and mercury contamination.

The United States Environmental Protection Agency (USEPA) has included schools (public and private schools, daycares, and preschools) in the RMAP in the First Amendment to the Administrative Order (USEPA Docket No. Comprehensive Environmental Response, Compensation, and Liability Act [CERCLA]-08-2011-0011; USEPA 2020). Contamination of schools may originate from both mining-related (waste rock, tailings, aerial emissions) and non-mining-related sources (e.g., lead paint or broken mercury thermometers). The BPSOU residential action levels are 250 milligrams per kilogram (mg/kg) for arsenic, 1,200 mg/kg for lead, and 147 mg/kg for mercury (see Table 1). This component of the RMAP evaluates arsenic, lead, and mercury present in interior dust.

ERM-West, Inc. (ERM) performed sampling and assessment to determine whether remediation or abatement was required using the following decision logic:

- Remediation/abatement was required where accessible interior dust contained arsenic, lead, or mercury at concentrations in excess of solid media action levels, in areas currently accessible to children, students, or faculty. Accessible dust is defined as surface dust located in areas that are commonly occupied such as classrooms, hallways, bathrooms, and other areas (e.g., cafeterias) within the school or daycare.
- Remediation/abatement was required where inaccessible interior dust contained arsenic, lead, or mercury at concentrations in excess of solid media action levels, in areas mainly accessible to facility staff. Inaccessible dust is defined as surface dust found in locations such as boiler or mechanical rooms, tops of ceiling tiles, janitorial closets, on ventilation system ductwork or vents, and storage rooms in areas that are not commonly accessed or occupied by children or students.
- Remediation/abatement was required for buildings constructed in 1980 and earlier, where dust contained arsenic, lead, or mercury at concentrations in attics and/or crawlspaces in excess of solid media action levels and where there is an exposure pathway to an interior occupied space.

1.2 Site Description

Highland View Christian School is located at 2500 Grand Avenue in Butte, Montana (Figure 1). It was constructed in 2010 and has not been remodeled. Building attics and crawlspaces are not present. The results of a July 2021 exterior surface soil investigation performed by ARCO and Pioneer Technical Services, Inc. found exterior surface soils did not contain metals at concentrations above action levels requiring soil remediation.

Based on the BPSOU Non-Residential School/Daycare Dust Sampling Decision Framework provided in the *Residential Metals Abatement Program Quality Assurance Project Plan (Non-Residential Parcels – Indoor Dust)* (QAPP) (ERM 2022a), interior dust sampling focused on collection of indoor dust samples from entrance floor mats and floor surfaces in accessible areas at the Highland View Christian School.

Sampling locations for Highland View Christian School are subdivided into two location groups described below.

- Decision Unit 1: West classroom
- Inaccessible Areas: Storage areas, basement

2. FIELD SAMPLING ACTIVITIES

ERM collected indoor dust samples in accordance with the QAPP (ERM 2022a) and *2022 Residential Metals Abatement Program (RMAP) Field Sampling Plan – Indoor Dust – Group 1 (FSP)* (ERM 2022b). Figure 2 shows the sample locations within the school. Table 1 summarizes the sample locations, collection dates, and location descriptions. Appendix A includes site photographs, and Appendix B includes field notes and sample data sheets.

Three floor mats were placed at building entrances on 26 April 2022. Floor mat samples and appropriate field quality control samples were collected on 5 May 2022. The floor mat samples collected are representative of a seven-school day sample accumulation timeframe. One floor surface sample and appropriate field quality control samples were collected on 22 June 2022.

The following deviations to the QAPP or FSP occurred during sampling. The floorplan was overlaid onto the incorrect building on the figure shown in the FSP.¹ Floor mat sample locations were placed to match the actual entrances to the building, and the floor surface sample was taken from the west classroom. These deviations do not impact data quality as the areas sampled meet the data quality objectives stated in the QAPP.

3. INVESTIGATION RESULTS

Analytical results and corrective action requirement areas are depicted in Figure 3. Table 1 summarizes the analytical sample results and applicable laboratory and data validation qualifiers. The laboratory analytical reports from Pace Analytical Services, LLC are provided in Appendix C.

3.1 Floor Mat Sample Results

Arsenic, lead, and mercury were detected at concentrations below the residential action levels in all floor mat samples (see Table 1).

3.2 Floor Surface Sample Results

Arsenic, lead, and mercury were detected at concentrations below the residential action levels in the floor surface sample (see Table 1).

4. DATA QUALITY AND USABILITY REVIEW

Environmental Standards, Inc. (Environmental Standards) reviewed field documentation and laboratory data in accordance with the QAPP. Environmental Standards provided field documentation review in the form of Level A/B Field Documentation Screening Reviews and validated laboratory data in the form of Stage 2B and Stage 4 Quality Assurance Reviews (Appendix D). Environmental Standards assigned applicable validation qualifiers and usability qualifiers in an electronic data deliverable (EDD) format.

¹ As-builts provided by school representatives differed considerably due to changes in room use and building improvements. The field team updated ERM figures to match actual layout of school. Additional micro-vacuum dust samples were taken from newly identified inaccessible areas.

Data that meet the Level A and Level B criteria in the field documentation quality assessment as detailed in the QAPP, and not qualified as estimated or rejected during the data validation process, are considered enforcement-quality data and can be used for all Superfund purposes and activities. Data that meet only the Level A criteria and are not rejected during the data validation process can be considered screening-quality data in accordance with the QAPP.

Reported positive results between the method detection limit (MDL) and the reporting limit (RL) are considered estimated and have been flagged “J” in the qualified EDD. It is appropriate to note that sample results qualified as estimated “J” by the laboratory because the reported result is between the MDL and RL, values are considered enforcement-quality data if no other qualifiers were required during data review and validation.

When sample results were qualified both as estimated with a direction of bias (“J+” or “J-”) and as estimated with unknown bias (“J”) or the opposite bias, only the unknown bias qualifier was included in the qualified EDD.

All data meet either enforcement or screening quality and are considered usable for project objectives. The analytical data completeness (defined as the percentage of usable data) for the samples included in the quality assurance review is 100 percent.

5. CONCLUSIONS AND REMEDIAL RECOMMENDATION

All data quality objectives were met and indoor dust concentrations of arsenic, lead, and mercury are below the residential action levels. No further action is needed.

6. REFERENCES

BSB and ARCO (Butte-Silver Bow County and Atlantic Richfield Company). 2020. *Revised Final Multi-Pathway Residential Metals Abatement Program (RMAP) Plan*. Priority Soils Operable Unit Silver Bow Creek/Butte Area, National Priorities List.

ERM (ERM-West, Inc.). 2022a. *Residential Metals Abatement Program Quality Assurance Project Plan (Non-Residential Parcels – Indoor Dust)*.

ERM. 2022b. *2022 Residential Metals Abatement Program (RMAP) Field Sampling Plan (FSP) – Indoor Dust – Group 1*.

USEPA (United States Environmental Protection Agency). 2020. U.S. Environmental Protection Agency (EPA) Unilateral Administrative Order Amendment (UAO Amendment) for “Partial Remedial Design/Remedial Action Implementation and Certain Operation and Maintenance at the Butte Priority Soils Operable Unit/Butte Site” (USEPA Docket No. CERCLA-08-2011-0011).

TABLES

Table 1
Summary of Analytical Sampling Results
Highland View Christian School
Butte RMAP Indoor Dust
Butte, Montana

Location Type	Location ID	Sample ID	Sample Type	Date	Matrix	Location Description	Constituent					Lead					Mercury				
							Butte Priority Soils Residential Action Level					250 mg/kg					1200 mg/kg				
							Result	MDL	RL	Interp Qual	E / S	Result	MDL	RL	Interp Qual	E / S	Result	MDL	RL	Interp Qual	E / S
Floor	S-0016-F-01	S-0016-D-F-01-20220622	N	6/22/2022	Dust	West office/wing of building	21.2	0.51	2.3		E	62.6	0.14	2.3		E	0.036	0.0085	0.020	J	S
Floor	S-0016-F-01	S-0016-D-F-01D-20220622	FD	6/22/2022	Dust	West office/wing of building	20.1	0.51	2.3		E	57.1	0.14	2.3		E	0.085	0.0080	0.019	J	S
Floor Mat	S-0016-FM-01	S-0016-D-FM-01-20220505	N	5/5/2022	Dust	South-east access door	20.3	0.53	2.5		E	64.4	0.14	2.5		E	0.036	0.024	0.056	J	E
Floor Mat	S-0016-FM-03	S-0016-D-FM-03-20220505	N	5/5/2022	Dust	South-west access door	36.0	0.50	2.3		E	77.4	0.14	2.3		E	0.061	0.025	0.058		E
Floor Mat	S-0016-FM-03	S-0016-D-FM-03D-20220505	FD	5/5/2022	Dust	South-west access door	35.1	0.52	2.4		E	76.0	0.14	2.4		E	0.048	0.025	0.057	J	E
Floor Mat	S-0016-FM-04	S-0016-D-FM-04-20220505	N	5/5/2022	Dust	North access door	14.1	0.51	2.3		E	62.4	0.14	2.3		E	0.050	0.025	0.058	J	E
	QC	S-0016-D-EB-01-20220622	EB	6/22/2022	Dust QC	-	ND	0.10	0.48	U	E	ND	0.028	0.48	U	E	and	0.0081	0.019	U	E
	QC	S-0016-D-EB-02-20220505	EB	5/5/2022	Dust QC	-	ND	0.10	0.48	U	E	ND	0.028	0.48	U	E	ND	0.025	0.058	U	E

Notes:

Gray highlighting indicates result value is greater than or equal to the Butte Priority Soils Site-Specific Residential Action Levels for indoor soil and dust. Reference: 2006 Record of Decision, Butte Priority Soils Operable Unit,

Bold text indicates detection.

All reported values in mg/kg.

Acronyms:

- EB Equipment Blank
- FD Field Duplicate
- MDL Method Detection Limit
- mg/kg milligrams per kilogram
- N Normal / Primary
- ND Not detected above the MDL
- QC Quality Control
- RL Reporting Limit


Interpreted Qualifiers:

- J The analyte was positively identified; the associated numerical value is an estimate of the concentration of the analyte in the sample. This will also include results reported between the MDL and RL.
- U The result is qualified as non-detect due to the detection of the analyte in an associated QC blank.

E / S:

- E Enforcement quality. No qualifiers, U qualifier, or J qualifier and meets Level A and B criteria.
- S Screening quality. J or UJ qualifier and/or meets only Level A criteria.

FIGURES



Legend

-  Floor Surface Sample
-  Floor Mat Sample
-  Inaccessible Area
-  Decision Unit 1

Notes:
Room IDs reflect verbiage used on site maps provided by Highland View Christian School.





Figure 2
Highland View Christian
Sampling Locations
2500 Grand Ave
Butte, MT 59701



Legend

 No Action Required

Notes:
Room IDs reflect verbiage used on site maps provided by Highland View Christian School.




Figure 3
Highland View Christian
Action Areas
2500 Grand Ave
Butte, MT 59701



APPENDIX A SITE PHOTOGRAPHS



Photograph:
0007

Floor mat sample, by southeast access door (S-0016-D-FM-01-20220505).



Photograph:
0010

Floor mat sample, by southwest access door (S-0016-D-FM-03-20220505).





Photograph: 0011	Floor mat sample, north access door (S-0016-D-FM-04-20220505).
----------------------------	--



Photograph: 160337	Floor surface sample, west wing of building (S-0016-D-F-01-20220622).
------------------------------	---

APPENDIX B FIELD NOTES AND SAMPLE DATA SHEETS

BUTTE RMAP
26-APR-2022

(6)

J. KMETZ / C. BERG
50°F / (M. CLOUDY)

SMALL WORLD DAY CARE

PHOTO DESC

0005 SOUTH ACCESS DOOR

0006 NORTH " "

1030 LEFT SITE

1039 ARRIVED @ HIGHLAND VIEW

CHRISTIAN SCHOOL @ MET

WITH DIANE

1050 PLACED FLOOR MATS @

(1) SOUTH-EAST ACCESS DOOR

(2) " WEST ACCESS DOOR

(3) NORTH ACCESS DOOR

PHOTO DESC

0007 SOUTH-EAST ACCESS DOOR

0008 " -WEST " "

0009 NORTH ACCESS DOOR

DIANE SAID LUNCHTIME (12:00)

OR AFTER 3:00 WORKS FOR

SAMPLING BUT ASKED THAT WE

CONTACT HER TO COORDINATE


1115 LEFT SITE AND WENT TO EAST

LUNCH AND RESEARCH STORAGE

FACILITIES FOR FIELD EQUIPMENT

4/26/22

2/4 square =

 4/26/22

BUTTE RMAP
26-APR-2022

(7)

J. KMETZ / C. BERG
50°F / (M. CLOUDY)

1335 ARRIVED @ SILVER BOW

MONTESSORI AND MET WITH

BRIANNA PEET

1345 PLACED FLOORMATS @

(1) NORTH BLDG SOUTH DOOR

(2) WEST CLASSROOM SOUTH-WEST DOOR

(3) " " " -EAST "

(4) CLASSROOM NORTH-EAST DOOR

(5) " " -WEST "

BASED ON DISCUSSION WITH

BRIANNA, WE RELOCATED THE

FLOOR MAT LOCATION FROM THE

EAST SIDE OF THE MAIN

CLASSROOM TO THE NORTH-WEST

ENTRANCE SINCE THEY DO NOT

USE THE EAST ENTRANCE BUT

KIDS USE THE NW ENTRANCE

TO ACCESS BATHROOM FROM

PLAYGROUND

PHOTO DESC

0010 NORTH BLDG SOUTH DOOR

0011 WEST CLASSROOM SW DOOR

0012 " " SE "

0013 CLASSROOM NE DOOR

3/4 square =

 4/26/22

BUTTE RMAP
04-MAY-2022

(10)

J. KMETZ/R. STEFANSKI
60°F / SUNNY

THROUGH VAC B CYCLONE
(S-0020-D-EB-03-20220504)

1657 DECONNED VAC B CYCLONE

1708 LEAK TESTED VAC-B

RESULT 0.01 in H₂O

1712 COLLECTED FLOOR MAT


SAMPLE @ NORTH ACCESS DOOR
(S-0020-D-FM-04-20220504)

ONLY GOT 0.10 grams

1735 LEFT SMALL WORLD DAY CARE

1750 ARRIVED @ HOTEL

ADDED ICE TO SAMPLES, COPIED
NOTES & DATA SHEETS;
DOWNLOADED PHOTOS



2 1/2 square =

J. Kmetz 5/4/22

BUTTE RMAP
05-MAY-2022

(11)

J. KMETZ/R. STEFANSKI
40°F / SUNNY

0730 HELD FIELD SAFETY MTC

AND DISCUSSED LOGISTICS

0830 DROPPED OFF EXTRA EQUIP

@ U-HAUL STORAGE

UNIT: AA1036P

LOCK COMBO: PORK

0925 ARRIVED @ HIGHLAND VIEW

CHRISTIAN SCHOOL

0930 DECONNED VAC B SN 2006

0951 LEAK TESTED VAC B

RESULT 0.00 in H₂O

0954 COLLECTED FLOOR MAT SAMPLE

@ SOUTH-EAST ACCESS DOOR

(S-0016-D-FM-01-20220505)

1012 DECONNED VAC B

~~LEAK TESTED VAC B~~ ✓

~~RESULT 11 H₂O~~ 5/5/22

1022 COLLECTED EQUIPMENT BLANK

THROUGH VAC B CYCLONE

(S-0016-D-EB-02-20220505)

1028 DECONNED VAC B CYCLONE

1035 LEAK TESTED VAC B

RESULT 0.00 in H₂O

1048 COLLECTED FLOOR MAT SAMPLE @

SOUTH-WEST ACCESS DOOR →

Scale: 1 square =

J. Kmetz 5/5/22 *Rite in the Rain*

BUTE RMSP
05-MAY-2022

(12)

J. KMETZ/R. STEFANSKI
60°F/PC

(CONT'D) SOUTH-WEST ACCESS DOOR

FLOOR MAT SAMPLE

(S-0016-D-FM-03-20220505)

SINCE WE HAD 12.25 grams WE

TRANSFERRED 6.21 grams TO

ANOTHER BOTTLE AS A FIELD DUP

1101 FIELD DUPLICATE OF FLOOR

MAT SAMPLE S-0016-D-FM-03-20220505

(S-0016-D-FM-03D-20220505)

1115 DECONNED VAC B

LEAK TESTED VAC B

RESULT 0.00 in H₂O

1190 Collected floor mat sample @

North door, (S-0016-D-FM-04-20220505)

1200 ~~at~~ ^{5/5/22} _{as} Left site after collecting all
samples.

[Handwritten signature]
5/5/22

Scale: 1 square

[Handwritten signature] 5/5/22

BUTE RMSP
05-MAY-2022

(13)

J. KMETZ/R. STEFANSKI
60°F/OVERCAST

1500 ARRIVED @ AWARE EARLY HEAD START

1510 DECONNED VAC B

1530 LEAK TESTED VAC B

RESULT 0.00 in H₂O

1535 COLLECTED FLOOR MAT SAMPLE

@ NORTH ACCESS DOOR

(S-0019-D-FM-01-20220505)

SINCE WE COLLECTED 6.38gms

WILL USE AS MS/MSD

1550 DECONNED VAC B

1613 LEAK TESTED VAC B

RESULT 0.00 in H₂O

1615 COLLECTED FLOOR MAT SAMPLE

@ WEST ACCESS DOOR

(S-0019-D-FM-02-20220505)

1627 DECONNED VAC B

1631 LEAK TESTED VAC B

RESULT 0.00 in H₂O

1656 COLLECTED FLOOR MAT SAMPLE

@ EAST ACCESS DOOR

(S-0019-D-FM-03-20220505)

* NIC PISCIOTTA FROM CDM SMITH

WAS AT THE SCHOOL FOR ALL OF

THE SAMPLING

1730 LEFT SCHOOL; PUT SAMPLES ON ICE

Scale: 1 square

[Handwritten signature] 5/5/22 *late in the Rain*

6-22-22

(7)

NC, TW, LB
West elementary

0700 MET UP AT HOTEL LOBBY, LOGISTICS,
SAFETY MEETING

~~0800~~ ARRIVED AT WEST ELEMENTARY,
CHECKED IN AT OFFICE, UNLOAD AND
SET-UP EQUIPMENT, CALIBRATED MINI-VACS

0900 STARTED MINI VAC AT S-11 (CLASS ROOM 101

0930 SAMPLED AT S-11 S-0005-D-S-11-20220622 ^{TOP OF CHALKBOARD}

0945 STARTED MINI VAC AT S-12 (CLASSROOM 102, TOP OF LIGHTS

1015 SAMPLED S-12 ^{AND S-6 (MAIN OFFICE)} S-0005-D-S-12-20220622

1020 STARTED MINI VAC AT S-13 (CLASS ROOM 103, ^{TOP OF LIGHTS} S-0005-D-S-13-20220622

1030 SAMPLED S-6 AND S-13 ^{S-0005-D-S-06-20220622} S-0005-D-13-20220622

1035 STARTED MINI VAC AT S-14 (CLASS ROOM 104, ^{TOP OF LIGHTS} AND SHOWING)

1050 SAMPLED S-14 S-0005-S-D-S-14-20220622

1100 STARTED VAC AT S-8 (STORAGE ROOM IN MAIN OFFICE)

1125 SAMPLED S-8 S-0005-S-D-S-8-20220622

1130 STARTED VAC AT S-17 (GIRL'S RESTROOM ^{UNION CONSTRUCTION})

1145 SAMPLED AT S-17 S-0005-S-D-S-17-20220622

1150 STARTED VAC AT S-18 (CLASS ROOM 108, ^{TOP OF LIGHTS})

1210 SAMPLED S-18 S-0005-S-D-S-18-20220622

1150 STARTED VAC AT S-6, BUT NO DUST IN ROOM

1215 STARTED VAC AT S-19 (CLASS ROOM 109, ^{TOP OF LIGHTS})

1224 SAMPLED S-19 S-0005-S-D-S-19-20220622

1245 STARTED VAC AT S-20 (CLASS ROOM 112, ^{TOP OF LIGHTS})

1302 SAMPLED S-19, ^{DUPLICATE} S-0005-D-S-20-20220622

1430 STARTED VAC AT S-21 (CLASS ROOM 111, ^{TOP OF LIGHTS})

6-22-22

(8)

Mc, TW, LB
west elementary

1440 SAMPLED AT S-21 S-0005-D-S-21-20220622

1507 STARTED VAC AT S-24 (TRACTOR'S LOUNGE)

1518 SAMPLED AT S-24 S-0005-D-S-24-20220622

1550 STARTED VAC AT S-25 (CLASS ROOM 205, ^{TOP OF} LIGHTS)

1620 SAMPLED S-25 S-0005-D-S-25-20220622

NC 1430¹⁶³⁰ STARTED VAC AT S-22 (CLASS ROOM 203, ^{TOP OF} LIGHTS)

NC 1644 SAMPLED S-22 S-0005-D-S-22-20220622

1656 STARTED VAC AT S-23 (SCIENCE LAB, ^{TOP OF} LIGHTS)

1728 SAMPLED S-23 S-0005-D-S-23-20220622

1440 T. Wilson off site

1450 T. Wilson arrived at U-Haul,

picked up gear

1505 Arrive at Highland Christian View

1514 speak with Dawn and unload gear

1531 Decon vacuum A, leak test

See FSDS Highland View 6/22/22 TW
emk 06/28/22

1543 Begin samplings F-01

S-0016-D-F-01-20220622 S-0016-D-F-01D-20220622

1553 Finish samplings F-01 (Duplicate)

emk 06/28/22

1557 Decon Vacuum A

1602 Take equipment blank (E-01)

S-0016-D-EB-01-20220622

1604 Pack up gear

1610 off-site

1640 T. Wilson at West Elementary

1720 STARTED VAC AT S-40 (Room 306, TOP OF LIGHTS)

1742 SAMPLED S-40 S-0005-D-S-40-20220622

1736 STARTED VAC AT S-42 (Room 310 ^{TOP OF} LIGHTS)

6-22-22

(9)

NC, TN, LB

West elementary

- 1751 SAMPLED S-42 S-0005-D-S-42-20220622
- 1745 STARTED VAC AT S-41 (Room 305, ^{TOP OF} LIGHTS)
- 1810 SAMPLED S-41 S-0005-D-S-41-20220622
- 1800 STARTED VAC AT S-43 (Room 309, ^{TOP OF} LIGHTS)
- 1815 SAMPLED S-43 S-0005-D-S-43-20220622
- 1818 PACK UP EQUIPMENT
- 1830 DEPART WEST ELEMENTARY

NATHAN CHAMPEN

RMAP FIELD SAMPLE DATA SHEET (FSDS) FOR HVS3 FLOOR DUST

Project Name/Number: Butte RMAP Indoor Dust / 0643586
 Location: Butte, Montana
 School: HIGHLAND VIEW CHRISTIAN SCHOOL
 Group #: 7

Sampling Date: 05-MAY-2022
 Field Logbook No: _____
 Page No: 11-12

Sampling Team: ERM Other _____ Name(s): JOSEPH KMETZ; RHOWE STEFANSKI

Data Item	1	2	3
Sample ID	<u>S-0016-D-FM-01-20220505</u>	<u>S-0016-D-EB-02-20220505</u>	<u>S-0016-D-FM-03-20220505</u>
Bottle Lot #	<u>032221-1KM</u>	<u>032221-1KM</u>	<u>032221-1KM</u>
Sample Category (circle)	<u>FS</u> -(Field Sample) FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))	FS-(Field Sample) FD-(Field Duplicate) FB-(Field Blank) <u>EB</u> -(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))	<u>FS</u> -(Field Sample) FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))
Sample Parent ID (if a duplicate sample)	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Location Description (e.g., room number, etc.)	<u>DECISION UNIT 1 SOUTH-EAST ACCESS DOOR</u>	<u>N/A</u>	<u>DECISION UNIT 1 SOUTH-WEST ACCESS DOOR</u>
Location Floor (circle)	Basement, <u>Ground/Main Floor</u> , 1 st Floor, 2 nd Floor, 3 rd Floor Other _____	Basement, Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other <u>N/A</u>	Basement, <u>Ground/Main Floor</u> , 1 st Floor, 2 nd Floor, 3 rd Floor Other _____
Floor Type (circle)	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, <u>Floor Mat</u> Other: _____	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, Floor Mat Other: <u>N/A</u>	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, <u>Floor Mat</u> Other: _____
Approximate Sample Area (include units)	<u>15 SF</u>	<u>N/A</u>	<u>15 SF</u>
Date Last Vacuumed/Cleaned	<u>NOT CLEANED SINCE INSTALLED</u>	<u>N/A</u>	<u>NOT CLEANED SINCE INSTALLED</u>
Photo ID	<u>0007, 0008</u>	<u>0009</u>	<u>0010</u>
HVS3 Vacuum ID No.	<u>VAC B SN 2006</u>	<u>VAC B SN 2006</u>	<u>VAC B SN 2006</u>
Leak Check? (circle)	<u>Yes</u> No	<u>N/A</u> Yes No	<u>Yes</u> No
20 sec cleaning @ end? (circle)	<u>Yes</u> No	<u>N/A</u> Yes No	<u>Yes</u> No
Total Sample Time	<u>9.5</u> ^{HR} <u>51</u> ⁵¹ <u>22</u> minutes	<u>N/A</u> minutes	<u>8</u> minutes
Flow Drop	<u>5</u> inches of water	<u>N/A</u> inches of water	<u>5</u> inches of water
Nozzle Drop	<u>10</u> inches of water	<u>N/A</u> inches of water	<u>10</u> inches of water
Final Weight	<u>128.85</u> grams	<u>131.32</u> grams	<u>137.18</u> grams
Tare Weight	<u>126.46</u> grams	<u>126.24</u> grams	<u>124.93</u> grams
Net Weight (Final - Tare)	<u>2.39</u> grams	<u>5.08</u> grams	<u>6.04</u> <u>42.25</u> grams ^{HR} <u>5/5/22</u>
Decon Time	<u>09:30</u>	<u>10:12</u>	<u>10:12/10:28 (CYCLONE)</u>
Comments	<u>SAMPLE COLLECTION TIME = 09:54</u>	<u>COLLECTED EB BY POURING GLASS BEADS THROUGH VAC B CYCLONE @ 10:22</u>	<u>SAMPLE COLLECTED @ 10:48</u> <u>TRANSFERRED 6.21g TO FIELD DUPLICATE</u>
Lab: Pace Analytical Container: HVS3 Catch Bottle = 250 mL LDPE; Transfer to 4 oz. glass jar			
For Field Team Completion (Initials)	Completed by: <u>[Signature]</u> QC by: <u>[Signature]</u>		

RMAP FIELD SAMPLE DATA SHEET (FSDS) FOR HVS3 FLOOR DUST

Project Name/Number: Butte RMAP Indoor Dust / 0643586
 Location: Butte, Montana
 School: HIGHLAND VIEW CHRISTIAN SCHOOL
 Group #: 1

Sampling Date: 05-MAY-2022
 Field Logbook No: 1
 Page No: 12

Sampling Team: ERM Other _____ Name(s): JOE KMETZ & RHOWE STEFANSKI

Data Item	1	2	3
Sample ID	<u>S-0016-D-FM-03D-20220505</u>	<u>S-0016-D-FM-04-20220505</u>	
Bottle Lot #	<u>022122-1KM</u>	<u>032221-1KM</u>	
Sample Category (circle)	FS-(Field Sample) <input checked="" type="checkbox"/> FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))	<input checked="" type="checkbox"/> FS-(Field Sample) <input checked="" type="checkbox"/> FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))	FS-(Field Sample) FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))
Sample Parent ID (if a duplicate sample)	<u>S-0016-D-FM-03-20220505</u>	<u>N/A</u>	
Location Description (e.g., room number, etc.)	<u>DECISION UNIT 1 SOUTH-WEST ACCESS DOOR</u>	<u>Decision Unit 1 North access door</u>	
Location Floor (circle)	Basement, <input checked="" type="checkbox"/> Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other _____	Basement, <input checked="" type="checkbox"/> Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other _____	Basement, Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other _____
Floor Type (circle)	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, <input checked="" type="checkbox"/> Floor Mat Other: _____	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, <input checked="" type="checkbox"/> Floor Mat Other: _____	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, Floor Mat Other: _____
Approximate Sample Area (include units)	<u>15 SF</u>	<u>15 SF</u>	
Date Last Vacuumed/Cleaned	<u>NOT CLEANED SINCE INSTALLED</u>	<u>Not cleaned since installed</u>	
Photo ID	<u>0010</u>	<u>0011</u>	
HVS3 Vacuum ID No.	<u>VACB SN 2006</u>	<u>VACB SN 2006</u>	
Leak Check? (circle)	<input checked="" type="checkbox"/> Yes No	<input checked="" type="checkbox"/> Yes No	Yes No
20 sec cleaning @ end? (circle)	<input checked="" type="checkbox"/> Yes No	<input checked="" type="checkbox"/> Yes No	Yes No
Total Sample Time	<u>8</u> minutes	<u>3</u> minutes	_____ minutes
Flow Drop	<u>5</u> inches of water	<u>5</u> inches of water	_____ inches of water
Nozzle Drop	<u>10</u> inches of water	<u>10</u> inches of water	_____ inches of water
Final Weight	<u>134.26</u> grams	<u>131.62</u> grams	_____ grams
Tare Weight	<u>128.05</u> grams	<u>125.74</u> grams	_____ grams
Net Weight (Final - Tare)	<u>6.21</u> grams	<u>5.88</u> grams	_____ grams
Decon Time	<u>10:12/10:28 (CYCLOPE)</u>	<u>11:15/11:46 (CYCLOPE)</u>	
Comments	<u>SAMPLE TIME = 11:01</u>	<u>sample time 11:30</u>	
Lab: Pace Analytical Container: HVS3 Catch Bottle = 250 mL LDPE; Transfer to 4 oz. glass jar			
For Field Team Completion (Initials)	Completed by: <u>[Signature]</u> QC by: <u>[Signature]</u>		

5/5/22

RMAP FIELD SAMPLE DATA SHEET (FSDS) FOR HVS3 FLOOR DUST

Project Name/Number: Butte RMAP Indoor Dust / 0643586
 Location: Butte, Montana
 School: Highland View Christian
 Group #: TJ

Sampling Date: 01/22/22
 Field Logbook No: 15
 Page No: 8

Sampling Team: ERM Other _____ Name(s): T. Wilson

Data Item	1	2	3
Sample ID	<u>S-0016-D-P-01-20220622</u>	<u>S-0016-D-P-01B-20220622</u>	<u>S-0016-D-EB-01-20220622</u>
Bottle Lot #	<u>003851</u>	<u>00B1259</u>	<u>003865</u>
Sample Category (circle)	FS-(Field Sample) FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))	FS-(Field Sample) FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))	FS-(Field Sample) FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))
Sample Parent ID (if a duplicate sample)	<u>N/A</u>	<u>S-0016-D-P-01-20220622</u>	<u>N/A</u>
Location Description (e.g., room number, etc.)	<u>West wing of building</u>	<u>West wing of building</u>	<u>N/A</u>
Location Floor (circle)	Basement, Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other _____	Basement, Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other _____	Basement, Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other <u>N/A</u>
Floor Type (circle)	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, Floor Mat Other: _____	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, Floor Mat Other: _____	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, Floor Mat Other: <u>N/A</u>
Approximate Sample Area (include units)	<u>75ft²</u>	<u>75ft²</u>	<u>N/A</u>
Date Last Vacuumed/Cleaned	<u>Unknown</u>	<u>Unknown</u>	<u>N/A</u>
Photo ID	<u>160337 (phone)</u>	<u>160337 (phone)</u>	<u>N/A</u>
HVS3 Vacuum ID No.	<u>Vacuum A</u>	<u>Vacuum A</u>	<u>Vacuum A</u>
Leak Check? (circle)	<input checked="" type="radio"/> Yes No	<input checked="" type="radio"/> Yes No	Yes <input checked="" type="radio"/> No <u>NA</u>
20 sec cleaning @ end? (circle)	<input checked="" type="radio"/> Yes No	<input checked="" type="radio"/> Yes No	Yes <input checked="" type="radio"/> No <u>NA</u>
Total Sample Time	<u>10</u> minutes	<u>10</u> minutes	<u>2</u> minutes
Flow Drop	<u>5</u> inches of water	<u>5</u> inches of water	<u>N/A</u> inches of water
Nozzle Drop	<u>10</u> inches of water	<u>10</u> inches of water	<u>N/A</u> inches of water
Final Weight	<u>132.97</u> grams	<u>131.31</u> grams	<u>142.90</u> grams
Tare Weight	<u>127.81</u> grams	<u>127.83</u> grams	<u>127.82</u> grams
Net Weight (Final - Tare)	<u>5.16</u> grams	<u>3.48</u> grams	<u>14.98</u> grams
Decon Time	<u>1531</u>	<u>1531</u>	<u>1602 tw 1557</u>
Time Sample Collected	<u>1553</u>	<u>1553</u>	<u>1602</u>
Comments	<u>Sample location was moved to west wing</u>		

Lab: Pace Analytical

Container: HVS3 Catch Bottle = 250 mL LDPE; Transfer to 4 oz. glass jar

For Field Team Completion (Initials)

Completed by: TJ
 QC by: LS

APPENDIX C LABORATORY REPORTS

May 17, 2022

Christopher Berg
ERM
1 Ninth St. Island Drive
Livingston, MT 59047

RE: Project: 0643586 RMAP Interior School
Pace Project No.: 10607644

Dear Christopher Berg:

Enclosed are the analytical results for sample(s) received by the laboratory on May 10, 2022. The results relate only to the samples included in this report. Results contained within this report conform to the most current version of the TNI standards, BP LaMP Technical Requirements Revision 12.1, and any applicable Quality Assurance Project Plan (QAPP), or Work Plan unless otherwise narrated in the body of this report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Anderson
jennifer.anderson@pacelabs.com
(612)607-6436
Project Manager

Enclosures

cc: Tom Beckman, ERM Alaska, Inc
AR Deliverables ESI, Environmental Standards, Inc.
Elsie King, ERM AK
Emmy Zartman, ERM



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

A2LA Certification #: 2926.01*
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #: 74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10607644001	S-0016-D-FM-01-20220505	Solid	05/05/22 09:45	05/10/22 08:50
10607644002	S-0016-D-EB-02-20220505	Solid	05/05/22 10:22	05/10/22 08:50
10607644003	S-0016-D-FM-03-20220505	Solid	05/05/22 10:48	05/10/22 08:50
10607644004	S-0016-D-FM-03D-20220505	Solid	05/05/22 11:01	05/10/22 08:50
10607644005	S-0016-D-FM-04-20220505	Solid	05/05/22 11:40	05/10/22 08:50

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10607644001	S-0016-D-FM-01-20220505	EPA 6020B	PW1	2	PASI-M
		EPA 7471B	LMW	1	PASI-M
10607644002	S-0016-D-EB-02-20220505	EPA 6020B	PW1	2	PASI-M
		EPA 7471B	LMW	1	PASI-M
10607644003	S-0016-D-FM-03-20220505	EPA 6020B	PW1	2	PASI-M
		EPA 7471B	LMW	1	PASI-M
10607644004	S-0016-D-FM-03D-20220505	EPA 6020B	PW1	2	PASI-M
		EPA 7471B	LMW	1	PASI-M
10607644005	S-0016-D-FM-04-20220505	EPA 6020B	PW1	2	PASI-M
		EPA 7471B	LMW	1	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

Method: EPA 6020B

Description: 6020B MET ICPMS

Client: BP-ERM-MT

Date: May 17, 2022

General Information:

5 samples were analyzed for EPA 6020B by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3050B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

Method: EPA 7471B

Description: 7471B Mercury

Client: BP-ERM-MT

Date: May 17, 2022

General Information:

5 samples were analyzed for EPA 7471B by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

Sample: S-0016-D-FM-01-20220505 Lab ID: 10607644001 Collected: 05/05/22 09:45 Received: 05/10/22 08:50 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	20.3	mg/kg	2.5	0.53	5	05/11/22 12:27	05/13/22 00:52	7440-38-2	
Lead	64.4	mg/kg	2.5	0.14	5	05/11/22 12:27	05/13/22 00:52	7439-92-1	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.036J	mg/kg	0.056	0.024	1	05/11/22 15:25	05/17/22 10:30	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

Sample: S-0016-D-EB-02-20220505 Lab ID: 10607644002 Collected: 05/05/22 10:22 Received: 05/10/22 08:50 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	<0.10	mg/kg	0.48	0.10	1	05/11/22 12:27	05/13/22 11:27	7440-38-2	
Lead	<0.028	mg/kg	0.48	0.028	1	05/11/22 12:27	05/13/22 11:27	7439-92-1	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	<0.025	mg/kg	0.058	0.025	1	05/11/22 15:25	05/17/22 10:31	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

Sample: S-0016-D-FM-03-20220505 Lab ID: 10607644003 Collected: 05/05/22 10:48 Received: 05/10/22 08:50 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	36.0	mg/kg	2.3	0.50	5	05/11/22 12:27	05/13/22 00:59	7440-38-2	
Lead	77.4	mg/kg	2.3	0.14	5	05/11/22 12:27	05/13/22 00:59	7439-92-1	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.061	mg/kg	0.058	0.025	1	05/11/22 15:25	05/17/22 10:33	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

Sample: S-0016-D-FM-03D-20220505 **Lab ID: 10607644004** Collected: 05/05/22 11:01 Received: 05/10/22 08:50 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	35.1	mg/kg	2.4	0.52	5	05/11/22 12:27	05/13/22 01:02	7440-38-2	
Lead	76.0	mg/kg	2.4	0.14	5	05/11/22 12:27	05/13/22 01:02	7439-92-1	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.048J	mg/kg	0.057	0.025	1	05/11/22 15:25	05/17/22 10:35	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

Sample: S-0016-D-FM-04-20220505 Lab ID: 10607644005 Collected: 05/05/22 11:40 Received: 05/10/22 08:50 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis									
Arsenic	14.1	mg/kg	2.3	0.51	5	05/11/22 12:27	05/13/22 01:06	7440-38-2	
Lead	62.4	mg/kg	2.3	0.14	5	05/11/22 12:27	05/13/22 01:06	7439-92-1	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis									
Mercury	0.050J	mg/kg	0.058	0.025	1	05/11/22 15:25	05/17/22 10:36	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 0643586 RMAP Interior School
Pace Project No.: 10607644

QC Batch: 814468 Analysis Method: EPA 7471B
QC Batch Method: EPA 7471B Analysis Description: 7471B Mercury Solids
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10607644001, 10607644002, 10607644003, 10607644004, 10607644005

METHOD BLANK: 4317663 Matrix: Solid
Associated Lab Samples: 10607644001, 10607644002, 10607644003, 10607644004, 10607644005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.0081	0.019	0.0081	05/17/22 10:27	

LABORATORY CONTROL SAMPLE: 4317664

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.43	0.45	105	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4317666 4317667

Parameter	Units	10607647001		4317667		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Mercury	mg/kg	0.035J	1.4	1.4	1.4	101	101	80-120	0	20	

SAMPLE DUPLICATE: 4317665

Parameter	Units	10607647001 Result	Dup Result	RPD	Max RPD	Qualifiers
Mercury	mg/kg	0.035J	0.038J		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 0643586 RMAP Interior School
Pace Project No.: 10607644

QC Batch: 814465 Analysis Method: EPA 6020B
QC Batch Method: EPA 3050B Analysis Description: 6020B Solids UPD5
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10607644001, 10607644002, 10607644003, 10607644004, 10607644005

METHOD BLANK: 4317652 Matrix: Solid
Associated Lab Samples: 10607644001, 10607644002, 10607644003, 10607644004, 10607644005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/kg	<0.10	0.47	0.10	05/13/22 00:45	
Lead	mg/kg	<0.028	0.47	0.028	05/13/22 00:45	

LABORATORY CONTROL SAMPLE: 4317653

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	46.7	49.8	107	80-120	
Lead	mg/kg	46.7	53.0	113	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4317654 4317655

Parameter	Units	10607647001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic	mg/kg	17.4	48.5	48.5	70.8	63.9	110	96	75-125	10	20	
Lead	mg/kg	84.1	48.5	48.5	135	123	104	81	75-125	9	20	

SAMPLE DUPLICATE: 4317656

Parameter	Units	10607647001 Result	Dup Result	RPD	Max RPD	Qualifiers
Arsenic	mg/kg	17.4	17.5	0	20	
Lead	mg/kg	84.1	83.6	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10607644001	S-0016-D-FM-01-20220505	EPA 3050B	814465	EPA 6020B	814770
10607644002	S-0016-D-EB-02-20220505	EPA 3050B	814465	EPA 6020B	814770
10607644003	S-0016-D-FM-03-20220505	EPA 3050B	814465	EPA 6020B	814770
10607644004	S-0016-D-FM-03D-20220505	EPA 3050B	814465	EPA 6020B	814770
10607644005	S-0016-D-FM-04-20220505	EPA 3050B	814465	EPA 6020B	814770
10607644001	S-0016-D-FM-01-20220505	EPA 7471B	814468	EPA 7471B	814716
10607644002	S-0016-D-EB-02-20220505	EPA 7471B	814468	EPA 7471B	814716
10607644003	S-0016-D-FM-03-20220505	EPA 7471B	814468	EPA 7471B	814716
10607644004	S-0016-D-FM-03D-20220505	EPA 7471B	814468	EPA 7471B	814716
10607644005	S-0016-D-FM-04-20220505	EPA 7471B	814468	EPA 7471B	814716

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Laboratory Management Program (LaMP)
Soil, Sediment and Groundwater Samples

Chain of Custody Record

BP/IRM Facility No: MT_Butte Priority Soils

Lab Work Order Number:

Turn Around Time (Days): 5

Chain of Custody: 20220505-0134-PACE_MPLS-S-0016

Lab Name: PACE, INC., MINNEAPOLIS, MN	BP/ARC Facility Address:	Consultant/Contractor: ERM
Lab Address: 1700 Elm Street SE	City, State, ZIP Code: Butte, MT.	Consultant/Contractor Project No: 0643586
Lab PM:	Lead Regulatory Agency:	Address: 1 9th St Island Dr, Livingston, MT 59047
Lab Phone: 612-607-6398	California Global ID No.:	Consultant/Contractor PM: Christopher Berg
Lab Shipping Acct:	Accounting Information:	Phone: 9167699050 Email: Christopher.Berg@erm.com
Lab Bottle Order No.:	PM Phone: PM Email:	Send/Submit EDD to: mcanumc@bp.com; Christopher.Berg@erm.com
Other Info:		Invoice To: mcanumc@bp.com; Christopher.Berg@erm.com
BP/IRM PM: Mike Mc Anulty/mcanumc@bp.com		Report Type & QC Level:

Sample Details			Requested Analyses				
Lab No.	Sample Description	Date	Time	Analysis	Pres	Fill	N
1	S-0016-D-FM-01-20220505	05/05/2022	09:54	SDU			
2	S-0016-D-EB-02-20220505	05/05/2022	10:22	WQ			
3	S-0016-D-FM-03-20220505	05/05/2022	10:48	SDU			
4	S-0016-D-FM-03D-20220505	05/05/2022	11:01	SDU			
5	S-0016-D-FM-04-20220505	05/05/2022	11:40	SDU			
Sampler's Name: Rhowe Stefanski, Joe Kmetz				Relinquished By / Affiliation		Date / Time	
Sampler's Company: ERM				Rhowe Stefanski / ERM		5/5/2022 1:35:00 PM	
Ship Method: Overnight				Ship Date: 5/5/2022 1:34:00 PM		Date / Time	
Shipment Tracking No: 515015978936				Accepted By / Affiliation		Date / Time	
				nd MBar		5/10/22 850	
Special Instructions:							
THIS LINE - LAB USE ONLY: Custody Seals In Place <input checked="" type="checkbox"/> Yes / No							
Temp Blank <input checked="" type="checkbox"/> Yes / No							
Cooler Temp on Receipt: 0.9 °F/C							
Trip Blank: Yes <input checked="" type="checkbox"/> No							
MS/MSD Sample Submitted: Yes <input checked="" type="checkbox"/> No							

WO#: 10607644



DC# Title: ENV-FRM-MIN4-0149 v03_Sample Condition Upon Receipt (SCUR) - ESI

Effective Date: 04/12/2022

Sample Condition Upon Receipt - ESI Tech Specs

Client Name: bp-ERM Project #: **WO#: 10607644**

Courier: Fed Ex UPS USPS Client
 Pace SpeedDee Commercial

Tracking Number: 5150 1597 8836 See Exceptions
 ENV-FRM-MIN4-0142

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Biological Tissue Frozen? Yes No N/A

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer: T1(0461) T2(1336) T3(0459) T4(0254)
 T5(0489) T6(0235) T7(0042) Type of Ice: Wet Blue None Dry Melted

Temp should be above freezing to 6°C Cooler Temp Read w/temp blank: 0.9 °C Average Corrected Temp (no temp blank only): _____ °C
 See Exceptions ENV-FRM-MIN4-0142
 1 Container

Correction Factor: True Cooler Temp Corrected w/temp blank: 0.9 °C

USDA Regulated Soil: N/A, water sample/Other: SL Date/Initials of Person Examining Contents: Mk2 5-10-22
 Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No
 Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present and Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	4.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. <input type="checkbox"/> Fecal Coliform <input type="checkbox"/> HPC <input type="checkbox"/> Total Coliform/E coli <input type="checkbox"/> BOD/cBOD <input type="checkbox"/> Hex Chrome <input type="checkbox"/> Turbidity <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Orthophos <input type="checkbox"/> Other
Rush Turn Around Time Requested? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Sufficient Sample Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Triple Volume Provided for MS/MSD (if more than 10 samples)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	7.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No -Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Field Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	10. Is sediment visible in the dissolved container? <input type="checkbox"/> Yes <input type="checkbox"/> No
Is sufficient information available to reconcile the samples to the COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. If no, write ID/ Date/Time on Container Below: <input type="checkbox"/> See Exception <input type="checkbox"/> ENV-FRM-MIN4-0142
Matrix: <input type="checkbox"/> Water <input type="checkbox"/> Soil <input type="checkbox"/> Oil <input checked="" type="checkbox"/> Other <u>SL</u>	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12. Sample #
All containers needing preservation are found to be in compliance with EPA recommendation (HNO ₃ , H ₂ SO ₄ <2pH, NaOH >9 Sulfide, NaOH >10 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	<input type="checkbox"/> NaOH <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> Zinc Acetate
Exceptions: VOA, Coliform, TOC/DOC Oil and Grease, DRO/8015 (water) and Dioxin/PFAS *if adding preservative to a container it must be added to associated field and equipment blanks (verify with PM first) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Positive for Res. <input type="checkbox"/> Yes <input type="checkbox"/> No Chlorine? <input type="checkbox"/> No <input type="checkbox"/> Yes pH Paper Lot# _____ Res. Chlorine 0-6 Roll 0-6 Strip 0-14 Strip
Extra labels present on soil VOA or WIDRO containers? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> See Exception <input type="checkbox"/> ENV-FRM-MIN4-0140
Headspace in VOA Vials (greater than 6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
3 Trip Blanks Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Pace Trip Blank Lot # (if purchased):
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Temp Log: Temp must be maintained at <6°C during login, record temp every 20 mins	CLIENT NOTIFICATION/RESOLUTION	Field Data Required? <input type="checkbox"/> Yes <input type="checkbox"/> No
Opened Time: <u>1:20</u> Temp: <u>0.9</u> Corrected Temp: <u>0.9</u>	Person Contacted: _____	Date/Time: _____
Time: <u>1:40</u> put in cooler	Comments/Resolution: _____	
Time: _____ Temp: _____ Corrected Temp: _____		

Project Manager Review: [Signature] Date: 05/10/2022

Note: Whenever there is a discrepancy affecting the Chain of Custody for compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers).

Labeled by: Mk2 (2)



Laboratory Management Program (LaMP) Chain of Custody Record
Soil, Sediment and Groundwater Samples

BP/IRM Facility No: MT_Butte Priority Soils

Lab Work Order Number:

Turn Around Time (Days): 5

Proprietary and Confidential
Property of BP and its Affiliates

July 12, 2022

Christopher Berg
ERM
1 Ninth St. Island Drive
Livingston, MT 59047

RE: Project: 0643586 RMAP Interior School
Pace Project No.: 10614861

Dear Christopher Berg:

Enclosed are the analytical results for sample(s) received by the laboratory on June 29, 2022. The results relate only to the samples included in this report. Results contained within this report conform to the most current version of the TNI standards, BP LaMP Technical Requirements Revision 12.1, and any applicable Quality Assurance Project Plan (QAPP), or Work Plan unless otherwise narrated in the body of this report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Anderson
jennifer.anderson@pacelabs.com
(612)607-6436
Project Manager

Enclosures

cc: Tom Beckman, ERM Alaska, Inc
AR Deliverables ESI, Environmental Standards, Inc.
Elsie King, ERM AK
Emmy Zartman, ERM



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414

A2LA Certification #: 2926.01*

1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009*

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014*

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605*

Georgia Certification #: 959

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: AI-03086*

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064*

Maryland Certification #: 322

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137*

Minnesota Dept of Ag Approval: via MN 027-053-137

Minnesota Petrofund Registration #: 1240*

Mississippi Certification #: MN00064

Missouri Certification #: 10100

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081*

New Jersey Certification #: MN002

New York Certification #: 11647*

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification (A2LA) #: R-036

North Dakota Certification (MN) #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification (1700) #: CL101

Ohio VAP Certification (1800) #: CL110*

Oklahoma Certification #: 9507*

Oregon Primary Certification #: MN300001

Oregon Secondary Certification #: MN200001*

Pennsylvania Certification #: 68-00563*

Puerto Rico Certification #: MN00064

South Carolina Certification #: 74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192*

Utah Certification #: MN00064*

Vermont Certification #: VT-027053137

Virginia Certification #: 460163*

Washington Certification #: C486*

West Virginia DEP Certification #: 382

West Virginia DW Certification #: 9952 C

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

USDA Permit #: P330-19-00208

Please Note: Applicable air certifications are denoted with an asterisk ().

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 0643586 RMAP Interior School
Pace Project No.: 10614861

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10614861001	S-0016-D-F-01-20220622	Solid	06/22/22 15:53	06/29/22 08:50
10614861002	S-0016-D-F-01D-20220622	Solid	06/22/22 15:53	06/29/22 08:50
10614861003	S-0016-D-EB-01-20220622	Solid	06/22/22 16:02	06/29/22 08:50

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10614861001	S-0016-D-F-01-20220622	EPA 6020B	PW1	2	PASI-M
		EPA 7471B	LMW	1	PASI-M
10614861002	S-0016-D-F-01D-20220622	EPA 6020B	PW1	2	PASI-M
		EPA 7471B	LMW	1	PASI-M
10614861003	S-0016-D-EB-01-20220622	EPA 6020B	PW1	2	PASI-M
		EPA 7471B	LMW	1	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

Method: EPA 6020B

Description: 6020B MET ICPMS

Client: BP-ERM-MT

Date: July 12, 2022

General Information:

3 samples were analyzed for EPA 6020B by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3050B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

Method: EPA 7471B

Description: 7471B Mercury

Client: BP-ERM-MT

Date: July 12, 2022

General Information:

3 samples were analyzed for EPA 7471B by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 825614

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10614861001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MSD (Lab ID: 4373144)

- Mercury

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

Sample: S-0016-D-F-01-20220622 Lab ID: 10614861001 Collected: 06/22/22 15:53 Received: 06/29/22 08:50 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	21.2	mg/kg	2.3	0.51	5	07/05/22 12:36	07/11/22 20:12	7440-38-2	
Lead	62.6	mg/kg	2.3	0.14	5	07/05/22 12:36	07/11/22 20:12	7439-92-1	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.036	mg/kg	0.020	0.0085	1	07/06/22 10:52	07/06/22 18:32	7439-97-6	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

Sample: S-0016-D-F-01D-20220622 Lab ID: 10614861002 Collected: 06/22/22 15:53 Received: 06/29/22 08:50 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	20.1	mg/kg	2.3	0.51	5	07/05/22 12:36	07/11/22 20:34	7440-38-2	
Lead	57.1	mg/kg	2.3	0.14	5	07/05/22 12:36	07/11/22 20:34	7439-92-1	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.085	mg/kg	0.019	0.0080	1	07/06/22 10:52	07/06/22 18:39	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

Sample: S-0016-D-EB-01-20220622 Lab ID: 10614861003 Collected: 06/22/22 16:02 Received: 06/29/22 08:50 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	<0.10	mg/kg	0.48	0.10	1	07/05/22 12:36	07/11/22 20:37	7440-38-2	
Lead	<0.028	mg/kg	0.48	0.028	1	07/05/22 12:36	07/11/22 20:37	7439-92-1	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	<0.0081	mg/kg	0.019	0.0081	1	07/06/22 10:52	07/06/22 18:40	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

QC Batch: 825614

Analysis Method: EPA 7471B

QC Batch Method: EPA 7471B

Analysis Description: 7471B Mercury Solids

Laboratory:

Pace Analytical Services - Minneapolis

Associated Lab Samples: 10614861001, 10614861002, 10614861003

METHOD BLANK: 4373140

Matrix: Solid

Associated Lab Samples: 10614861001, 10614861002, 10614861003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.0081	0.019	0.0081	07/06/22 18:29	

LABORATORY CONTROL SAMPLE: 4373141

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.45	0.39	88	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4373143 4373144

Parameter	Units	10614861001		4373143		4373144		% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec				
Mercury	mg/kg	0.036	0.49	0.49	0.45	0.42	85	79	80-120	6	20 M1

SAMPLE DUPLICATE: 4373142

Parameter	Units	10614861001 Result	Dup Result	RPD	Max RPD	Qualifiers
Mercury	mg/kg	0.036	0.036	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 0643586 RMAP Interior School
Pace Project No.: 10614861

QC Batch: 825608 Analysis Method: EPA 6020B
QC Batch Method: EPA 3050B Analysis Description: 6020B Solids UPD5
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10614861001, 10614861002, 10614861003

METHOD BLANK: 4373117 Matrix: Solid
Associated Lab Samples: 10614861001, 10614861002, 10614861003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/kg	<0.11	0.50	0.11	07/11/22 20:05	
Lead	mg/kg	<0.029	0.50	0.029	07/11/22 20:05	

LABORATORY CONTROL SAMPLE: 4373118

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	48.8	48.8	100	80-120	
Lead	mg/kg	48.8	53.2	109	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4373120 4373121

Parameter	Units	10614861001		4373121		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Arsenic	mg/kg	21.2	46.7	47	67.1	70.6	98	105	75-125	5	20
Lead	mg/kg	62.6	46.7	47	107	120	96	122	75-125	11	20

SAMPLE DUPLICATE: 4373119

Parameter	Units	10614861001 Result	Dup Result	RPD	Max RPD	Qualifiers
Arsenic	mg/kg	21.2	21.1	0	20	
Lead	mg/kg	62.6	64.8	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10614861001	S-0016-D-F-01-20220622	EPA 3050B	825608	EPA 6020B	826243
10614861002	S-0016-D-F-01D-20220622	EPA 3050B	825608	EPA 6020B	826243
10614861003	S-0016-D-EB-01-20220622	EPA 3050B	825608	EPA 6020B	826243
10614861001	S-0016-D-F-01-20220622	EPA 7471B	825614	EPA 7471B	826328
10614861002	S-0016-D-F-01D-20220622	EPA 7471B	825614	EPA 7471B	826328
10614861003	S-0016-D-EB-01-20220622	EPA 7471B	825614	EPA 7471B	826328

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



This Page is Intentionally Left Blank

*Laboratory Management Program (LaMP) Chain of Custody Record
Soil, Sediment and Groundwater Samples*



DC#_ Title: ENV-FRM-MIN4-0149 v03_Sample Condition Upon Receipt (SCUR) - ESI

Effective Date: 04/12/2022

Sample Condition Upon Receipt - ESI Tech Specs

Client Name: BPRM

Project

WO#: 10614861

Courier: Fed Ex UPS USPS Client Pace SpeeDee Commercial

PM: JMA Due Date: 07/07/22 CLIENT: BP-ERM-MT

Tracking Number: 5405 1819 4960 See Exceptions ENV-FRM-MIN4-01

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Biological Tissue Frozen? Yes No N/A

Packing Material: Bubble Wrap Bubble Bags None Other: Temp Blank? Yes No

Thermometer: T1(0461) T2(1336) T3(0459) T4(0254) T5(0489) T6(0235) T7(0042) Type of Ice: Wet Blue None Dry Melted

Temp should be above freezing to 6°C Cooler Temp Read w/temp blank: 2.5 °C Average Corrected Temp (no temp blank only): °C See Exceptions ENV-FRM-MIN4-0142 1 Container

Correction Factor: Two Cooler Temp Corrected w/temp blank: 2.5 °C

USDA Regulated Soil: N/A, water sample/Other: SDV + SQ Date/Initials of Person Examining Contents: AH 6/29/22 Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork.

Table with 2 columns: Question/Requirement and Answer/Comments. Includes items like Chain of Custody Present and Filled Out?, Short Hold Time Analysis (<72 hr)?, Rush Turn Around Time Requested?, etc.

Summary table with columns: Temp Log, CLIENT NOTIFICATION/RESOLUTION, Field Data Required?. Includes fields for Opened Time, Temp, Corrected Temp, Person Contacted, Date/Time, Comments/Resolution.

Project Manager Review: [Signature] Date: 06/29/2022 Note: Whenever there is a discrepancy affecting North Carolina samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office... Labeled by: AH

APPENDIX D VALIDATION REPORTS

STAGE 4 QUALITY ASSURANCE REVIEW

**SILVER BOW CREEK/BUTTE AREA NATIONAL PRIORITIES LIST SITE,
BUTTE PRIORITY SOILS OPERABLE UNIT,
RESIDENTIAL METALS ABATEMENT PROGRAM PROJECT**

DUST SAMPLES COLLECTED ON

MAY 5, 2022

RESIDENT IDENTIFICATION: S-0016

SAMPLE DELIVERY GROUP: 10607644

May 25, 2022

Prepared for:

ATLANTIC RICHFIELD COMPANY

317 Anaconda Road
Butte, MT 59701

Prepared by:

ENVIRONMENTAL STANDARDS, INC.

1140 Valley Forge Road
P.O. Box 810
Valley Forge, PA 19482-0810

© 2022 Environmental Standards, Inc. - All Rights Reserved

TABLE OF CONTENTS

Introduction

Section 1 Quality Assurance Review

Section 2 Data Validation Checklist for Metals Sample Analysis

Section 3 Data Validation Qualifier Definitions

Section 4 Inorganic Data Support Documentation

Section 5 Project Case Narrative and Chain-of-Custody Record

Section 6 Project Correspondence



INTRODUCTION

This quality assurance (QA) review is based upon an examination of the data generated from the analyses of the samples collected on May 5, 2022, as part of the Silver Bow Creek/Butte Area National Priorities List (NPL) Site, Butte Priority Soils Operable Unit, Residential Metals Abatement Program (RMAP) sampling event. The samples that have undergone a rigorous QA review are listed on Table 1. Table 1 also presents the laboratory sample number, collection date, matrix, parameter(s) examined, and the review level for each sample. Stage 2B review includes an evaluation of data package completeness and review of the summary forms provided (raw data are not reviewed). In addition to all the elements included in a Stage 2B review, a Stage 4 review includes the evaluation of raw data and the verification of calculated results.

This review was performed with guidance from the RMAP Quality Assurance Project Plan Non-Residential Parcels –Indoor Dust (QAPP; February 28, 2022); the “Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use,” (US EPA, January 2009); and the “National Functional Guidelines for Inorganic Superfund Methods Data Review,” (US EPA, January 2020). The National Functional Guidelines validation guidance documents specifically address analyses performed in accordance with the Contract Laboratory Program (CLP) analytical methods and are not completely applicable to the type of analyses and analytical protocols performed for the SW-846 methods utilized by the laboratory for these samples. Environmental Standards, Inc. (Environmental Standards) used professional judgment to determine the usability of the analytical results and compliance relative to the methods utilized by the laboratory.

The reported analytical results are presented as qualified electronic data deliverables (EDDs). Any required data validation qualifications have been annotated on the associated EDDs. Data were examined to determine the usability of the analytical results and compliance relative to the method requirements specified in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Edition” (SW-846) Methods 6020B and 7471B. This report was prepared to provide a critical review of the laboratory analyses and reported analytical results. Rigorous QA reviews of laboratory-generated data routinely identify problems associated with analytical measurements, even from the most experienced and capable laboratories. The data qualifications allow the data end-user to best understand the usability of the analytical results. Data not qualified in this report should be considered valid based on the quality control (QC) criteria that have been reviewed and be considered enforcement quality if the data also passed Level A and Level B field documentation quality assessment as detailed in the QAPP. Details of this QA review are presented in Section 1 of this report.


TABLE 1

SAMPLES INCLUDED IN THIS QUALITY ASSURANCE REVIEW

Field Sample Name	Laboratory Sample Number(s)	Sample Delivery Group	Collection Date	Parameter(s) Examined
S-0016-D-FM-01-20220505	10607644001	10607644	5/5/22	M, Hg
S-0016-D-EB-02-20220505 (Equipment Blank)	10607644002	10607644	5/5/22	M, Hg
S-0016-D-FM-03-20220505	10607644003	10607644	5/5/22	M, Hg
S-0016-D-FM-03D-20220505 (Field Duplicate of S-0016-D-FM-03-20220505)	10607644004	10607644	5/5/22	M, Hg
S-0016-D-FM-04-20220505	10607644005	10607644	5/5/22	M, Hg

NOTES:

- M - Total Lead and Arsenic by SW-846 Method 6020B.
- Hg - Total Mercury by SW-846 Method 7471B.



SECTION 1 QUALITY ASSURANCE REVIEW

The dust samples were collected on May 5, 2022, as part of the Silver Bow Creek/Butte Area NPL Site, Butte Priority Soils Operable Unit, RMAP sampling event. The samples were collectively shipped in iced coolers to Pace of Minneapolis, Minnesota and analyzed for lead and arsenic by inductively coupled plasma/mass spectrometry (ICP/MS) for digestion and analysis by SW-846 Method 6020B. The dust samples were also analyzed for mercury by Cold Vapor Atomic Absorption (CVAA), for wet digestion and analysis by SW-846 Method 7471B. The specific samples and analyses reviewed are identified on Table 1.

The findings in this QA review are based upon a review of sample holding times, condition of samples upon laboratory receipt, blank analysis results, laboratory matrix spike sample (LMS) results, laboratory control sample (LCS) results, laboratory and field duplicate results, initial and continuing calibrations, sample preparation, reporting limit (RL) standard results, interference check sample results, serial dilution results, internal standard performance, instrument sensitivity, analytical sequence, the quantitation of positive results, and a critical evaluation of instrumental raw data. Any required data validation qualifications are annotated in the qualified EDD as defined in Section 3.

Issues are typically presented in two categories – deliverable issues and procedural issues. Deliverable issues are data issues that can easily be corrected and that may or may not impact the usability of the reported results. Procedural issues are issues that cannot be corrected and address method compliance issues; these issues may or may not impact the usability of the reported results. Comments address issues for which the data reviewer has provided information in order to clarify issues relating to the data; comments do not typically impact the usability of the reported results. The data reviewer has edited the laboratory-reported data and QC summary forms based on the issues and comments in this QA review. Furthermore, the data reviewer has included copies of all relevant raw data, QC forms, and other documentation needed to support these edits in the Inorganic Data Support Documentation (Section 4) of this report.

Deliverable Review

- Deliverable issues were not observed for the data in this QA review.

Procedural Review

- Procedural issues were not observed for the data in this QA review.

Comment

- The laboratory logged in sample S-0016-D-FM-01-20220505 with a collection time of “09:45”. According to the Chain of Custody Record, the sample collection time was “09:54”. Upon Environmental Standards request, the laboratory provided a revised report and EDD to correct the collection time (see Project Correspondence [Section 6]). Qualification of data due to this issue was not warranted.

With regard to data usability, the principal area of concern is results reported below the sample-specific reporting limit. Based upon a complete review of the data package provided, the following qualifiers are offered. The following data usability issues represent an interpretation of the QC results obtained for the project samples. Quite often, data qualifications address issues relating to sample matrix problems. Similarly, the data validation guidelines routinely specify areas of the data that require qualification, yet the methods used for analysis may not require corrective action by the laboratory. Accordingly, the following data usability issues should not be construed as an indication of laboratory performance.

SECTION 2 DATA VALIDATION CHECKLIST FOR METALS SAMPLE ANALYSIS

1. Holding Times

Analyte	Laboratory	Matrix	Method	Holding Times*	Collection Date(s)	Batch(es)	Analysis Date(s)	Holding Time Met (Y/N)	Affected Data Flagged (Y/N)
Lead and Arsenic	Pace – Minneapolis, MN	Dust	SW-846 Method 6020B	6 months from sample collection	5/5/22	814770	5/13/22	Y	N/A
Mercury	Pace – Minneapolis, MN	Dust	SW-846 Method 7471B	28 days from sample collection	5/5/22	814716	5/17/22	Y	N/A

Reference for Holding Times – Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Edition (SW-846) Methods 6020B and 7471B and Chapter 3

Were any data flagged because of holding time? Yes No

Were any data flagged because of preservation problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

2. Instrument Calibration

Was the Tune analysis performed? Yes No

Were the peak widths and resolution of the masses within the required control limits?

Yes No

Was the percent relative standard deviation \leq 5% for all analytes in the Tune solutions?

Yes No

Was the Instrument successfully calibrated at the correct frequency? Yes No

Was the Instrument calibrated with appropriate standards and blanks? Yes No

Were Initial Calibration Verification (ICV) and Continuing Calibration Verification (CCV) samples analyzed? Yes No

Were ICV and CCV results within the control window? Yes No

Were any data flagged because of calibration problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

3. Blanks

Were Initial and Continuing Calibration Blanks (ICB and CCBs) analyzed? Yes No

Were ICBs and CCBs within the control window? Yes No

Were Method Blanks (MBs) analyzed at the frequency of 1 per analytical batch? Yes No

Were MBs within the control window? Yes No

Were any data flagged because of blank problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

4. Interference Check Samples

Were ICP/MS Interference Check Samples (ICS) within the control limits? Yes No

Were any data flagged because of ICS problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Information provided in the data package(s) was insufficient to permit assessment of the potential for molecular or other interferences or the adequacy of corrections for such interferences. The fact that the analysis was performed with an instrument that includes collision cell technology reduces the likelihood of significant interference if one or more of the potentially interfering elements were present. The data user should consider this information when determining the ultimate use of the reported results.

5. Laboratory Control Samples

Were Laboratory Control Samples (LCS) analyzed at the frequency of 1 per batch?

Yes No

What was the source of the LCS?

Metals: 343315 and 343316

Mercury: 350870

Were LCS results within the control window? Yes No

Were any data flagged because of LCS problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

6. Duplicate Sample Results

Were Laboratory Duplicate Samples (LDS) analyzed at the frequency of 1 per batch?
Yes No

Were LDS results within the control window? Yes No

Were any data flagged because of LDS problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

7. Matrix Spike/Matrix Spike Duplicate/Post Digestion Spike Sample Results

Were LMS analyzed at the frequency of 1 per batch? Yes No

Were LMS percent recovery (%R) results within the control window? Yes No

Were any data flagged because of LMS problems? Yes No

Was a Post Digestion Spike (PDS) performed? Yes No

Were PDS percent recovery (%R) results within the control window? Yes No N/A

Were any data flagged because of PDS problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

8. ICP/MS Serial Dilutions

Were ICP/MS Serial Dilutions (SD) analyzed at the frequency of 1 per batch? Yes No

Were SD percent differences (%D) results within the control window? Yes No

Were any data flagged because of SD problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

9. Internal Standards

Were internal standards added to each sample in the analytical batch? Yes No

Were the percent relative recoveries (%RI) within the control window? Yes No

Were any data flagged because of internal standard problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

10. Field Blanks

Were field blanks submitted as specified in the Sampling Analysis Plan (SAP)?

Yes No N/A

Were field blanks within the control window? Yes No N/A

Were any data qualified because of field blank problems? Yes No N/A

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

A field blank was not submitted with this data set; however, an equipment blank had been collected on May 5, 2022. Section 10 was completed in regard to the equipment blank.

11. Field Duplicates

Were field duplicates submitted as specified in the Sampling Analysis Plan (SAP)?

Yes No N/A

Were the field duplicates within the control window? Yes No N/A

Were any data qualified because of field duplicate problems? Yes No N/A

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

12. Overall Assessment

Are there analytical limitations of the data that users should be aware of? Yes No

Comments:

- Data that meet the Level A and Level B criteria in the field documentation quality assessment as detailed in the QAPP, and not qualified as estimated or rejected during the data validation process, are considered enforcement-quality data and can be used for all Superfund purposes and activities. Data that meet only the Level A criteria and are not rejected during the data validation process can be considered screening-quality data in accordance with Section 5.3 of the QAPP. Level A and Level B acceptance of these data are documented in a separate report.
- Reported positive results between the MDL and the RL should be considered estimated and have been flagged "J" in the qualified EDD. It is appropriate to note that sample results qualified as estimated "J" by the laboratory because the reported result is between the MDL and RL, values are considered enforcement-quality data if no other qualifiers were required during validation.

Complete support documentation for this inorganic QA review is presented in Section 4 of this report. The cover sheet for this section is a checklist of all QA procedures required by the protocol and examined in this data review.

The analytical data completeness (defined as the percentage of usable data) for the samples included in this QA review is 100%.


13. Authorization of Data Validation

Report prepared by: Robiana L. Beegle-Rebba, Quality Assurance Chemist
Report reviewed by: Alyssa M. Reed, Senior Quality Assurance Chemist
Report approved by: Lester J. Dupes, CEAC, Senior Quality Assurance Chemist
Report approved by: Rock J. Vitale, CEAC, Technical Director of Chemistry/Principal
Date: 5/25/22




SECTION 3 DATA VALIDATION QUALIFIER DEFINITIONS

- U The result is qualified as non-detect due to the detection of the analyte in an associated QC blank.
- J The analyte was positively identified; the associated numerical value is an estimate of the concentration of the analyte in the sample. This will also include results reported between the MDL and RL.
- J+ The result is an estimated quantity, but the result may be biased high.
- J- The result is an estimated quantity, but the result may be biased low.
- UJ The analyte was not detected above the sample reporting limit. However, the reporting limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
- No Flag Result accepted without qualification.



RMAP REASON CODES

1	Holding time violation
2	Method blank contamination
3	Surrogate recovery
4	Matrix spike/matrix spike duplicate recovery
5	Matrix spike/matrix spike duplicate precision outside limits
6	Laboratory control sample recovery
7	Field blank contamination
8	Field duplicate precision outside limits
9	Other deficiencies (including cooler temperature)
A	Absence of supporting QC
S	ICV, CCV, or column performance check problem
Y	Initial and continuing calibration blank problem
M	Interference check samples problem
O	Post-digestion spike outside of 75-125%
F	MSA correlation coefficient < 0.995, or MSA not done
G	Serial dilution problem
K	DFTPP or BFB tuning problem
Q	Initial calibration problem
X	Internal standard recovery problem
V	Second-source standard calibration verification problem
L	Low bias
Z	Retention time problem
N	Counting time error (radionuclide chemistry)
W	Detector instability (radionuclide chemistry)
C	Co-elution of compounds
E	Value exceeds linear calibration range
I	Interferences present during analysis
T	Trace-level compound, poor quantitation
P	1C/2C precision outside of limits
B	LCS/LCSD precision outside limits
D	Lab Dup/Rep precision outside limits
H	High Bias



SECTION 4

INORGANIC DATA SUPPORT DOCUMENTATION



INORGANIC ANALYSIS SUPPORT DOCUMENTATION

Client Name: Atlantic Richfield
 Site/Project Name: 2022 RMAP DV and DM
 Job Number/Task/Subtask: 20229825.A000
 Laboratory/Location: Pace Minneapolis
 SDG: 10607644
 Sample Collection Dates: 5/5/22

EnvStd Project Manager: Lester Dupes
 Reviewed by: Robiana L. Beegle-Renna
 Approved by: Alyssa Reed
 Completion Date: 5/23/22
 Validation Level: 4

The following table indicates criteria that were examined, the identified problems, and support documentation attachments.

	Criteria Examined in Detail						Problems Identified					
	Note: All items examined have been included in the Support Document unless otherwise noted.											
	Check (√) if Yes or Footnote Letter for Comments Below											
Parameter/Method	Metals	Mercury					Metals	Mercury				
Condition upon Receipt	√	√										
Sample Preservation	√	√										
Holding Times	√	√										
Blank Analysis Results	√	√										
Laboratory Control Sample	√	√										
Matrix Spike (Pre-Digestion Spike)	√	√										
Laboratory Duplicate	√	√										
Field Duplicate	√	√										
Total vs. Dissolved Results Comparison												
Sample Preparation	√	√										
Mass Tuning	√											
Initial Calibrations	√	√										
Continuing Calibrations	√	√										
Detection Limit/Reporting Limit Standards	√	√										
Negative Bias												
Interference Checks	√											
Post-Digestion Spike												
Serial Dilution	√											
Analytical Sequence	√	√										
Linear Range Analysis	√	√										
Interelement Correction Factors												
Detection Limit/Sensitivity	√	√										
Dilutions	√											
Internal Standard Performance	√											
Quantitation of Results	√	√										
Multiple Exposures %RSD	√	√										
Percent Solids												
Deliverable was Complete	√	√										
Others:												

Comments: Quantitation of Results and Multiple Exposures are not included in the Support Documentation unless a problem was identified.

FORM I INORGANIC-1
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

S-0016-D-FM-01-20220505

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior
Lab Sample ID: 10607644001 Percent Moisture: _____

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
7440-38-2	Arsenic	20.3		mg/kg	5	05/13/2022 00:52
7439-92-1	Lead	64.4		mg/kg	5	05/13/2022 00:52

FORM I INORGANIC-1
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

S-0016-D-EB-02-20220505

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior
Lab Sample ID: 10607644002 Percent Moisture: _____

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
7440-38-2	Arsenic	<0.10	U	mg/kg	1	05/13/2022 11:27
7439-92-1	Lead	<0.028	U	mg/kg	1	05/13/2022 11:27

FORM I INORGANIC-1
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

S-0016-D-FM-03-20220505

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior
Lab Sample ID: 10607644003 Percent Moisture: _____

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
7440-38-2	Arsenic	36.0		mg/kg	5	05/13/2022 00:59
7439-92-1	Lead	77.4		mg/kg	5	05/13/2022 00:59

FORM I INORGANIC-1
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.
S-0016-D-FM-03D-
20220505

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior
Lab Sample ID: 10607644004 Percent Moisture: _____

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
7440-38-2	Arsenic	35.1		mg/kg	5	05/13/2022 01:02
7439-92-1	Lead	76.0		mg/kg	5	05/13/2022 01:02

FORM I INORGANIC-1
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

S-0016-D-FM-04-20220505

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior
Lab Sample ID: 10607644005 Percent Moisture: _____

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
7440-38-2	Arsenic	14.1		mg/kg	5	05/13/2022 01:06
7439-92-1	Lead	62.4		mg/kg	5	05/13/2022 01:06

FORM II INORGANIC-1
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Initial Calibration Verification Source: 365918

Continuing Calibration Verification Source: 365918

Concentration Units: ug/L Instrument ID: 10ICM8

Analyte	Initial Calibration Verification				Continuing Calibration Verification								
	True	Found	%R	Control Limit	05/12/2022 14:12 ✓			05/12/2022 14:34 ✓			05/12/2022 21:35 ✓		
Arsenic	80	78.4	98.0	90-110	80	77.1	96.3	80	76.8	96.0	90-110		
Lead	80	82.7	103.3	90-110	80	82.7	103.3	80	82.1	102.7	90-110		

FORM II INORGANIC-2
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Initial Calibration Verification Source: _____

Continuing Calibration Verification Source: 365918

Concentration Units: ug/L Instrument ID: 10ICM8

Analyte	Continuing Calibration Verification									Control Limit
	05/12/2022 22:11 ✓			05/13/2022 00:37 ✓			05/13/2022 01:20 ✓			
	True	Found	%R	True	Found	%R	True	Found	%R	
Arsenic	80	76.9	96.1	80	78.7	98.3	80	77.5	96.9	90-110
Lead	80	82.2	102.8	80	83.0	103.7	80	81.7	102.2	90-110

FORM II INORGANIC-3
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Initial Calibration Verification Source: _____

Continuing Calibration Verification Source: 365918

Concentration Units: ug/L Instrument ID: 10ICM8

Analyte	Continuing Calibration Verification									Control Limit
	05/13/2022 01:56 ✓			05/13/2022 02:28 ✓			05/13/2022 03:00 ✓			
	True	Found	%R	True	Found	%R	True	Found	%R	
Arsenic	80	77.8	97.2	80	80.6	100.7	80	77.7	97.1	90-110
Lead	80	83.2	103.9	80	86.0	107.4	80	83.1	103.8	90-110

FORM II INORGANIC-1
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Initial Calibration Verification Source: 366137

Continuing Calibration Verification Source: 366137

Concentration Units: ug/L Instrument ID: 10ICM8

Analyte	Initial Calibration Verification				Continuing Calibration Verification						
	05/13/2022 09:57 ✓				05/13/2022 10:15 ✓			05/13/2022 11:20 ✓			Control Limit
	True	Found	%R	Control Limit	True	Found	%R	True	Found	%R	
Arsenic	80	76.4	95.6	90-110	80	76.0	95.1	80	77.3	96.6	90-110
Lead	80	81.7	102.1	90-110	80	82.2	102.8	80	81.1	101.3	90-110

FORM II INORGANIC-2
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Initial Calibration Verification Source: _____

Continuing Calibration Verification Source: 366137

Concentration Units: ug/L Instrument ID: 10ICM8

Analyte	Continuing Calibration Verification						Control Limit
	05/13/2022 12:02 ✓			05/13/2022 12:45 ✓			
	True	Found	%R	True	Found	%R	
Arsenic	80	77.1	96.3	80	77.6	97.0	90-110
Lead	80	81.2	101.5	80	80.7	100.9	90-110

FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 365917 Analysis Date/Time: 05/12/2022 14:23

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Arsenic	0.5	0.48	96.0 ✓	80-120
Lead	0.5	0.52	105.0	80-120

FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 365917 Analysis Date/Time: 05/12/2022 21:42 ✓

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Arsenic	0.5	0.44	87.6 ✓	80-120
Lead	0.5	0.51	102.8	80-120

FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 365917 Analysis Date/Time: 05/13/2022 02:35 ✓

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Arsenic	0.5	0.45	89.6 ✓	80-120
Lead	0.5	0.51	102.0	80-120

FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 366136 Analysis Date/Time: 05/13/2022 10:04 ✓

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Arsenic	0.5	0.44	88.2 ✓	80-120
Lead	0.5	0.49	98.8	80-120

FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 366136 Analysis Date/Time: 05/13/2022 12:09 ✓

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Arsenic	0.5	0.49	98.2 ✓	80-120
Lead	0.5	0.51	102.8	80-120

FORM III INORGANIC-1
BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract : 0643586 RMAP Interior School

Method Blank Matrix: Solid Instrument ID: 10ICM8

Method Blank Concentration Units: mg/kg

Analyte	Initial Calibration Blank (ug/L)		Continuing Calibration Blank (ug/L)						Method Blank	
	05/12/2022 14:20 ✓	C	05/12/2022 14:38 ✓	C	05/12/2022 21:39 ✓	C	05/12/2022 22:14 ✓	C	4317652 ✓	C
Arsenic	0.11	U	0.11	U	0.11	U	0.11	U	<0.10	U
Lead	0.029	U	0.029	U	0.029	U	0.029	U	<0.028	U

FORM III INORGANIC-2

BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract : 0643586 RMAP Interior School

Method Blank Matrix: _____ Instrument ID: 10ICM8

Method Blank Concentration Units: _____

Analyte	Initial Calibration Blank		Continuing Calibration Blank (ug/L)					
		C	05/13/2022 00:41 ✓	C	05/13/2022 01:24 ✓	C	05/13/2022 01:59 ✓	C
Arsenic			0.11	U	0.11	U	0.11	U
Lead			0.029	U	0.029	U	0.029	U

FORM III INORGANIC-3

BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract : 0643586 RMAP Interior School

Method Blank Matrix: _____ Instrument ID: 10ICM8

Method Blank Concentration Units: _____

Analyte	Initial Calibration Blank		Continuing Calibration Blank (ug/L)					
		C	05/13/2022 02:31 ✓	C	05/13/2022 03:03 ✓	C		C
Arsenic			0.11	U	0.11	U		
Lead			0.029	U	0.029	U		

FORM III INORGANIC-1
BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract : 0643586 RMAP Interior School

Method Blank Matrix: _____ Instrument ID: 10ICM8

Method Blank Concentration Units: _____

Analyte	Initial Calibration Blank (ug/L)		Continuing Calibration Blank (ug/L)					
	05/13/2022 10:01 ✓	C	05/13/2022 10:19 ✓	C	05/13/2022 11:23 ✓	C	05/13/2022 12:06 ✓	C
Arsenic	0.11	U	0.11	U	0.11	U	0.11	U
Lead	0.029	U	0.029	U	0.029	U	0.029	U

FORM III INORGANIC-2
BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract : 0643586 RMAP Interior School

Method Blank Matrix: _____ Instrument ID: 10ICM8

Method Blank Concentration Units: _____

Analyte	Initial Calibration Blank		Continuing Calibration Blank (ug/L)					
		C	05/13/2022 12:49 ✓	C		C		C
Arsenic			0.11	U				
Lead			0.029	U				

FORM IV INORGANIC-1
INTERFERENCE CHECK SAMPLE

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Instrument ID: 10ICM8

Solution A Run Date: 05/12/2022 14:27 ✓

ICS Source: 365916,365915

Solution AB Run Date: 05/12/2022 14:30

Concentration Units: ug/L

Analyte	True		Found				
	Sol. A	Sol. AB	Sol. A	%R ✓	Sol. AB	%R ✓	Limits
Aluminum	25000	27500	24431.034	97.7	26517.795	96.4	80-120
Arsenic		100	0.025		96.874	96.9	80-120
Calcium	25000	27500	24258.046	97	26688.986	97.1	80-120
Iron	25000	26250	25046.98	100.2	25943.663	98.8	80-120
Lead		100	0.013		94.149	94.1	80-120
Magnesium	25000	27500	24562.373	98.2	26784.06	97.4	80-120
Molybdenum	500	600	511.655	102.3	603.589	100.6	80-120
Potassium	25000	27500	24706.862	98.8	26548.614	96.5	80-120
Sodium	25000	27500	25081.187	100.3	26937.049	98	80-120
Titanium	500	600	485.321	97.1	586.526	97.8	80-120

FORM IV INORGANIC-1
INTERFERENCE CHECK SAMPLE

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Instrument ID: 10ICM8

Solution A Run Date: 05/13/2022 10:08 ✓

ICS Source: 366135,366134

Solution AB Run Date: 05/13/2022 10:12

Concentration Units: ug/L

Analyte	True		Found				
	Sol. A	Sol. AB	Sol. A	%R ✓	Sol. AB	%R ✓	Limits
Aluminum	25000	27500	23931.537	95.7	27781.142	101	80-120
Arsenic		100	0.045		101.48	101.5	80-120
Calcium	25000	27500	23789.128	95.2	27855.29	101.3	80-120
Iron	25000	26250	24305.012	97.2	27046.536	103	80-120
Lead		100	0.017		100.616	100.6	80-120
Magnesium	25000	27500	23932.867	95.7	27804.863	101.1	80-120
Molybdenum	500	600	490.04	98	605.461	100.9	80-120
Potassium	25000	27500	24075.279	96.3	27782.505	101	80-120
Sodium	25000	27500	24387.052	97.5	28438.667	103.4	80-120
Titanium	500	600	456.178	91.2	584.016	97.3	80-120

FORM V INORGANIC-1
MATRIX SPIKE SAMPLE RECOVERY

SAMPLE NO.

4317654MS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior

Matrix: Solid Basis: Wet Parent Sample ID: 10607647001 ✓

Percent Moisture: _____

Analyte	Units	Control Limit %R	Spiked Sample Result (SSR)	Sample Result (SR)	Spike Added (SA)	%R ✓
Arsenic	mg/kg	75-125	70.8	17.4	48.5	110
Lead	mg/kg	75-125	135	84.1	48.5	104

FORM V INORGANIC-2
MATRIX SPIKE SAMPLE RECOVERY

SAMPLE NO.

4317655MSD

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior

Matrix: Solid Basis: Wet Parent Sample ID: 10607647001 ✓

Percent Moisture: _____

Analyte	Units	Control Limit %R	Spiked Sample Result (SSR)	Sample Result (SR)	Spike Added (SA)	%R
Arsenic	mg/kg	75-125	63.9	17.4	48.5	96 ✓
Lead	mg/kg	75-125	123	84.1	48.5	81

FORM VI INORGANIC-1
DUPLICATES

SAMPLE NO.

4317655MSD

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior

Matrix: Solid Concentration Units: mg/kg

Percent Moisture: _____ Basis: Wet

Analyte	RPD Control Limit	Sample	Duplicate	RPD
Arsenic	20	70.8	63.9	10 ✓
Lead	20	135	123	9

FORM VI INORGANIC-2
DUPLICATES

SAMPLE NO.

4317656DUP

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior

Matrix: Solid Concentration Units: mg/kg

Percent Moisture: _____ Basis: Wet

Analyte	RPD Control Limit	Sample	Duplicate	RPD
Arsenic	20	17.4	17.5	0 ✓
Lead	20	84.1	83.6	1

35% criteria

FORM VII INORGANIC-1
LABORATORY CONTROL SAMPLE

SAMPLE NO.

4317653LCS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior

Matrix: Solid

Analyte	Units	True	Found	%R	Limits	
Arsenic	mg/kg	46.7	49.8	107 ✓	80	120
Lead	mg/kg	46.7	53.0	113	80	120

FORM VIII INORGANIC-1
SERIAL DILUTIONS

4319035SD

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior SchoolMatrix: Solid Parent Sample ID: 10607647001

Analyte	Units	Initial Sample Result	Serial Dilution Result	% Difference	Control Limit %D
Arsenic	ug/L	3.6J	10.9U		10
Lead	ug/L	17.3	19.1J	10.1*	10

25%

* Indicates that the % Difference exceeds the control limit.
No difference is calculated if either result is a non-detect.

05/18/2022 09:52

FORM IX INORGANIC-1
INSTRUMENT DETECTION LIMITS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Preparation Method: None Instrument ID: 10ICM8

Concentration Units: ug/L

Analyte	PQL	IDL	IDL Date
Arsenic	0.50	0.11	04/01/2022
Lead	0.50	0.029	04/01/2022



FORM IX INORGANIC-2
METHOD DETECTION LIMITS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Preparation Method: EPA 3050B Instrument ID: 10ICM8

Concentration Units: mg/kg

Analyte	PQL	MDL	MDL Date
Arsenic	0.50	0.11	07/19/2021
Lead	0.50	0.029	07/19/2021



FORM XI - INORGANIC-1
LINEAR DYNAMIC RANGES

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract : 0643586 RMAP Interior
Instrument ID: 10ICM8 Effective Date:09/12/2021

Analyte	Concentration (ug/L)
Arsenic	450
Lead	450



FORM XII INORGANIC-1
PREPARATION LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Preparation Method: EPA 3050B Batch: MPRP 124221

Lab Sample ID	Sample Name	Preparation Date	Initial Weight (g) ✓	Final Volume (mL)
4317652	4317652	05/11/2022	1.06	50
4317653	4317653	05/11/2022	1.07	50
4317654	4317654	05/11/2022	1.03	50
4317655	4317655	05/11/2022	1.03	50
4317656	4317656	05/11/2022	1.03	50
10607644001	S-0016-D-FM-01-20220505	05/11/2022	1.02	50
10607644002	S-0016-D-EB-02-20220505	05/11/2022	1.05	50
10607644003	S-0016-D-FM-03-20220505	05/11/2022	1.08	50
10607644004	S-0016-D-FM-03D-20220505	05/11/2022	1.04	50
10607644005	S-0016-D-FM-04-20220505	05/11/2022	1.07	50

✓

FORM XIII INORGANIC-1
ANALYSIS RUN LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Instrument ID: 10ICM8 Analysis Method: EPA 6020B

Start Date: 05/12/2022 13:38 End Date: 05/13/2022 03:03

Sample Name	Lab Sample ID	D/F	Date	Time	As	Pb
29967222CAL0	29967222CAL0	1	05/12/2022	13:38	X	X
29967223CAL1	29967223CAL1	1	05/12/2022	13:42	X	X
29967224CAL2	29967224CAL2	1	05/12/2022	13:46	X	X
29967225CAL4	29967225CAL4	1	05/12/2022	13:54	X	X
29967226CAL3	29967226CAL3	1	05/12/2022	13:57	X	X
29967227CAL5	29967227CAL5	1	05/12/2022	14:01	X	X
29967228CAL6	29967228CAL6	1	05/12/2022	14:05	X	X
29967229CAL7	29967229CAL7	1	05/12/2022	14:09	X	X
29967230ICV	29967230ICV	1	05/12/2022	14:12	X	X
29967231ICB	29967231ICB	1	05/12/2022	14:20	X	X
29967232CRDL	29967232CRDL	1	05/12/2022	14:23	X	X
29967233ICSA	29967233ICSA	1	05/12/2022	14:27	X	X
29967234ICSAB	29967234ICSAB	1	05/12/2022	14:30	X	X
29967235CCV	29967235CCV	1	05/12/2022	14:34	X	X
29967236CCB	29967236CCB	1	05/12/2022	14:38	X	X
29967263CCV	29967263CCV	1	05/12/2022	21:35	X	X
29967264CCB	29967264CCB	1	05/12/2022	21:39	X	X
29967265CRDL	29967265CRDL	1	05/12/2022	21:42	X	X
29967312CCV	29967312CCV	1	05/12/2022	22:11	X	X
29967313CCB	29967313CCB	1	05/12/2022	22:14	X	X
29967329CCV	29967329CCV	1	05/13/2022	00:37	X	X
29967330CCB	29967330CCB	1	05/13/2022	00:41	X	X
4317652BLANK	4317652	1	05/13/2022	00:45	X	X
4317653LCS	4317653	1	05/13/2022	00:48	X	X
S-0016-D-FM-01-20220505	10607644001	5	05/13/2022	00:52	X	X
S-0016-D-FM-03-20220505	10607644003	5	05/13/2022	00:59	X	X
S-0016-D-FM-03D-20220505	10607644004	5	05/13/2022	01:02	X	X
S-0016-D-FM-04-20220505	10607644005	5	05/13/2022	01:06	X	X
10607647001	10607647001	5	05/13/2022	01:09	X	X
4319035SD	4319035	25	05/13/2022	01:17	X	X
29967331CCV	29967331CCV	1	05/13/2022	01:20	X	X
29967332CCB	29967332CCB	1	05/13/2022	01:24	X	X
4317656DUP	4317656	5	05/13/2022	01:27	X	X
4317654MS	4317654	5	05/13/2022	01:31	X	X
4317655MSD	4317655	5	05/13/2022	01:34	X	X
29967333CCV	29967333CCV	1	05/13/2022	01:56	X	X
29967334CCB	29967334CCB	1	05/13/2022	01:59	X	X
29967335CCV	29967335CCV	1	05/13/2022	02:28	X	X
29967336CCB	29967336CCB	1	05/13/2022	02:31	X	X
29967337CRDL	29967337CRDL	1	05/13/2022	02:35	X	X
29967338CCV	29967338CCV	1	05/13/2022	03:00	X	X
29967339CCB	29967339CCB	1	05/13/2022	03:03	X	X

FORM XIII INORGANIC-1
ANALYSIS RUN LOG



Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Instrument ID: 10ICM8 Analysis Method: EPA 6020B

Start Date: 05/13/2022 09:23 End Date: 05/13/2022 12:49

Sample Name	Lab Sample ID	D/F	Date	Time	As	Pb
29983523CAL0	29983523CAL0	1	05/13/2022	09:23	X	X
29983524CAL1	29983524CAL1	1	05/13/2022	09:27	X	X
29983525CAL2	29983525CAL2	1	05/13/2022	09:31	X	X
29983526CAL3	29983526CAL3	1	05/13/2022	09:35	X	X
29983527CAL4	29983527CAL4	1	05/13/2022	09:39	X	X
29983528CAL5	29983528CAL5	1	05/13/2022	09:46	X	X
29983529CAL6	29983529CAL6	1	05/13/2022	09:50	X	X
29983530CAL7	29983530CAL7	1	05/13/2022	09:53	X	X
29983531ICV	29983531ICV	1	05/13/2022	09:57	X	X
29983532ICB	29983532ICB	1	05/13/2022	10:01	X	X
29983533CRDL	29983533CRDL	1	05/13/2022	10:04	X	X
29983534ICSA	29983534ICSA	1	05/13/2022	10:08	X	X
29983535ICSAB	29983535ICSAB	1	05/13/2022	10:12	X	X
29983536CCV	29983536CCV	1	05/13/2022	10:15	X	X
29983537CCB	29983537CCB	1	05/13/2022	10:19	X	X
29983540CCV	29983540CCV	1	05/13/2022	11:20	X	X
29983541CCB	29983541CCB	1	05/13/2022	11:23	X	X
S-0016-D-EB-02-20220505	10607644002	1	05/13/2022	11:27	X	X
29983542CCV	29983542CCV	1	05/13/2022	12:02	X	X
29983543CCB	29983543CCB	1	05/13/2022	12:06	X	X
29983544CRDL	29983544CRDL	1	05/13/2022	12:09	X	X
29983545CCV	29983545CCV	1	05/13/2022	12:45	X	X
29983546CCB	29983546CCB	1	05/13/2022	12:49	X	X

Calibration for 242SMPL.d

Batch Folder: C:\Agilent\ICPMH\1\DATA\051222.b\
 Analysis File: 051222.batch.bin
 DA Date-Time: 5/13/2022 07:03:12
 Calibration Title:
 Calibration Method: External Calibration
 VIS Interpolation Fit:



Level	Standard Data File	Sample Name	Acq. Date-Time
1	004CALB.d	CAL 0	5/12/2022 13:38:32
2	005CALS.d	CAL 1	5/12/2022 13:42:25
3	006CALS.d	CAL 2	5/12/2022 13:46:18
4	009CALS.d	CAL 3	5/12/2022 13:57:45
5	008CALS.d	CAL 4	5/12/2022 13:54:00
6	010CALS.d	CAL 5	5/12/2022 14:01:29
7	011CALS.d	CAL 6	5/12/2022 14:05:13
8	012CALS.d	CAL 7	5/12/2022 14:09:00

US EPA 200.8/6020 Tune Check Report

Acq/Data Batch
Report Comment
Instrument Name

C:\Agilent\ICPMH1\DATA\051222.b
10ICM8 PW
G3281A JP13142395


[He]

Sensitivity

Mass	Count	RSD%	RSD%(Rqd)	RSD%(Flag)	Rep#1 Count	Rep#2 Count	Rep#3 Count	Rep#4 Count	Rep#5 Count
9	159	3.361	5.000	✓	162	159	163	150	163
24	1992	1.791	5.000		2050	2000	1966	1982	1963
25	293	2.748	5.000		305	298	287	291	286
26	368	1.448	5.000		367	377	365	363	366
59	31881	0.703	5.000		32148	31574	31979	31741	31962
115	40327	0.315	5.000		40115	40346	40450	40335	40388
206	17324	0.861	5.000		17142	17462	17432	17185	17400
207	14417	0.684	5.000		14542	14337	14474	14431	14302
208	35636	1.161	5.000		35848	36045	35492	35811	34987

Integration Time [sec] 0.1

Resolution/Axis



Mass	Peak Height	Axis	Axis (Required)	Axis (Flag)	W-5%	W-5% (Required)	W-5% (Flag)
9	267.57	8.95	8.90 - 9.10		0.780	0.900	
24	3503.12	24.00	23.90 - 24.10		0.775	0.900	
25	517.03	25.00	24.90 - 25.10		0.767	0.900	
26	665.23	26.00	25.90 - 26.10		0.773	0.900	
59	58718.48	59.00	58.90 - 59.10		0.770	0.900	
115	84999.18	115.05	114.90 - 115.10		0.705	0.900	
206	35848.24	206.00	205.90 - 206.10		0.743	0.900	
207	29855.32	207.00	206.90 - 207.10		0.763	0.900	
208	74940.62	208.00	207.90 - 208.10		0.764	0.900	

Integration Time [sec] 0.1 ✓ Acquisition Time [sec] 212.5 Y Axis ✓ Linear

Tune Parameters

Plasma Parameters

Plasma Mode	—	Nebulizer Gas	0.70 L/min	Dilution Gas	0.35 L/min
RF Power	1550 W	Option Gas	—	Auxiliary Gas	0.90 L/min
RF Matching	1.80 V	Nebulizer Pump	0.10 rps	Plasma Gas	15.0 L/min
Sample Depth	8.0 mm	S/C Temp	2 °C		

Lens Parameters

Extract 1	0.0 V	Omega Lens	5.0 V	Deflect	-1.2 V
Extract 2	-130.0 V	Cell Entrance	-40 V	Plate Bias	-60 V
Omega Bias	-70 V	Cell Exit	-60 V		

Cell Parameters

Use Gas	Yes	3rd Gas Flow	—	Energy Discrimination	3.0 V
He Flow	4.5 mL/min	OctP Bias	-18.0 V		
H2 Flow	0.0 mL/min	OctP RF	170 V		

US EPA 200.8/6020 Tune Check Report

Acq/Data Batch
Report Comment
Instrument Name

C:\Agilent\ICPMH1\DATA\051222.b
10ICM8 PW
G3281A JP13142395

[H2]


Sensitivity



Mass	Count	RSD%	RSD%(Rqd)	RSD%(Flag)	Rep#1 Count	Rep#2 Count	Rep#3 Count	Rep#4 Count	Rep#5 Count
9	1298	0.878	5.000		1294	1302	1316	1289	1288
24	17749	3.702	5.000		18304	18406	17866	17298	16871
25	2577	3.413	5.000		2632	2663	2618	2514	2455
26	3123	3.371	5.000		3213	3228	3135	3057	2979
59	32990	0.462	5.000		33194	33009	32890	32799	33056
115	94037	0.830	5.000		92818	93911	94133	94933	94389
206	18793	0.709	5.000		18698	18700	18811	18740	19017
207	15707	0.951	5.000		15488	15726	15864	15639	15816
208	38574	1.454	5.000		37652	38547	38634	38962	39078

Integration Time [sec] 0.1

Resolution/Axis



Mass	Peak Height	Axis	Axis (Required)	Axis (Flag)	W-5%	W-5% (Required)	W-5% (Flag)
9	2274.42	8.95	8.90 - 9.10		0.739	0.900	
24	30896.40	24.00	23.90 - 24.10		0.780	0.900	
25	4478.62	25.00	24.90 - 25.10		0.779	0.900	
26	5522.72	25.95	25.90 - 26.10		0.776	0.900	
59	60356.83	59.00	58.90 - 59.10		0.773	0.900	
115	180945.41	115.00	114.90 - 115.10		0.750	0.900	
206	36970.84	206.00	205.90 - 206.10		0.778	0.900	
207	30466.09	207.00	206.90 - 207.10		0.779	0.900	
208	75510.43	208.00	207.90 - 208.10		0.801	0.900	

Integration Time [sec] 0.1 Acquisition Time [sec] 212.5 Y Axis Linear



Tune Parameters

Plasma Parameters


Plasma Mode	—	Nebulizer Gas	0.70 L/min	Dilution Gas	0.35 L/min
RF Power	1550 W	Option Gas	—	Auxiliary Gas	0.90 L/min
RF Matching	1.80 V	Nebulizer Pump	0.10 rps	Plasma Gas	15.0 L/min
Sample Depth	8.0 mm	S/C Temp	2 °C		

Lens Parameters

Extract 1	0.0 V	Omega Lens	5.0 V	Deflect	-2.2 V
Extract 2	-130.0 V	Cell Entrance	-40 V	Plate Bias	-60 V
Omega Bias	-70 V	Cell Exit	-60 V		

Cell Parameters

Use Gas	Yes	3rd Gas Flow	—	Energy Discrimination	2.0 V
He Flow	0.0 mL/min	OctP Bias	-18.0 V		
H2 Flow	4.0 mL/min	OctP RF	170 V		



	R _{jt}	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD	%RE
1	<input type="checkbox"/>	0.000	0.000	636.01	0.0005	P	7.3	
2	<input type="checkbox"/>	5.000	5.171	30104.53	0.0237	P	0.5	3.4
3	<input type="checkbox"/>	10.000	10.121	59041.24	0.0459	P	0.8	1.2
4	<input type="checkbox"/>	50.000	49.304	288627.19	0.2218	P	1.0	-1.4
5	<input type="checkbox"/>	100.000	98.459	564455.36	0.4424	P	0.3	-1.5
6	<input type="checkbox"/>	250.000	242.197	1400818.00	1.0874	A	1.0	-3.1
7	<input type="checkbox"/>	500.000	504.275	2741974.33	2.2636	A	5.0	0.9
8	<input type="checkbox"/>			4523.92	0.0036	P	2.6	

$y = 0.0045 * x + 5.0494E-004$

R = 0.9998


DL = 0.0247 ppb

BEC = 0.1125 ppb

Weight: <None>

Min Conc: <None>

previously validated 10607650



	R _{jt}	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD	%RE
1	<input type="checkbox"/>	0.000	0.000	493.68	0.0004	P	4.0	
2	<input type="checkbox"/>	0.500	0.479	2638.36	0.0021	P	2.1	-4.1
3	<input type="checkbox"/>	10.000	9.729	44488.14	0.0346	P	1.0	-2.7
4	<input type="checkbox"/>	50.000	47.131	216207.14	0.1661	P	0.8	-5.7
5	<input type="checkbox"/>	100.000	94.566	424814.04	0.3329	P	0.5	-5.4
6	<input type="checkbox"/>	250.000	236.470	1071689.79	0.8319	P	0.8	-5.4
7	<input type="checkbox"/>	500.000	508.144	2165326.08	1.7873	A	4.5	1.6
8	<input type="checkbox"/>			1171.54	0.0009	P	5.1	

$y = 0.0035 * x + 3.9201E-004$

R = 0.9994 ✓

DL = 0.01343 ppb

BEC = 0.1115 ppb


Weight: <None>

Min Conc: <None>

✓

previously validated 10607650

Calibration for 242SMPL.d



	R _{jt}	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD	%RE
1	<input type="checkbox"/>	0.000	0.000	3300.19	0.0001	P	5.9	
2	<input type="checkbox"/>	0.500	0.514	64912.90	0.0023	P	1.0	2.9
3	<input type="checkbox"/>	10.000	10.324	1232695.85	0.0441	P	1.1	3.2
4	<input type="checkbox"/>	50.000	50.478	5965584.50	0.2154	A	0.9	1.0
5	<input type="checkbox"/>	100.000	99.672	11781721.91	0.4252	A	1.4	-0.3
6	<input type="checkbox"/>	250.000	250.065	29027456.65	1.0666	A	0.9	0.0
7	<input type="checkbox"/>	500.000	499.979	56005941.25	2.1324	A	5.0	0.0
8	<input type="checkbox"/>			51270.31	0.0019	P	2.0	

$$y = 0.0043 * x + 1.1837E-004$$


R = 1.0000

DL = 0.004881 ppb

BEC = 0.02776 ppb

Weight: <None>

Min Conc: <None>



	R _{jt}	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD	%RE
1	<input type="checkbox"/>	0.000	0.000	3260.40	0.0001	P	1.8	
2	<input type="checkbox"/>	0.500	0.510	53613.83	0.0019	P	0.4	2.0
3	<input type="checkbox"/>	10.000	10.323	1017070.79	0.0364	P	0.6	3.2
4	<input type="checkbox"/>	50.000	50.091	4882723.47	0.1763	A	0.6	0.2
5	<input type="checkbox"/>	100.000	98.628	9615224.23	0.3470	A	1.5	-1.4
6	<input type="checkbox"/>	250.000	250.518	23983114.64	0.8812	A	0.9	0.2
7	<input checked="" type="checkbox"/>	500.000		44001219.34	1.6751	A	4.6	
8	<input type="checkbox"/>			5024.22	0.0002	P	9.5	

$$y = 0.0035 * x + 1.1689E-004$$

R = 1.0000

DL = 0.001761 ppb

BEC = 0.03323 ppb

Weight: <None>

Min Conc: <None>

FORM XV INORGANIC-1
INTERNAL STANDARDS RELATIVE INTENSITY SUMMARY

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Instrument ID: 10ICM8 Start Date: 05/12/2022 13:38 End Date: 05/13/2022 03:03

Sample Name	Time	GE-72 ✓	Ge-72-IS1	In-115	Ir-193-IS	Sc-45-IS	Sc-45-IS1	Tb-159 ✓
29967222CAL0	13:38	100.0	100.0	100.0	100.0	100.0	100.0	100.0
29967223CAL1	13:42	100.8	92.0	100.7	99.9	100.2	92.1	100.6
29967224CAL2	13:46	102.1	99.6	100.7	99.4	99.4	99.3	100.1
29967225CAL4	13:54	101.3	98.5	98.2	96.9	98.2	97.8	99.4
29967226CAL3	13:57	103.3	99.8	99.3	99.7	99.2	98.5	99.3
29967227CAL5	14:01	102.3	98.1	97.9	95.7	99.1	97.6	97.6
29967228CAL6	14:05	96.3	97.4	92.5	90.6	96.8	97.4	94.3
29967229CAL7	14:09	100.5	99.2	94.6	91.5	101.5	98.0	97.2
29967230ICV	14:12	104.0	101.0	102.1	100.8	101.6	99.6	102.3
29967231ICB	14:20	103.0	102.3	102.7	102.6	102.1	101.1	102.5
29967232CRDL	14:23	103.2	101.6	102.1	102.1	102.4	100.0	102.1
29967233ICSA	14:27	99.6	97.9	96.7	95.4	100.1	96.7	97.9
29967234ICSAB	14:30	101.9	98.7	97.9	95.6	101.8	98.1	100.6
29967235CCV	14:34	105.3	99.8	100.8	100.7	100.8	98.2	102.2
29967236CCB	14:38	100.3	100.9	100.4	99.8	97.7	99.0	99.9
29967263CCV	21:35	88.4	83.6	86.7	84.1	83.1	79.3	87.4
29967264CCB	21:39	87.1	85.1	87.9	86.8	83.7	81.0	88.2
29967265CRDL	21:42	86.8	84.3	87.6	86.2	83.9	79.7	87.9
29967312CCV	22:11	86.8	81.4	85.1	82.6	82.1	76.9	85.3
29967313CCB	22:14	81.4	81.1	81.9	80.3	78.9	76.2	82.0
29967329CCV	00:37	84.5	79.7	83.2	78.7	80.4	75.0	81.7
29967330CCB	00:41	82.7	79.3	83.6	79.9	80.0	75.0	82.1
4317652	00:45	81.1	79.3	83.1	80.1	79.8	76.1	82.3
4317653	00:48	80.7	78.2	79.9	77.4	76.7	74.5	79.5
S-0016-D-FM-01-	00:52	80.1	78.1	81.1	78.8	77.7	74.2	80.3
S-0016-D-FM-03-	00:59	81.7	78.5	82.4	81.1	79.3	74.5	82.5
S-0016-D-FM-03D-	01:02	79.6	78.7	80.2	78.8	77.2	73.9	80.1
S-0016-D-FM-04-	01:06	82.0	78.5	82.1	79.6	78.7	74.1	81.4
10607647001	01:09	82.6	79.3	82.2	79.5	79.4	74.6	82.5
4319035	01:17	83.4	79.7	84.4	81.3	80.1	74.9	82.9
29967331CCV	01:20	85.2	79.7	83.7	80.0	80.6	74.6	83.5
29967332CCB	01:24	81.7	73.6	82.9	80.2	79.2	68.9	82.4
4317656	01:27	82.8	79.4	82.9	79.0	79.3	74.1	82.5
4317654	01:31	83.3	73.7	82.0	79.8	79.4	68.9	81.7
4317655	01:34	84.0	80.1	83.8	80.5	80.3	75.4	82.7
29967333CCV	01:56	84.2	78.6	82.9	79.0	79.3	73.2	82.0
29967334CCB	01:59	79.4	79.1	80.9	77.7	76.8	74.0	79.4
29967335CCV	02:28	81.1	82.2	79.0	76.3	76.6	76.8	78.9
29967336CCB	02:31	201.6	124.6	202.7	209.0	191.2	109.9	209.1
29967337CRDL	02:35	81.5	78.2	82.3	80.2	78.7	73.3	82.2

05/18/2022 09:52

FORM XV INORGANIC-2
INTERNAL STANDARDS RELATIVE INTENSITY SUMMARY

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Instrument ID: 10ICM8 Start Date: 05/12/2022 13:38 End Date: 05/13/2022 03:03

Sample Name	Time	GE-72 ✓	Ge-72-IS1	In-115	Ir-193-IS	Sc-45-IS	Sc-45-IS1	Tb-159 ✓
29967338CCV	03:00	83.3	78.6	81.8	79.5	79.4	73.2	82.2
29967339CCB	03:03	81.2	78.8	82.4	80.9	78.3	73.7	82.3

US EPA 200.8/6020 Tune Check Report

Acq/Data Batch
Report Comment
Instrument Name

C:\Agilent\ICPMH1\DATA\051322.b
10ICM8 PW
G3281A JP13142395


[He]

Sensitivity ✓

Mass	Count	RSD%	RSD%(Rqd)	RSD%(Flag)	Rep#1 Count	Rep#2 Count	Rep#3 Count	Rep#4 Count	Rep#5 Count
9	114	4.077	5.000		108	115	113	114	121
24	1320	2.086	5.000		1318	1301	1291	1328	1362
25	193	2.126	5.000		200	190	190	192	192
26	251	1.523	5.000		254	246	256	251	250
59	23186	1.093	5.000		23150	22878	23125	23196	23582
115	31935	1.569	5.000		31406	31470	32030	32168	32602
206	14820	1.697	5.000		14622	14542	14870	14886	15180
207	12726	2.229	5.000		12609	12406	12727	12709	13179
208	30653	3.131	5.000		29369	30393	30482	31025	31995

Integration Time [sec] 0.1

Resolution/Axis



Mass	Peak Height	Axis	Axis (Required)	Axis (Flag)	W-5%	W-5% (Required)	W-5% (Flag)
9	176.21	8.90	8.90 - 9.10		0.789	0.900	
24	2249.31	23.95	23.90 - 24.10		0.819	0.900	
25	324.18	24.95	24.90 - 25.10		0.807	0.900	
26	420.66	25.95	25.90 - 26.10		0.820	0.900	
59	41797.20	59.00	58.90 - 59.10		0.782	0.900	
115	65327.35	115.05	114.90 - 115.10		0.719	0.900	
206	29824.07	206.05	205.90 - 206.10		0.754	0.900	
207	24708.98	207.00	206.90 - 207.10		0.773	0.900	
208	62048.56	208.05	207.90 - 208.10		0.767	0.900	

Integration Time [sec] 0.1 Acquisition Time [sec] 212.5 Y Axis Linear

Tune Parameters

Plasma Parameters

Plasma Mode	—	Nebulizer Gas	0.70 L/min	Dilution Gas	0.35 L/min
RF Power	1550 W	Option Gas	—	Auxiliary Gas	0.90 L/min
RF Matching	1.80 V	Nebulizer Pump	0.10 rps	Plasma Gas	15.0 L/min
Sample Depth	8.0 mm	S/C Temp	2 °C		

Lens Parameters

Extract 1	0.0 V	Omega Lens	5.0 V	Deflect	-1.2 V
Extract 2	-130.0 V	Cell Entrance	-40 V	Plate Bias	-60 V
Omega Bias	-70 V	Cell Exit	-60 V		

Cell Parameters

Use Gas	Yes	3rd Gas Flow	—	Energy Discrimination	3.0 V
He Flow	4.5 mL/min	OctP Bias	-18.0 V		
H2 Flow	0.0 mL/min	OctP RF	170 V		

US EPA 200.8/6020 Tune Check Report

Acq/Data Batch
Report Comment
Instrument Name

C:\Agilent\ICPMH1\DATA\051322.b
10ICM8 PW
G3281A JP13142395

[H2]


Sensitivity



Mass	Count	RSD%	RSD%(Rqd)	RSD%(Flag)	Rep#1 Count	Rep#2 Count	Rep#3 Count	Rep#4 Count	Rep#5 Count
9	951	3.067	5.000		978	979	948	937	910
24	13105	1.993	5.000		13427	13230	13109	13040	12718
25	1894	1.954	5.000		1934	1907	1911	1883	1837
26	2335	2.733	5.000		2394	2352	2358	2344	2226
59	25168	1.349	5.000		25450	25337	25370	25064	24619
115	74760	1.527	5.000		73493	73878	74898	76395	75134
206	16018	2.008	5.000		15515	16010	15971	16341	16251
207	13931	2.061	5.000		13471	13882	14025	14035	14242
208	33502	1.868	5.000		32619	33091	33733	34017	34050

Integration Time [sec] 0.1

Resolution/Axis



Mass	Peak Height	Axis	Axis (Required)	Axis (Flag)	W-5%	W-5% (Required)	W-5% (Flag)
9	1582.99	8.95	8.90 - 9.10		0.784	0.900	
24	22092.43	23.95	23.90 - 24.10		0.825	0.900	
25	3180.68	24.95	24.90 - 25.10		0.815	0.900	
26	3909.04	25.95	25.90 - 26.10		0.820	0.900	
59	45167.74	59.00	58.90 - 59.10		0.796	0.900	
115	140314.11	115.00	114.90 - 115.10		0.738	0.900	
206	30121.44	206.00	205.90 - 206.10		0.786	0.900	
207	25241.69	207.00	206.90 - 207.10		0.786	0.900	
208	62531.44	208.00	207.90 - 208.10		0.802	0.900	

Integration Time [sec] 0.1 Acquisition Time [sec] 212.5 Y Axis Linear



Tune Parameters

Plasma Parameters

Plasma Mode	—	Nebulizer Gas	0.70 L/min	Dilution Gas	0.35 L/min
RF Power	1550 W	Option Gas	—	Auxiliary Gas	0.90 L/min
RF Matching	1.80 V	Nebulizer Pump	0.10 rps	Plasma Gas	15.0 L/min
Sample Depth	8.0 mm	S/C Temp	2 °C		

Lens Parameters

Extract 1	0.0 V	Omega Lens	5.0 V	Deflect	-2.2 V
Extract 2	-130.0 V	Cell Entrance	-40 V	Plate Bias	-60 V
Omega Bias	-70 V	Cell Exit	-60 V		


Cell Parameters

Use Gas	Yes	3rd Gas Flow	—	Energy Discrimination	2.0 V
He Flow	0.0 mL/min	OctP Bias	-18.0 V		
H2 Flow	4.0 mL/min	OctP RF	170 V		

Calibration for 191SMPL.d

Batch Folder: C:\Agilent\ICPMH\1\DATA\051322.b\
 Analysis File: 051322.batch.bin
 DA Date-Time: 5/16/2022 08:15:55
 Calibration Title:
 Calibration Method: External Calibration
 VIS Interpolation Fit:

Level	Standard Data File	Sample Name	Acq. Date-Time
1	004CALB.d	CAL 0	5/13/2022 09:23:44
2	005CALS.d	CAL 1	5/13/2022 09:27:37
3	006CALS.d	CAL 2	5/13/2022 09:31:27
4	007CALS.d	CAL 3	5/13/2022 09:35:18
5	008CALS.d	CAL 4	5/13/2022 09:39:08
6	010CALS.d	CAL 5	5/13/2022 09:46:35
7	011CALS.d	CAL 6	5/13/2022 09:50:16
8	012CALS.d	CAL 7	5/13/2022 09:53:58



	R _{jt}	Conc.	Calc Conc.	CPS	Ratio	Det	RSD	%RE
1	<input type="checkbox"/>	0.000	0.000	590.01	0.0006	P	1.8	
2	<input type="checkbox"/>	5.000	5.043	23974.71	0.0229	P	0.8	0.9
3	<input type="checkbox"/>	10.000	10.049	47689.81	0.0451	P	1.1	0.5
4	<input type="checkbox"/>	50.000	49.321	232110.15	0.2192	P	0.5	-1.4
5	<input type="checkbox"/>	100.000	96.959	457477.15	0.4304	P	2.7	-3.0
6	<input type="checkbox"/>	250.000	243.466	1170451.46	1.0798	P	0.9	-2.6
7	<input type="checkbox"/>	500.000	503.941	2374591.67	2.2344	A	0.6	0.8
8	<input type="checkbox"/>			3715.73	0.0035	P	3.9	

$y = 0.0044 * x + 5.6902E-004$


R = 0.9999

DL = 0.006938 ppb

BEC = 0.1284 ppb

Weight: <None>

Min Conc: <None>



	R _{jt}	Conc.	Calc Conc.	CPS	Ratio	Det	RSD	%RE
1	<input type="checkbox"/>	0.000	0.000	290.17	0.0003	P	5.0	
2	<input type="checkbox"/>	0.500	0.473	1992.78	0.0019	P	2.1	-5.3
3	<input type="checkbox"/>	10.000	9.682	35444.34	0.0335	P	0.9	-3.2
4	<input type="checkbox"/>	50.000	47.512	173087.20	0.1635	P	1.3	-5.0
5	<input type="checkbox"/>	100.000	93.317	341018.01	0.3208	P	2.3	-6.7
6	<input type="checkbox"/>	250.000	237.555	884702.25	0.8162	P	1.1	-5.0
7	<input type="checkbox"/>	500.000	507.815	1853853.58	1.7444	A	1.0	1.6
8	<input type="checkbox"/>			852.35	0.0008	P	4.4	

$y = 0.0034 * x + 2.7988E-004$

R = 0.9995


DL = 0.0123 ppb

BEC = 0.08149 ppb

Weight: <None>

Min Conc: <None>

Previously validated 10607650



	R _{jt}	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD	%RE
1	<input type="checkbox"/>	0.000	0.000	2191.77	0.0001	P	1.5	
2	<input type="checkbox"/>	0.500	0.523	56954.41	0.0024	P	0.6	4.6
3	<input type="checkbox"/>	10.000	10.403	1099646.40	0.0452	P	1.2	4.0
4	<input type="checkbox"/>	50.000	50.894	5280585.52	0.2207	A	0.7	1.8
5	<input type="checkbox"/>	100.000	99.003	10411020.89	0.4293	A	2.0	-1.0
6	<input type="checkbox"/>	250.000	251.473	26089947.53	1.0903	A	0.7	0.6
7	<input type="checkbox"/>	500.000	499.366	52544173.80	2.1651	A	0.4	-0.1
8	<input type="checkbox"/>			44096.83	0.0018	P	0.5	

$y = 0.0043 * x + 9.0441E-005$


R = 1.0000

DL = 0.0009614 ppb

BEC = 0.02086 ppb

Weight: <None>

Min Conc: <None>



	R _{jt}	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD	%RE
1	<input type="checkbox"/>	0.000	0.000	2556.92	0.0001	P	6.3	
2	<input type="checkbox"/>	0.500	0.516	45689.09	0.0019	P	2.8	3.1
3	<input type="checkbox"/>	10.000	10.839	916217.90	0.0377	P	1.4	8.4
4	<input type="checkbox"/>	50.000	52.413	4345814.52	0.1817	A	1.9	4.8
5	<input type="checkbox"/>	100.000	102.256	8593750.71	0.3543	A	1.2	2.3
6	<input type="checkbox"/>	250.000	259.471	21510585.51	0.8990	A	1.0	3.8
7	<input type="checkbox"/>	500.000	494.555	41581071.05	1.7133	A	0.6	-1.1
8	<input type="checkbox"/>			3490.46	0.0001	P	6.8	

$y = 0.0035 * x + 1.0549E-004$

R = 0.9997

DL = 0.005711 ppb

BEC = 0.03045 ppb

Weight: <None>

Min Conc: <None>

Previously validated 10607650

FORM XV INORGANIC-1
INTERNAL STANDARDS RELATIVE INTENSITY SUMMARY

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Instrument ID: 10ICM8 Start Date: 05/13/2022 09:23 End Date: 05/13/2022 12:49

Sample Name	Time	GE-72	Ge-72-IS1	In-115	Ir-193-IS	Sc-45-IS	Sc-45-IS1	Tb-159
29983523CAL0	09:23	100.0	100.0	100.0	100.0	100.0	100.0	100.0
29983524CAL1	09:27	100.9	98.9	99.1	99.3	99.5	98.6	99.7
29983525CAL2	09:31	102.0	98.9	99.9	99.7	99.3	98.8	100.4
29983526CAL3	09:35	102.1	98.0	97.6	98.6	97.4	96.9	98.7
29983527CAL4	09:39	102.6	98.3	99.3	100.0	99.6	97.9	100.1
29983528CAL5	09:46	104.6	102.0	98.3	98.7	100.7	100.8	98.7
29983529CAL6	09:50	102.5	98.1	96.4	96.2	102.2	95.0	100.1
29983530CAL7	09:53	103.0	96.6	95.9	93.4	104.0	92.7	99.2
29983531ICV	09:57	105.7	102.3	100.7	99.7	101.8	100.9	101.9
29983532ICB	10:01	104.3	102.5	101.9	103.2	101.5	101.5	102.9
29983533CRDL	10:04	110.8	104.0	107.9	108.6	109.3	101.9	108.8
29983534ICSA	10:08	106.1	99.9	100.0	101.4	106.2	96.8	104.7
29983535ICSAB	10:12	98.8	99.4	92.8	93.6	97.9	96.5	96.8
29983536CCV	10:15	106.3	103.1	100.6	100.7	101.1	100.5	102.9
29983537CCB	10:19	103.5	102.7	101.3	103.9	101.4	100.4	102.7
29983540CCV	11:20	99.4	99.7	92.9	92.7	95.3	94.5	94.6
29983541CCB	11:23	99.7	102.8	95.5	96.0	96.2	98.5	95.4
S-0016-D-EB-02-	11:27	98.7	102.3	96.5	96.7	97.4	99.9	96.5
29983542CCV	12:02	101.3	99.7	95.7	94.2	96.6	95.5	95.5
29983543CCB	12:06	100.8	102.0	98.0	96.2	98.7	97.9	97.5
29983544CRDL	12:09	101.1	102.5	97.7	95.9	99.2	98.5	97.4
29983545CCV	12:45	101.1	100.8	95.5	94.3	97.8	97.0	96.5
29983546CCB	12:49	101.0	102.1	98.0	96.4	99.6	98.3	98.0



Prep Log Report

Batch Information: MPRP 814465 6020BS

Template Version: ENV-EPL-MIN4-0015-Rev.00 (13Dec2020)

Prep Method	EPA 3050B
Block ID	10MET04
Corrected Temp. (C)	94.10
Corrected End Temp. (C)	93.80
Metals Pipette 2	
Reviewed By	HTV

Analysis Method	EPA 6020B
Thermometer ID	210354350
Digestion Start Date/Time	05/11/2022 12:27:09:185
Digestion Vessel	364641
Bottle Disp. 1	Q791
Reviewed By Date	05/11/2022 17:23

Prepared By	BT
Correction Factor (C)	-0.6
Digestion End Date/Time	05/11/2022 14:38:22:127
Resin Pellets Solid Matrix	344615
Bottle Disp. 2	Q814
Batch Notes	Weighed by DJM.

Instrument	10BALU
Block Temp (C)	94.7
Block End Temp (C)	94.4
Metals Pipette 1	Q765
Bottle Disp. 3	Q452

Sample Information:

QC Rule	Sample Type	Lab Sample ID	Matrix	Initial Weight (g)	Conc. HNO3 (mL)	H2O2 (mL)	Conc. HCL (mL)	Final Volume (mL)	Sample Notes	Hg-SPK (mL)	METALS-STK1 (mL)	METALS-STK2 (mL)
6020BS_P	BLANK	4317652	Solid	1.06	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	LCS	4317653	Solid	1.07	364107 (7.5)	332176 (2.5)	363604 (5)	50	✓	363145 (.25)	343315 (.5)	343316 (.5)
6020BS_P	PS	10607644001	Solid	1.02	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	PS	10607644002	Solid	1.05	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	PS	10607644003	Solid	1.08	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	PS	10607644004	Solid	1.04	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	PS	10607644005	Solid	1.07	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	RQS	10607647001	Solid	1.03	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	DUP	4317656	Solid	1.03	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	MS	4317654	Solid	1.03	364107 (7.5)	332176 (2.5)	363604 (5)	50		363145 (.25)	343315 (.5)	343316 (.5)
6020BS_P	MSD	4317655	Solid	1.03	364107 (7.5)	332176 (2.5)	363604 (5)	50		363145 (.25)	343315 (.5)	343316 (.5)
6020BS_P	PS	10607647002	Solid	1.04	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	PS	10607647003	Solid	1.01	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	PS	10607648001	Solid	1.08	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	PS	10607649001	Solid	1.08	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	PS	10607649002	Solid	1.01	364107 (7.5)	332176 (2.5)	363604 (5)	50				



Prep Log Report

QC Rule	Sample Type	Lab Sample ID	Matrix	Initial Weight (g)	Conc. HNO3 (mL)	H2O2 (mL)	Conc. HCL (mL)	Final Volume (mL)	Sample Notes	Hg-SPK (mL)	METALS-STK1 (mL)	METALS-STK2 (mL)
6020BS_P	PS	10607649003	Solid	0.06741	364107 (7.5)	332176 (2.5)	363604 (5)	50	1*			
6020BS_P	PS	10607650001	Solid	1.03	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	PS	10607650002	Solid	1.03	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	PS	10607650003	Solid	1	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	PS	10607650004	Solid	1.07	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	PS	10607650005	Solid	1	364107 (7.5)	332176 (2.5)	363604 (5)	50				
6020BS_P	PS	10607650006	Solid	1.1	364107 (7.5)	332176 (2.5)	363604 (5)	50				

Sample Notes:

1*: limited sample volume

Standard Notes:

343315: ZPACEMN-116 (MIX 1)

343316: ZPACEMN-106

363145: Intermediate Spike for ICPMS Soil



557 of 596

FORM I INORGANIC-1
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

S-0016-D-FM-01-20220505

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior
Lab Sample ID: 10607644001 Percent Moisture: _____

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
7439-97-6	Mercury	0.036	J	mg/kg	1	05/17/2022 10:30

FORM I INORGANIC-1
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

S-0016-D-EB-02-20220505

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior
Lab Sample ID: 10607644002 Percent Moisture: _____

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
7439-97-6	Mercury	<0.025	U	mg/kg	1	05/17/2022 10:31

FORM I INORGANIC-1
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

S-0016-D-FM-03-20220505

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior
Lab Sample ID: 10607644003 Percent Moisture: _____

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
7439-97-6	Mercury	0.061		mg/kg	1	05/17/2022 10:33

FORM I INORGANIC-1
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.
S-0016-D-FM-03D-
20220505

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior
Lab Sample ID: 10607644004 Percent Moisture: _____

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
7439-97-6	Mercury	0.048	J	mg/kg	1	05/17/2022 10:35

FORM I INORGANIC-1
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

S-0016-D-FM-04-20220505

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior
Lab Sample ID: 10607644005 Percent Moisture: _____

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
7439-97-6	Mercury	0.050	J	mg/kg	1	05/17/2022 10:36

FORM II INORGANIC-1
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Initial Calibration Verification Source: 366428

Continuing Calibration Verification Source: 366428

Concentration Units: ug/L Instrument ID: 10HG09

	Initial Calibration Verification				Continuing Calibration Verification						
	05/17/2022 09:13 ✓				05/17/2022 09:46 ✓			05/17/2022 10:02 ✓			Control Limit
Analyte	True	Found	%R	Control Limit	True	Found	%R	True	Found	%R	
Mercury	5.0	4.8	97.0	90-110	5.0	4.8	96.6	5.0	4.8	96.4	90-110

FORM II INORGANIC-2
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Initial Calibration Verification Source: _____

Continuing Calibration Verification Source: 366428

Concentration Units: ug/L Instrument ID: 10HG09

	Continuing Calibration Verification									Control Limit
	05/17/2022 10:23 ✓			05/17/2022 10:40 ✓			05/17/2022 10:57 ✓			
Analyte	True	Found	%R	True	Found	%R	True	Found	%R	
Mercury	5.0	4.9	98.4	5.0	4.6	92.4	5.0	4.9	98.4	90-110

FORM II INORGANIC-3
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Initial Calibration Verification Source: _____

Continuing Calibration Verification Source: 366428

Concentration Units: ug/L Instrument ID: 10HG09

	Continuing Calibration Verification			Control Limit
	05/17/2022 11:17 ✓			
Analyte	True	Found	%R	
Mercury	5.0	4.9	97.8	90-110

FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 366423,366489 Analysis Date/Time: 05/17/2022 09:16 ✓

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Mercury	0.2	0.21	105.0 ✓	70-130

FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 366423,366489 Analysis Date/Time: 05/17/2022 10:22 ✓

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Mercury	0.2	0.19	95.0 ✓	70-130

FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 366423,366489 Analysis Date/Time: 05/17/2022 11:15 ✓

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Mercury	0.2	0.18	90.0 ✓	70-130

FORM III INORGANIC-1
BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract : 0643586 RMAP Interior School

Method Blank Matrix: Solid Instrument ID: 10HG09

Method Blank Concentration Units: mg/kg

Analyte	Initial Calibration Blank (ug/L)		Continuing Calibration Blank (ug/L)								Method Blank	
	05/17/2022 09:15 ✓	C	05/17/2022 09:48 ✓	C	05/17/2022 10:04 ✓	C	05/17/2022 10:25 ✓	C	4317663 ✓	C		
Mercury	0.087	U	0.087	U	0.087	U	0.087	U	<0.0081	U		

FORM III INORGANIC-2

BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract : 0643586 RMAP Interior School

Method Blank Matrix: _____ Instrument ID: 10HG09

Method Blank Concentration Units: _____

Analyte	Initial Calibration Blank		Continuing Calibration Blank (ug/L)					
		C	05/17/2022 10:43 ✓	C	05/17/2022 10:59 ✓	C	05/17/2022 11:18 ✓	C
Mercury			0.087	U	0.087	U	0.087	U

FORM V INORGANIC-1
MATRIX SPIKE SAMPLE RECOVERY

SAMPLE NO.

4317666MS ✓

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior

Matrix: Solid Basis: Wet Parent Sample ID: 10607647001

Percent Moisture: _____

Analyte	Units	Control Limit %R	Spiked Sample Result (SSR)	Sample Result (SR)	Spike Added (SA)	%R ✓
Mercury	mg/kg	80-120	1.4	0.035J	1.4	101

FORM V INORGANIC-2
MATRIX SPIKE SAMPLE RECOVERY

SAMPLE NO.

4317667MSD



Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior

Matrix: Solid Basis: Wet Parent Sample ID: 10607647001

Percent Moisture: _____

Analyte	Units	Control Limit %R	Spiked Sample Result (SSR)	Sample Result (SR)	Spike Added (SA)	%R
Mercury	mg/kg	80-120	1.4	0.035J	1.4	101



FORM VI INORGANIC-1
DUPLICATES

SAMPLE NO.

4317665DUP

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior

Matrix: Solid Concentration Units: mg/kg

Percent Moisture: _____ Basis: Wet

Analyte	RPD Control Limit	Sample	Duplicate	RPD
Mercury	20	0.035J	0.038J	



FORM VI INORGANIC-2
DUPLICATES

SAMPLE NO.

4317667MSD

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior

Matrix: Solid Concentration Units: mg/kg

Percent Moisture: _____ Basis: Wet

Analyte	RPD Control Limit	Sample	Duplicate	RPD
Mercury	20	1.4	1.4	0



FORM VII INORGANIC-1
LABORATORY CONTROL SAMPLE

SAMPLE NO.

4317664LCS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior

Matrix: Solid

Analyte	Units	True	Found	%R	Limits	
Mercury	mg/kg	0.43	0.45	105	80	120

FORM IX INORGANIC-1
INSTRUMENT DETECTION LIMITS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Preparation Method: None Instrument ID: 10HG09

Concentration Units: ug/L

Analyte	PQL ✓	IDL ✓	IDL Date
Mercury	0.20	0.087	03/30/2021

FORM IX INORGANIC-2
METHOD DETECTION LIMITS

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Preparation Method: EPA 7471B Instrument ID: 10HG09

Concentration Units: mg/kg



Analyte	PQL	MDL	MDL Date
Mercury	0.020	0.0087	03/30/2021

FORM XII INORGANIC-1
PREPARATION LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Preparation Method: EPA 7471B Batch: MERP 37185

Lab Sample ID	Sample Name	Preparation Date	Initial Weight (g)	Final Volume (mL)
4317663	4317663	05/11/2022	0.322 ✓	30
4317664	4317664	05/11/2022	0.352	30
4317665	4317665	05/11/2022	0.102	30
4317666	4317666	05/11/2022	0.11	30
4317667	4317667	05/11/2022	0.109	30
10607644001	S-0016-D-FM-01-20220505	05/11/2022	0.107	30
10607644002	S-0016-D-EB-02-20220505	05/11/2022	0.103	30
10607644003	S-0016-D-FM-03-20220505	05/11/2022	0.103	30
10607644004	S-0016-D-FM-03D-20220505	05/11/2022	0.106	30
10607644005	S-0016-D-FM-04-20220505	05/11/2022	0.103	30

FORM XIII INORGANIC-1
ANALYSIS RUN LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10607644 Contract: 0643586 RMAP Interior School

Instrument ID: 10HG09 Analysis Method: EPA 7471B

Start Date: 05/17/2022 09:02 End Date: 05/17/2022 11:18

Sample Name	Lab Sample ID	D/F	Date	Time	Hg
29997389CAL0	29997389CAL0	1	05/17/2022	09:02	X
29997390CAL1	29997390CAL1	1	05/17/2022	09:04	X
29997391CAL2	29997391CAL2	1	05/17/2022	09:05	X
29997392CAL3	29997392CAL3	1	05/17/2022	09:07	X
29997393CAL4	29997393CAL4	1	05/17/2022	09:09	X
29997394CAL5	29997394CAL5	1	05/17/2022	09:10	X
29997395ICV	29997395ICV	1	05/17/2022	09:13	X
29997396ICB	29997396ICB	1	05/17/2022	09:15	X
29997397CRDL	29997397CRDL	1	05/17/2022	09:16	X
29997398CCV	29997398CCV	1	05/17/2022	09:46	X
29997399CCB	29997399CCB	1	05/17/2022	09:48	X
29997400CCV	29997400CCV	1	05/17/2022	10:02	X
29997401CCB	29997401CCB	1	05/17/2022	10:04	X
29997402CRDL	29997402CRDL	1	05/17/2022	10:22	X
29997403CCV	29997403CCV	1	05/17/2022	10:23	X
29997404CCB	29997404CCB	1	05/17/2022	10:25	X
4317663BLANK	4317663	1	05/17/2022	10:27	X
4317664LCS	4317664	1	05/17/2022	10:28	X
S-0016-D-FM-01-20220505	10607644001	1	05/17/2022	10:30	X
S-0016-D-EB-02-20220505	10607644002	1	05/17/2022	10:31	X
S-0016-D-FM-03-20220505	10607644003	1	05/17/2022	10:33	X
S-0016-D-FM-03D-20220505	10607644004	1	05/17/2022	10:35	X
S-0016-D-FM-04-20220505	10607644005	1	05/17/2022	10:36	X
10607647001	10607647001	1	05/17/2022	10:38	X
29997405CCV	29997405CCV	1	05/17/2022	10:40	X
29997406CCB	29997406CCB	1	05/17/2022	10:43	X
4317665DUP	4317665	1	05/17/2022	10:52	X
4317666MS	4317666	1	05/17/2022	10:54	X
4317667MSD	4317667	1	05/17/2022	10:56	X
29997407CCV	29997407CCV	1	05/17/2022	10:57	X
29997409CCB	29997409CCB	1	05/17/2022	10:59	X
29997410CRDL	29997410CRDL	1	05/17/2022	11:15	X
29997411CCV	29997411CCV	1	05/17/2022	11:17	X
29997412CCB	29997412CCB	1	05/17/2022	11:18	X



Results

Sample Name	Type	Date/Time	Conc (ug/L)	μAbs	%RSD	Residual	Flags	DF	% Reco	ely
Calibration Blank	S !	05/17/22 09:02:38 am	0.00	352	1.88			1.0000	" /#	
Replicates		352.0 358.8 354.3 343.0								
Stan\$ar\$ %4 8.2' (/)*	S !	05/17/22 09:04:15 am	0.20	1920	2.33	4.82+		1.0000	" /#	
Replicates		1978.0 1933.2 1882.2 1887.9								
Stan\$ar\$ %2 8' (/)*	S !	05/17/22 09:05:52 am	1.00	8229	0.21	-0.01+		1.0000	" /#	
Replicates		8217., 8223.1 8221.3 8255.,								
Stan\$ar\$ %3 8' (/)*	S !	05/17/22 09:07:30 am	3.00	24030	0.38	-0., 9+		1.0000	" /#	
Replicates		23910., 24013.3 24070., 2412., 8								
Stan\$ar\$ %4 8' (/)*	S !	05/17/22 09:09:08 am	5.00	4003,	0.07	-0.32+		1.0000	" /#	
Replicates		40049.1 4002., 1 40004., 400., 4.8								
Stan\$ar\$ %5 8' (/)*	S !	05/17/22 09:10:4., am	10.00	80192	0.40	0.14+		1.0000	" /#	
Replicates		79779.9 80110.3 803., 2.3 80514.5								
<p>Calibration</p> <p>01' ation: #bs 3 7983.3004 5 24., .7, 1</p> <p>R2: 0.99998 RS0: 2.82+</p> <p>S00: 135.4244</p> <p>2la(s:</p> <p style="color: blue; font-weight: bold;">Previously Validated 10607650</p>										
6C7	6C7	05/17/22 09:13:22 am	4.85	38998	1.32			1.0000	97.08	
Replicates		39445.4 39381.2 38794.4 383., 9.2								
6CB	6CB	05/17/22 09:15:01 am	0.01	345	5.15			1.0000	" /#	
Replicates		347.0 339.1 343.1 350.8								
CR!)	CR!)	05/17/22 09:1., :38 am	0.21	1929	1.00			1.0000	105.38	
Replicates		1928.7 1928.5 1909.5 1950.5								
431, 083843, 79	9" :	05/17/22 09:19:18 am	-0.04	-110	2.25			1.0000	" /#	
Replicates		-112.4 -108.4 -119.2 -99.9								
431, 084843, 79	9" :	05/17/22 09:20:55 am	5.0,	40, 55	0.30			1.0000	" /#	
Replicates		40500.7 40, 32.4 40705.9 40781.9								
10, 0, 995001843, 79	9" :	05/17/22 09:22:31 am	23.70	18947,	0.47			1.0000	" /#	
Replicates		188195.5 189525.1 190055.9 190125.9								
431, 087843, 79	9" :	05/17/22 09:24:08 am	23.59	1885, 2	2.54			1.0000	" /#	
Replicates		1822, 3.1 187505.2 191, 38.0 192840.7								



Prep Log Report

Batch Information: MERP 814468 7471BS

Template Version: ENV-EPL-MIN4-0028-Rev.00 (13Dec2020)

Prep Method	EPA 7471B
Block ID	10MET54
Corrected Temp. (C)	94.20
Corrected End Temp. (C)	96.50
Metals Pipette 2	Q810
Bottle Disp. 4	Q671
Batch Notes	Weighed by DJM.

Analysis Method	EPA 7471B
Thermometer ID	210354363
Digestion Start Date/Time	05/11/2022 15:25:32:727
Digestion Vessel	360406
Bottle Disp. 1	Q791
Bottle Disp. 5	

Prepared By	NJ1
Correction Factor (C)	0.8
Digestion End Date/Time	05/11/2022 16:18:17:385
Resin Pellets Solid Matrix	344615
Bottle Disp. 2	Q452
Reviewed By	HTV

Instrument	10BALT
Block Temp (C)	93.4
Block End Temp (C)	95.7
Metals Pipette 1	Q473
Bottle Disp. 3	Q814
Reviewed By Date	05/11/2022 17:29

Sample Information:

QC Rule	Sample Type	Lab Sample ID	Matrix	Initial Weight (g)	Aqua Regia (mL)	5% KMnO4 (mL)	12% NH2OH+HCL (mL)	Final Volume (mL)	Sample Notes	MERCURY-SPK (mL)
7471B S_P	LCS	4317664	Solid	0.352	365482 (3)	362590 (9)	365429 (3.6)	30		350870 (.15)
7471B S_P	BLANK	4317663	Solid	0.322	365482 (3)	362590 (9)	365429 (3.6)	30		
7471B S_P	PS	10607644001	Solid	0.107	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	PS	10607644002	Solid	0.103	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	PS	10607644003	Solid	0.103	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	PS	10607644004	Solid	0.106	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	PS	10607644005	Solid	0.103	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	RQS	10607647001	Solid	0.102	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	DUP	4317665	Solid	0.102	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	MS	4317666	Solid	0.11	365482 (3)	362590 (9)	365429 (3.6)	30	1*	350870 (.15)
7471B S_P	MSD	4317667	Solid	0.109	365482 (3)	362590 (9)	365429 (3.6)	30	1*	350870 (.15)
7471B S_P	PS	10607647002	Solid	0.104	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	PS	10607647003	Solid	0.102	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	PS	10607648001	Solid	0.109	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	PS	10607649001	Solid	0.101	365482 (3)	362590 (9)	365429 (3.6)	30	1*	

595 of 596



Prep Log Report

QC Rule	Sample Type	Lab Sample ID	Matrix	Initial Weight (g)	Aqua Regia (mL)	5% KMnO4 (mL)	12% NH2OH*HCL (mL)	Final Volume (mL)	Sample Notes	MERCURY-SPK (mL)
7471B S_P	PS	10607649002	Solid	0.107	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	PS	10607650001	Solid	0.104	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	PS	10607650002	Solid	0.104	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	PS	10607650004	Solid	0.101	365482 (3)	362590 (9)	365429 (3.6)	30	1*	
7471B S_P	PS	10607650006	Solid	0.102	365482 (3)	362590 (9)	365429 (3.6)	30	1*	

Sample Notes:

1*: Sample is Attic Dust

Standard Notes:

350870: LCS, MS, MSD Spike Solution

596 of 596

SECTION 5

**LABORATORY CASE NARRATIVE AND
CHAIN-OF-CUSTODY RECORD**

REVISION

SAMPLE SUMMARY

Project: 0643586 RMAP Interior School-Revised Report

Pace Project No.: 10607644

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10607644001	S-0016-D-FM-01-20220505	Solid	05/05/22 09:54	05/10/22 08:50
10607644002	S-0016-D-EB-02-20220505	Solid	05/05/22 10:22	05/10/22 08:50
10607644003	S-0016-D-FM-03-20220505	Solid	05/05/22 10:48	05/10/22 08:50
10607644004	S-0016-D-FM-03D-20220505	Solid	05/05/22 11:01	05/10/22 08:50
10607644005	S-0016-D-FM-04-20220505	Solid	05/05/22 11:40	05/10/22 08:50

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

Method: EPA 6020B

Description: 6020B MET ICPMS

Client: BP-ERM-MT

Date: May 17, 2022

General Information:

5 samples were analyzed for EPA 6020B by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3050B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 0643586 RMAP Interior School

Pace Project No.: 10607644

Method: EPA 7471B

Description: 7471B Mercury

Client: BP-ERM-MT

Date: May 17, 2022

General Information:

5 samples were analyzed for EPA 7471B by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



DC# Title: ENV-FRM-MIN4-0149 v03_Sample Condition Upon Receipt (SCUR) - ESI

Effective Date: 04/12/2022

Sample Condition Upon Receipt - ESI Tech Specs

Client Name: bp-ERM Project #: **WO#: 10607644**

Courier: Fed Ex UPS USPS Client
 Pace SpeedDee Commercial

Tracking Number: 5150 1597 8836 See Exceptions
 ENV-FRM-MIN4-0142

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Biological Tissue Frozen? Yes No N/A

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer: T1(0461) T2(1336) T3(0459) T4(0254) Type of Ice: Wet Blue None Dry Melted
 T5(0489) T6(0235) T7(0042)

Temp should be above freezing to 6°C Cooler Temp Read w/temp blank: 0.9 °C Average Corrected Temp (no temp blank only): _____ °C
 Correction Factor: True Cooler Temp Corrected w/temp blank: 0.9 °C See Exceptions ENV-FRM-MIN4-0142 1 Container

USDA Regulated Soil: N/A, water sample/Other: SL Date/Initials of Person Examining Contents: Mk2 5-10-22
 Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present and Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	4.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. <input type="checkbox"/> Fecal Coliform <input type="checkbox"/> HPC <input type="checkbox"/> Total Coliform/E coli <input type="checkbox"/> BOD/cBOD <input type="checkbox"/> Hex Chrome <input type="checkbox"/> Turbidity <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Orthophos <input type="checkbox"/> Other
Rush Turn Around Time Requested? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Sufficient Sample Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7.
Triple Volume Provided for MS/MSD (if more than 10 samples)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Field Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	10. Is sediment visible in the dissolved container? <input type="checkbox"/> Yes <input type="checkbox"/> No
Is sufficient information available to reconcile the samples to the COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. If no, write ID/ Date/Time on Container Below: <input type="checkbox"/> See Exception <input type="checkbox"/> ENV-FRM-MIN4-0142
Matrix: <input type="checkbox"/> Water <input type="checkbox"/> Soil <input type="checkbox"/> Oil <input checked="" type="checkbox"/> Other <u>SL</u>	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12. Sample # <input type="checkbox"/> NaOH <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> Zinc Acetate Positive for Res. <input type="checkbox"/> Yes <input type="checkbox"/> No See Exception <input type="checkbox"/> ENV-FRM-MIN4-0142 Chlorine? <input type="checkbox"/> No pH Paper Lot# Res. Chlorine 0-6 Roll 0-6 Strip 0-14 Strip
All containers needing preservation are found to be in compliance with EPA recommendation (HNO ₃ , H ₂ SO ₄ <2pH, NaOH >9 Sulfide, NaOH >10 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC/DOC Oil and Grease, DRO/8015 (water) and Dioxin/PFAS *if adding preservative to a container it must be added to associated field and equipment blanks (verify with PM first) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Extra labels present on soil VOA or WIDRO containers? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. See Exception <input type="checkbox"/> ENV-FRM-MIN4-0142
Headspace in VOA Vials (greater than 6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
3 Trip Blanks Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Pace Trip Blank Lot # (if purchased):
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Temp Log: Temp must be maintained at <6°C during login, record temp every 20 mins	CLIENT NOTIFICATION/RESOLUTION	Field Data Required? <input type="checkbox"/> Yes <input type="checkbox"/> No
Opened Time: <u>1:20</u> Temp: <u>0.9</u> Corrected Temp: <u>0.9</u>	Person Contacted:	Date/Time:
Time: <u>1:40</u> put in cooler	Comments/Resolution:	
Time: _____ Temp: _____ Corrected Temp: _____		

Project Manager Review: [Signature] Date: 05/10/2022

Note: Whenever there is a discrepancy affecting a set of Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers)

Labeled by: Mk2 (2)



Laboratory Management Program (LaMP) Chain of Custody Record
Soil, Sediment and Groundwater Samples

BP/RM Facility No: MT_Butte Priority Soils

Lab Work Order Number:

Turn Around Time (Days): 5

--	--	--	--	--

SECTION 6

PROJECT CORRESPONDENCE

From: [Jennifer Anderson](#)
To: [Amanda Whitney](#)
Cc: [Elsie.King@erm.com](#); [AR_Deliverables](#); [Lester Dupes](#); [Connor Firor](#); [Joe Kraycik](#); [Robiana Beegle Renna](#)
Subject: RE: Lab Request: Highland View Christian School (10607644)
Date: Tuesday, May 24, 2022 10:29:10 AM

This sender is trusted.

Good Morning Amanda,

The revised level 2 report and EDD are now posted on PacePort with this correction. The level 4 also completed this morning, it is in the process of loading and will be available on PacePort shortly.

I just loaded the EDD file also and this should be available in the database this morning.

Thank you,
Jennifer

Jennifer Anderson, PMP

Project Manager
1700 Elm Street SE Suite 200, Minneapolis, MN 55414
D: 612.607.6436 | M: 612.248.4446 | pacelabs.com

Pace will be closed on Monday, May 30th in observance of Memorial Day. Please work with your Project Manager to schedule any rush or short hold analyses around this date.



From: Jennifer Anderson
Sent: Monday, May 23, 2022 3:18 PM
To: Amanda Whitney <awhitney@envstd.com>
Cc: Elsie.King@erm.com; [AR_Deliverables <AR_Deliverables@envstd.com>](mailto:AR_Deliverables@envstd.com); [ldupes <ldupes@envstd.com>](mailto:ldupes@envstd.com); [Connor Firor <cfiror@envstd.com>](mailto:cfiror@envstd.com); [Joe Kraycik <jkraycik@envstd.com>](mailto:jkraycik@envstd.com); [Robiana Beegle Renna <rbeeglerenna@envstd.com>](mailto:rbeeglerenna@envstd.com)
Subject: RE: Lab Request: Highland View Christian School (10607644)

Hi Amanda,

I am working on getting these revised.

Thanks!
Jennifer

Jennifer Anderson, PMP

Project Manager
1700 Elm Street SE Suite 200, Minneapolis, MN 55414
D: 612.607.6436 | M: 612.248.4446 | pacelabs.com

Pace will be closed on Monday, May 30th in observance of Memorial Day. Please work with your Project Manager to schedule any rush or short hold analyses around this date.



From: Amanda Whitney <awhitney@envstd.com>
Sent: Monday, May 23, 2022 11:38 AM
To: Jennifer Anderson <Jennifer.Anderson@pacelabs.com>
Cc: Elsie.King@erm.com; AR_Deliverables <AR_Deliverables@envstd.com>; Idupes <ldupes@envstd.com>; Connor Firor <cfiror@envstd.com>; Joe Kraycik <jkraycik@envstd.com>; Robiana Beegle Renna <rbeeglerenna@envstd.com>
Subject: Lab Request: Highland View Christian School (10607644)

CAUTION: This email originated from outside Pace Analytical. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good afternoon Jennifer,

In Work Order 10607644, please update the sample collection time to 9:54 AM for sample 10607644001 (S-0016-D-FM-20220505) to match the COC and provide revised deliverables. Thanks!

Amanda Whitney (Harvey)
Quality Assurance Chemist
Environmental Standards, Inc.
1140 Valley Forge Road • PO Box 810 • Valley Forge, PA 19482
610.935.5577 x438 • www.envstd.com • aharvey@envstd.com

Emergency Response Quality Assurance Hotline: 855.374.7272



NOTICE-- The contents of this email and any attachments may contain confidential, privileged, and/or legally protected information and are for the sole use of the addressee(s). Any review or distribution by others is strictly prohibited. If you are not the intended recipient, please contact the sender immediately and delete any copies.

 Please consider the environment before printing this email

LEVEL A/B FIELD DOCUMENTATION SCREENING REVIEW

**SILVER BOW CREEK/BUTTE AREA NATIONAL PRIORITIES LIST SITE,
BUTTE PRIORITY SOILS OPERABLE UNIT,
RESIDENTIAL METALS ABATEMENT PROGRAM PROJECT**

DUST SAMPLES COLLECTED ON

MAY 5, 2021

RESIDENT IDENTIFICATION: S-0016

SAMPLE DELIVERY GROUPS: 10607644

MAY 25, 2022

Prepared for:

ATLANTIC RICHFIELD COMPANY

317 Anaconda Road
Butte, MT 59701

Prepared by:

ENVIRONMENTAL STANDARDS, INC.

1140 Valley Forge Road
P.O. Box 810
Valley Forge, PA 19482-0810


© 2022 Environmental Standards, Inc. - All Rights Reserved

INTRODUCTION

This quality assurance (QA) review of field documents is based upon an examination of the data generated during the collection of the field samples on May 5, 2022, as part of the Silver Bow Creek/Butte Area National Priorities List (NPL) Site, Butte Priority Soils Operable Unit, Residential Metals Abatement Program (RMAP) sampling event. This review was performed using guidance from the RMAP Quality Assurance Project Plan Non-Residential Parcels – Indoor Dust (dated February 28, 2022), (QAPP; February 2022), Section 5.1.2.1 Field Data Verification.

The Level A/B review is documented on the checklist below as described in the CFRSSI Data Management/Data Validation (DV/DM) Plan (ARCO, 1992a) and the CFRSSI DM/DV Plan Addendum (AERL, 2000), and will be used in the verification process for field documentation related to samples collected for laboratory analyses.

Data that meet the Level A and Level B criteria and are not qualified as estimated or rejected during the analytical data validation process are assessed as enforcement quality data and can be used for all Superfund purposes and activities. Data that meet only the Level A criteria and are not rejected during the data validation process can be assessed as screening quality data. Screening quality data can be used only for certain activities, which include engineering studies and design. Data that do not meet the Level A and/or B criteria and/or are rejected during the data validation process are designated as unusable. The determination of enforcement quality data and screening quality data will be made in conjunction with the data validation report and qualified based on the requirements of Section 5.3 of the QAPP. Identification of enforcement, screening or unusable data will be added to the electronic data deliverables.



SECTION 1 LEVEL A/B FIELD DOCUMENTATION SCREENING REVIEW**1. General Information**

Site: Highland View Christian School (S-0016)
 Project: Residential Metals Abatement Program
 Client: Atlantic Richfield Company
 Sample Matrix: Dust

2. Screening Result

Data are:

Unusable

Level A

Level B

3. Level A Criteria: The following must be fully documented

Criteria		Comments
Sampling date	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Recorded in Logbook <input checked="" type="checkbox"/> COC <input checked="" type="checkbox"/> Bottle Labels <input checked="" type="checkbox"/>
Sampling team or leader name	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Recorded in Logbook <input checked="" type="checkbox"/> COC <input checked="" type="checkbox"/>
Physical description of sampling location	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Recorded in Logbook <input checked="" type="checkbox"/> Field Forms <input checked="" type="checkbox"/> Photo Log <input checked="" type="checkbox"/>
Sample collection depth (soils)	Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	Recorded in Logbook <input type="checkbox"/> Field Forms <input type="checkbox"/>
Sample collection technique	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Collected in accordance with the SOPs in Appendix B of QAPP Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Field preparation technique	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Collected in accordance with the SOPs in Appendix B of QAPP Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample preservation technique	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Dust samples for arsenic, lead and mercury analysis submitted on ice? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample shipping records	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Did sample arrive at < 6°C but not frozen (mercury analysis)? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> <u>0.9°F</u> Reported (corrected) temperature

4. Level B Criteria – The following must be fully documented.

Criteria		Comments
Field instrumentation methods and standardization complete.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Field equipment calibrated if used? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample container preparation	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Air sampling cassettes provided by ERM. Unpreserved bottles provided by laboratory and lot number tracked? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Collection of field duplicates (1/20 minimum)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	.
Sampling equipment decontamination	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Dedicated sampling equipment decontaminated per QAPP Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Field custody documentation	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	COC complete and signed (performed during SCUR review) Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Shipping custody documentation	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Custody Seals applied to sample shipment cooler (performed during SCUR review) Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Custody Seals intact (performed during SCUR review) Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Traceable sample designation number	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Sample IDs in Logbook match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Field logbook(s), custody records in secure repository	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	All notes are complete in a PDF Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Secure repository under RMAP protocols
Completed field forms	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Are field forms, complete, legible, and signed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>

5. Authorization of Field Documentation Screening Review

Report prepared by: Connor Firor, Staff Geoscientist III
 Report reviewed by: Lester J. Dupes, CEAC Senior Quality Assurance Chemist
 Report approved by: Lester J. Dupes, CEAC, Senior Quality Assurance Chemist
 Report approved by: Rock J. Vitale, CEAC, Technical Director of Chemistry/Principal
 Date: 5/25/2022

SECTION 2 ENFORCEMENT/SCREENING DEFINITIONS

- E Enforcement quality. No qualifiers, U qualifier or J qualifier (see note below) and meets Level A and B criteria.
- S Screening quality. J or UJ qualifier and/or meets only Level A criteria.
- R Unusable. R qualifier and/or does not meet Level A or B requirements.

Enforcement/Screening Designation

	Meets Level A and B	Meets Level A	Does not meet Level A or B
No qualifier, A, U, or laboratory results reported between the MDL and RL with a J qualifier	E	S	R
J, J+, J-, or UJ	S	S	R
R	R	R	R

Note: It is appropriate to note that sample results qualified as estimated "J" by the laboratory because the reported result is between the MDL and RL, values are considered enforcement data if no other qualifiers were required during validation.



SECTION 3

ERM FIELD DATA SUPPORT DOCUMENTATION

RMAP FIELD SAMPLE DATA SHEET (FSDS) FOR HVS3 FLOOR DUST

Project Name/Number: Butte RMAP Indoor Dust / 0643586
 Location: Butte, Montana
 School: HIGHLAND VIEW CHRISTIAN SCHOOL
 Group #: 7

Sampling Date: 05-MAY-2022
 Field Logbook No: _____
 Page No: 11-12

Sampling Team: ERM Other _____ Name(s): JOSEPH KMETZ ; RHOWE STEFANSKI

Data Item	1	2	3
Sample ID	<u>S-0016-D-FM-01-20220505</u>	<u>S-0016-D-EB-02-20220505</u>	<u>S-0016-D-FM-03-20220505</u>
Bottle Lot #	<u>032221-1KM</u>	<u>032221-1KM</u>	<u>032221-1KM</u>
Sample Category (circle)	<input checked="" type="checkbox"/> FS-(Field Sample) <input type="checkbox"/> FD-(Field Duplicate) <input type="checkbox"/> FB-(Field Blank) <input type="checkbox"/> EB-(Equipment Blank) <input type="checkbox"/> MS/MSD-(Matix Spike/(duplicate))	<input type="checkbox"/> FS-(Field Sample) <input type="checkbox"/> FD-(Field Duplicate) <input type="checkbox"/> FB-(Field Blank) <input checked="" type="checkbox"/> EB-(Equipment Blank) <input type="checkbox"/> MS/MSD-(Matix Spike/(duplicate))	<input checked="" type="checkbox"/> FS-(Field Sample) <input type="checkbox"/> FD-(Field Duplicate) <input type="checkbox"/> FB-(Field Blank) <input type="checkbox"/> EB-(Equipment Blank) <input type="checkbox"/> MS/MSD-(Matix Spike/(duplicate))
Sample Parent ID (if a duplicate sample)	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Location Description (e.g., room number, etc.)	<u>DECISION UNIT 1 SOUTH-EAST ACCESS DOOR</u>	<u>N/A</u>	<u>DECISION UNIT 1 SOUTH-WEST ACCESS DOOR</u>
Location Floor (circle)	Basement, <input checked="" type="checkbox"/> Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other _____	Basement, Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other <u>N/A</u>	Basement, <input checked="" type="checkbox"/> Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other _____
Floor Type (circle)	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, <input checked="" type="checkbox"/> Floor Mat Other: _____	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, Floor Mat Other: <u>N/A</u>	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, <input checked="" type="checkbox"/> Floor Mat Other: _____
Approximate Sample Area (include units)	<u>15 SF</u>	<u>N/A</u>	<u>15 SF</u>
Date Last Vacuumed/Cleaned	<u>NOT CLEANED SINCE INSTALLED</u>	<u>N/A</u>	<u>NOT CLEANED SINCE INSTALLED</u>
Photo ID	<u>0007, 0008</u>	<u>0009</u>	<u>0010</u>
HVS3 Vacuum ID No.	<u>VAC B SN 2006</u>	<u>VAC B SN 2006</u>	<u>VAC B SN 2006</u>
Leak Check? (circle)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<u>N/A</u> <input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
20 sec cleaning @ end? (circle)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<u>N/A</u> <input type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Total Sample Time	<u>9.5 HR 5/5/22</u> minutes	<u>N/A</u> minutes	<u>8</u> minutes
Flow Drop	<u>5</u> inches of water	<u>N/A</u> inches of water	<u>5</u> inches of water
Nozzle Drop	<u>10</u> inches of water	<u>N/A</u> inches of water	<u>10</u> inches of water
Final Weight	<u>128.85</u> grams	<u>131.32</u> grams	<u>137.18</u> grams
Tare Weight	<u>126.46</u> grams	<u>126.24</u> grams	<u>124.93</u> grams
Net Weight (Final - Tare)	<u>2.39</u> grams	<u>5.08</u> grams	<u>6.04</u> 42.25 grams <u>JK 5/5/22</u>
Decon Time	<u>09:30</u>	<u>10:12</u>	<u>10:12 / 10:28 (CYCLONE)</u>
Comments	<u>SAMPLE COLLECTION TIME = 09:54</u>	<u>COLLECTED EB BY POURING GLASS BEADS THROUGH VAC B CYCLONE @ 10:22</u>	<u>SAMPLE COLLECTED @ 10:48</u> <u>TRANSFERRED 6.21g TO FIELD DUPLICATE</u>
Lab: Pace Analytical Container: HVS3 Catch Bottle = 250 mL LDPE; Transfer to 4 oz. glass jar			
For Field Team Completion (Initials)	Completed by: <u>[Signature]</u> QC by: <u>[Signature]</u>		

RMAP FIELD SAMPLE DATA SHEET (FSDS) FOR HVS3 FLOOR DUST

Project Name/Number: Butte RMAP Indoor Dust / 0643586
 Location: Butte, Montana
 School: HIGHLAND VIEW CHRISTIAN SCHOOL
 Group #: 1

Sampling Date: 05-MAY-2022
 Field Logbook No: 1
 Page No: 12

Sampling Team: ERM Other _____ Name(s): JOE KMETZ & RHOWE STEFANSKI

Data Item	1	2	3
Sample ID	<u>S-0016-D-FM-03D-20220505</u>	<u>S-0016-D-FM-04-20220505</u>	
Bottle Lot #	<u>022122-1KM</u>	<u>032221-1KM</u>	
Sample Category (circle)	FS-(Field Sample) <input checked="" type="checkbox"/> FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))	<input checked="" type="checkbox"/> FS-(Field Sample) <input checked="" type="checkbox"/> FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))	FS-(Field Sample) FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))
Sample Parent ID (if a duplicate sample)	<u>S-0016-D-FM-03-20220505</u>	<u>N/A</u>	
Location Description (e.g., room number, etc.)	<u>DECISION UNIT 1 SOUTH-WEST ACCESS DOOR</u>	<u>Decision Unit 1 North access door</u>	
Location Floor (circle)	Basement, <input checked="" type="checkbox"/> Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other _____	Basement, <input checked="" type="checkbox"/> Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other _____	Basement, Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other _____
Floor Type (circle)	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, <input checked="" type="checkbox"/> Floor Mat Other _____	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, <input checked="" type="checkbox"/> Floor Mat Other _____	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, Floor Mat Other _____
Approximate Sample Area (include units)	<u>15 SF</u>	<u>15 SF</u>	
Date Last Vacuumed/Cleaned	<u>NOT CLEANED SINCE INSTALLED</u>	<u>Not cleaned since installed</u>	
Photo ID	<u>0010</u>	<u>0011</u>	
HVS3 Vacuum ID No.	<u>VACB SN 2006</u>	<u>VACB SN 2006</u>	
Leak Check? (circle)	<input checked="" type="checkbox"/> Yes No	<input checked="" type="checkbox"/> Yes No	Yes No
20 sec cleaning @ end? (circle)	<input checked="" type="checkbox"/> Yes No	<input checked="" type="checkbox"/> Yes No	Yes No
Total Sample Time	<u>8</u> minutes	<u>3</u> minutes	_____ minutes
Flow Drop	<u>5</u> inches of water	<u>5</u> inches of water	_____ inches of water
Nozzle Drop	<u>10</u> inches of water	<u>10</u> inches of water	_____ inches of water
Final Weight	<u>134.26</u> grams	<u>131.62</u> grams	_____ grams
Tare Weight	<u>128.05</u> grams	<u>125.74</u> grams	_____ grams
Net Weight (Final - Tare)	<u>6.21</u> grams	<u>5.88</u> grams	_____ grams
Decon Time	<u>10:12/10:28 (CYCLONE)</u>	<u>11:15/11:40 (CYCLONE)</u>	
Comments	<u>SAMPLE TIME = 11:01</u>	<u>sample time 11:40</u>	
Lab: Pace Analytical Container: HVS3 Catch Bottle = 250 mL LDPE; Transfer to 4 oz. glass jar			
For Field Team Completion (Initials)	Completed by: <u>[Signature]</u> QC by: <u>[Signature]</u>		

5/5/22

INCH

DEFYING MOTHER NATURE®

SINCE 1916



All components of
this product are recyclable

Rite in the Rain

A patented, environmentally responsible, all-weather writing paper that sheds water and enables you to write anywhere, in any weather.

Using a pencil or all-weather pen, *Rite in the Rain* ensures that your notes survive the rigors of the field, regardless of the conditions.

© 2021
JL DARLING LLC
Tacoma, WA 98424-1017 USA
www.RiteintheRain.com

Item No. OR73
ISBN: 978-1-60134-271-3

Made in the USA
US Pat No. 6,863,940



9 3 2 2 8 1 1 0 0 1 3 1 3



Rite in the Rain
ALL-WEATHER
UNIVERSAL
N° OR73

Butte RMAP

2022

BOOK #1

TACOMA, WA, USA

— EST. 1916 —

Rite in the Rain®

— DEFYING MOTHER NATURE —

Name ERM

Address #1 NINTH STREET ISLAND DR.
LIVINGSTON, MT 59047

Phone ~~(406)~~ (612) 347-7172

Email joseph.kmetz@erm.com

Projects BUTTE RMAP

PN: 0643586



RiteintheRain.com

BUTTE RMAP
04-MAY-2022

(10)

J. KMETZ / R. STEFANSKI
60°F / SUNNY

THROUGH VAC B CYCLONE
(S-0020-D-EB-03-20220504)

1657 DECONNED VAC B CYCLONE

1708 LEAK TESTED VAC-B

RESULT 0.01 in H₂O

1712 COLLECTED FLOOR MAT

SAMPLE @ NORTH ACCESS DOOR
(S-0020-D-FM-04-20220504)

ONLY GOT 0.10 grams

1735 LEFT SMALL WORLD DAY CARE

1750 ARRIVED @ HOTEL

ADDED ICE TO SAMPLES, COPIED
NOTES & DATA SHEETS;
DOWNLOADED PHOTOS

[Large signature]
04-MAY-2022

2 1/2 square = *[Signature]* 5/4/22

BUTTE RMAP
05-MAY-2022

(11)

J. KMETZ / R. STEFANSKI
40°F / SUNNY

0730 HELD FIELD SAFETY MTC
AND DISCUSSED LOGISTICS

0830 DROPPED OFF EXTRA EQUIP
@ U-HAUL STORAGE

UNIT: AA1036P

LOCK COMBO: PORK

0925 ARRIVED @ HIGHLAND VIEW
CHRISTIAN SCHOOL

0930 DECONNED VAC B SN 2006

0951 LEAK TESTED VAC B

RESULT 0.00 in H₂O

0954 COLLECTED FLOOR MAT SAMPLE
@ SOUTH-EAST ACCESS DOOR

(S-0016-D-FM-01-20220505)

1012 DECONNED VAC B

~~LEAK TESTED VAC B~~ ✓

~~RESULT 11 H₂O~~ 5/5/22

1022 COLLECTED EQUIPMENT BLANK
THROUGH VAC B CYCLONE

(S-0016-D-EB-02-20220505)

1028 DECONNED VAC B CYCLONE

1035 LEAK TESTED VAC B

RESULT 0.00 in H₂O

1048 COLLECTED FLOOR MAT SAMPLE @
SOUTH-WEST ACCESS DOOR →

Scale: 1 square = *[Signature]* 5/5/22 *Rate in the Rain.*

BUTTE RMSP
05-MAY-2022

(12)

J. KMETZ/R. STEFANSKI
60°F/PC

(CONT'D) SOUTH-WEST ACCESS DOOR

FLOOR MAT SAMPLE

(S-0016-D-FM-03-20220505)

SINCE WE HAD 12.25 grams WE

TRANSFERRED 6.21 grams TO

ANOTHER BOTTLE AS A FIELD DUP

1101 FIELD DUPLICATE OF FLOOR

MAT SAMPLE S-0016-D-FM-03-20220505

(S-0016-D-FM-03D-20220505)

1115 DECONNED VAC B

LEAK TESTED VAC B

RESULT 0.00 in H₂O

1190 Collected floor mat sample @

North door, (S-0016-D-FM-04-20220505)

1200 ~~at~~ ^{5/5/22} _{as} Left site after collecting all
samples.

[Handwritten signature]
5/5/22

Scale: 1 square

[Handwritten signature] 5/5/22

BUTTE RMSP
05-MAY-2022

(13)

J. KMETZ/R. STEFANSKI
60°F/OVERCAST

1500 ARRIVED @ AWARE EARLY HEAD START

1510 DECONNED VAC B

1530 LEAK TESTED VAC B

RESULT 0.00 in H₂O

1535 COLLECTED FLOOR MAT SAMPLE

@ NORTH ACCESS DOOR

(S-0019-D-FM-01-20220505)

SINCE WE COLLECTED 6.38gms

WILL USE AS MS/MSD

1550 DECONNED VAC B

1613 LEAK TESTED VAC B

RESULT 0.00 in H₂O

1615 COLLECTED FLOOR MAT SAMPLE

@ WEST ACCESS DOOR

(S-0019-D-FM-02-20220505)

1627 DECONNED VAC B

1631 LEAK TESTED VAC B

RESULT 0.00 in H₂O

1656 COLLECTED FLOOR MAT SAMPLE

@ EAST ACCESS DOOR

(S-0019-D-FM-03-20220505)

*NIC PISCIOTTA FROM CDM SMITH

WAS AT THE SCHOOL FOR ALL OF

THE SAMPLING

1730 LEFT SCHOOL; PUT SAMPLES ON ICE

Scale: 1 square

[Handwritten signature] 5/5/22 *little in the rain*

INCH

DEFYING MOTHER NATURE®

SINCE 1916



All components of
this product are recyclable

Rite in the Rain

A patented, environmentally responsible, all-weather writing paper that sheds water and enables you to write anywhere, in any weather.

Using a pencil or all-weather pen, *Rite in the Rain* ensures that your notes survive the rigors of the field, regardless of the conditions.

© 2021
JL DARLING LLC
Tacoma, WA 98424-1017 USA
www.RiteintheRain.com

Item No. OR73
ISBN: 978-1-60134-271-3

Made in the USA
US Pat No. 6,863,940



9 3 2 2 8 1 1 0 0 1 3 1 3



Rite in the Rain
ALL-WEATHER
UNIVERSAL
N° OR73

Butte RMAP

2022

BOOK #1

TACOMA, WA, USA

— EST. 1916 —

Rite in the Rain®

— DEFYING MOTHER NATURE —

Name ERM

Address #1 NINTH STREET ISLAND DR.
LIVINGSTON, MT 59047

Phone ~~(406)~~ (612) 347-7172

Email joseph.kmetz@erm.com

Projects BUTTE RMAP

PN: 0643586



RiteintheRain.com

BUTTE RMAP (6) J. KMETZ / C. BERG
26-APR-2022 50°F / (M. CLOUDY)

SMALL WORLD DAY CARE

PHOTO DESC

0005 SOUTH ACCESS DOOR

0006 NORTH " "

1030 LEFT SITE

1039 ARRIVED @ HIGHLAND VIEW

CHRISTIAN SCHOOL @ MET

WITH DIANE

1050 PLACED FLOOR MATS @

(1) SOUTH-EAST ACCESS DOOR

(2) " WEST ACCESS DOOR

(3) NORTH ACCESS DOOR

PHOTO DESC

0007 SOUTH-EAST ACCESS DOOR

0008 " -WEST " "

0009 NORTH ACCESS DOOR

DIANE SAID LUNCHTIME (12:00)

OR AFTER 3:00 WORKS FOR

SAMPLING BUT ASKED THAT WE

CONTACT HER TO COORDINATE

1115 LEFT SITE AND WENT TO EST

LUNCH AND RESEARCH STORAGE

FACILITIES FOR FIELD EQUIPT

4/26/22

2/4 square =

[Signature] 4/26/22

BUTTE RMAP (7) J. KMETZ / C. BERG
26-APR-2022 50°F / (M. CLOUDY)

1335 ARRIVED @ SILVER BOW

MONTESSORI AND MET WITH

BRIANNA PEET

1345 PLACED FLOORMATS @

(1) NORTH BLDG SOUTH DOOR

(2) WEST CLASSROOM SOUTH-WEST DOOR

(3) " " " -EAST "

(4) CLASSROOM NORTH-EAST DOOR

(5) " " -WEST "

BASED ON DISCUSSION WITH

BRIANNA, WE RELOCATED THE

FLOOR MAT LOCATION FROM THE

EAST SIDE OF THE MAIN

CLASSROOM TO THE NORTH-WEST

ENTRANCE SINCE THEY DO NOT

USE THE EAST ENTRANCE BUT

KIDS USE THE NW ENTRANCE

TO ACCESS BATHROOM FROM

PLAYGROUND

PHOTO DESC

0010 NORTH BLDG SOUTH DOOR

0011 WEST CLASSROOM SW DOOR

0012 " " SE "

0013 CLASSROOM NE DOOR

3/4 square =

[Signature] 4/26/22



2022. 5. 5 10:00



Legend

- ▲ Floor Surface Sample
- Floor Mat Sample
- Inaccessible Area
- Decision Unit 1

Notes
 Room ID's reflect verbiage used on site maps provided by Butte School District



Figure 4
 Highland View Christian School
 Site Map
 2500 Grand Ave
 Butte, MT 59701

2022. 5. 5 10:13



2022. 5. 5 10:27



PLEASE DO NOT CLEAN FLOOR MAT



PLEASE DO NOT CLEAN FLOOR MAT

2022. 5. 5 10:49

PLEASE DO NOT CLEAN FLOOR MAT - THANKS

PLEASE DO NOT CLEAN FLOOR MAT - THANKS

2022. 5. 5 11:39



HIGHLAND VIEW CHRISTIAN
SCHOOL
DECISION UNIT 1
SOUTH-EAST
ACCESS DOOR
26-APR-2022

PLEASE DO NOT CLEAN FLOOR MAT THANKS

PLEASE DO NOT CLEAN FLOOR MAT - THANKS

2022. 4. 26 10:58

CHOICES




GRAND VIEW CHRISTIAN
SCHOOL
DECISION UNIT 1
SOUTH-WEST
ACCESS DOOR
26-APR-2022

PLEASE DO NOT CLEAN FLOOR MAT



PLEASE DO NOT CLEAN FLOOR MAT

2022. 4. 26 11:04



HIGHLAND VIEW CHRISTIAN
SCHOOL
DECISION UNIT 1
NORTH
ACCESS DOOR
26 APR 2012

PLEASE DO NOT CLEAN FLOOR MAT - THANKS



PLEASE DO NOT CLEAN FLOOR MAT - THANKS

2022. 4.26 11:14



STAGE 2B QUALITY ASSURANCE REVIEW

**SILVER BOW CREEK/BUTTE AREA NATIONAL PRIORITIES LIST SITE,
BUTTE PRIORITY SOILS OPERABLE UNIT,
RESIDENTIAL METALS ABATEMENT PROGRAM PROJECT**

DUST SAMPLES COLLECTED ON

JUNE 22, 2022

RESIDENT IDENTIFICATION: S-0016

SAMPLE DELIVERY GROUP: 10614861

August 25, 2022

Prepared for:

ATLANTIC RICHFIELD COMPANY

317 Anaconda Road
Butte, MT 59701

Prepared by:

ENVIRONMENTAL STANDARDS, INC.

1140 Valley Forge Road
P.O. Box 810
Valley Forge, PA 19482-0810

© 2022 Environmental Standards, Inc. - All Rights Reserved

TABLE OF CONTENTS

Introduction

Section 1 Quality Assurance Review

Section 2 Data Validation Checklist for Metals Sample Analysis

Section 3 Data Validation Qualifier Definitions

Section 4 Inorganic Data Support Documentation

Section 5 Project Case Narrative and Chain-of-Custody Record



INTRODUCTION

This quality assurance (QA) review is based upon an examination of the data generated from the analyses of the samples collected on June 22, 2022, as part of the Silver Bow Creek/Butte Area National Priorities List (NPL) Site, Butte Priority Soils Operable Unit, Residential Metals Abatement Program (RMAP) sampling event. The samples that have undergone a rigorous QA review are listed on Table 1. Table 1 also presents the laboratory sample number, collection date, matrix, parameter(s) examined, and the review level for each sample. Stage 2B review includes an evaluation of data package completeness and review of the summary forms provided (raw data are not reviewed).

This review was performed with guidance from the RMAP Quality Assurance Project Plan Non-Residential Parcels – Indoor Dust (QAPP; February 28, 2022); the “Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use,” (US EPA, January 2009); and the “National Functional Guidelines for Inorganic Superfund Methods Data Review,” (US EPA, January 2020). The National Functional Guidelines validation guidance documents specifically address analyses performed in accordance with the Contract Laboratory Program (CLP) analytical methods and are not completely applicable to the type of analyses and analytical protocols performed for the SW-846 methods utilized by the laboratory for these samples. Environmental Standards, Inc. (Environmental Standards) used professional judgment to determine the usability of the analytical results and compliance relative to the methods utilized by the laboratory.

The reported analytical results are presented as qualified electronic data deliverables (EDDs). Any required data validation qualifications have been annotated on the associated EDDs. Data were examined to determine the usability of the analytical results and compliance relative to the method requirements specified in “Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Edition” (SW-846) Methods 6020B and 7471B. This report was prepared to provide a critical review of the laboratory analyses and reported analytical results. Rigorous QA reviews of laboratory-generated data routinely identify problems associated with analytical measurements, even from the most experienced and capable laboratories. The data qualifications allow the data end-user to best understand the usability of the analytical results. Data not qualified in this report should be considered valid based on the quality control (QC) criteria that have been reviewed and be considered enforcement quality if the data also passed Level A and Level B field documentation quality assessment as detailed in the QAPP. Details of this QA review are presented in Section 1 of this report.


TABLE 1

SAMPLES INCLUDED IN THIS QUALITY ASSURANCE REVIEW

Field Sample Name	Laboratory Sample Number	Sample Delivery Group	Collection Date	Parameters Examined
S-0016-D-F-01-20220622	10614861001	10614861	6/22/22	M, Hg
S-0016-D-F-01D-20220622 (Field Duplicate of S-0016-D-F-01-20220622)	10614861002	10614861	6/22/22	M, Hg
S-0016-D-EB-01-20220622 (Equipment Blank)	10614861003	10614861	6/22/22	M, Hg

NOTES:

- M - Total Lead and Arsenic by SW-846 Method 6020B.
- Hg - Total Mercury by SW-846 Method 7471B.



SECTION 1 QUALITY ASSURANCE REVIEW

The dust samples were collected on June 22, 2022, as part of the Silver Bow Creek/Butte Area NPL Site, Butte Priority Soils Operable Unit, RMAP sampling event. The samples were collectively shipped in iced coolers to Pace of Minneapolis, Minnesota and analyzed for lead and arsenic by inductively coupled plasma/mass spectrometry (ICP/MS) for digestion and analysis by SW-846 Method 6020B. The dust samples were also analyzed for mercury by Cold Vapor Atomic Absorption (CVAA), for wet digestion and analysis by SW-846 Method 7471B. The specific samples and analyses reviewed are identified on Table 1.

The findings in this QA review are based upon a review of sample holding times, condition of samples upon laboratory receipt, blank analysis results, laboratory matrix spike sample (LMS) results, laboratory control sample (LCS) results, laboratory and field duplicate results, initial and continuing calibrations, sample preparation, reporting limit (RL) standard results, interference check sample results, post-digestion spike results, serial dilution results, internal standard performance, instrument sensitivity, analytical sequence. Any required data validation qualifications are annotated in the qualified EDD as defined in Section 3.

Issues are typically presented in two categories – deliverable issues and procedural issues. Deliverable issues are data issues that can easily be corrected and that may or may not impact the usability of the reported results. Procedural issues are issues that cannot be corrected and address method compliance issues; these issues may or may not impact the usability of the reported results. Comments address issues for which the data reviewer has provided information in order to clarify issues relating to the data; comments do not typically impact the usability of the reported results. The data reviewer has edited the laboratory-reported data and QC summary forms based on the issues and comments in this QA review. Furthermore, the data reviewer has included copies of all relevant raw data, QC forms, and other documentation needed to support these edits in the Inorganic Data Support Documentation (Section 4) of this report.

Deliverable Review

- Deliverable issues were not observed for the data in this QA review.

Procedural Review

- Procedural issues were not observed for the data in this QA review.

Comments

- Comments were not observed for the data in this QA review.

With regard to data usability, the principal areas of concern are field duplicate imprecision. Based upon a complete review of the data package provided, the following qualifiers are offered. The following data usability issues represent an interpretation of the QC results obtained for the project samples. Quite often, data qualifications address issues relating to

sample matrix problems. Similarly, the data validation guidelines routinely specify areas of the data that require qualification, yet the methods used for analysis may not require corrective action by the laboratory. Accordingly, the following data usability issues should not be construed as an indication of laboratory performance.

SECTION 2 DATA VALIDATION CHECKLIST FOR METALS SAMPLE ANALYSIS

1. Holding Times

Analyte	Laboratory	Matrix	Method	Holding Times*	Collection Date	Batch	Analysis Date	Holding Time Met (Y/N)	Affected Data Flagged (Y/N)
Lead and Arsenic	Pace – Minneapolis, MN	Dust	SW-846 Method 6020B	6 months from sample collection	6/22/22	826243	7/11/22	Y	N/A
Mercury	Pace – Minneapolis, MN	Dust	SW-846 Method 7471B	28 days from sample collection	6/22/22	826328	7/6/22	Y	N/A

*Reference for Holding Times – Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Edition” (SW-846) Methods 6020B and 7471B and Chapter 3

Were any data flagged because of holding time? Yes No

Were any data flagged because of preservation problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

2. Instrument Calibration

Was the Tune analysis performed? Yes No

Were the peak widths and resolution of the masses within the required control limits?

Yes No

Was the percent relative standard deviation \leq 5% for all analytes in the Tune solutions?

Yes No

Was the Instrument successfully calibrated at the correct frequency? Yes No

Was the Instrument calibrated with appropriate standards and blanks? Yes No

Were Initial Calibration Verification (ICV) and Continuing Calibration Verification (CCV) samples analyzed? Yes No

Were ICV and CCV results within the control window? Yes No

Were any data flagged because of calibration problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

3. Blanks

Were Initial and Continuing Calibration Blanks (ICB and CCBs) analyzed? Yes No

Were ICBs and CCBs within the control window? Yes No

Were Method Blanks (MBs) analyzed at the frequency of 1 per analytical batch? Yes No

Were MBs within the control window? Yes No

Were any data flagged because of blank problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

4. Interference Check Samples

Were ICP/MS Interference Check Samples (ICS) within the control limits? Yes No

Were any data flagged because of ICS problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Information provided in the data package(s) was insufficient to permit assessment of the potential for molecular or other interferences or the adequacy of corrections for such interferences. The fact that the analysis was performed with an instrument that includes collision cell technology reduces the likelihood of significant interference if one or more of the potentially interfering elements were present. The data user should consider this information when determining the ultimate use of the reported results.

5. Laboratory Control Samples

Were Laboratory Control Samples (LCS) analyzed at the frequency of 1 per batch?

Yes No

What was the source of the LCS?

Metals: 342946 and 336132

Mercury: 370133

Were LCS results within the control window? Yes No

Were any data flagged because of LCS problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

6. Duplicate Sample Results

Were Laboratory Duplicate Samples (LDS) analyzed at the frequency of 1 per batch?

Yes No

Were LDS results within the control window? Yes No
Were any data flagged because of LDS problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

7. Matrix Spike/Matrix Spike Duplicate/Post Digestion Spike Sample Results

Were LMS analyzed at the frequency of 1 per batch? Yes No
Were LMS percent recovery (%R) results within the control window? Yes No N/A
Were any data flagged because of LMS problems? Yes No N/A
Was a Post Digestion Spike (PDS) performed? Yes No
Were PDS percent recovery (%R) results within the control window? Yes No
Were any data flagged because of PDS problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

8. ICP/MS Serial Dilutions

Were ICP/MS Serial Dilutions (SD) analyzed at the frequency of 1 per batch? Yes No
Were SD percent differences (%D) results within the control window? Yes No
Were any data flagged because of SD problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

9. Internal Standards

Were internal standards added to each sample in the analytical batch? Yes No
Were the percent relative recoveries (%RI) within the control window? Yes No
Were any data flagged because of internal standard problems? Yes No

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

10. Field Blanks

Were field blanks submitted as specified in the Sampling Analysis Plan (SAP)?

Yes No N/A

Were field blanks within the control window? Yes No N/A

Were any data qualified because of field blank problems? Yes No N/A

Describe Any Actions Taken: No actions were required.

Comments: Qualification of data was not warranted.

A field blank was not submitted with this data set; however, an equipment blank had been collected on June 22, 2022. Section 10 was completed in regard to the equipment blank.

11. Field Duplicates

Were field duplicates submitted as specified in the Sampling Analysis Plan (SAP)?

Yes No N/A

Were the field duplicates within the control window? Yes No N/A

Were any data qualified because of field duplicate problems? Yes No N/A

Describe Any Actions Taken:

Analyte	SDG	Samples with Estimated Results ("J")
mercury	10614861	S-0016-D-F-01-20220622 and S-0016-D-F-01D-20220622

Comments: The reported positive results for mercury in the samples listed above should be considered estimated and have been flagged "J" in the qualified EDD. Field duplicate imprecision (the difference between results was $> 2\times$ the RL when at least one result was $< 5\times$ the RL) was observed in the associated field duplicate analysis.

12. Overall Assessment

Are there analytical limitations of the data that users should be aware of? Yes No

Comments:

- Data that meet the Level A and Level B criteria in the field documentation quality assessment as detailed in the QAPP, and not qualified as estimated or rejected during the data validation process, are considered enforcement-quality data and can be used for all Superfund purposes and activities. Data that meet only the Level A criteria and are not rejected during the data validation process can be considered screening-quality data in accordance with Section 5.3 of the QAPP. Level A and Level B acceptance of these data are documented in a separate report.

Complete support documentation for this inorganic QA review is presented in Section 4 of this report. The cover sheet for this section is a checklist of all QA procedures required by the

protocol and examined in this data review.

The analytical data completeness (defined as the percentage of usable data) for the samples included in this QA review is 100%.

13. Authorization of Data Validation

Report prepared by: Alyssa M. Reed, Senior Quality Assurance Chemist

Report reviewed by: Andrew L. Piasecki, Senior Quality Assurance Chemist

Report approved by: Lester J. Dupes, CEAC, Senior Quality Assurance Chemist


Report approved by: Rock J. Vitale, CEAC, Technical Director of Chemistry/Principal

Date: 8/25/22




SECTION 3 DATA VALIDATION QUALIFIER DEFINITIONS

- U The result is qualified as non-detect due to the detection of the analyte in an associated QC blank.
- J The analyte was positively identified; the associated numerical value is an estimate of the concentration of the analyte in the sample. This will also include results reported between the MDL and RL.
- J+ The result is an estimated quantity, but the result may be biased high.
- J- The result is an estimated quantity, but the result may be biased low.
- UJ The analyte was not detected above the sample reporting limit. However, the reporting limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
- No Flag Result accepted without qualification.



RMAP REASON CODES

1	Holding time violation
2	Method blank contamination
3	Surrogate recovery
4	Matrix spike/matrix spike duplicate recovery
5	Matrix spike/matrix spike duplicate precision outside limits
6	Laboratory control sample recovery
7	Field blank contamination
8	Field duplicate precision outside limits
9	Other deficiencies (including cooler temperature)
A	Absence of supporting QC
S	ICV, CCV, or column performance check problem
Y	Initial and continuing calibration blank problem
M	Interference check samples problem
O	Post-digestion spike outside of 75-125%
F	MSA correlation coefficient < 0.995, or MSA not done
G	Serial dilution problem
K	DFTPP or BFB tuning problem
Q	Initial calibration problem
X	Internal standard recovery problem
V	Second-source standard calibration verification problem
L	Low bias
Z	Retention time problem
N	Counting time error (radionuclide chemistry)
W	Detector instability (radionuclide chemistry)
C	Co-elution of compounds
E	Value exceeds linear calibration range
I	Interferences present during analysis
T	Trace-level compound, poor quantitation
P	1C/2C precision outside of limits
B	LCS/LCSD precision outside limits
D	Lab Dup/Rep precision outside limits
H	High Bias



SECTION 4

INORGANIC DATA SUPPORT DOCUMENTATION



INORGANIC ANALYSIS SUPPORT DOCUMENTATION

Client Name: Atlantic Richfield
 Site/Project Name: 2022 RMAP DV and DM
 Job Number/Task/Subtask: 20229825.A000
 Laboratory/Location: Pace Minneapolis
 SDG: 10614861
 Sample Collection Dates: 6/22/22

EnvStd Project Manager: Lester Dupes
 Reviewed by: Alyssa Reed
 Approved by: Andrew Piasecki
 Completion Date: 8/2022
 Validation Level: 2B

The following table indicates criteria that were examined, the identified problems, and support documentation attachments.

Parameter/ Method	Criteria Examined in Detail						Problems Identified					
	Note: All items examined have been included in the Support Document unless otherwise noted.											
	Check (√) if Yes or Footnote Letter for Comments Below											
	Metals	Mercury					Metals	Mercury				
Condition upon Receipt	√	√										
Sample Preservation	√	√										
Holding Times	√	√										
Blank Analysis Results	√	√										
Laboratory Control Sample	√	√										
Matrix Spike (Pre-Digestion Spike)	√	√										
Laboratory Duplicate	√	√										
Field Duplicate	√	√						√				
Total vs. Dissolved Results Comparison												
Sample Preparation	√	√										
Mass Tuning	√											
Initial Calibrations	√	√										
Continuing Calibrations	√	√										
Detection Limit/Reporting Limit Standards	√	√										
Negative Bias												
Interference Checks	√											
Post-Digestion Spike	√											
Serial Dilution	√											
Analytical Sequence	√	√										
Linear Range Analysis	√	√										
Interelement Correction Factors												
Detection Limit/Sensitivity	√	√										
Dilutions	√											
Internal Standard Performance	√											
Quantitation of Results												
Multiple Exposures %RSD												
Percent Solids												
Deliverable was Complete	√	√										
Others:												

Comments: Quantitation of Results and Multiple Exposures are not included in the Support Documentation unless a problem was identified.

ANALYTICAL RESULTS

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

Sample: S-0016-D-F-01-20220622 **Lab ID: 10614861001** Collected: 06/22/22 15:53 Received: 06/29/22 08:50 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	21.2	mg/kg	2.3	0.51	5	07/05/22 12:36	07/11/22 20:12	7440-38-2	
Lead	62.6	mg/kg	2.3	0.14	5	07/05/22 12:36	07/11/22 20:12	7439-92-1	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.036	mg/kg	0.020	0.0085	1	07/06/22 10:52	07/06/22 18:32	7439-97-6	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

Sample: S-0016-D-F-01D-20220622 Lab ID: 10614861002 Collected: 06/22/22 15:53 Received: 06/29/22 08:50 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	20.1	mg/kg	2.3	0.51	5	07/05/22 12:36	07/11/22 20:34	7440-38-2	
Lead	57.1	mg/kg	2.3	0.14	5	07/05/22 12:36	07/11/22 20:34	7439-92-1	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	0.085	mg/kg	0.019	0.0080	1	07/06/22 10:52	07/06/22 18:39	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

Sample: S-0016-D-EB-01-20220622 Lab ID: 10614861003 Collected: 06/22/22 16:02 Received: 06/29/22 08:50 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	<0.10	mg/kg	0.48	0.10	1	07/05/22 12:36	07/11/22 20:37	7440-38-2	
Lead	<0.028	mg/kg	0.48	0.028	1	07/05/22 12:36	07/11/22 20:37	7439-92-1	
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Pace Analytical Services - Minneapolis									
Mercury	<0.0081	mg/kg	0.019	0.0081	1	07/06/22 10:52	07/06/22 18:40	7439-97-6	



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

FORM II INORGANIC-1
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Initial Calibration Verification Source: 375462

Continuing Calibration Verification Source: 375462

Concentration Units: ug/L Instrument ID: 10ICM8

Analyte	Initial Calibration Verification				Continuing Calibration Verification						
	07/11/2022 11:56				07/11/2022 12:14			07/11/2022 17:17			Control Limit
	True	Found	%R	Control Limit	True	Found	%R	True	Found	%R	
Arsenic	80	78.2	97.7	90-110	80	78.5	98.1	80	78.0	97.5	90-110
Lead	80	82.4	103.0	90-110	80	82.1	102.7	80	82.6	103.3	90-110



FORM II INORGANIC-2
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Initial Calibration Verification Source: _____

Continuing Calibration Verification Source: 375462

Concentration Units: ug/L Instrument ID: 10ICM8

Analyte	Continuing Calibration Verification									Control Limit
	07/11/2022 18:00			07/11/2022 19:58			07/11/2022 20:41			
	True	Found	%R	True	Found	%R	True	Found	%R	
Arsenic	80	75.9	94.9	80	75.4	94.3	80	75.6	94.6	90-110
Lead	80	81.7	102.1	80	81.8	102.2	80	81.2	101.5	90-110



FORM II INORGANIC-3
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Initial Calibration Verification Source: _____

Continuing Calibration Verification Source: 375462

Concentration Units: ug/L Instrument ID: 10ICM8

	Continuing Calibration Verification			
	07/11/2022 21:24			Control Limit
Analyte	True	Found	%R	
Arsenic	80	76.5	95.7	90-110
Lead	80	82.4	103.0	90-110



FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 375461 Analysis Date/Time: 07/11/2022 12:03

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Arsenic	0.5	0.50	99.0	80-120
Lead	0.5	0.49	97.8	80-120



FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 375461 Analysis Date/Time: 07/11/2022 17:24

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Arsenic	0.5	0.46	92.8	80-120
Lead	0.5	0.48	96.0	80-120



FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 375461 Analysis Date/Time: 07/11/2022 20:48

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Arsenic	0.5	0.48	96.0	80-120
Lead	0.5	0.49	98.0	80-120



FORM III INORGANIC-1
BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract : 0643586 RMAP Interior School

Method Blank Matrix: Solid Instrument ID: 10ICM8

Method Blank Concentration Units: mg/kg

Analyte	Initial Calibration Blank (ug/L)		Continuing Calibration Blank (ug/L)						Method Blank	
	07/11/2022 12:00	C	07/11/2022 12:18	C	07/11/2022 17:20	C	07/11/2022 18:04	C	4373117	C
Arsenic	0.11	U	0.11	U	0.11	U	0.11	U	<0.11	U
Lead	0.029	U	0.029	U	0.029	U	0.029	U	<0.029	U



FORM III INORGANIC-2

BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract : 0643586 RMAP Interior School

Method Blank Matrix: _____ Instrument ID: 10ICM8

Method Blank Concentration Units: _____

Analyte	Initial Calibration Blank		Continuing Calibration Blank (ug/L)					
		C	07/11/2022 20:01	C	07/11/2022 20:44	C	07/11/2022 21:27	C
Arsenic			0.11	U	0.11	U	0.11	U
Lead			0.029	U	0.029	U	0.029	U



QUALITY CONTROL DATA

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

QC Batch: 825608

Analysis Method: EPA 6020B

QC Batch Method: EPA 3050B

Analysis Description: 6020B Solids UPD5

Laboratory:

Pace Analytical Services - Minneapolis

Associated Lab Samples: 10614861001, 10614861002, 10614861003

METHOD BLANK: 4373117

Matrix: Solid

Associated Lab Samples: 10614861001, 10614861002, 10614861003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/kg	<0.11	0.50	0.11	07/11/22 20:05	
Lead	mg/kg	<0.029	0.50	0.029	07/11/22 20:05	

LABORATORY CONTROL SAMPLE: 4373118

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	48.8	48.8	100	80-120	
Lead	mg/kg	48.8	53.2	109	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4373120 4373121

Parameter	Units	10614861001		4373121		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Arsenic	mg/kg	21.2	46.7	47	67.1	70.6	98	105	75-125	5	20
Lead	mg/kg	62.6	46.7	47	107	120	96	122	75-125	11	20

SAMPLE DUPLICATE: 4373119

Parameter	Units	10614861001 Result	Dup Result	RPD	Max RPD	Qualifiers
Arsenic	mg/kg	21.2	21.1	0	20	
Lead	mg/kg	62.6	64.8	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

FORM IV INORGANIC-1
INTERFERENCE CHECK SAMPLE

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Instrument ID: 10ICM8

Solution A Run Date: 07/11/2022 12:07

ICS Source: 375460,375459

Solution AB Run Date: 07/11/2022 12:10

Concentration Units: ug/L

Analyte	True		Found				
	Sol. A	Sol. AB	Sol. A	%R	Sol. AB	%R	Limits
Aluminum	25000	27500	24523.999	98.1	27081.282	98.5	80-120
Arsenic		100	0.037		98.805	98.8	80-120
Calcium	25000	27500	24412.619	97.7	27366.309	99.5	80-120
Iron	25000	26250	24574.454	98.3	25896.523	98.7	80-120
Lead		100	0.006		96.43	96.4	80-120
Magnesium	25000	27500	24267.977	97.1	27311.072	99.3	80-120
Molybdenum	500	600	504.582	100.9	612.057	102	80-120
Potassium	25000	27500	24625.095	98.5	27161.433	98.8	80-120
Sodium	25000	27500	25107.074	100.4	27585.929	100.3	80-120
Titanium	500	600	478.352	95.7	585.69	97.6	80-120



FORM V INORGANIC-1
POST-DIGESTION SPIKE SAMPLE RECOVERY

SAMPLE NO.

4376652PDS

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Matrix: Solid Parent Sample ID: S-0016-D-F-01-20220622

Analyte	Units	Control Limit %R	DF	Spiked Sample Result (SSR)	DF	Sample Result (SR)	Spike Added (SA)	%R
Arsenic	ug/L	80-120	5	86.5	5	4.5J	80	102.4
Lead	ug/L	80-120	5	98.8	5	13.4	80	106.7



FORM VIII INORGANIC-1
SERIAL DILUTIONS

4376653SD

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior SchoolMatrix: Solid Parent Sample ID: S-0016-D-F-01-20220622

Analyte	Units	Initial Sample Result	Serial Dilution Result	% Difference	Control Limit %D
Arsenic	ug/L	4.5J	10.9U		10
Lead	ug/L	13.4	12.7J	4.6	10



* Indicates that the % Difference exceeds the control limit.
No difference is calculated if either result is a non-detect.

07/13/2022 11:06

FORM IX INORGANIC-1
INSTRUMENT DETECTION LIMITS

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Preparation Method: None Instrument ID: 10ICM8

Concentration Units: ug/L

Analyte	PQL	IDL	IDL Date
Arsenic	0.50	0.11	06/20/2022
Lead	0.50	0.029	06/20/2022

FORM IX INORGANIC-2
METHOD DETECTION LIMITS

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Preparation Method: EPA 3050B Instrument ID: 10ICM8

Concentration Units: mg/kg

Analyte	PQL	MDL	MDL Date
Arsenic	0.50	0.11	07/19/2021
Lead	0.50	0.029	07/19/2021

FORM XI - INORGANIC-1
LINEAR DYNAMIC RANGES

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract : 0643586 RMAP Interior

Instrument ID: 10ICM8 Effective Date:09/12/2021

Analyte	Concentration (ug/L)
Arsenic	450
Lead	450

FORM XII INORGANIC-1
PREPARATION LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Preparation Method: EPA 3050B Batch: MPRP 125816

Lab Sample ID	Sample Name	Preparation Date	Initial Weight (g)	Final Volume (mL)
4373117	4373117	07/05/2022	1.009	50
4373118	4373118	07/05/2022	1.025	50
4373119	4373119	07/05/2022	1.067	50
4373120	4373120	07/05/2022	1.07	50
4373121	4373121	07/05/2022	1.064	50
10614861001	S-0016-D-F-01-20220622	07/05/2022	1.067	50
10614861002	S-0016-D-F-01D-20220622	07/05/2022	1.066	50
10614861003	S-0016-D-EB-01-20220622	07/05/2022	1.047	50

FORM XIII INORGANIC-1
ANALYSIS RUN LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Instrument ID: 10ICM8 Analysis Method: EPA 6020B

Start Date: 07/11/2022 11:26 End Date: 07/11/2022 21:27

Sample Name	Lab Sample ID	D/F	Date	Time	As	Pb
30461875CAL0	30461875CAL0	1	07/11/2022	11:26	X	X
30461876CAL1	30461876CAL1	1	07/11/2022	11:30	X	X
30461877CAL2	30461877CAL2	1	07/11/2022	11:34	X	X
30461878CAL3	30461878CAL3	1	07/11/2022	11:37	X	X
30461879CAL4	30461879CAL4	1	07/11/2022	11:41	X	X
30461880CAL5	30461880CAL5	1	07/11/2022	11:45	X	X
30461881CAL6	30461881CAL6	1	07/11/2022	11:49	X	X
30461882CAL7	30461882CAL7	1	07/11/2022	11:52	X	X
30461883ICV	30461883ICV	1	07/11/2022	11:56	X	X
30461884ICB	30461884ICB	1	07/11/2022	12:00	X	X
30461885CRDL	30461885CRDL	1	07/11/2022	12:03	X	X
30461886ICSA	30461886ICSA	1	07/11/2022	12:07	X	X
30461887ICSAB	30461887ICSAB	1	07/11/2022	12:10	X	X
30461888CCV	30461888CCV	1	07/11/2022	12:14	X	X
30461889CCB	30461889CCB	1	07/11/2022	12:18	X	X
30461914CCV	30461914CCV	1	07/11/2022	17:17	X	X
30461915CCB	30461915CCB	1	07/11/2022	17:20	X	X
30461916CRDL	30461916CRDL	1	07/11/2022	17:24	X	X
30461917CCV	30461917CCV	1	07/11/2022	18:00	X	X
30461921CCB	30461921CCB	1	07/11/2022	18:04	X	X
30461926CCV	30461926CCV	1	07/11/2022	19:58	X	X
30461927CCB	30461927CCB	1	07/11/2022	20:01	X	X
4373117BLANK	4373117	1	07/11/2022	20:05	X	X
4373118LCS	4373118	1	07/11/2022	20:09	X	X
S-0016-D-F-01-20220622	10614861001	5	07/11/2022	20:12	X	X
4376653SD	4376653	25	07/11/2022	20:19	X	X
4373119DUP	4373119	5	07/11/2022	20:23	X	X
4373120MS	4373120	5	07/11/2022	20:26	X	X
4373121MSD	4373121	5	07/11/2022	20:30	X	X
S-0016-D-F-01D-20220622	10614861002	5	07/11/2022	20:34	X	X
S-0016-D-EB-01-20220622	10614861003	1	07/11/2022	20:37	X	X
30461928CCV	30461928CCV	1	07/11/2022	20:41	X	X
30461929CCB	30461929CCB	1	07/11/2022	20:44	X	X
30461937CRDL	30461937CRDL	1	07/11/2022	20:48	X	X
30461938CCV	30461938CCV	1	07/11/2022	21:24	X	X
30461939CCB	30461939CCB	1	07/11/2022	21:27	X	X



US EPA 200.8/6020 Tune Check Report

Acq/Data Batch
Report Comment
Instrument Name

C:\Agilent\ICPMH1\DATA\071122.b
10ICM8 PW
G3281A JP13142395


[He]

Sensitivity

Mass	Count	RSD%	RSD%(Rqd)	RSD%(Flag)	Rep#1 Count	Rep#2 Count	Rep#3 Count	Rep#4 Count	Rep#5 Count
9	134	4.077	5.000		125	134	138	137	135
24	2066	2.410	5.000		1981	2103	2063	2094	2089
25	311	2.520	5.000		301	313	308	312	322
26	390	2.660	5.000		382	396	375	398	397
59	27037	3.290	5.000		25584	26841	27322	27743	27697
115	24716	3.625	5.000		23222	24776	24761	25342	25478
206	6951	1.726	5.000		6813	7007	6835	7013	7086
207	5906	2.478	5.000		5714	5954	5826	5929	6105
208	14396	0.870	5.000		14195	14454	14528	14426	14374

Integration Time [sec] 0.1

Resolution/Axis



Mass	Peak Height	Axis	Axis (Required)	Axis (Flag)	W-5%	W-5% (Required)	W-5% (Flag)
9	227.92	8.90	8.90 - 9.10		0.781	0.900	
24	3672.60	23.95	23.90 - 24.10		0.771	0.900	
25	542.44	24.90	24.90 - 25.10		0.776	0.900	
26	685.54	25.90	25.90 - 26.10		0.779	0.900	
59	49836.93	58.95	58.90 - 59.10		0.770	0.900	
115	50995.88	115.00	114.90 - 115.10		0.701	0.900	
206	13528.69	206.00	205.90 - 206.10		0.786	0.900	
207	11527.04	207.00	206.90 - 207.10		0.768	0.900	
208	28473.35	208.00	207.90 - 208.10		0.791	0.900	

Integration Time [sec] 0.1 Acquisition Time [sec] 212.5 Y Axis Linear

Tune Parameters

Plasma Parameters

Plasma Mode	—	Nebulizer Gas	0.70 L/min	Dilution Gas	0.35 L/min
RF Power	1550 W	Option Gas	—	Auxiliary Gas	0.90 L/min
RF Matching	1.80 V	Nebulizer Pump	0.10 rps	Plasma Gas	15.0 L/min
Sample Depth	8.0 mm	S/C Temp	2 °C		

Lens Parameters

Extract 1	0.0 V	Omega Lens	5.0 V	Deflect	-1.2 V
Extract 2	-130.0 V	Cell Entrance	-40 V	Plate Bias	-60 V
Omega Bias	-70 V	Cell Exit	-60 V		

Cell Parameters

Use Gas	Yes	3rd Gas Flow	—	Energy Discrimination	3.0 V
He Flow	4.5 mL/min	OctP Bias	-18.0 V		
H2 Flow	0.0 mL/min	OctP RF	170 V		

US EPA 200.8/6020 Tune Check Report

Acq/Data Batch
Report Comment
Instrument Name

C:\Agilent\ICPMH1\DATA\071122.b
10ICM8 PW
G3281A JP13142395


[H2]

Sensitivity

Mass	Count	RSD%	RSD%(Rqd)	RSD%(Flag)	Rep#1 Count	Rep#2 Count	Rep#3 Count	Rep#4 Count	Rep#5 Count
9	1319	3.315	5.000		1247	1319	1328	1337	1365
24	19645	2.525	5.000		18973	19494	19488	20080	20189
25	2887	2.440	5.000		2812	2841	2872	2920	2991
26	3519	3.002	5.000		3361	3520	3505	3552	3655
59	30956	3.135	5.000		29784	30136	31108	31866	31888
115	60134	3.974	5.000		57366	58258	60067	61968	63013
206	8791	4.897	5.000		8150	8742	8758	8971	9334
207	7463	4.163	5.000		7036	7357	7397	7695	7830
208	18148	4.183	5.000		17256	17584	18079	18810	19013

Integration Time [sec] ✓ 0.1

Resolution/Axis



Mass	Peak Height	Axis	Axis (Required)	Axis (Flag)	W-5%	W-5% (Required)	W-5% (Flag)
9	2277.79	8.90	8.90 - 9.10		0.771	0.900	
24	34554.88	23.95	23.90 - 24.10		0.782	0.900	
25	4984.95	24.90	24.90 - 25.10		0.783	0.900	
26	6106.65	25.90	25.90 - 26.10		0.779	0.900	
59	56924.29	58.95	58.90 - 59.10		0.773	0.900	
115	117626.04	115.00	114.90 - 115.10		0.728	0.900	
206	16495.29	206.00	205.90 - 206.10		0.811	0.900	
207	13752.52	207.00	206.90 - 207.10		0.782	0.900	
208	34071.28	208.00	207.90 - 208.10		0.813	0.900	

Integration Time [sec] 0.1 ✓ Acquisition Time [sec] 212.5 ✓ Y Axis Linear

Tune Parameters

Plasma Parameters

Plasma Mode	—	Nebulizer Gas	0.70 L/min	Dilution Gas	0.35 L/min
RF Power	1550 W	Option Gas	—	Auxiliary Gas	0.90 L/min
RF Matching	1.80 V	Nebulizer Pump	0.10 rps	Plasma Gas	15.0 L/min
Sample Depth	8.0 mm	S/C Temp	2 °C		

Lens Parameters

Extract 1	0.0 V	Omega Lens	5.0 V	Deflect	-2.2 V
Extract 2	-130.0 V	Cell Entrance	-40 V	Plate Bias	-60 V
Omega Bias	-70 V	Cell Exit	-60 V		

Cell Parameters

Use Gas	Yes	3rd Gas Flow	—	Energy Discrimination	2.0 V
He Flow	0.0 mL/min	OctP Bias	-18.0 V		
H2 Flow	4.0 mL/min	OctP RF	170 V		


FORM XV INORGANIC-1
INTERNAL STANDARDS RELATIVE INTENSITY SUMMARY

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Instrument ID: 10ICM8 Start Date: 07/11/2022 11:26 End Date: 07/11/2022 21:27

Sample Name	Time	GE-72	Ge-72-IS1	In-115	Ir-193-IS	Sc-45-IS	Sc-45-IS1	Tb-159
30461875CAL0	11:26	100.0	100.0	100.0	100.0	100.0	100.0	100.0
30461876CAL1	11:30	99.8	100.7	101.5	102.0	101.1	101.1	100.1
30461877CAL2	11:34	100.3	100.5	101.1	100.3	101.4	100.3	99.6
30461878CAL3	11:37	101.5	101.5	99.3	98.2	102.5	101.8	98.3
30461879CAL4	11:41	101.3	101.9	98.7	97.3	102.7	101.3	98.2
30461880CAL5	11:45	101.1	102.2	99.5	93.8	102.6	102.3	96.1
30461881CAL6	11:49	98.8	101.7	97.2	95.2	103.6	103.1	98.0
30461882CAL7	11:52	99.9	102.1	94.9	88.7	104.6	106.2	95.1
30461883ICV	11:56	105.4	105.6	100.5	95.8	107.4	105.9	99.2
30461884ICB	12:00	103.4	106.4	101.6	98.2	106.3	106.1	98.3
30461885CRDL	12:03	104.4	106.8	101.0	97.5	107.2	106.1	98.7
30461886ICSA	12:07	103.2	104.5	98.1	90.8	108.4	107.3	95.9
30461887ICSAB	12:10	102.7	105.3	97.6	92.6	108.4	107.2	96.5
30461888CCV	12:14	106.6	109.1	100.8	94.8	110.0	108.2	96.7
30461889CCB	12:18	105.2	109.0	102.3	99.7	108.5	108.5	100.2
30461914CCV	17:17	104.8	109.0	101.2	94.4	109.0	108.0	98.7
30461915CCB	17:20	103.2	108.9	102.0	98.9	105.3	107.5	99.4
30461916CRDL	17:24	105.0	108.6	103.3	101.1	108.4	107.5	100.5
30461917CCV	18:00	114.9	119.0	103.2	93.2	121.4	120.7	96.3
30461921CCB	18:04	112.8	116.6	105.7	97.4	118.6	117.7	98.5
30461926CCV	19:58	113.4	115.5	101.4	91.3	120.7	117.6	94.6
30461927CCB	20:01	110.4	115.7	103.8	93.1	116.6	117.1	96.6
4373117	20:05	111.1	115.9	104.1	93.9	118.4	118.1	96.1
4373118	20:09	113.0	116.2	102.8	90.2	120.2	117.9	91.7
S-0016-D-F-01-	20:12	113.1	117.7	105.6	94.6	120.2	119.3	97.3
4376653	20:19	114.7	119.0	106.4	94.3	119.7	120.8	99.5
4373119	20:23	113.6	117.7	105.4	93.0	120.9	119.2	97.8
4373120	20:26	112.9	117.2	105.5	93.8	120.2	119.1	97.7
4373121	20:30	113.3	117.0	104.9	93.2	120.7	119.1	97.4
S-0016-D-F-01D-	20:34	113.4	117.9	105.4	94.3	120.7	119.7	97.9
S-0016-D-EB-01-	20:37	112.3	118.7	105.5	93.8	119.5	121.5	97.2
30461928CCV	20:41	114.6	117.3	103.4	89.9	124.7	119.2	94.9
30461929CCB	20:44	114.8	119.2	106.4	93.8	122.0	120.3	96.5
30461937CRDL	20:48	113.7	118.1	104.9	92.9	120.6	121.1	95.9
30461938CCV	21:24	111.9	118.7	103.1	91.7	120.0	119.9	97.4
30461939CCB	21:27	111.8	114.9	104.6	96.5	117.4	114.5	99.1





	R _{jt}	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD	%RE
1	<input type="checkbox"/>	0.000	0.000	3189.63	0.0024	P	7.5	
2	<input type="checkbox"/>	5.000	5.024	34940.64	0.0262	P	0.6	0.5
3	<input type="checkbox"/>	10.000	9.837	65690.41	0.0489	P	1.0	-1.6
4	<input type="checkbox"/>	50.000	48.566	315287.63	0.2321	P	1.0	-2.9
5	<input type="checkbox"/>	100.000	97.450	628273.71	0.4634	P	1.8	-2.5
6	<input type="checkbox"/>	250.000	248.566	1595255.79	1.1783	A	1.1	-0.6
7	<input type="checkbox"/>	500.000	501.373	3140248.33	2.3742	A	0.4	0.3
8	<input type="checkbox"/>			5640.91	0.0042	P	4.4	

$y = 0.0047 * x + 0.0024$


R = 1.0000

DL = 0.1139 ppb

BEC = 0.5038 ppb

Weight: <None>

Min Conc: <None>



	R _{jt}	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD	%RE
1	<input type="checkbox"/>	0.000	0.000	448.51	0.0003	P	2.9	
2	<input type="checkbox"/>	0.500	0.484	2878.07	0.0022	P	1.3	-3.2
3	<input type="checkbox"/>	10.000	9.519	48465.34	0.0361	P	2.1	-4.8
4	<input type="checkbox"/>	50.000	46.782	239114.33	0.1761	P	2.2	-6.4
5	<input type="checkbox"/>	100.000	94.385	481169.75	0.3549	P	1.1	-5.6
6	<input type="checkbox"/>	250.000	242.188	1232127.66	0.9101	P	0.4	-3.1
7	<input type="checkbox"/>	500.000	505.360	2511271.75	1.8987	A	0.2	1.1
8	<input type="checkbox"/>			1159.37	0.0009	P	6.0	

$y = 0.0038 * x + 3.3503E-004$


R = 0.9998

DL = 0.007634 ppb

BEC = 0.08919 ppb

Weight: <None>

Min Conc: <None>



	R _{jt}	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD	%RE
1	<input type="checkbox"/>	0.000	0.000	1991.74	0.0003	P	2.4	
2	<input type="checkbox"/>	0.500	0.491	31478.67	0.0045	P	0.4	-1.8
3	<input type="checkbox"/>	10.000	9.528	563759.63	0.0826	P	1.9	-4.7
4	<input type="checkbox"/>	50.000	49.285	2848634.61	0.4258	A	2.5	-1.4
5	<input type="checkbox"/>	100.000	98.637	5647034.16	0.8518	A	1.1	-1.4
6	<input type="checkbox"/>	250.000	251.834	13890469.38	2.1744	A	3.3	0.7
7	<input type="checkbox"/>	500.000	499.437	27966941.67	4.3119	A	1.9	-0.1
8	<input type="checkbox"/>			13787.37	0.0023	P	1.4	

$y = 0.0086 * x + 2.9235E-004$


R = 1.0000 ✓

DL = 0.002389 ppb

BEC = 0.03387 ppb

Weight: <None>

Min Conc: <None>



	R _{jt}	Conc.	Calc Conc.	CPS	Ratio	Det.	RSD	%RE
1	<input type="checkbox"/>	0.000	0.000	2043.51	0.0003	P	13.5	
2	<input type="checkbox"/>	0.500	0.492	25597.81	0.0037	P	4.4	-1.5
3	<input type="checkbox"/>	10.000	9.446	445653.65	0.0653	P	1.6	-5.5
4	<input type="checkbox"/>	50.000	49.652	2286387.78	0.3417	A	0.8	-0.7
5	<input type="checkbox"/>	100.000	99.634	4543436.81	0.6854	A	1.0	-0.4
6	<input type="checkbox"/>	250.000	256.927	11289629.00	1.7670	A	2.6	2.8
7	<input type="checkbox"/>	500.000	496.656	22149999.67	3.4155	A	2.7	-0.7
8	<input type="checkbox"/>			2616.95	0.0004	P	4.0	

$y = 0.0069 * x + 3.0020E-004$

R = 0.9999

DL = 0.01764 ppb

BEC = 0.04366 ppb

Weight: <None>

Min Conc: <None>



Prep Log Report

Batch Information: MPRP 825608 6020BS

Template Version: ENV-EPL-MIN4-0015-Rev.00 (13Dec2020)

Prep Method	EPA 3050B
Block ID	10MET50
Corrected Temp. (C)	91.00
Corrected End Temp. (C)	92.00
Metals Pipette 2	
Reviewed By	NJ1

Analysis Method	EPA 6020B
Thermometer ID	210354356
Digestion Start Date/Time	07/05/2022 12:36:43:943
Digestion Vessel	371540
Bottle Disp. 1	
Reviewed By Date	07/05/2022 17:20

Prepared By	HTV
Correction Factor (C)	+0.3
Digestion End Date/Time	07/05/2022 15:14:45:483
Resin Pellets Solid Matrix	368356
Bottle Disp. 2	Q452
Batch Notes	Q-854, Q-852. WEIGHED BY RMF

Instrument	10BALT
Block Temp (C)	90.7
Block End Temp (C)	91.7
Metals Pipette 1	Q765
Bottle Disp. 3	

Sample Information:

QC Rule	Sample Type	Lab Sample ID	Matrix	Initial Weight (g)	Conc. HNO3 (mL)	H2O2 (mL)	Conc. HCL (mL)	Final Volume (mL)	Sample Notes	Hg-SPK (mL)	METALS-STK1 (mL)	METALS-STK2 (mL)
6020BS_P	BLANK	4373117	Solid	1.009	367837 (7.5)	369698 (2.5)	363604 (5)	50				
6020BS_P	LCS	4373118	Solid	1.025	367837 (7.5)	369698 (2.5)	363604 (5)	50		371468 (.25)	342946 (.5)	336132 (.5)
6020BS_P	PS	10614861001	Solid	1.067	367837 (7.5)	369698 (2.5)	363604 (5)	50				
6020BS_P	DUP	4373119	Solid	1.067	367837 (7.5)	369698 (2.5)	363604 (5)	50				
6020BS_P	MS	4373120	Solid	1.07	367837 (7.5)	369698 (2.5)	363604 (5)	50		371468 (.25)	342946 (.5)	336132 (.5)
6020BS_P	MSD	4373121	Solid	1.064	367837 (7.5)	369698 (2.5)	363604 (5)	50		371468 (.25)	342946 (.5)	336132 (.5)
6020BS_P	PS	10614861002	Solid	1.066	367837 (7.5)	369698 (2.5)	363604 (5)	50				
6020BS_P	PS	10614861003	Solid	1.047	367837 (7.5)	369698 (2.5)	363604 (5)	50				

Standard Notes:

336132: ZPACEMN-106

342946: ZPACEMN-116 (MIX 1)

371468: Intermediate Spike for ICPMS Soil

FORM II INORGANIC-1
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Initial Calibration Verification Source: 374711

Continuing Calibration Verification Source: 374711

Concentration Units: ug/L Instrument ID: 10HG09

Analyte	Initial Calibration Verification				Continuing Calibration Verification						
	07/06/2022 11:39				07/06/2022 12:10			07/06/2022 18:08			Control Limit
	True	Found	%R	Control Limit	True	Found	%R	True	Found	%R	
Mercury	5.0	5.4	108.6	90-110	5.0	5.1	102.6	5.0	4.8	97.0	90-110



FORM II INORGANIC-2
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Initial Calibration Verification Source: _____

Continuing Calibration Verification Source: 374711

Concentration Units: ug/L Instrument ID: 10HG09

Analyte	Continuing Calibration Verification						Control Limit
	07/06/2022 18:26			07/06/2022 18:44			
	True	Found	%R	True	Found	%R	
Mercury	5.0	4.8	97.0	5.0	4.8	96.4	90-110



FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 374706,374754 Analysis Date/Time: 07/06/2022 11:43

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Mercury	0.2	0.18	90.0	70-130



FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 374706,374754 Analysis Date/Time: 07/06/2022 18:24

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Mercury	0.2	0.16	80.0	70-130



FORM II INORGANIC-1
CRDL CHECK STANDARD

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

CRDL Check Standard Source: 374706,374754 Analysis Date/Time: 07/06/2022 18:42

Concentration Units: ug/L

Analyte	CRDL Check Standard			
	True	Found	%R	Control Limit %R
Mercury	0.2	0.17	85.0	70-130



FORM III INORGANIC-1
BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract : 0643586 RMAP Interior School

Method Blank Matrix: Solid Instrument ID: 10HG09

Method Blank Concentration Units: mg/kg

Analyte	Initial Calibration Blank (ug/L)		Continuing Calibration Blank (ug/L)						Method Blank	
	07/06/2022 11:41	C	07/06/2022 12:11	C	07/06/2022 18:09	C	07/06/2022 18:27	C	4373140	C
Mercury	0.087	U	0.087	U	0.087	U	0.087	U	<0.0081	U



FORM III INORGANIC-2
BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract : 0643586 RMAP Interior School

Method Blank Matrix: _____ Instrument ID: 10HG09

Method Blank Concentration Units: _____

Analyte	Initial Calibration Blank		Continuing Calibration Blank (ug/L)					
		C	07/06/2022 18:45	C		C		C
Mercury			0.087	U				



QUALITY CONTROL DATA

Project: 0643586 RMAP Interior School
Pace Project No.: 10614861

QC Batch: 825614	Analysis Method: EPA 7471B
QC Batch Method: EPA 7471B	Analysis Description: 7471B Mercury Solids
	Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10614861001, 10614861002, 10614861003

METHOD BLANK: 4373140 Matrix: Solid
Associated Lab Samples: 10614861001, 10614861002, 10614861003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.0081	0.019	0.0081	07/06/22 18:29	

LABORATORY CONTROL SAMPLE: 4373141

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.45	0.39	88	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4373143 4373144

Parameter	Units	10614861001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.036	0.49	0.49	0.45	0.42	85	79	80-120	6	20	M1

75-125%

SAMPLE DUPLICATE: 4373142

Parameter	Units	10614861001 Result	Dup Result	RPD	Max RPD	Qualifiers
Mercury	mg/kg	0.036	0.036	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

FORM IX INORGANIC-1
INSTRUMENT DETECTION LIMITS

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Preparation Method: None Instrument ID: 10HG09

Concentration Units: ug/L

Analyte	PQL	IDL	IDL Date
Mercury	0.20	0.087	03/30/2021

FORM IX INORGANIC-2
METHOD DETECTION LIMITS

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Preparation Method: EPA 7471B Instrument ID: 10HG09

Concentration Units: mg/kg

Analyte	PQL	MDL	MDL Date
Mercury	0.020	0.0087	03/30/2021

FORM XII INORGANIC-1
PREPARATION LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Preparation Method: EPA 7471B Batch: MERP 37766

Lab Sample ID	Sample Name	Preparation Date	Initial Weight (g)	Final Volume (mL)
4373140	4373140	07/06/2022	0.323	30
4373141	4373141	07/06/2022	0.337	30
4373142	4373142	07/06/2022	0.305	30
4373143	4373143	07/06/2022	0.305	30
4373144	4373144	07/06/2022	0.305	30
10614861001	S-0016-D-F-01-20220622	07/06/2022	0.305	30
10614861002	S-0016-D-F-01D-20220622	07/06/2022	0.324	30
10614861003	S-0016-D-EB-01-20220622	07/06/2022	0.323	30

FORM XIII INORGANIC-1
ANALYSIS RUN LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10614861 Contract: 0643586 RMAP Interior School

Instrument ID: 10HG09 Analysis Method: EPA 7471B

Start Date: 07/06/2022 11:29 End Date: 07/06/2022 18:45

Sample Name	Lab Sample ID	D/F	Date	Time	Hg
30422889CAL0	30422889CAL0	1	07/06/2022	11:29	X
30422890CAL1	30422890CAL1	1	07/06/2022	11:31	X
30422891CAL2	30422891CAL2	1	07/06/2022	11:33	X
30422892CAL3	30422892CAL3	1	07/06/2022	11:34	X
30422893CAL4	30422893CAL4	1	07/06/2022	11:36	X
30422894CAL5	30422894CAL5	1	07/06/2022	11:38	X
30422895ICV	30422895ICV	1	07/06/2022	11:39	X
30422896ICB	30422896ICB	1	07/06/2022	11:41	X
30422897CRDL	30422897CRDL	1	07/06/2022	11:43	X
30422898CCV	30422898CCV	1	07/06/2022	12:10	X
30422899CCB	30422899CCB	1	07/06/2022	12:11	X
30422942CCV	30422942CCV	1	07/06/2022	18:08	X
30422943CCB	30422943CCB	1	07/06/2022	18:09	X
30422944CRDL	30422944CRDL	1	07/06/2022	18:24	X
30422945CCV	30422945CCV	1	07/06/2022	18:26	X
30422946CCB	30422946CCB	1	07/06/2022	18:27	X
4373140BLANK	4373140	1	07/06/2022	18:29	X
4373141LCS	4373141	1	07/06/2022	18:31	X
S-0016-D-F-01-20220622	10614861001	1	07/06/2022	18:32	X
4373142DUP	4373142	1	07/06/2022	18:34	X
4373143MS	4373143	1	07/06/2022	18:35	X
4373144MSD	4373144	1	07/06/2022	18:37	X
S-0016-D-F-01D-20220622	10614861002	1	07/06/2022	18:39	X
S-0016-D-EB-01-20220622	10614861003	1	07/06/2022	18:40	X
30422947CRDL	30422947CRDL	1	07/06/2022	18:42	X
30422948CCV	30422948CCV	1	07/06/2022	18:44	X
30422949CCB	30422949CCB	1	07/06/2022	18:45	X



Report Generated By Teledyne Leeman QuickTrace

Analyst: 10metalsuser,LENA WIGER

Worksheet file: S:\DATA\Metals\10HG09\06JUL22SOOLIDS10HG09.wszf

Creation Date: 7/6/2022 11:20:22 AM


Comment: EPA 7471/7471B

Results

Sample Name	Type	Date/Time	Conc (ug/L)	μAbs	%RSD	Residual	Flags	DF	% Recovery
Calibration Blank	STD	07/06/22 11:29:54 am	0.00	597	0.94			1.0000	N/A
Replicates		596.3 605.2 594.2 592.7							
Standard #1 (0.2 ug/L)	STD	07/06/22 11:31:31 am	0.20	2157	0.95	-12.76%		1.0000	N/A
Replicates		2127.3 2160.9 2169.6 2171.6							
Standard #2 (1 ug/L)	STD	07/06/22 11:33:09 am	1.00	8942	0.84	5.47%		1.0000	N/A
Replicates		8949.8 9011.0 8970.5 8836.5							
Standard #3 (3 ug/L)	STD	07/06/22 11:34:46 am	3.00	23957	0.71	0.09%		1.0000	N/A
Replicates		23730.6 24004.5 24137.5 23954.0							
Standard #4 (5 ug/L)	STD	07/06/22 11:36:24 am	5.00	39383	0.77	0.08%		1.0000	N/A
Replicates		38966.0 39463.3 39694.8 39408.1							
Standard #5 (10 ug/L)	STD	07/06/22 11:38:03 am	10.00	77835	0.82	-0.08%		1.0000	N/A
Replicates		76954.6 77820.5 78444.5 78120.7							

Calibration

Equation: $Abs = 7708.174x + 812.377$
 R2: 0.99994 ✓ RSE: 8.01%
 SEE: 258.5337
 Flags:



ICV	ICV	07/06/22 11:39:50 am	5.43	42635	0.80			1.0000	108.52
Replicates		42363.8 42873.4 42971.9 42332.6							
ICB	ICB	07/06/22 11:41:28 am	-0.03	592	3.92			1.0000	N/A
Replicates		584.7 604.2 587.7 589.7							
CRDL	CRDL	07/06/22 11:43:05 am	0.18	2192	1.17			1.0000	89.49
Replicates		2188.4 2195.6 2211.1 2172.4							
4370027_44293	UNK	07/06/22 11:47:48 am	-0.04	480	3.65			1.0000	N/A
Replicates		468.1 487.3 472.5 493.8							
4370028_44293	UNK	07/06/22 11:49:24 am	5.06	39799	0.79			1.0000	N/A
Replicates		39353.8 39843.7 40013.4 39986.4							
10614556002_44293	UNK	07/06/22 11:51:01 am	51.99	401533	0.62		O	1.0000	N/A
Replicates		398359.7 402956.9 404011.4 400804.1							
10614556002Dx10_44293	UNK	07/06/22 11:57:33 am	6.83	53469	0.56			1.0000	N/A
Replicates		53062.5 53647.8 53712.0 53454.0							



Prep Log Report

Batch Information: MERP 825614 7471BS

Template Version: ENV-EPL-MIN4-0028-Rev.00 (13Dec2020)

Prep Method	EPA 7471B
Block ID	10MET54
Corrected Temp. (C)	94.40
Corrected End Temp. (C)	95.10
Metals Pipette 2	
Bottle Disp. 4	
Batch Notes	Therm ID: 210354360. Weighed by RMF. Q-854, Q-852, Q-851.

Analysis Method	EPA 7471B
Thermometer ID	
Digestion Start Date/Time	07/06/2022 10:52:53:826
Digestion Vessel	371540
Bottle Disp. 1	
Bottle Disp. 5	

Prepared By	HTV
Correction Factor (C)	-0.3
Digestion End Date/Time	07/06/2022 11:45:03:458
Resin Pellets Solid Matrix	368356
Bottle Disp. 2	Q452
Reviewed By	NJ1

Instrument	10BALT
Block Temp (C)	94.7
Block End Temp (C)	95.4
Metals Pipette 1	Q473
Bottle Disp. 3	
Reviewed By Date	07/06/2022 13:47

Sample Information:

QC Rule	Sample Type	Lab Sample ID	Matrix	Initial Weight (g)	Aqua Regia (mL)	5% KMnO4 (mL)	12% NH2OH*HCL (mL)	Final Volume (mL)	Sample Notes	MERCURY-SPK (mL)
7471B S_P	BLANK	4373140	Solid	0.323	374641 (3)	374025 (9)	373236 (3.6)	30		
7471B S_P	LCS	4373141	Solid	0.337	374641 (3)	374025 (9)	373236 (3.6)	30		370133 (.15)
7471B S_P	PS	10614861001	Solid	0.305	374641 (3)	374025 (9)	373236 (3.6)	30		
7471B S_P	DUP	4373142	Solid	0.305	374641 (3)	374025 (9)	373236 (3.6)	30		
7471B S_P	MS	4373143	Solid	0.305	374641 (3)	374025 (9)	373236 (3.6)	30		370133 (.15)
7471B S_P	MSD	4373144	Solid	0.305	374641 (3)	374025 (9)	373236 (3.6)	30		370133 (.15)
7471B S_P	PS	10614861002	Solid	0.324	374641 (3)	374025 (9)	373236 (3.6)	30		
7471B S_P	PS	10614861003	Solid	0.323	374641 (3)	374025 (9)	373236 (3.6)	30		

Standard Notes:

370133: LCS, MS, MSD Spike Solution

SECTION 5

**LABORATORY CASE NARRATIVE AND
CHAIN-OF-CUSTODY RECORD**

SAMPLE SUMMARY

Project: 0643586 RMAP Interior School
Pace Project No.: 10614861

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10614861001	✓S-0016-D-F-01-20220622	Solid	✓06/22/22 15:53	06/29/22 08:50
10614861002	✓S-0016-D-F-01D-20220622	Solid	✓06/22/22 15:53	06/29/22 08:50
10614861003	✓S-0016-D-EB-01-20220622	Solid	✓06/22/22 16:02	06/29/22 08:50

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

Method: EPA 6020B

Description: 6020B MET ICPMS

Client: BP-ERM-MT

Date: July 12, 2022

General Information:

3 samples were analyzed for EPA 6020B by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3050B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

Method: EPA 7471B

Description: 7471B Mercury

Client: BP-ERM-MT

Date: July 12, 2022

General Information:

3 samples were analyzed for EPA 7471B by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 825614

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10614861001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery. ✓

- MSD (Lab ID: 4373144)

- Mercury

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



DC#_ Title: ENV-FRM-MIN4-0149 v03_Sample Condition Upon Receipt (SCUR) - ESI

Effective Date: 04/12/2022

Sample Condition Upon Receipt - ESI Tech Specs

Client Name: Brm

Project

WO#: 10614861

PM: JMA Due Date: 07/07/22
CLIENT: BP-ERM-MT

Courier: Fed Ex UPS USPS Client
 Pace Speedee Commercial

Tracking Number: 5405 1819 4960 See Exceptions ENV-FRM-MIN4-01

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Biological Tissue Frozen? Yes No N/A

Packing Material: Bubble Wrap Bubble Bags None Other: Temp Blank? Yes No

Thermometer: T1(0461) T2(1336) T3(0459) T4(0254) T5(0489) T6(0235) T7(0042) Type of Ice: Wet Blue None Dry Melted

Temp should be above freezing to 6°C Cooler Temp Read w/temp blank: 2.5 °C Average Corrected Temp (no temp blank only): °C See Exceptions ENV-FRM-MIN4-0142 1 Container
Correction Factor: Two Cooler Temp Corrected w/temp blank: 2.5 °C

USDA Regulated Soil: N/A, water sample/Other: SDV + SQ Date/Initials of Person Examining Contents: AH 6/29/22
Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present and Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	3. JMA 6/29/22
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	4.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. <input type="checkbox"/> Fecal Coliform <input type="checkbox"/> HPC <input type="checkbox"/> Total Coliform/E coli <input type="checkbox"/> BOD/cBOD <input type="checkbox"/> Hex Chrome <input type="checkbox"/> Turbidity <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Orthophos <input type="checkbox"/> Other
Rush Turn Around Time Requested?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Sufficient Sample Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7.
Triple Volume Provided for MS/MSD (if more than 10 samples)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Field Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	10. Is sediment visible in the dissolved container? <input type="checkbox"/> Yes <input type="checkbox"/> No
Is sufficient information available to reconcile the samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. If no, write ID/ Date/Time on Container Below: See Exception <input type="checkbox"/> ENV-FRM-MIN4-0142
Matrix: <input type="checkbox"/> Water <input type="checkbox"/> Soil <input type="checkbox"/> Oil <input checked="" type="checkbox"/> Other <u>SDV + SQ</u>		12. Sample # <input type="checkbox"/> NaOH <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> Zinc Acetate Positive for Res. <input type="checkbox"/> Yes <input type="checkbox"/> No See Exception <input type="checkbox"/> ENV-FRM-MIN4-0142 Chlorine? <input type="checkbox"/> No pH Paper Lot# Res. Chlorine 0-6 Roll 0-6 Strip 0-14 Strip
All containers needing acid/base preservation have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
All containers needing preservation are found to be in compliance with EPA recommendation (HNO ₃ , H ₂ SO ₄ <2pH, NaOH >9 Sulfide, NaOH >10 Cyanide) Exceptions: VOA, Coliform, TOC/DOC Oil and Grease, DRO/8015 (water) and Dioxin/PFAS *If adding preservative to a container it must be added to associated field and equipment blanks (verify with PM first)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Extra labels present on soil VOA or WIDRO containers?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. See Exception <input type="checkbox"/> ENV-FRM-MIN4-0140
Headspace in VOA Vials (greater than 6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
3 Trip Blanks Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Pace Trip Blank Lot # (if purchased):
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Temp Log: Temp must be maintained at <6°C during login, record temp every 20 mins		
Opened Time: <u>12:34</u>	Temp: <u>2.5</u>	Corrected Temp: <u>2.5</u>
Time: <u>12:57</u>	put in cooler	
Time: <u>IMA 6/29/22</u>	Temp:	Corrected Temp:

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted:

Date/Time:

Comments/Resolution:

Project Manager Review:

Note: Whenever there is a discrepancy affecting North Carolina samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers).

Date: 06/29/2022

Labeled by: AH

QUALIFIERS

Project: 0643586 RMAP Interior School

Pace Project No.: 10614861

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

LEVEL A/B FIELD DOCUMENTATION SCREENING REVIEW

**SILVER BOW CREEK/BUTTE AREA NATIONAL PRIORITIES LIST SITE,
BUTTE PRIORITY SOILS OPERABLE UNIT,
RESIDENTIAL METALS ABATEMENT PROGRAM PROJECT**

DUST SAMPLES COLLECTED ON

JUNE 22, 2022

RESIDENT IDENTIFICATION: S-0016

SAMPLE DELIVERY GROUPS: 10614861

JULY 28, 2022

Prepared for:

ATLANTIC RICHFIELD COMPANY
317 Anaconda Road
Butte, MT 59701

Prepared by:

ENVIRONMENTAL STANDARDS, INC.
1140 Valley Forge Road
P.O. Box 810
Valley Forge, PA 19482-0810


© 2022 Environmental Standards, Inc. - All Rights Reserved

INTRODUCTION

This quality assurance (QA) review of field documents is based upon an examination of the data generated during the collection of the field samples on June 22, 2022, as part of the Silver Bow Creek/Butte Area National Priorities List (NPL) Site, Butte Priority Soils Operable Unit, Residential Metals Abatement Program (RMAP) sampling event. This review was performed using guidance from the RMAP Quality Assurance Project Plan Non-Residential Parcels –Indoor Dust (QAPP; February 28, 2022), Section 5.1.2.1 Field Data Verification.

The Level A/B review is documented on the checklist below as described in the CFRSSI Data Management/Data Validation (DV/DM) Plan (ARCO, 1992a) and the CFRSSI DM/DV Plan Addendum (AERL, 2000), and will be used in the verification process for field documentation related to samples collected for laboratory analyses.

Data that meet the Level A and Level B criteria and are not qualified as estimated or rejected during the analytical data validation process are assessed as enforcement quality data and can be used for all Superfund purposes and activities. Data that meet only the Level A criteria and are not rejected during the data validation process can be assessed as screening quality data. Screening quality data can be used only for certain activities, which include engineering studies and design. Data that do not meet the Level A and/or B criteria and/or are rejected during the data validation process are designated as unusable. The determination of enforcement quality data and screening quality data will be made in conjunction with the data validation report and qualified based on the requirements of Section 5.3 of the QAPP. Identification of enforcement, screening or unusable data will be added to the electronic data deliverables.



SECTION 1 LEVEL A/B FIELD DOCUMENTATION SCREENING REVIEW**1. General Information**

Site: Highland View Christian School (S-0016)
 Project: Residential Metals Abatement Program
 Client: Atlantic Richfield Company
 Sample Matrix: Dust

2. Screening Result

Data are:

Unusable

Level A

Level B

3. Level A Criteria: The following must be fully documented

Criteria		Comments
Sampling date	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Recorded in Logbook <input checked="" type="checkbox"/> COC <input checked="" type="checkbox"/> Bottle Labels <input checked="" type="checkbox"/>
Sampling team or leader name	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Recorded in Logbook <input checked="" type="checkbox"/> COC <input checked="" type="checkbox"/>
Physical description of sampling location	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Recorded in Logbook <input checked="" type="checkbox"/> Field Forms <input checked="" type="checkbox"/> Photo Log <input checked="" type="checkbox"/>
Sample collection depth (soils)	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	Recorded in Logbook <input type="checkbox"/> Field Forms <input type="checkbox"/>
Sample collection technique	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Collected in accordance with the SOPs in Appendix B of QAPP Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Field preparation technique	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Collected in accordance with the SOPs in Appendix B of QAPP Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample preservation technique	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Dust samples for arsenic, lead and mercury analyses submitted on ice? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample shipping records	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Did sample arrive at < 6°C but not frozen (mercury analysis)? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> <u>2.5°C</u> Reported (corrected) temperature

4. Level B Criteria – The following must be fully documented.

Criteria		Comments
Field instrumentation methods and standardization complete.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Field equipment calibrated if used? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample container preparation	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Unpreserved bottles provided by laboratory and lot number tracked? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Collection of field duplicates (1/20 minimum)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Sampling equipment decontamination	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Dedicated sampling equipment decontaminated per QAPP Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Field custody documentation	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	COC complete and signed (performed during SCUR review) Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Shipping custody documentation	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Custody Seals applied to sample shipment cooler (performed during SCUR review) Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Custody Seals intact (performed during SCUR review) Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Shipping method verified during SCUR review
Traceable sample designation number	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Sample IDs in Logbook match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Field logbook(s), custody records in secure repository	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	All notes are complete in a PDF Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Secure repository under RMAP protocols
Completed field forms	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Are field forms, complete, legible, and signed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>

5. Authorization of Field Documentation Screening Review

Report prepared by: Connor E. Firor, Staff Geoscientist III
 Report reviewed by: Joseph P. Kraycik, Senior Consulting Geoscientist
 Report approved by: Lester J. Dupes, CEAC, Senior Quality Assurance Chemist
 Report approved by: Rock J. Vitale, CEAC, Technical Director of Chemistry/Principal
 Date: 7/28/2022

SECTION 2 ENFORCEMENT/SCREENING DEFINITIONS

- E Enforcement quality. No qualifiers, U qualifier or J qualifier (see note below) and meets Level A and B criteria.
- S Screening quality. J or UJ qualifier and/or meets only Level A criteria.
- R Unusable. R qualifier and/or does not meet Level A or B requirements.

Enforcement/Screening Designation

	Meets Level A and B	Meets Level A	Does not meet Level A or B
No qualifier, A, U, or laboratory results reported between the MDL and RL with a J qualifier	E	S	R
J, J+, J-, or UJ	S	S	R
R	R	R	R

Note: It is appropriate to note that sample results qualified as estimated "J" by the laboratory because the reported result is between the MDL and RL, values are considered enforcement data if no other qualifiers were required during validation.



SECTION 3

ERM FIELD DATA SUPPORT DOCUMENTATION

RMAP FIELD SAMPLE DATA SHEET (FSDS) FOR HVS3 FLOOR DUST

Project Name/Number: Butte RMAP Indoor Dust / 0643586
 Location: Butte, Montana
 School: Highland View Christian
 Group #: 1J

Sampling Date: 01/22/22
 Field Logbook No: 15
 Page No: 8

Sampling Team: ERM Other _____ Name(s): T. Wilson

Data Item	1	2	3
Sample ID	<u>S-0016-D-P-01-20220622</u>	<u>S-0016-D-P-01B-20220622</u>	<u>S-0016-D-EB-01-20220622</u>
Bottle Lot #	<u>003851</u>	<u>0081259</u>	<u>003865</u>
Sample Category (circle)	FS-(Field Sample) FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))	FS-(Field Sample) FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))	FS-(Field Sample) FD-(Field Duplicate) FB-(Field Blank) EB-(Equipment Blank) MS/MSD-(Matix Spike/(duplicate))
Sample Parent ID (if a duplicate sample)	<u>N/A</u>	<u>S-0016-D-P-01-20220622</u>	<u>N/A</u>
Location Description (e.g., room number, etc.)	<u>West wing of building</u>	<u>West wing of building</u>	<u>N/A</u>
Location Floor (circle)	Basement, Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other _____	Basement, Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other _____	Basement, Ground/Main Floor, 1 st Floor, 2 nd Floor, 3 rd Floor Other <u>N/A</u>
Floor Type (circle)	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, Floor Mat Other: _____	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, Floor Mat Other: _____	Bare Floor: Tile, Laminate, Wood Carpet: Plush, Level Loop, Multilevel, Shag, Floor Mat Other: <u>N/A</u>
Approximate Sample Area (include units)	<u>75ft²</u>	<u>75ft²</u>	<u>N/A</u>
Date Last Vacuumed/Cleaned	<u>Unknown</u>	<u>Unknown</u>	<u>N/A</u>
Photo ID	<u>160337 (phone)</u>	<u>160337 (phone)</u>	<u>N/A</u>
HVS3 Vacuum ID No.	<u>Vacuum A</u>	<u>Vacuum A</u>	<u>Vacuum A</u>
Leak Check? (circle)	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No	Yes <input checked="" type="radio"/> No <u>NA</u>
20 sec cleaning @ end? (circle)	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No	Yes <input checked="" type="radio"/> No <u>NA</u>
Total Sample Time	<u>10</u> minutes	<u>10</u> minutes	<u>2</u> minutes
Flow Drop	<u>5</u> inches of water	<u>5</u> inches of water	<u>N/A</u> inches of water
Nozzle Drop	<u>10</u> inches of water	<u>10</u> inches of water	<u>N/A</u> inches of water
Final Weight	<u>132.97</u> grams	<u>131.31</u> grams	<u>142.80</u> grams
Tare Weight	<u>127.81</u> grams	<u>127.83</u> grams	<u>127.82</u> grams
Net Weight (Final - Tare)	<u>0.16</u> grams	<u>3.48</u> grams	<u>14.98</u> grams
Decon Time	<u>1531</u>	<u>1531</u>	<u>1602 tw 6/22/22 1557</u>
Time Sample Collected	<u>1553</u>	<u>1553</u>	<u>1602</u>
Comments	<u>Sample location was moved to west wing</u>		
Lab: Pace Analytical Container: HVS3 Catch Bottle = 250 mL LDPE; Transfer to 4 oz. glass jar			
For Field Team Completion (Initials)	Completed by: <u>TW</u> QC by: <u>LS</u>		



22 June 2022 15:30
Photo 160337 emk 07/27/22

6-22-22

(7)

NC, TW, LB
West elementary

0700 MET UP AT HOTEL LOBBY, LOGISTICS,
SAFETY MEETING

~~0800~~ 0800 ARRIVED AT WEST ELEMENTARY,
CHECKED IN AT OFFICE, UNLOAD AND
SET-UP EQUIPMENT, CALIBRATED MINI-VACS

0900 STARTED MINI VAC AT S-11 (CLASS ROOM 101)

0930 SAMPLED AT S-11 S-0005-D-S-11-20220622 ^{TOP OF CHALKBOARD}

0945 STARTED MINI VAC AT S-12 (CLASSROOM 102, TOP OF LIGHTS)

1015 SAMPLED S-12 ^{AND S-6 (MAIN OFFICE)}
S-0005-D-S-12-20220622

1020 STARTED MINI VAC AT S-13 (CLASS ROOM 103, ^{TOP OF LIGHTS & SHOWING})

1030 SAMPLED S-6 AND S-13 S-0005-D-S-06-20220622
S-0005-D-13-20220622

1035 STARTED MINI VAC AT S-14 (CLASS ROOM 104, ^{TOP OF LIGHTS AND SHOWING})

1050 SAMPLED S-14 S-0005-S-D-S-14-20220622

1100 STARTED VAC AT S-8 (STORAGE ROOM IN MAIN OFFICE)

1125 SAMPLED S-8 S-0005-S-D-S-8-20220622

1130 STARTED VAC AT S-17 (GIRL'S RESTROOM ^{UNION CONSTRUCTION})

1145 SAMPLED AT S-17 S-0005-S-D-S-17-20220622

1150 STARTED VAC AT S-18 (CLASS ROOM 108, ^{TOP OF LIGHTS})

1210 SAMPLED S-18 S-0005-8-D-S-18-20220622

1150 STARTED VAC AT S-6, BUT NO DUST IN ROOM

1215 STARTED VAC AT S-19 (CLASS ROOM 109, ^{TOP OF LIGHTS})

1224 SAMPLED S-19 S-0005-8-D-S-19-20220622

1245 STARTED VAC AT S-20 (CLASS ROOM 112, ^{TOP OF LIGHTS})

1302 SAMPLED S-19, ^{DUPLICATE} S-0005-D-S-20-20220622
S-0005-D-S-20D-20220622

1430 STARTED VAC AT S-21 (CLASS ROOM 111, ^{TOP OF LIGHTS})

6-22-22

(8)

Mc, TW, LB
West elementary

1440 SAMPLED AT S-21 S-0005-D-S-21-20220622

1507 STARTED VAC AT S-24 (TRACTOR'S LOUNGE)

1518 SAMPLED AT S-24 S-0005-D-S-24-20220622

1550 STARTED VAC AT S-25 (CLASS ROOM 205, ^{TOP OF} LIGHTS)

1620 SAMPLED S-25 S-0005-D-S-25-20220622

NE 1430¹⁶³⁰ STARTED VAC AT S-22 (CLASS ROOM 203, ^{TOP OF} LIGHTS)

NE 1644 SAMPLED S-22 S-0005-D-S-22-20220622

1656 STARTED VAC AT S-23 (SCIENCE LAB, ^{TOP OF} LIGHTS)

1728 SAMPLED S-23 S-0005-D-S-23-20220622

1440 T. Wilson off site

1450 T. Wilson arrived at U-Haul,

picked up gear

1505 Arrive at Highland Christian View

1514 speak with Dawn and unload gear

See FSDS Highland View 6/22/22 TW emk 06/28/22

1531 Decon vacuum A, leak test

1543 Begin samplings F-01

S-0016-D-F-01-20220622 S-0016-D-F-01D-20220622

1553 Finish samplings F-01 (Duplicate) emk 06/28/22

1557 Decon Vacuum A

1602 Tape equipment & Blank (E-01) S-0016-D-EB-01-20220622

1604 Pack up gear

1610 off-site

1640 T. Wilson at West Elementary

1720 STARTED VAC AT S-40 (Room 306, TOP OF LIGHTS)

1742 SAMPLED S-40 S-0005-D-S-40-20220622

1736 STARTED VAC AT S-42 (Room 310 ^{TOP OF} LIGHTS)

6-22-22

(9)

NC, TN, LB

West elementary

- 1751 SAMPLED S-42 S-0005-D-S-42-20220622
- 1745 STARTED VAC AT S-41 (Room 305, ^{TOP OF} LIGHTS)
- 1810 SAMPLED S-41 S-0005-D-S-41-20220622
- 1800 STARTED VAC AT S-43 (Room 309, ^{TOP OF} LIGHTS)
- 1815 SAMPLED S-43 S-0005-D-S-43-20220622
- 1818 PACK UP EQUIPMENT
- 1830 DEPART WEST ELEMENTARY

NATHAN CHAMPEN

SECTION 4

PROJECT CORRESPONDENCE

From: [Elsie King](#)
To: [Amanda Whitney](#)
Cc: [AR_Deliverables](#); [Joe Kraycik](#); [Connor Firor](#); [Lester Dupes](#); [Rock J. Vitale](#)
Subject: RE: Field Documentation Review: Atlantic Richfield Indoor Dust- Highland View Christian School (Event 06222022)
Date: Wednesday, July 27, 2022 1:36:00 PM
Attachments: [image002.png](#)
[0643586 Butte RMAP Sampling Photo 22-JUN-2022 Highland.pdf](#)

Caution! This message was sent from outside your organization.

[Allow sender](#) | [Block sender](#)

Hi Amanda, Attached is the photo for the June 22, 2022 sample collected at Highland View.

Thanks,

Elsie King
Senior Consultant
ERM
900 E. Benson Blvd. | Suite 480 | Anchorage, AK | 99508
T +1 925 482 3792 | M +1 907 201 6785
E Elsie.King@erm.com | W www.erm.com



From: Amanda Whitney <awhitney@envstd.com>
Sent: Wednesday, July 27, 2022 8:25 AM
To: Elsie King <Elsie.King@erm.com>
Cc: [AR_Deliverables](#) <AR_Deliverables@envstd.com>; [Joe Kraycik](#) <jkraycik@envstd.com>; [Connor Firor](#) <cfiror@envstd.com>; [Lester Dupes](#) <ldupes@envstd.com>; [Rock J. Vitale](#) <rvitale@envstd.com>
Subject: Field Documentation Review: Atlantic Richfield Indoor Dust- Highland View Christian School (Event 06222022)

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good afternoon Elsie,

Please provide the photo log associated with the indoor dust sampling for Highland View Christian School collected 6/22/2022 (SDG 10614861). Thanks!

Amanda Whitney (Harvey)
Quality Assurance Chemist
Environmental Standards, Inc.

1140 Valley Forge Road • PO Box 810 • Valley Forge, PA 19482
610.935.5577 x438 • www.envstd.com • aharvey@envstd.com

Emergency Response Quality Assurance Hotline: 855.374.7272



This message contains information which may be confidential, proprietary, privileged, or otherwise protected by law from disclosure or use by a third party. If you have received this message in error, please contact us immediately at (303) 741-5050 and take the steps necessary to delete the message completely from your computer system. Thank you.

Please visit ERM's web site: <http://www.erm.com>. To find out how ERM manages personal data, please review our [Privacy Policy](#)

ERM has over 160 offices across the following countries and territories worldwide

Argentina	The Netherlands
Australia	New Zealand
Belgium	Peru
Brazil	Poland
Canada	Portugal
China	Puerto Rico
Colombia	Romania
France	Russia
Germany	Senegal
Ghana	Singapore
Guyana	South Africa
Hong Kong	South Korea
India	Spain
Indonesia	Switzerland
Ireland	Taiwan
Italy	Tanzania
Japan	Thailand
Kazakhstan	UAE
Kenya	UK
Malaysia	US
Mexico	Vietnam
Mozambique	

ERM's Livingston Office

1 Ninth Street Island Drive
Livingston, MT 59047

T: +1 406 222 7600

F: +1 406 222 7677

www.erm.com