



ACADEMIC
PRESS

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Ecotoxicology and Environmental Safety 56 (2003) 450

**Ecotoxicology
and
Environmental
Safety**

<http://www.elsevier.com/locate/ecoenv>

Erratum

Erratum to “Ecotoxicological impact of pharmaceuticals found in treated wastewaters: study of carbamazepine, clofibric acid, and diclofenac”

[*Ecotoxicol. Environ. Saf.* 55 (2003) 359–370]☆

Benoît Ferrari,^a Nicklas Paxéus,^b Roberto Lo Giudice,^c Antonino Pollio,^c and Jeanne Garric^{a,*}

^a*Laboratoire d'écotoxicologie, CEMAGREF, 3 bis quai Chauveau, 69336 Lyon, CP 220, Cedex 09, France*

^b*GRYAAB, Göteborg Regional Sewage Works, Karl IX:s väg, S-418 34 Göteborg, Sweden*

^c*Dipartimento di Biologia Vegetale, Facoltà di Scienze, Università degli Studi di Napoli “Federico II”, via Foria, 223-80139 Naples, Italy*

On page 364, left-hand column, the second line from the bottom should read “to 11.5 mg/L for Diclofenac (Microtox)” instead of “to 115 mg/liter for Diclofenac (Microtox)”.

On page 365, the last two columns of **Table 5** contain errors in the use of commas. For the reader's convenience, the corrected **Table 5** is shown here.

Table 5
Experimental NOEC, LOEC, and EC₅₀ values obtained with bacteria, rotifers, cladocerans, and fish on pharmaceuticals

		Results (µg/L)		
		Carbamazepine	Clofibric acid	Diclofenac
<i>Acute toxicity</i>				
Microtox 30 min	EC ₅₀	> 81,000	91,827	11,454
<i>D. magna</i> 48 h	EC ₅₀	> 13,800	> 200,000	224,30
<i>C. dubia</i> 48 h	EC ₅₀	77,700	> 200,000	22,704
<i>Chronic toxicity</i>				
<i>P. subcapitata</i> 96 h	NOEC	> 100,000	75,000	10,000
	LOEC	> 100,000	150,000	20,000
<i>B. calyciflorus</i> 48 h	NOEC	377	246	12,500
	LOEC	754	740	25,000
<i>C. dubia</i> 7 days	NOEC	25	640	1,000
	LOEC	100	2,560	2,000
<i>D. rerio</i> (ELS) 10 days	NOEC	25,000	70,000	4,000
	LOEC	50,000	140,000	8,000

☆ doi of original article 10.1016/S0147-6513(02)00082-9.

*Corresponding author.

E-mail address: jeanne.garric@cemagref.fr (J. Garric).