



- Eskes, C., Boström, A.-C., Bowe, G. et al. (2017). Good cell culture practices & in vitro toxicology. *Toxicol In Vitro* 45, 272-277. doi:10.1016/j.tiv.2017.04.022
- Gstraunthaler, G. and Hartung, T. (1999). Bologna declaration toward good cell culture practice. *Altern Lab Anim* 27, 206.
- Hartung, T., Balls, M., Bardouille, C. et al. (2002). Report of ECVAM task force on good cell culture practice (GCCP). *Altern Lab Anim* 30, 407-414. doi:10.1177/026119290203000404
- Hartung, T., de Vries, R., Hoffmann, S. et al. (2019). Toward good in vitro reporting standards. *ALTEX* 36, 3-17. doi:10.14573/altex.1812191
- Krebs, A., Waldmann, T., Wilks, M. F. et al. (2019). Template for the description of cell-based toxicological test methods to allow evaluation and regulatory use of the data. *ALTEX* 36, 682-699. doi:10.14573/altex.1909271
- Marx, U., Andersson, T. B., Bahinski, A. et al. (2016). Biology-inspired microphysiological system approaches to solve the prediction dilemma of substance testing using animals. *ALTEX* 33, 272-321. doi:10.14573/altex.1603161
- Marx, U., Akabane, T., Andersson, T. B. et al. (2020). Biology-inspired microphysiological systems to advance medicines for patient benefit and animal welfare. *ALTEX* 37, 365-394. doi:10.14573/altex.2001241
- OECD (2005). Guidance Document on the Validation and International Acceptance of New or Updated Test Methods for Hazard Assessment. *OECD Series on Testing and Assessment, No. 34*. <http://bit.ly/24oFedN>
- OECD (2018). Guidance Document on Good In Vitro Method Practices (GIVIMP). *OECD Series on Testing and Assessment, No. 286*. OECD Publishing, Paris. doi:10.1787/9789264304796-en
- Pamies, D., Bal-Price, A., Simeonov, A. et al. (2017). Good cell culture practice for stem cells and stem-cell-derived models. *ALTEX* 34, 95-132. doi:10.14573/altex.1607121
- Pamies, D., Bal-Price, A., Chesné, C. et al. (2018). Advanced good cell culture practice for human primary, stem cell-derived and organoid models as well as microphysiological systems. *ALTEX* 35, 353-378. doi:10.14573/altex.1710081

Corrigendum

Corrigendum to An Advanced *In Vitro* Model to Assess Glaucoma Onset

Sergio C. Saccà¹, Sara Tirendi^{2,3}, Sonia Scarfì⁴, Mario Passalacqua², Francesco Oddone⁵, Carlo E. Traverso^{1,6}, Stefania Vernazza^{5#} and Anna M. Bassi^{2,3#}

¹IRCCS, San Martino General Hospital, Ophthalmology Unit, Genoa, Italy; ²Department of Experimental Medicine (DIMES), University of Genoa, Genoa, Italy; ³Inter-University Center for the Promotion of the 3Rs Principles in Teaching & Research (Centro 3R), Italy; ⁴Department of Earth, Environmental and Life Sciences (DISTAV), University of Genoa, Genoa, Italy; ⁵IRCCS-Fondazione Bietti, Rome, Italy; ⁶Eye Clinic of Genoa, San Martino General Hospital, Department of Neuroscience, Rehabilitation, Ophthalmology, Genetics, Maternal and Child Health (DiNOGMI), University of Genoa, Genoa, Italy

In this manuscript, which appeared in *ALTEX* 37, 265-274 (doi: 10.14573/altex.1909262), the affiliation of Stefania Vernazza should read:

Stefania Vernazza^{5#}

⁵IRCCS-Fondazione Bietti, Rome, Italy

and the address for correspondence should read:

Stefania Vernazza, PhD,
IRCCS, Fondazione Bietti
via Livorno 3, 00198 Rome, Italy
(stefania.vernazza@yahoo.it).