

UNIVERSIDADE FEDERAL DE ITAJUBÁ
PROGRAMA DE PÓS-GRADUAÇÃO EM CIÊNCIAS E ENGENHARIA DE
MATERIAIS

LARISSA MAYRA SILVA RIBEIRO

SCAFFOLDS TRIDIMENSIONAIS DE P(VDF-TrFE)/BaTiO₃ PRODUZIDOS POR
NEAR-FIELD ELECTROSPINNING

Itajubá

2023

UNIVERSIDADE FEDERAL DE ITAJUBÁ
PROGRAMA DE PÓS-GRADUAÇÃO EM CIÊNCIAS E ENGENHARIA DE
MATERIAIS

LARISSA MAYRA SILVA RIBEIRO

SCAFFOLDS TRIDIMENSIONAIS DE P(VDF-TrFE)/BaTiO₃ PRODUZIDOS POR
NEAR-FIELD ELECTROSPINNING

Tese submetida ao Programa de Pós-Graduação em Ciências e Engenharia de Materiais como parte dos requisitos para obtenção do Título Doutor em Ciências e Engenharia de Materiais.

Orientador: Prof. Dr. Rossano Gimenes

Itajubá

2023

AGRADECIMENTOS

Ao meu orientador professor Rossano Gimenes, pela orientação, atenção, apoio e amizade ao longo dos anos.

À professora Urszula Stachewicz, por me aceitar no Electrospun Fibers Groups (Polônia) durante 3 meses e em especial ao Krzysztof Berniak, Martyna Polak e Sunija Sukumaran, por me auxiliarem nos ensaios necessários para finalizar a tese.

Aos técnicos da UNIFEI, por se disponibilizarem e realizarem todos os ensaios e análises necessárias.

Aos colegas de trabalho do Biomateriais, principalmente aos alunos do prof. Frederico, e demais colegas da UNIFEI em especial ao Gabriel Lobão, o qual se disponibilizou a me auxiliar em toda a montagem da impressora 3D.

Aos professores Daniela Sachs, Frederico de Sousa, Maria Elena González, Danilo Spadoti, Daniel Thomazini, Adalberto Rosa (USP) e Márcio Beloti (USP) por disponibilizarem seus equipamentos e laboratório sempre que foi necessário, e também me auxiliarem nos ensaios realizados; e em especial ao professor Ricardo Barreto (UFSM) por me auxiliar nas análises de PFM.

À Arkema Piezotech pela doação do polímero PVDF.

À UNIFEI, pelo apoio financeiro durante o estágio realizado no exterior.

À CAPES, FAPEMIG e CNPq, pelo apoio financeiro e tecnológico e à FAPESP por financiar os ensaios biológicos *in vivo*.

“All we have to decide is what to do with the time that is given us.”

J.R.R. Tolkien, LOTR: The Fellowship of the Ring.

ÍNDICE

LISTA DE FIGURAS	7
LISTA DE TABELAS	10
LISTA DE QUADROS	11
LISTA DE ABREVIATURAS E SÍMBOLOS	12
RESUMO	14
ABSTRACT	16
CAPÍTULO 1	18
INTRODUÇÃO.....	18
1.1.Considerações Iniciais	18
1.2.Objetivos	20
1.3.Justificativa.....	20
1.4.Estrutura do Trabalho	21
CAPÍTULO 2	22
FUNDAMENTAÇÃO TEÓRICA	22
2.1.A Engenharia de Tecidos Ósseos	22
2.1.1.Considerações Sobre o Tecido Ósseo.....	23
2.1.1.1.A Piezoelectricidade Óssea	24
2.1.2. <i>Scaffolds</i> para Tecidos Ósseos.....	27
2.2.Biomateriais Piezoelétricos	28
2.2.1.A Cerâmica Titanato de Bário ($BaTiO_3$)	32
2.2.2.O Polímero Polifluoreto de Vinilideno (PVDF) e seu Copolímero (PVDF-TrFE)	33
2.2.3.O Compósito P(VDF-TrFE)/ $BaTiO_3$ como Biomaterial.....	36
2.3.Processo de Eletrofiação Convencional.....	38
2.3.1.Mecanismo de Funcionamento.....	39
2.3.2.Parâmetros de Processamento	42
2.4.Eletrofiação de Campo Próximo (NFES)	45
2.5.Manufatura Aditiva: Impressão 3D	49
CAPÍTULO 3	50
DESENVOLVIMENTO DO PROTÓTIPO	50
3.1.Projeto Preliminar.....	50
3.1.1.Componentes da Impressora.....	51
3.1.2.Projeto Mecânico/Estrutural da Eletrofiação 3D.....	52
3.1.3.Controle Eletrônico	55
3.1.4.Motores de Passo.....	56
3.1.5.Montagem da Parte Eletrônica	59
3.1.6. <i>Software</i> e <i>Firmware</i>	60
3.1.7.Modos de Operação da Eletrofiação 3D.....	62
3.1.8.Influência da Velocidade da Base Coletora.....	64
CAPÍTULO 4	66

MATERIAIS E MÉTODOS DE CARACTERIZAÇÃO	66
4.1.Delineamento Experimental	66
4.2.Preparo da Solução do Copolímero P(VDF-TrFE).....	68
4.3.Síntese do Compósito P(VDF-TrFE)/ BaTiO ₃	68
4.4.Processo de Obtenção dos <i>Scaffolds</i> por Eletrofição Convencional (CES)	69
4.5.Processo de Obtenção do <i>Scaffold</i> por Eletrofição 3D NFES.....	69
4.5.1.Preparação e Síntese do NFES <i>Scaffold</i>	69
4.5.2.Padrão CAD Experimental para a Eletrofição 3D	70
4.6.Métodos de Caracterização.....	72
4.6.1.Estudo do Campo Elétrico.....	72
4.6.2.Caracterização Morfológica e Superficial	73
4.6.2.1.Microscopia Eletrônica de Varredura (MEV) e Microscopia Óptica (MO)	73
4.6.2.2.Porosidade (%)	74
4.6.2.3.Molhabilidade da Superfície.....	74
4.6.3.Caracterização Microestrutural.....	74
4.6.3.1.Análise Termogravimétrica e Calorimetria Diferencial de Varredura.....	74
4.6.3.2.Espectroscopia no Infravermelho com Transformada de Fourier (FTIR)	75
4.6.3.3.Difratometria de Raios-X (DRX)	76
4.6.4.Caracterização Piezoelétrica.....	77
4.6.4.1.Microscopia de Força de Piezoresposta (PFM)	77
4.6.5.Estudos <i>in vitro</i>	77
CAPÍTULO 5	82
RESULTADOS E DISCUSSÕES	82
5.1. Estudo do Campo Elétrico.....	82
5.2. Caracterização Morfológica e Superficial dos <i>Scaffolds</i>	85
5.2.1.Microscopia Óptica (MO) e Microscopia Eletrônica de Varredura (MEV)	85
5.1.1.Otimização dos Parâmetros para a Síntese do NFES <i>scaffold</i>	89
5.1.2.Propriedades de Superfície	98
5.2.Análise Microestrutural dos <i>Scaffolds</i>	101
5.2.1.Análise Termogravimétrica e Calorimetria Diferencial de Varredura.....	101
5.2.2.Espectroscopia no Infravermelho com Transformada de Fourier (FTIR)	107
5.2.3.Difração de Raios-X (DRX)	110
5.2.4.Microscopia de Piezoresposta (PFM).....	113
5.3.Ensaio <i>in vitro</i>	115
5.3.1.Viabilidade Celular.....	115
5.3.2.Formação de Colágeno	119
CAPÍTULO 6	123
CONCLUSÃO.....	123
REFERÊNCIAS	125

REFERÊNCIAS

- ABBASI, N. *et al.* Effects of Gradient and Offset Architectures on the Mechanical and Biological Properties of 3-D Melt Electrowritten (MEW) Scaffolds. **ACS Biomaterials Science and Engineering**, v. 5, n. 7, p. 3448–3461, 8 jul. 2019.
- ADOLPHO, L. F. *et al.* Mesenchymal Stem Cells Combined with a P(VDF-TrFE)/BaTiO₃ Scaffold and Photobiomodulation Therapy Enhance Bone Repair in Rat Calvarial Defects. **Journal of Functional Biomaterials**, v. 14, n. 6, p. 306, 1 jun. 2023.
- AHMED, A. *et al.* Ultra-sensitive all organic PVDF-TrFE E-spun nanofibers with enhanced β -phase for piezoelectric response. **Journal of Materials Science: Materials in Electronics**, v. 33, n. 7, p. 3965–3981, 1 mar. 2022.
- ALMEIDA, S. D.; SILVA, J. C.; BORGES, P. M. R. Characterization of a Biocomposite of Electrospun PVDF Membranes with Embedded BaTiO₃ Micro- and Nanoparticles. **Macromol**, v. 2, p. 531–542, 2022.
- AMORES DE SOUSA, M. C. *et al.* Functionalization of Electrospun Nanofibers and Fiber Alignment Enhance Neural Stem Cell Proliferation and Neuronal Differentiation. **Frontiers in Bioengineering and Biotechnology**, v. 8, 26 out. 2020.
- ARINZEH, T. L.; WEBER, N.; JAFFE MICHAEL. **Electrospun Electroactive Polymers for Regenerative Medicine Applications**US, 2009.
- ASLAN, E. *et al.* Virtual Prototyping & Bio Manufacturing in Medical Applications: **The Electrospinning Process**, ed. 2, Springer, 21 de outubro de 2020.
- BAE, J. H.; HAN, M. G.; CHANG, S. H. Shear-deformed fabric sensor made of P(VDF-TrFE) for damage detection of draped composite structures: A feasibility study. **Composites Part A: Applied Science and Manufacturing**, v. 113, n. July, p. 242–253, 2018.
- BAI, Y. *et al.* Processes of Electrospun Polyvinylidene Fluoride-Based Nanofibers, Their Piezoelectric Properties, and Several Fantastic Applications. **Polymers**, v. 14, n. 20, 2022.
- BAIN, S.; KOOMSAP, P.; PARAJULI, D. Influence of solvents on a near-field electrospun straight fine fibre. **Bulletin of Materials Science**, v. 44, n. 1, 2021.
- BANIASADI, M. *et al.* Effect of thermomechanical post-processing on chain orientation and crystallinity of electrospun P(VDF-TrFE) nanofibers. **Polymer**, v. 118, p. 223–235, 2 jun. 2017.
- BARRADAS, A. M. C. *et al.* Osteoinductive biomaterials: current knowledge of properties, experimental models and biological mechanisms. **European cells & materials**, 2011.
- BARTH, H. D. *et al.* Characterization of the effects of x-ray irradiation on the hierarchical structure and mechanical properties of human cortical bone. **Biomaterials**, v. 32, n. 34, p. 8892–8904, dez. 2011.

BELOTI, M. M. *et al.* In vitro biocompatibility of a novel membrane of the composite poly(vinylidene-trifluoroethylene)/barium titanate. **Journal of Biomedical Materials Research - Part A**, v. 79, n. 2, p. 282–288, nov. 2006.

BIAN, S.; JAYARAM, S.; CHERNEY, E. A. Electrospinning as a New Method of Preparing Nanofilled Silicone Rubber Composites. **IEEE Transactions on Dielectrics and Electrical Insulation**, v. 19, n.3, p.777-785, 2012.

BODKHE, S. *et al.* One-Step Solvent Evaporation-Assisted 3D Printing of Piezoelectric PVDF Nanocomposite Structures. **ACS Applied Materials and Interfaces**, v. 9, n. 24, p. 20833–20842, 2017.

BOLBASOV, E. N. *et al.* Osteoinductive composite coatings for flexible intramedullary nails. **Materials Science and Engineering C**, v. 75, n. October, p. 207–220, 2017.

BOUHARRAS, F. E. *et al.* Dielectric Characterization of Core-Shell Structured Poly(vinylidene fluoride)-grafted-BaTiO₃ Nanocomposites. **Polymers**, v. 15, n. 3, p. 595, 24 jan. 2023.

BRITO, S. L. M. **Síntese, caracterização e modificação superficial de nano partículas de titanato de bário produzidas pelo método Pechini.** [s.l.] Universidade de São Paulo - USP, 2009.

BU, N.; HUANG, Y.; YIN, Z. The effect of substrate on continuous electrohydrodynamic printing. **Advanced Materials Research**, v. 684, p. 352-356, 2013.

CAI, X. *et al.* A critical analysis of the α , β and γ phases in poly(vinylidene fluoride) using FTIR. **RSC Advances**, v. 7, n. 25, p. 15382–15389, 2017.

CAMPANA, V. *et al.* Bone substitutes in orthopaedic surgery: from basic science to clinical practice. **Journal of Materials Science: Materials in Medicine**, v. 25, n. 10, p. 2445–2461, 20 set. 2014.

CAO, S. *et al.* **New perspectives: In-situ tissue engineering for bone repair scaffoldComposites Part B: Engineering**Elsevier Ltd, , 1 dez. 2020.

CARTER, A. *et al.* Enhancement of Bone Regeneration Through the Converse Piezoelectric Effect, A Novel Approach for Applying Mechanical Stimulation. **Bioelectricity**, v. 4, n. 4, p. 255-271, 2021.

CHEN, J. H. *et al.* Boning up on Wolff's Law: Mechanical regulation of the cells that make and maintain bone. **Journal of Biomechanics**, v. 43, n. 1, p. 108–118, 2010.

CHEN, X. *et al.* High-Performance Piezoelectric Nanogenerators with Imprinted P(VDF-TrFE)/BaTiO₃ Nanocomposite Micropillars for Self-Powered Flexible Sensors. **Small**, v. 13, n. 23, 20 jun. 2017.

CHENG, M. Q. *et al.* A novel open-porous magnesium scaffold with controllable microstructures and properties for bone regeneration. **Scientific Reports**, v. 6, 13 abr. 2016.

CHIARELLO, E. *et al.* Autograft, allograft and bone substitutes in reconstructive orthopedic surgery. **Aging Clinical and Experimental Research**, v. 25, p. 101-113, 2013.

CHO, Y. *et al.* BaTiO₃@PVDF-TrFE nanocomposites with efficient orientation prepared via phase separation nano-coating method for piezoelectric performance improvement and application to 3D-PENG. **Chemical Engineering Journal**, v. 427, 1 jan. 2022.

COLLINS, M. N. *et al.* Scaffold Fabrication Technologies and Structure/Function Properties in Bone Tissue Engineering. **Advanced Functional Materials**, v. 31, n. 21, 2021.

DALLE VACCHE, S. *et al.* The effect of processing conditions on the morphology, thermomechanical, dielectric, and piezoelectric properties of P(VDF-TrFE)/BaTiO₃ composites. **Journal of Materials Science**, v. 47, n. 11, p. 4763–4774, jun. 2012.

DAVIS, J FRED; MOHAN, SAEED D; IBRAHEEN, M. A. Introduction. Em: **Electrospinning: Principles, Practice and Possibilities**. ed. 14, Royal Society of Chemistry, 2014.

DAVIS, Z. G.; HUSSAIN, A. F.; FISHER, M. B. Processing variables of direct-write, near-field electrospinning impact size and morphology of gelatin fibers. **Biomedical Materials**, v. 16, p. 1-10, 2021.

DAVOODI, P. *et al.* Advances and innovations in electrospinning technology. Em: **Biomedical Applications of Electrospinning and Electrospaying**. Elsevier, v. 1, p. 45–81, 2021.

DIAS, J. C. *et al.* Thermal degradation behavior of ionic liquid/ fluorinated polymer composites: Effect of polymer type and ionic liquid anion and cation. **Polymer**, v. 229, 16 ago. 2021.

DIXON, D. T.; GOMILLION, C. T. Conductive scaffolds for bone tissue engineering: Current state and future outlook. **Journal of Functional Biomaterials**, v. 13, n. 1, p. 1-23, 1 mar. 2022.

ELZAYAT, M. Y. F. *et al.* X-Ray Diffraction and Differential Scanning Calorimetry Studies of a BaTiO₃/Polyvinylidene Fluoride Composites. **Polymer Engineering and Society**, p. 1–10, 2012.

EVANS, B. **Practical 3D Printers: The Science and Art of 3D Printing**. Apress, v. 1, p. 1-332, 2012.

FATTAHI, P.; DOVER, J. T.; BROWN, J. L. 3D Near-Field Electrospinning of Biomaterial Microfibers with Potential for Blended Microfiber-Cell-Loaded Gel Composite Structures. **Advanced Healthcare Materials**, v. 6, n. 19, 11 out. 2017.

FENG, X. Chemical and Biochemical Basis of Cell-Bone Matrix Interaction in Health and Disease. **Current Chemical Biology**, v. 3, n. 2, p. 1-189–196, 2009.

FERNANDEZ-YAGUE, M. A. *et al.* A Self-Powered Piezo-Bioelectric Device Regulates Tendon Repair-Associated Signaling Pathways through Modulation of Mechanosensitive Ion Channels. **Advanced Materials**, v. 33, n. 40, 1 out. 2021.

FREITAS, G. P. *et al.* Potential of Osteoblastic Cells Derived from Bone Marrow and Adipose Tissue Associated with a Polymer/Ceramic Composite to Repair Bone Tissue. **Calcified Tissue International**, v. 101, n. 3, p. 312–320, 1 set. 2017.

FREITAS, R. L. B. **Fabricação, Caracterização e Aplicações do Compósito PZT/PVDF**. Tese de Doutorado, Universidade Estadual Paulista, 2012.

FUH, Y. K. *et al.* The control of cell orientation using biodegradable alginate fibers fabricated by near-field electrospinning. **Materials Science and Engineering C**, v. 62, p. 879–887, 1 maio 2016.

FUKADA, E.; YASUDA, I. On the Piezoelectric Effect of Silk Fibers. **Journal of the Physical Society of Japan**, 1956.

GARKAL, A. *et al.* Electrospinning nanofiber technology: A multifaceted paradigm in biomedical applications. **New Journal of Chemistry**, v. 45, n. 46, p. 21508–21533, 14 dez. 2021.

GENCHI, G. G. *et al.* P(VDF-TrFE)/BaTiO₃Nanoparticle Composite Films Mediate Piezoelectric Stimulation and Promote Differentiation of SH-SY5Y Neuroblastoma Cells. **Advanced Healthcare Materials**, v. 5, n. 14, p. 1808–1820, 2016.

GIANNETTI, E. Semi-crystalline fluorinated polymers. **Polymer International**, v. 50, n. May 1999, p. 10–26, 2001.

GIMENES, R. **Síntese e Caracterização de Compósitos Poli(fluoreto de vinilideno-trifluoretileno)/Titanato de Bário para uso em Regeneração Tecidual Guiada**. Araraquara: Universidade Estadual Paulista Julio de Mesquita Filho, 2005.

GIMENES, R. *et al.* Promotion of bone repair of rabbit tibia defects induced by scaffolds of P(VDF-TrFE)/BaTiO₃ composites. **Bulletin of Materials Science**, v. 42, n. 5, p. 1–6, 2019.

GOONOO, N.; BHAW-LUXIMON, A. Piezoelectric polymeric scaffold materials as biomechanical cellular stimuli to enhance tissue regeneration. **Materials Today Communications**, v. 31, n. March, 2022.

GUAN, X.; XU, B.; GONG, J. Hierarchically architected polydopamine modified BaTiO₃@P(VDF-TrFE) nanocomposite fiber mats for flexible piezoelectric nanogenerators and self-powered sensors. **Nano Energy**, v. 70, 1 abr. 2020.

GUPTA, A.; AYITHAPU, P.; SINGHAL, R. Study of the electric field distribution of various electrospinning geometries and its effect on the resultant nanofibers using finite element simulation. **Chemical Engineering Science**, v. 235, maio 2021.

GUPTA, S. *et al.* Temperature Compensated Tactile Sensing Using MOSFET with P(VDF-TrFE)/BaTiO₃ Capacitor as Extended Gate. **IEEE Sensors Journal**, v. 19, n. 2, p. 435–442, 2019.

HALEEM, A.; JAVAID, M. 3D printed medical parts with different materials using additive manufacturing. **Clinical Epidemiology and Global Health**, v. 8, n. 1, p. 215–223, 1 mar. 2020.

HALPERIN, C. *et al.* Piezoelectric effect in human bones studied in nanometer scale. **Nano Letters**, v. 4, n. 7, p. 1253–1256, 2004.

HANDSON TECHNOLOGY. **Datasheet 17HS4401S 1.7A Stepper Motor**.

HE, F. L. *et al.* A novel layer-structured scaffold with large pore sizes suitable for 3D cell culture prepared by near-field electrospinning. **Materials Science and Engineering C**, v. 86, p. 18–27, 1 maio 2018.

HE, X. X. *et al.* Near-Field Electrospinning: Progress and Applications. **Journal of Physical Chemistry C**, v. 121, n. 16, p. 8663–8678, 27 abr. 2017.

HE, Y. *et al.* Research on the printability of hydrogels in 3D bioprinting. **Scientific Reports**, v. 6, 20 jul. 2016.

HE, Z. *et al.* Electrospun PVDF nanofibers for piezoelectric applications: A review of the influence of electrospinning parameters on the β phase and crystallinity enhancement. **Polymers**, v. 13, n. 2, p. 1–23, 2 jan. 2021.

HU, J. *et al.* Near-field electrospinning-enabled direct-write P(VDF-TrFE) nano/micro-fiber-based piezoelectric film for a high-performance airflow sensor. **Sensors and Actuators A: Physical**, v. 336, 1 abr. 2022.

HU, P. *et al.* Surface modified BaTiO₃ nanoparticles by titanate coupling agent induce significantly enhanced breakdown strength and larger energy density in PVDF nanocomposite. **Composites Science and Technology**, v. 156, p. 109–116, 1 mar. 2018.

HU, X. *et al.* Improved Piezoelectric Sensing Performance of P(VDF-TrFE) Nanofibers by Utilizing BTO Nanoparticles and Penetrated Electrodes. **ACS Applied Materials and Interfaces**, v. 11, n. 7, p. 7379–7386, 2019.

HUANG, L. *et al.* Controlling electrospun nanofiber morphology and mechanical properties using humidity. **Journal of Polymer Science, Part B: Polymer Physics**, v. 49, n. 24, p. 1734–1744, 2011.

HUANG, S. N. *et al.* An Investigation on Multi-Nozzle near Field Electrospinning: Experimentation and Simulation. **Key Engineering Materials**, v. 679, p. 63–66, 2016.

IKEI, A. *et al.* Tunable in situ 3d-printed pvdf-trfe piezoelectric arrays. **Sensors**, v. 21, n. 15, 1 ago. 2021.

JACOB, J. *et al.* Piezoelectric smart biomaterials for bone and cartilage tissue engineering. **Inflammation and Regeneration**, v. 38, n. 1, p. 2, 2018.

JEONG, H. G. *et al.* Poly(vinylidene fluoride) composite nanofibers containing polyhedral oligomeric silsesquioxane-epigallocatechin gallate conjugate for bone tissue regeneration. **Nanomaterials**, v. 9, n. 2, 2019.

JIANG, J. *et al.* Flexible Piezoelectric Pressure Tactile Sensor Based on Electrospun BaTiO₃/Poly(vinylidene fluoride) Nanocomposite Membrane. **ACS Appl. Mater. Interfaces**, v. 12, n. 30, 2020.

JIANG, Y. *et al.* Aligned P(VDF-TrFE) nanofibers for enhanced piezoelectric directional strain sensing. **Polymers**, v. 10, n. 4, 25 mar. 2018.

JIN, S. *et al.* Effect of Electric Field on the Directly Electrospun Nanofiber Yarns: Simulation and Experimental Study. **Fibers and Polymers**, v. 19, n. 1, p. 116–124, 1 jan. 2018.

JUN, I. *et al.* Electrospun fibrous scaffolds for tissue engineering: Viewpoints on architecture and fabrication. **International Journal of Molecular Sciences**, v. 19, n. 745, p. 1–14, mar. 2018.

-
- KAKAR, S.; EINHORN, T. A. Tissue engineering of bone. **Bone Tissue Engineering**, v. 11, n. 3, p. 277–302, 2002.
- KAPAT, K. *et al.* Piezoelectric Nano-Biomaterials for Biomedicine and Tissue Regeneration. **Advanced Functional Materials**, v. 30, n. 44, out. 2020.
- KARAGEORGIU, V.; KAPLAN, D. Porosity of 3D biomaterial scaffolds and osteogenesis. **Biomaterials**, v. 26, p. 5474-5491, 2005.
- KHORSHIDI, S. *et al.* A review of key challenges of electrospun scaffolds for tissue-engineering applications. **Journal of Tissue Engineering and Regenerative Medicine**, 2015.
- KI, C. S. *et al.* Development of 3-D nanofibrous fibroin scaffold with high porosity by electrospinning: Implications for bone regeneration. **Biotechnology Letters**, v. 30, n. 3, p. 405–410, mar. 2008.
- KIM, J. *et al.* High-Performance Piezoelectric, Pyroelectric, and Triboelectric Nanogenerators Based on P(VDF-TrFE) with Controlled Crystallinity and Dipole Alignment. **Advanced Functional Materials**, v. 27, n. 22, p. 1–8, 2017.
- KIM, K. Advances in Atomic Force Microscopy for the Electromechanical Characterization of Piezoelectric and Ferroelectric Nanomaterials. **Journal of Korean Institute of Metals and Materials**, v. 60, n. 9, p. 629–643, 1 set. 2022.
- KING, W. E. *et al.* Characterization of polydioxanone in near-field electrospinning. **Polymers**, v. 12, n. 1, 1 jan. 2020.
- KISHAN, A. P.; COSGRIFF-HERNANDEZ, E. M. Recent advancements in electrospinning design for tissue engineering applications: A review. **Journal of Biomedical Materials Research - Part A**, v. 105, n. 10, p. 2892–2905, 2017.
- KITSARA, M. *et al.* Permanently hydrophilic, piezoelectric PVDF nanofibrous scaffolds promoting unaided electromechanical stimulation on osteoblasts. **Nanoscale**, v. 11, n. 18, p. 8906–8917, 2019.
- KOGA, K. *et al.* Crystallization, field-induced phase transformation, thermally induced phase transition, and piezoelectric activity in P(vinylidene fluoride-TrFE) copolymers with high molar content of vinylidene fluoride. **Journal of Applied Physics**, v. 67, n. 2, p. 965–974, 1990.
- KUHN, A. I.; GRYSHKOV, O.; GLASMACHER, B. Effect of Solvents on Thermomechanical Properties and Piezoelectric Beta-phase of PVDF-TrFE Films. **IEEE International Conference on Electrical Engineering and Photonics**, EExPolytech 2020, p. 204–207, 2020.
- LACROIX, D.; PRENDERGAST, P. J. A mechano-regulation model for tissue differentiation during fracture healing: analysis of gap size and loading. **Journal of Biomechanics**, v. 35, p. 1163-1171, 2002.
- LAY, R.; DEIJS, G. S.; MALMSTRÖM, J. The intrinsic piezoelectric properties of materials – a review with a focus on biological materials. **RSC Advances**, v. 11, n. 49, p. 30657–30673, 2021.

-
- LEE, D. J. *et al.* Effect of pore size in bone regeneration using polydopamine- laced hydroxyapatite collagen calcium silicate scaffolds fabricated by 3D mold printing technology. **Orthod Craniofac Res**, v. 22, n. 1, p. 127–133, 2019.
- LEE, J. H. *et al.* Guidance of in vitro migration of human mesenchymal stem cells and in vivo guided bone regeneration using aligned electrospun fibers. **Tissue Engineering - Part A**, v. 20, n. 15–16, p. 2031–2042, 1 ago. 2014.
- LEE, Y. S.; ARINZEH, T. L. The influence of piezoelectric scaffolds on neural differentiation of human neural stem/progenitor cells. **Tissue Engineering - Part A**, v. 18, n. 19–20, p. 2063–2072, 1 out. 2012.
- LEGRAND, J. F. Ferroelectrics Structure and ferroelectric properties of P (VDF-TrFE) copolymers. **Ferroelectrics**, v. 91, n. 1, p. 303–317, 1989.
- LI, D.; XIA, Y. Electrospinning of nanofibers: Reinventing the wheel? **Advanced Materials**, v. 16, n. 14, p. 1151-1170, jul. 2004.
- LI, Y.; LIAO, C.; TJONG, S. C. Electrospun polyvinylidene fluoride-based fibrous scaffolds with piezoelectric characteristics for bone and neural tissue engineering. **Nanomaterials**, v. 9, n. 7, 2019.
- LI, Z.; WANG, C. Effects of Working Parameters on Electrospinning. *Em: One-Dimensional Nanostructures*, Springer, ed. 1, p. 15–28, 2013.
- LIASHENKO, I. *et al.* Ultrafast electrohydrodynamic 3D printing with in situ jet speed monitoring. **Materials and Design**, v. 206, 2021.
- LIM, S. H.; MAO, H. Q. **Electrospun scaffolds for stem cell engineering** **Advanced Drug Delivery Reviews**, 5 out. 2009.
- LIN, W. *et al.* Three-dimensional electrospun nanofibrous scaffolds for bone tissue engineering. **Journal of Biomedical Materials Research - Part B Applied Biomaterials**, v. 108, n. 4, p. 1311–1321, 2020.
- LIN, Y. *et al.* Chemical Engineering Research and Design Enhanced anti – protein fouling of PVDF membrane via hydrophobic – hydrophobic adsorption of styrene – terminated amphiphilic linker. **Chemical Engineering Research and Design**, v. 156, p. 273–280, 2020.
- LIU, X. *et al.* Nanoscale investigations on β -phase orientation, piezoelectric response, and polarization direction of electrospun PVDF nanofibers. **RSC Advances**, v. 6, n. 110, p. 109061–109066, 2016.
- LIU, X. *et al.* Polymeric Nanofibers with Ultrahigh Piezoelectricity via Self-Orientation of Nanocrystals. **ACS Nano**, v. 11, n. 2, p. 1901–1910, 28 fev. 2017.
- LIU, Z. *et al.* Electroactive Biomaterials and Systems for Cell Fate Determination and Tissue Regeneration: Design and Applications. **Advanced Materials**, 2007429, p. 1-33, 1 ago. 2021.
- LO, W. C.; CHEN, C. C.; FUH, Y. K. 3D Stacked Near-Field Electrospun Nanoporous PVDF-TrFE Nanofibers as Self-Powered Smart Sensing in Gait Big Data Analytics. **Advanced Materials Technologies**, v. 6, n. 4, 1 abr. 2021.

-
- LOPES, H. B. *et al.* Gene Expression Analysis of Bone Tissue Grown on P(VDF-TrFE)/BT Membrane Implanted in Rat Calvarial Defects. **Journal of Oral and Maxillofacial Surgery**, v. 71, n. 9, Supplement 1, p. e88–e89, 2013.
- LOPES, H. B. *et al.* Poly(vinylidene-trifluoroethylene)/barium titanate composite for in vivo support of bone formation. **Journal of Biomaterials Applications**, v. 29, n. 1, p. 104–112, 2014.
- LÓPEZ-COLOMÉ, A. M. *et al.* Paxillin: A crossroad in pathological cell migration. **Journal of Hematology and Oncology**, v. 10, n. 1, 18 fev. 2017.
- LU, X.; WANG, Y.; JIN, F. Influence of a non-biodegradable porous structure on bone repair. **RSC Advances**, v. 6, n. 84, p. 80522–80528, 2016.
- LUO, G. *et al.* Direct-Write, Self-Aligned Electrospinning on Paper for Controllable Fabrication of Three-Dimensional Structures. **ACS Applied Materials and Interfaces**, v. 7, n. 50, p. 27765–27770, 23 dez. 2015.
- MA, Z. *et al.* BTO/P(VDF-TrFE) Nanofiber-based Artificial Lateral Line Sensor with Drag Enhancement Structures. **Journal of Bionic Engineering**, v. 17, n. 1, p. 64–75, 1 jan. 2020.
- MAGNANI, A. *et al.* Local Piezoelectric Response of Polymer/Ceramic Nanocomposite Fibers. **Polymers**, v. 14, n. 24, 1 dez. 2022.
- MAHADEVA, S. K. *et al.* Effect of poling time and grid voltage on phase transition and piezoelectricity of poly(vinylidene fluoride) thin films using corona poling. **Journal of Physics D: Applied Physics**, v. 46, n. 28, 17 jul. 2013.
- MAIA, F. R. *et al.* Recent approaches towards bone tissue engineering. **Bone**, v. 154, 1 jan. 2022.
- MAILLEY, D.; HÉBRAUD, A.; SCHLATTER, G. A Review on the Impact of Humidity during Electrospinning: From the Nanofiber Structure Engineering to the Applications. **Macromolecular Materials and Engineering**, v. 306, n. 7, p. 1–25, 2021.
- MALLICK, S. *et al.* Effect of BaTiO₃ on the sensing properties of PVDF composite-based capacitive humidity sensors. **Ceramics International**, v. 46, n. 3, p. 2949–2953, 2020.
- MARQUEZ, A. L.; JOS, F.; GERHARD, C. How Fiber Surface Topography Affects Interactions between Cells and Electrospun Scaffolds: A Systematic Review. **Polymers**, v. 14, n. 1, p. 1–22, 2022.
- MARTINS, P.; LOPES, A. C.; LANCEROS-MENDEZ, S. Progress in Polymer Science Electroactive phases of poly (vinylidene fluoride): Determination, processing and applications. **Progress in Polymer Science**, v. 39, n. 4, p. 683–706, 2014.
- MARTINS, P. M. *et al.* Effect of poling state and morphology of piezoelectric poly(vinylidene fluoride) membranes for skeletal muscle tissue engineering. **RSC Advances**, v. 3, n. 39, p. 10715–10722, 2013.
- MCROBERTS, M. Basic Arduino. *Em: Beginning Arduino*. Novatec Editora Ltda, ed. 1, 2011.

-
- MEN, T. *et al.* Ferroelectric β -crystalline phase formation and property enhancement in polydopamine modified BaTiO₃/poly (vinylidene fluoride-trifluoroethylene) nanocomposite films. **Thin Solid Films**, v. 669, p. 579–587, 1 jan. 2019.
- MENG, N. *et al.* Nanoscale interfacial electroactivity in PVDF/PVDF-TrFE blended films with enhanced dielectric and ferroelectric properties. **Journal of Materials Chemistry C**, v. 5, n. 13, p. 3296–3305, 2017.
- MENZIES, K. L.; JONES, L. The impact of contact angle on the biocompatibility of biomaterials. **Optometry and Vision Science**, v. 87, n. 6, p. 387–399, 2010.
- METWALLY, S. *et al.* Surface potential and roughness controlled cell adhesion and collagen formation in electrospun PCL fibers for bone regeneration. **Materials and Design**, v. 194, 1 set. 2020.
- METWALLY, S.; STACHEWICZ, U. Surface potential and charges impact on cell responses on biomaterials interfaces for medical applications. **Materials Science and Engineering C**, v. 104, 109883, p.1-27, 1 nov. 2019.
- MIARA, B. *et al.* Piezomaterials for bone regeneration design - Homogenization approach. **Journal of the Mechanics and Physics of Solids**, v. 53, n. 11, p. 2529–2556, 2005.
- MOGHTADA, A.; HEIDARY MOGHADAM, A.; ASHIRI, R. Tetragonality enhancement in BaTiO₃ by mechanical activation of the starting BaCO₃ and TiO₂ powders: Characterization of the contribution of the mechanical activation and postmilling calcination phenomena. **International Journal of Applied Ceramic Technology**, v. 15, n. 6, p. 1518–1531, 1 nov. 2018.
- MOHAMED AMEER, J. *et al.* Combinatorial approaches in electrospinning, electrospraying, and 3D printing for biomedical applications. *Em: Biomedical Applications of Electrospinning and Electrospraying*. Elsevier, v.1, p. 355–373, 2021.
- MORE, N.; KAPUSETTI, G. Piezoelectric material – A promising approach for bone and cartilage regeneration. **Medical Hypotheses**, v. 108, n. July, p. 10–16, 2017.
- MORENO MADRID, A. P. *et al.* Advances in additive manufacturing for bone tissue engineering scaffolds. **Materials Science and Engineering C**, v. 100, p. 631-644, 1 jul. 2019.
- MULHOLLAND, E. J. Electrospun Biomaterials in the Treatment and Prevention of Scars in Skin Wound Healing. **Frontiers in Bioengineering and Biotechnology**, v. 8, n. 481, p. 1-15, 3 jun. 2020.
- NAGLE, A. R. *et al.* A Direct 3D Suspension Near-Field Electrospinning Technique for the Fabrication of Polymer Nanoarrays. **Nanotechnology**, v. 30, n. 19, p. 0–31, 2019.
- NAUMAN, S.; LUBINEAU, G.; ALHARBI, H. F. Post processing strategies for the enhancement of mechanical properties of enms (Electrospun nanofibrous membranes): A review. **Membranes**, v. 11, n. 39, p. 1-38, 1 jan. 2021.

-
- NAVANEETHAN, B. *et al.* Novel Self-Directing Single-Polymer Jet Developing Layered-Like 3D Buckled Microfibrous Scaffolds for Tissue Engineering Applications. **ACS Applied Materials & Interface**, v. 13, p. 9691-9701, 2021.
- NAZEMI, M. M.; KHODABANDEH, A.; HADJIZADEH, A. Near-Field Electrospinning: Crucial Parameters, Challenges, and Applications. **ACS Applied Bio Materials**, v. 5, p. 394-412, 21 fev. 2022.
- NEIVA, L. S. *et al.* Síntese de Materiais Cerâmicos com Estrutura Perovskita (BaTiO₃) e Análise das suas Características Estruturais e Constantes Dielétricas. **Revista Eletrônica de Materiais e Processos**, v. 2, p. 96-104, 2017.
- NEZARATI, R. M.; EIFERT, M. B.; COSGRIFF-HERNANDEZ, E. Effects of humidity and solution viscosity on electrospun fiber morphology. **Tissue Engineering - Part C: Methods**, v. 19, n. 10, p. 810-819, 1 out. 2013.
- NICHOLS, J. J.; KING-SMITH, P. E. Thickness of the pre- and post-contact lens tear film measured in vivo by interferometry. **Investigative Ophthalmology and Visual Science**, v. 44, n. 1, p. 68-77, 1 jan. 2003.
- NICOLAS, J. *et al.* 3D Extracellular Matrix Mimics: Fundamental Concepts and Role of Materials Chemistry to Influence Stem Cell Fate. **Biomacromolecules**, v. 21, n. 6, p. 1968-1994, 8 jun. 2020.
- NUNES-PEREIRA, J.; RIBEIRO, S.; *et al.* Poly(vinylidene fluoride) and copolymers as porous membranes for tissue engineering applications. **Polymer Testing**, v. 44, p. 234-241, 2015.
- NUNES-PEREIRA, J.; SENCADAS, V.; *et al.* Energy harvesting performance of BaTiO₃/poly(vinylidene fluoride-trifluoroethylene) spin coated nanocomposites. **Composites Part B: Engineering**, v. 72, p. 130-136, 2015.
- ORKWIS, J. A. *et al.* Development of a Piezoelectric PVDF-TrFE Fibrous Scaffold to Guide Cell Adhesion, Proliferation, and Alignment. **Macromolecular Bioscience**, v. 20, n. 9, 1 set. 2020.
- PAN, C.-T. *et al.* Energy Harvester and Cell Proliferation from Biocompatible PMLG Nanofibers Prepared Using Near-Field Electrospinning and Electrospray Technology. **Journal of Nanoscience and Nanotechnology**, v. 18, n. 1, p. 156-164, 29 set. 2017.
- PARK, Y. S. *et al.* Near-Field Electrospinning for Three-Dimensional Stacked Nanoarchitectures with High Aspect Ratios. **Nano Letters**, v. 20, n. 1, p. 441-448, 8 jan. 2020.
- PAVEL, M. *et al.* Contact inhibition controls cell survival and proliferation via YAP/TAZ-autophagy axis. **Nature Communications**, v. 9, n. 1, 1 dez. 2018.
- POLO-CORRALES, L.; LATORRE-ESTEVEZ, M.; RAMIREZ-VICK, J. E. Scaffold Design for Bone Regeneration. **J Nanoscience and Nanotechnology**, v. 14, n. 1, p. 15-56, 2014.
- RAHMATI, M. *et al.* Electrospinning for tissue engineering applications. **Progress in Materials Science**, v. 117, 100721, p. 1-39, 1 abr. 2021.

RENEKER, D. H.; YARIN, A. L. Electrospinning jets and polymer nanofibers. **Polymer**, v. 49, p. 2387-2425, 13 maio 2008.

RIBEIRO, C. *et al.* Fibronectin adsorption and cell response on electroactive poly(vinylidene fluoride) films. **Biomedical Materials**, v. 7, n. 3, 2012.

RYU, J. *et al.* Synthesis and Application of Ferroelectric Poly(Vinylidene Fluoride-co-Trifluoroethylene) Films using Electrophoretic Deposition. **Scientific Reports**, v. 6, n. November, p. 1–7, 2016.

SAINO, E. *et al.* Effect of electrospun fiber diameter and alignment on macrophage activation and secretion of proinflammatory cytokines and chemokines. **Biomacromolecules**, v. 12, n. 5, p. 1900–1911, 9 maio 2011.

SALIMI, A.; YOUSEFI, A. A. Conformational changes and phase transformation mechanisms in PVDF solution-cast films. **Journal of Polymer Science, Part B: Polymer Physics**, v. 42, n. 18, p. 3487–3495, 15 set. 2004.

SANTOS, D. M. DOS *et al.* Advances in Functional Polymer Nanofibers: From Spinning Fabrication Techniques to Recent Biomedical Applications. **ACS applied materials & interfaces**, v. 12, p. 45673-45701, 14 out. 2020.

SCALIZE, P. H. *et al.* Poly(Vinylidene Fluoride-Trifluoroethylene)/barium titanate membrane promotes de novo bone formation and may modulate gene expression in osteoporotic rat model. **Journal of Materials Science: Materials in Medicine**, v. 27, n. 12, 2016.

SHEN, L. *et al.* Improvement of β -phase crystal formation in a BaTiO₃-modified PVDF membrane. **Plasma Science and Technology**, v. 20, n. 6, 2018.

SHI, K. *et al.* Interface induced performance enhancement in flexible BaTiO₃/PVDF-TrFE based piezoelectric nanogenerators. **Nano Energy**, v. 80, 1 fev. 2021.

SHIN, D. *et al.* Direct-Printing of Functional Nanofibers on 3D Surfaces Using Self-Aligning Nanojet in Near-Field Electrospinning. **Advanced Materials Technologies**, v. 5, n. 6, 1 jun. 2020.

SHIN, D.; KIM, J.; CHANG, J. Experimental study on jet impact speed in near-field electrospinning for precise patterning of nanofiber. **Journal of Manufacturing Processes**, v. 36, p. 231–237, 1 dez. 2018.

SHIRAZI, P. *et al.* Size-Dependent Piezoelectric Properties of Electrospun BaTiO₃ for Enhanced Energy Harvesting. **Advanced Sustainable Systems**, v. 1, n. 11, 1 nov. 2017.

SIMÕES, R. D. *et al.* Thermomechanical characterization of PVDF and P(VDF-TrFE) blends containing corn starch and natural rubber. **Journal of Thermal Analysis and Calorimetry**, v. 99, n. 2, p. 621–629, 2010.

SMITH, M. B. *et al.* Crystal structure and the paraelectric-to-ferroelectric phase transition of nanoscale BaTiO₃. **Journal of the American Chemical Society**, v. 130, n. 22, p. 6955–6963, 4 jun. 2008.

SMITH, M.; KAR-NARAYAN, S. Piezoelectric polymers: theory, challenges and opportunities. **International Materials Reviews**, v. 67, n. 1, p. 65–88, 2022.

SONG, Y. *et al.* Enhanced dielectric and ferroelectric properties induced by dopamine-modified BaTiO₃ nanofibers in flexible poly(vinylidene fluoride-trifluoroethylene) nanocomposites. **Journal of Materials Chemistry**, v. 22, n. 16, p. 8063–8068, 28 abr. 2012.

SU, Y. P. *et al.* Incorporation of barium titanate nanoparticles in piezoelectric PVDF membrane. **Journal of Membrane Science**, v. 640, 15 dez. 2021.

SURESH, S.; BECKER, A.; GLASMACHER, B. Impact of apparatus orientation and gravity in electrospinning—a review of empirical evidence. **Polymers**, v. 12, 2448, p. 1-15, 1 nov. 2020.

SZEWCZYK, PIOTR K *et al.* Mimicking natural electrical environment with cellulose acetate scaffolds enhances collagen formation of osteoblasts. **Nanoscale**, v. 15, p. 6890-6900, 2023.

TAN, G. Z.; ZHOU, Y. Electrospinning of biomimetic fibrous scaffolds for tissue engineering: a review. **International Journal of Polymeric Materials and Polymeric Biomaterials**, p. 947–960, 2019.

TANDON, B.; BLAKER, J. J.; CARTMELL, S. H. Piezoelectric materials as stimulatory biomedical materials and scaffolds for bone repair. **Acta Biomaterialia**, v. 73, p. 1-20, 1 jun. 2018.

TAYLOR, G. Electrically driven jets. **Proceedings of the Royal Society of London. A. Mathematical and Physical Sciences**, v. 313, n. 1515, p. 453–475, 2 dez. 1969.

TEIXEIRA, L. N. *et al.* In vitro biocompatibility of poly(vinylidene fluoride-trifluoroethylene)/barium titanate composite using cultures of human periodontal ligament fibroblasts and keratinocytes. **Acta Biomaterialia**, v. 6, n. 3, p. 979–989, 2010.

TERRANOVA, L. *et al.* Polystyrene scaffolds based on microfibers as a bone substitute; Development and in vitro study. **Acta Biomaterialia**, v. 29, p. 380–388, 1 jan. 2016.

TIMIN, A. S. *et al.* Multifunctional Scaffolds with Improved Antimicrobial Properties and Osteogenicity Based on Piezoelectric Electrospun Fibers Decorated with Bioactive Composite Microcapsules. **ACS Applied Materials and Interfaces**, v. 10, n. 41, p. 34849–34868, 2018.

TOLEDANO, M. *et al.* Novel non-resorbable polymeric-nanostructured scaffolds for guided bone regeneration. **Clinical Oral Investigations**, v. 24, p. 2037–2049, 2020.

TURNBULL, G. *et al.* 3D bioactive composite scaffolds for bone tissue engineering. **Bioactive Materials**, v. 3, p. 278-314, 1 set. 2018.

URA, D. P. *et al.* The role of electrical polarity in electrospinning and on the mechanical and structural properties of as-spun fibers. **Materials**, v. 13, n. 18, 1 set. 2020.

VALERINI, D. *et al.* Sputter-Deposited Ag Nanoparticles on Electrospun PCL Scaffolds: Morphology, Wettability and Antibacterial Activity. **Coatings**, v. 11, n. 345, 2021.

VALIYANEERILAKKAL, U. *et al.* Preparation and Characterization of Poly (vinylidene fluoride-trifluoroethylene)/ Barium Titanate Polymer Nanocomposite for Ferroelectric Applications. **Polymer Composites**, v. 38, n. 8, p. 1655-1661, 2015.

VELEIRINHO, B. *et al.* Manipulation of chemical composition and architecture of non-biodegradable poly (ethylene terephthalate)/ chitosan fibrous scaffolds and their effects on L929 cell behavior. **Materials Science & Engineering C**, v. 33, n. 1, p. 37–46, 2013.

VIGUET-CARRIN, S.; GARNERO, P.; DELMAS, P. D. The role of collagen in bone strength. **Osteoporosis International**, v. 17, n. 3, p. 316-336, 2006.

VIJAYA, M. S. Piezoelectric Materials and Devices: Applications In Engineering and Medical Sciences. **CRC Press**, ed. 1, 2016.

VISSER, J. **Biofabrication of implants for articular joint repair**. Tese de Doutorado, Utrecht University, 2015.

VYSLOUŽILOVÁ, L. *et al.* Design of coaxial needleless electrospinning electrode with respect to the distribution of electric field. **Applied Mechanics and Materials**, v. 693, p. 394–399, 2014.

WAN, C.; BOWEN, C. R. Multiscale-structuring of polyvinylidene fluoride for energy harvesting: the impact of molecular-, micro- and macro-structure. **Journal of Materials Chemistry A**, v. 5, p. 3091–3128, 2017.

WANG, A. *et al.* Self-powered well-aligned P(VDF-TrFE) piezoelectric nanofiber nanogenerator for modulating an exact electrical stimulation and enhancing the proliferation of preosteoblasts. **Nanomaterials**, v. 9, n. 3, 1 mar. 2019.

WANG, C. *et al.* 3D Printing of Bone Tissue Engineering Scaffolds. **Bioactive Materials**, v. 82, n. 91, 2020.

WANG, E.; ZHAO, M. Regulation of tissue repair and regeneration by electric fields. **Chinese Journal of Traumatology English Edition**, v. 13, n. 1, p. 55–61, 2010.

WANG, H. *et al.* Direct-writing organic three-dimensional nanofibrous structure. **Applied Physics A: Materials Science and Processing**, v. 102, n. 2, p. 457–461, fev. 2011.

WANG, L.; RYAN, A. J. Introduction to electrospinning. **Electrospinning for Tissue Regeneration**, p. 3–33, 2011.

WANG, S. *et al.* Fluorinated Barium Titanate Nanoparticles for Wearable Piezoelectric Power Generation. **ACS Applied Nano Materials**, v. 5, n. 3, p. 3352–3360, 25 mar. 2022.

WEISS, B.; STORTI, D.; GANTER, M. Low-cost closed-loop control of a 3D printer gantry. **Rapid Prototyping Journal**, v. 21, n. 5, p. 482–490, 17 ago. 2015.

WHITED, B. M. *et al.* Pre-osteoblast infiltration and differentiation in highly porous apatite-coated PLLA electrospun scaffolds. **Biomaterials**, v. 32, n. 9, p. 2294–2304, mar. 2011.

WILK, S.; BENKO, A. Advances in fabricating the electrospun biopolymer-based biomaterials. **Journal of Functional Biomaterials**, v. 12, n. 2, 2021.

WU, R.-X. *et al.* ECM-mimicking nanofibrous matrix coaxes macrophages toward an anti-inflammatory phenotype: Cellular behaviors and transcriptome analysis. **Appl Mater Today**, v. 100508, 2020.

XIE, C. *et al.* Structure-induced cell growth by 3D printing of heterogeneous scaffolds with ultrafine fibers. **Materials and Design**, v. 181, 5 nov. 2019.

XUE, J. *et al.* Electrospinning and electrospun nanofibers: Methods, materials, and applications. **Chemical Reviews**, v. 119, n. 8, p. 5298-5415, 24 abr. 2019.

XUE, W. *et al.* Processing and biocompatibility evaluation of laser processed porous titanium. **Acta Biomaterialia**, v. 3, n. 6, p. 1007–1018, 2007.

YANG, S. Y. *et al.* Fabrication of microgrooved scaffolds using near-field electrospinning-assisted lithography (NFEAL). **Journal of Industrial and Engineering Chemistry**, v. 80, p. 471–478, 25 dez. 2019.

YANG, Y. *et al.* Effect of electric field distribution uniformity on electrospinning. **Journal of Applied Physics**, v. 103, n. 10, 2008.

YANG, Z. *et al.* Crystallization behavior of poly(ϵ -caprolactone)/layered double hydroxide nanocomposites. **Journal of Applied Polymer Science**, v. 116, n. 5, p. 2658–2667, 2010.

YAQOOB, U.; CHUNG, G. S. Effect of reduced graphene oxide on the energy harvesting performance of P(VDF-TrFE)-BaTiO₃ nanocomposite devices. **Smart Materials and Structures**, v. 26, n. 9, 23 ago. 2017.

YOU, X.; YE, C.; GUO, P. Electric field manipulation for deposition control in near-field electrospinning. **Journal of Manufacturing Processes**, v. 30, p. 431–438, 1 dez. 2017.

YOUNG CHOI, A. *et al.* Residual charges during electrospinning assist in formation of piezoelectricity in poly(vinylidene fluoride-co-trifluoroethylene) nanofibers. **Journal of Nano Research**, v. 37, p. 13–19, 2016.

ZANDER, N. E. Hierarchically structured electrospun fibers. **Polymers**, v. 5, n. 1, p. 19–44, 2013.

ZHANG, C. *et al.* A study on a tissue-engineered bone using rhBMP-2 induced periosteal cells with a porous nano-hydroxyapatite/collagen/poly(L-lactic acid) scaffold. **Biomedical Materials**, v. 1, n. 2, p. 56–62, 1 jun. 2006.

ZHANG, K. *et al.* Bionic electrospun ultrafine fibrous poly(L-lactic acid) scaffolds with a multi-scale structure. **Biomedical Materials**, v. 4, n. 3, 2009.

ZHANG, X. *et al.* Nanocomposite Membranes Enhance Bone Regeneration Through Restoring Physiological Electric Microenvironment. **ACS Nano**, v. 10, n. 8, p. 7279–7286, 23 ago. 2016.

ZHENG, G. *et al.* Precision deposition of a nanofibre by near-field electrospinning. **Journal of Physics D: Applied Physics**, v. 43, n. 41, 20 out. 2010.

-
- ZHENG, G. *et al.* Electrohydrodynamic direct-writing of three-dimensional multi-loop nanofibrous coils. **Applied Physics A: Materials Science and Processing**, v. 116, n. 1, p. 171–177, 2014.
- ZHENG, G. *et al.* Near-field electrospinning. *Em*: **Electrospinning: Nanofabrication and Applications**. Elsevier, ed. 1, p. 283–319, 2019.
- ZHENG, G. *et al.* High-aspect-ratio three-dimensional electrospinning via a tip guiding electrode. **Materials and Design**, v. 198, 109304, 15 jan. 2021.
- ZHONG, H. *et al.* Electrospinning nanofibers to 1D, 2D, and 3D scaffolds and their biomedical applications. **Nano Research**, v. 12, n. 1, 2021.
- ZHOU, Y.; TAN, G. Z. Generation of 3D nanofiber structure by divergence electrospinning for tissue engineering scaffold. **ASME 2018 13th International Manufacturing Science and Engineering Conference**, 2018
- ZHOU, Z. *et al.* Controllable Core-Shell BaTiO₃@Carbon Nanoparticle-Enabled P(VDF-TrFE) Composites: A Cost-Effective Approach to High-Performance Piezoelectric Nanogenerators. **ACS Applied Materials and Interfaces**, v. 12, n. 1, p. 1567–1576, 8 jan. 2020.
- ZHUANG, Y. *et al.* Flexible composites with Ce-doped BaTiO₃/P(VDF-TrFE) nanofibers for piezoelectric device. **Composites Science and Technology**, v. 200, 10 nov. 2020.
- ZIELIŃSKI, P. S. *et al.* 3D printing of bio-instructive materials: Toward directing the cell. **Bioactive Materials**, v. 19, p. 292–327, 1 jan. 2023.