

**OPTIMAL EPQ MODEL FOR STOCK-DEPENDENT
DEMAND AND VARIABLE HOLDING COST**

BY

AHMAD ABDULKAREEM ABDULAZIZ ALSHAER

A Thesis Presented to the
DEANSHIP OF GRADUATE STUDIES

KING FAHD UNIVERSITY OF PETROLEUM & MINERALS

DHAHRAN, SAUDI ARABIA

In Partial Fulfillment of the
Requirements for the Degree of

MASTER OF SCIENCE

In

SYSTEMS ENGINEERING DEPARTMENT


DECEMBER 2013

KING FAHD UNIVERSITY OF PETROLEUM & MINERALS


DHAHRAN- 31261, SAUDI ARABIA

DEANSHIP OF GRADUATE STUDIES


This thesis, written by **AHMAD ABDULKAREEM ABDULAZIZ ALSHAER** under the direction his thesis advisor and approved by his thesis committee, has been presented and accepted by the Dean of Graduate Studies, in partial fulfillment of the requirements for the degree of **MASTER OF SCIENCE IN SYSTEMS ENGINEERING.**

 5-1-2014

Prof. Hesham Al-Fares
(Advisor)

 5/14


Dr. Fouad Al-Sunni
Department Chairman

 5/1/2014

Prof. Salih Duffuaa
(Member)



Dr. Salam A. Zummo
Dean of Graduate Studies



Prof. Muhammad Ben-Daya
(Member)

20/1/14
Date



© Ahmad Abdulkareem Abdulaziz AlShaer

2013

| I would like to dedicate this work to my lovely family, the soul of my father, my
compassionate mother, my wife and my son. |

ACKNOWLEDGMENTS

All praise and glory goes to Almighty Allah (the powerful and Exalted in Might) who gave me the courage to patience to finish this work. Blessings of Allah be upon his prophet Mohammed Bin Abdullah and Ahl al-Bayt.

My honest feeling to my mother for her continues prayers for me, my wife for her patience and scarifies, to brothers and sisters for their encouragements.

I would like to acknowledgment the support by Department of Systems Engineering at King Fahd University of Petroleum and Minerals.

Furthermore, I would like to express my deepest gratitude and appreciation to my thesis advisor, Professor Hesham Al-Fares, for his unlimited help and advice during my work with him to complete this thesis successfully. I recognize his encouragement, bear, patience, concern and guidance.

I will never forget the support and valuable feedback extended by the committee members, Prof. Salih Duffuaa and Prof. Muhammad Ben-Daya, and the chairman of the Systems Engineering Department, Prof. Fouad Al-Sunni.

My warmest feelings and thanks to my colleagues, Mohammed Yagoub, Majdi Al-Basarah, Ali Malak and Khalid Al-Khater for all the interesting time spent together for the past five years during the master degree program.

TABLE OF CONTENTS

| | |
|--|----------|
| ACKNOWLEDGMENTS | V |
| TABLE OF CONTENTS..... | VI |
| LIST OF TABLES..... | IX |
| LIST OF FIGURES..... | X |
| THESIS ABSTRACT | XI |
| ملخص الرسالة..... | XII |
| 1 CHAPTER 1 INTRODUCTION..... | 1 |
| 1.1 Introduction and Background | 1 |
| 1.2 Stock Dependent Demand | 3 |
| 1.3 Holding Cost..... | 3 |
| 1.4 Quantity Discount | 4 |
| 1.5 Thesis Organization..... | 5 |
| CHAPTER 2 LITERATURE REVIEW | 7 |
| 2.1 EOQ Models with Stock-Dependent Demand..... | 7 |
| 2.2 EOQ Models with Variable Holding Cost | 8 |
| 2.3 EOQ Models with Variable Demand and Variable Holding Cost | 9 |
| 2.4 EPQ Models with Variable Demand and/or Variable Holding Cost | 11 |
| 2.5 EPQ/ EPQ-Type Models with Quantity Discounts | 11 |

| | |
|--|-----------|
| CHAPTER 3 OPTIMAL EPQ MODEL FOR STOCK-DEPENDENT DEMAND, VARIABLE HOLDING COST AND RETROACTIVE HOLDING COST | 13 |
| 3.1 Assumptions and Notations | 13 |
| 3.2 The Production-Inventory Model: | 15 |
| 3.3 Solution Algorithm of Retroactive Holding Cost | 21 |
| 3.4 Numeric Example..... | 22 |
| 3.5 Sensitivity Analysis | 23 |
| | |
| CHAPTER 4 OPTIMAL EPQ MODEL FOR STOCK-DEPENDENT DEMAND, VARIABLE HOLDING COST AND INCREMENTAL HOLDING COST | 25 |
| 4.1 Production-Inventory Model | 25 |
| 4.2 Solution Algorithm | 28 |
| 4.3 Numeric Example | 28 |
| 4.4 Sensitivity Analysis | 31 |
| | |
| CHAPTER 5 OPTIMAL EPQ MODEL FOR STOCK-DEPENDENT DEMAND, VARIABLE HOLDING COST, RETROACTIVE HOLDING COST AND ALL UNIT DISCOUNT | 33 |
| 5.1 Production-inventory Model | 33 |
| 5.2 Solution Algorithm of Retroactive Holding Cost with All Unit Discount | 35 |
| 5.3 Numeric Example | 36 |
| 5.4 Sensitivity Analysis | 38 |
| | |
| CHAPTER 6 OPTIMAL EPQ MODEL FOR STOCK-DEPENDENT DEMAND, VARIABLE HOLDING COST, INCREMENTAL HOLDING COST AND ALL UNIT DISCOUNT | 40 |
| 6.1 Production-Inventory Model | 40 |
| 6.2 Solution Algorithm | 41 |
| 6.3 Numeric Example | 42 |

| | |
|--|-----------|
| 6.4 Sensitivity Analysis | 44 |
| CHAPTER 7 CONCLUSION AND CONTRIBUTION | 46 |
| 7.1 Major Contribution | 46 |
| 7.2 Further Extension and Research | 47 |
| APPENDIX | 48 |
| REFERENCES..... | 50 |
| VITAE..... | 56 |

LIST OF TABLES

| | |
|---|----|
| Table 1 Sensitivity Analysis Results of Model 1 | 23 |
| Table 2 Sensitivity Analysis Results of Model 2 | 31 |
| Table 3 Sensitivity Analysis Results of Model 3 | 38 |
| Table 4 Sensitivity Analysis Results of Model 4 | 44 |

LIST OF FIGURES

| | |
|--|----|
| Figure 1 Incremental Discount Model | 4 |
| Figure 2 All-Unit Discount Model..... | 5 |
| Figure 3 Different attributes used for the four models | 6 |
| Figure 4 General EPQ model with stock-dependent demand..... | 16 |

THESIS ABSTRACT

Full Name : Ahmad Abdulkareem Abdulaziz AlShaer

Thesis Title : Optimal EPQ Model for Stock-Dependent Demand and Variable Holding Cost

Major Field : Industrial and Systems Engineering

Date of Degree : December 2013

This thesis is structured to develop four different economic production quantity (EPQ) models with stock level dependent demand rate, variable holding cost and quantity discount with total profit per unit time maximization objective function rather than minimizing total cost per unit time and allowing non-zero end inventory for each cycle.

Two types of holding cost are considered during the modeling of the four models: incremental and retroactive holding cost. Furthermore, the first two EPQ models are developed without quantity discount and the remaining two models are developed with the assumption of having all unit discounts to maximize the total profit.

Finally, four mathematical models with optimum solution procedures, including nonlinear programming, and sensitivity analysis are carried out in this thesis work.

Keywords: Inventory models; Stock-dependent demand; Retroactive holding cost; Incremental holding cost; Optimization; Quantity discount.

ملخص الرسالة

الاسم الكامل: أحمد عبدالكريم عبدالعزيز الشاعر

عنوان الرسالة: نظام الإنتاج الأمثل مع كمية إنتاج متغيره مع الطلب المعتمد على مستوى المخزون، و تكلفة التخزين ديناميكية.

التخصص: هندسة النظم الصناعية

تاريخ الدرجة العلمية: ديسمبر كانون الاول ٢٠١٣ |

تتمحور هذه الرسالة حول تطوير و ايجاد أربعة نماذج من كميات الانتاج الاقتصادية (EPQ) مع فرضية الطلب المعتمد علي مستوى المخزون و تكلفة التخزين المتغيرة و خصم للكميات, حيث يكون الهدف زيادة الربح الاجمالي للوحدة الزمنية بدلا من تقليل التكلفة الاجمالية للوحدة الزمنية.

تم اعتبار نوعين من تكلفة التخزين خلال وضع النماذج الاربعة و هما تكلفة التخزين الاضافية و الرجعية. علاوة على ذلك تم وضع النموذجين الأوليين بدون خاصية الخصم و من ثم تم تطوير النموذجين الاخرين بإضافة خاصية الخصم للكميات و ذلك للحصول علي أعلى مستوى من الارباح الاجمالية.

الهدف الرئيسي من هذه الرسالة هو ايجاد نماذج رياضية مع طريقة حلها و البرمجة الغير خطيه و تحليل الحساسية لنماذج الانتاج الاربعة.

الكلمات الرئيسية: نماذج الانتاج و التخزين الطلب المعتمد علي مستوي التخزين, تكلفة التخزين المتغيرة, الحل الأمثل خصم للكميات.

CHAPTER 1

INTRODUCTION

1.1 Introduction and Background

Traditional EPQ models are based on the assumptions of constant demand rate, constant inventory carrying cost, and instantaneous order arrival. This thesis work presents a more realistic production-inventory model in which all these assumptions are relaxed. The economic production quantity (EPQ) model relaxes the assumption of instantaneous order arrival by incorporating a gradual order receipt, i.e. a finite production rate. This thesis presents a production-inventory control system with finite production rate, stock-dependent demand rate and variable holding cost.

Demand variability with item availability and price is a frequently observed phenomenon. In stock-dependent demand models, the demand for a given item increases with higher item availability. A bigger item display tends to attract the attention of more customers, leading to increased sales. Moreover, customers may view larger item stock as an indication of the item's popularity and also as a sign of reliable, continuing supply. Since higher sales are made on the expense of carrying more stock, firms need to find the optimum balance between the extra holding cost and the additional profit resulting from the induced sales. According to Sarkar (2012), "In general, sugar, spices, clothes, gift

cards are the real-life examples of the stock-dependent demand”. Moreover, Yang et. al. (2013) stated that “The manufacturer should often strike the balance between the production efficiency and market demand rate due to the stock-dependent demand”.

In inventory models with variable holding costs, the holding cost is a function of either the storage level or the storage time. Holding cost time variability is used to reflect the fact that longer storage times frequently require higher holding costs. Longer storage periods, especially for perishable products, usually require more expensive specialized storage facilities. Time-dependent holding cost models represent holding cost either as a continuous nonlinear function or as a discontinuous step function of storage time.

The unit cost is usually assumed to be fixed and independent of the order size. Whereas, it is more realistic to consider the case where the unit cost is dependent of order size since the vendor is willing to charge less per unit for large orders. The purpose of the discount is to encourage the customer to buy material in big batches. There are two main type of price discount that are all-units discounts and incremental quantity discounts.

The aim of this thesis is to present a production-inventory model with finite production rate, stock-level dependent demand rate and variable holding cost. In this model, the demand rate is an increasing power function of the instantaneous inventory level, and the holding cost is an increasing step function of the time spent in storage. Two types of holding cost step functions are considered: retroactive holding cost, and incremental holding cost. Whereas quantity discount is considered to the model “all-units discounts” for the two types of holding cost “retroactive holding cost, and incremental holding cost”.

1.2 Stock Dependent Demand

The presence of retail inventory is assumed to have an encouraging effect on the customer. Traders usual tend to have mass displays of items inside the stores that are used as “psychic stock” to stimulate sales of some retail items. This phenomenon may also be experienced with products that are generically the same, but are individually slightly different (such as greeting cards); thus, increased inventory levels give the customer a wider selection and increase the probability of making a sale. In these situations, the demand of a given item is not assumed to be an exogenous variable, as with the classical inventory models; instead, it is assumed that the demand rate is endogenous to the firm and is a function of the inventory level. The effect of this dependency is that the retailer has incentive to keep higher levels of inventory— despite increased holding costs—as long as the item is profitable and the demand is an increasing function of the inventory level. This results in additional sales, higher fill rates, and potentially greater profits. The operations management literature has recognized this motivating effect of inventory on demand, and models have been developed that incorporate this relationship.

1.3 Holding Cost

The associated price of storing inventory or assets that remains unsold. Holding costs are a major component of supply chain management, since businesses must determine how much of a product to keep in stock. This represents an opportunity cost, as the presence of the goods means that they are not being sold while that money could be deployed elsewhere. In addition, holding costs include the costs of goods being damaged or spoiled

over time and the general costs, such as space, labor and other direct expenses. Inventory is measured by in units rather than dollars; it is more convenient to express the holding cost in terms of dollars per unit per unit time than dollars per unit time. Holding cost h is equal the multiplication of c “the dollar value of one unit of inventory” by I “the annual interest rate”.

There are two main types of holding cost; incremental and retroactive holding cost.

1.4 Quantity Discount

The unit cost c is dependent of the size of the order, so as the size of the order goes up the unit cost will be less as the supplier is willing to charge less for bulk orders. The main goal of the discount is that encouragement of buying larger batches. There are many types of discount exist, but the most popular types are: all unit discount and incremental discount. In each case, we assume there are one or more breakpoints defining changes in the unit cost.




Figure 1: Incremental Discount Model

There are two possibilities: either the discount is applied to all units in an order (all unit), or it is applied only the additional units beyond the break points (incremental). The all-unit case is the more common and it the type that is used for our model here.




Figure 2: All-Unit Discount Model

1.5 Thesis Organization

The economic production models and problems are of importance on both practical and theoretical. In this thesis, we will focus on modeling four different types of EPQ models to maximize the total profit and finding the optimal solution with the maximum inventory level (Q) and the maximum ending inventory (L). In chapter 2, full literature review along with several categories of recent production-inventory models with variable holding costs and stock-dependent demand rates are presented. Chapter 3 covers the modeling and mathematical formulation of EPQ model with retroactive holding cost and with no quantity discount. Chapter 4 is about EPQ model with incremental holding cost and no discount as well. Chapter 5 is about EPQ model with retroactive holding cost and

all unit discounts. In chapter 6, the EPQ model with incremental holding cost and all unit discounts is presented as well. The following figure summarizes the difference between the four models.

| | <i>Retroactive Holding Cost</i> | <i>Incremental holding Cost</i> |
|------------------------------|-------------------------------------|-------------------------------------|
| <i>No Discount</i> | Model 1 | Model 2 |
| <i>All Unit Discount</i> | Model 3 | Model 4 |

Figure 3: Different attributes used for the four models

CHAPTER 2

LITERATURE REVIEW

In this chapter, we review several categories of recent production-inventory models with variable holding costs and stock-dependent demand rates. Urban (2005) provides a comprehensive review of inventory models with stock-dependent demand rates published up to 2004, classifying work in this area into two main types. In the first type, pioneered by Gupta and Vrat (1986), the demand rate is a function of the initial inventory. In the second type, pioneered by Baker and Urban (1988a, 1988b), the demand rate is a function of the instantaneous inventory. A third type could be considered as models in which the demand has two stages, an initial period of level-dependent demand followed by a period of constant demand.

2.1 EOQ Models with Stock-Dependent Demand

In inventory models with variable demand rate, the demand is either a function of time or a function of the stock level. According to Urban (2005), demand dependence on the stock level has several functional forms, including: linear, power, and posynomial. Several models have been proposed for deteriorating items with stock-level dependent demand rates. Min and Zhou (2009) develop an EOQ model for perishable items with stock-dependent demand rate, where unsatisfied demand is partially backlogged. Sana et al. (2009) present EOQ and EPQ inventory models in which the demand rate depends on three factors: stock level, selling price, and advertising. Both deteriorating and

ameliorating items are considered under budget and storage capacity constraints. Yang et al. (2010) propose an EOQ model for deteriorating items with stock-dependent demand rate, partial backlogging, inflation, varying replenishment cycles, and varying shortage intervals. Roy et al. (2009), developed an EOQ model for a deteriorating item with linearly displayed stock dependent demand in imprecise environment, involving both fuzzy and random parameters, under inflation and time value of money. Hsieh and Dye (2010), developed a deterministic EOQ model for deteriorating items with stock-dependent demand and finite shelf/display space, where the shortages are allowed and the unsatisfied demand is partially backlogged at the exponential rate with respect to the waiting time. Das et al. (2010), presented production lot size inventory model in which the production rate constitutes of productions during both regular time and overtime, the demand rate is assumed as stock-dependent. The formulation leads to a single objective optimization problem for maximum average profit evaluation through a real-coded genetic algorithm (GA). Duan et al. (2012), presented inventory models for perishable items with inventory level dependent demand rate where the models with and without backlogging were studied. Recently, Sarkar (2012) considered finite replenishment rate under progressive payment scheme with the production of defective items within the cycle time.

2.2 EOQ Models with Variable Holding Cost

An increasing number of EOQ-type inventory models assume variable and nonlinear holding cost. Muhlemann and Valtis-Spanopoulos (1980) are the first to introduce variable holding costs into the EOQ model. In their EOQ-type model, the holding cost is

assumed to be a function of the average inventory value. Their justification is that the cost of financing increases as the amount of investment (value of the inventory) increases. Weiss (1982) develops deterministic and stochastic EOQ models in which the per-unit holding cost is a non-linear function of storage duration. According to Weiss (1982), this assumption is applicable to inventory systems where the value of stored items decreases non-linearly with storage length. Ferguson et al. (2007) present another EOQ-type model in which the holding cost is a nonlinear function of time. Given historical data, regression is used to estimate the parameters of this function for perishable grocery items.

2.3 EOQ Models with Variable Demand and Variable Holding Cost

Goh (1994) presents the first inventory model in which the demand is stock dependent and the holding cost varies with storage duration. Goh considers two types of holding cost variation: (a) a nonlinear function of storage time, and (b) a nonlinear function of storage level. Giri et al. (1996) present a generalized EOQ-type model for deteriorating items, in which the demand rate, the deterioration rate, the ordering cost, and the holding cost are continuous functions of time. Giri and Chaudhuri (1998) develop another EOQ-type model for deteriorating items in which the demand rate is a function of the stock level. Keeping all other costs and parameters constant, the holding cost is assumed a nonlinear function of either the stock level or the storage duration.

Teng and Yang (2007) generalize the EOQ model to consider a time-varying demand rate, assuming that the holding cost includes both size-related and value-related components. Roy (2008) formulates an EOQ model for deteriorating items in which

shortages are allowed, where the demand rate is a function of the selling price and the holding cost is a continuous function of time. Gayen and Pal (2009) analyze a two-warehouse inventory model for a deteriorating product where both the demand rate and the holding cost are assumed to be continuous power functions of the current inventory level. Mahata and Goswami (2009) investigate an EOQ model for deteriorating items with stock dependent demand rate, variable holding cost, and fuzzy deterioration rate. The holding cost is considered as a non-linear function of either the length of storage time or the current inventory level.

Alfares (2007) presents a stock-dependent EOQ-type model with two types of holding cost discontinuous step functions. As the storage time extends to the next time period, the new (higher) holding cost can be applied either retroactively to all storage periods, or incrementally to the new period only. Urban (2008) extends Alfares (2007) work by allowing non-zero end inventory for each cycle, and shifting to a maximum-profit objective. Singh, Kumar, and Gaur (2009) present an EOQ model with stock-dependent demand and partial backlogging of unsatisfied demand. They also consider deteriorating items, inflation, and an incremental holding cost function. Pando et al. (2012), studied an EOQ inventory model with demand rate and holding cost rate per unit time, both potentially dependent on the stock level, where the objective is to maximize the average profit per unit time.

2.4 EPQ Models with Variable Demand and/or Variable Holding

Cost

Goh (1992) presents three models of stock-dependent demands inventory systems including an EPQ-type model with non-instantaneous receipt of orders. Sarfaraz (2009) develops a modified EPQ model in which the holding cost is composed of two components: an investment cost proportional to the dollar value of inventory, and a capacity cost proportional to the maximum inventory level. As stated earlier, Sana et al. (2009) analyze an EPQ model with stock-dependent demand rate and storage capacity limitations. Tripathy et al. (2010) formulate an EPQ model for deteriorating items, assuming the demand rate is constant and the holding cost is a nonlinear continuous function of storage time. Singh, Singh, and Vaish (2009) develop an EPQ inventory model where demand is a linear function of time, and two cases of holding costs are considered: (i) holding cost is constant, and (ii) holding cost is a continuous function of time. Yang et. al. (2013) consider EOQ modeling for a single-manufacturer and single-retailer where the demand rate at the retailer's end is dependent on the instantaneous stock level.

2.5 EPQ/ EPQ-Type Models with Quantity Discounts

Regarding inventory models with quantity discounts, most research work has focused on all-units and incremental quantity discounts. An overview of the quantity discounts research is presented by Benton and Park (1996). Munson and Rosenblatt (1998) presented an exploratory study of 39 companies and their different discount strategies in

practice. They found that 95% of the companies they studied either offer or receive some type of all-units quantity discounts. In addition, 37% of these firms offer or receive incremental quantity discounts. Hu and Munson (2002) presented a heuristic for incremental quantity discounts with constant demand over a finite horizon. Hu et al. (2004) suggested a modification of the classical Silver-Meal heuristic under the incremental quantity discount case to improve the results presented by Hu and Munson (2002). Mendoza, Ventura (2008) developed an Economic Order Quantity (EOQ) model with two modes of transportation, namely truckload and less than truckload carriers, by introducing all-units and incremental quantity discount structures into the analysis.

CHAPTER 3

OPTIMAL EPQ MODEL FOR STOCK-DEPENDENT DEMAND, VARIABLE HOLDING COST AND RETROACTIVE HOLDING COST

The objective of this chapter is to develop mathematical models and find the optimal solution procedures that maximize the total profit of production-inventory systems (EPQ) with stock-dependent demand rate, finite production rate and retroactive holding cost. The demand rate for stock-level dependent demand is affected by the inventory decision made, unlike the traditional inventory models with constant demand. Maximizing profits will lead to a higher demand rate by keeping higher inventory levels. It is more realistic to allow inventory-production system to have positive inventory at the end of the order cycle that will incur higher holding cost but will allow us to have more inventory level, realize a higher subsequent demand rate and potentially receive a greater profit.

3.1 Assumptions and Notations

These are the general assumptions for this problem and the subsequent three models:

1. A single item with an infinite planning horizon is considered.
2. The holding cost is an increasing step function of storage duration ($h_1 < h_2 < \dots < h_n$).
3. Orders of lot size S are produced gradually in t_1 periods at a constant rate P .
4. The units do not lose value during storage (no item deterioration).
5. Shortages are not allowed.
6. The quality of the production is perfect.
7. The demand rate R is an increasing power function of the inventory level q , given as:

$$R(q) = Dq^\beta, \quad D > 0, \quad 0 < \beta < 1, \quad q \geq 0 \quad (1)$$

The used notations to develop the all the four models in this thesis are identified as follows:

D = constant (base) demand rate

P = production rate during the first phase of the cycle ($0 \leq t \leq t_1$)

α = D/P

n = number of distinct time periods with different holding cost rates

t = time from the start of the cycle at $t = 0$

t_1 = end time of the first (uptime) phase of the cycle

τ_i = end time of holding-cost interval i , where $i = 1, 2, \dots, n$, $\tau_0 = 0$, and $\tau_n = \infty$

K = ordering cost per order

$h(t)$ = holding cost of the item at time t , $h(t) = h_i$ if $\tau_{i-1} \leq t \leq \tau_i = (ic)$

T = cycle time, i.e. time between producing two consecutive orders of size S

β = demand elasticity rate in relation to the inventory level

Q = maximum inventory level, corresponding to time $t = t_1$

L = ending inventory level, corresponding to time $t = 0$ and T

S = production lot size = Pt_1

γ = gross profit per unit of fresh item

η = gross profit per unit of item remaining at the end of the order cycle

$q(t)$ = quantity on-hand (inventory level) at time t

δ = sales price

γ = gross profit per unit = (sales price – purchase cost) = $(\delta - c)$

3.2 The Production-Inventory Model:

The inventory level variation over time $q(t)$ during a typical cycle is divided into two phases: uptime phase and downtime phase. During the first (uptime) phase of the cycle, a new order is produced at a constant rate P while the inventory is consumed at the stock-

dependent demand rate of Dq^β . Hence, the rate of change in the inventory level is expressed as follows:

$$\frac{dq(t)}{dt} = P - D[q(t)]^\beta \quad 0 \leq t \leq t_1, \quad P > D \quad (2)$$




Figure 4: General EPQ model with stock-dependent demand

During the second (downtime) phase of the cycle, the rate of change (decrease) in the inventory level is equal to the demand rate, which is given by:

$$\frac{dq(t)}{dt} = -D[q(t)]^\beta, \quad t_1 \leq t \leq T, \quad (3)$$

During Uptime:

$$\frac{dq(t)}{dt} = P - Dq(t)^\beta, \quad 0 \leq t \leq t_1, \quad P > D$$

$$\frac{d^2q(t)}{dt^2} = -\beta Dq(t)^{\beta-1} q'(t) = -\beta Dq(t)^{\beta-1} [P - Dq(t)^\beta]$$

Since

$$\alpha Q^\beta < 1$$

Where

$$\alpha = D/P$$

$$Q = \max\{q(t)\}$$

Then

$$\frac{D}{P} q(t)^\beta < 1$$

or $P - Dq(t)^\beta > 0$

Therefore, considering $\frac{d^2 q(t)}{dt^2}$ during the uptime phase:

$$\frac{d^2 q(t)}{dt^2} < 0 \quad \text{so, } q(t) \text{ is concave for } 0 \leq t \leq t_1$$

During downtime:

$$\frac{dq(t)}{dt} = -D[q(t)]^\beta, \quad t_1 \leq t \leq T,$$

$$\begin{aligned} \frac{d^2 q(t)}{dt^2} &= -Dq(t)^{\beta-1} q'(t) = -\beta Dq(t)^{\beta-1} [-Dq(t)^\beta] \\ &= \beta D^2 q(t)^{2\beta-1} \end{aligned}$$

Therefore,

$$\frac{d^2 q(t)}{dt^2} > 0 \quad \text{so, } q(t) \text{ is convex for } t_1 \leq t \leq T,$$

The net profit per unit time consists of three components: gross profit for the fresh and older product less the ordering cost and the holding cost. Since one order at a cost K is made in each cycle, the ordering cost per cycle is simply K . The holding cost per cycle is

obtained by integrating the product of the holding cost $h(t)$ and the inventory level $q(t)$ for the whole cycle. However, the true objective is to maximize the total profit per unit time π , which is obtained by dividing the total profit per cycle by the cycle time T . Therefore, the total profit per unit time π is given by:

$$\pi = \frac{\gamma[Pt_1]}{T} - \frac{K}{T} - \frac{\int_0^{t_1} h(t)q(t)dt}{T} - \frac{\int_{t_1}^T h(t)q(t)dt}{T} \quad (4)$$

During the uptime phase of the cycle ($0 \leq t \leq t_1$), rearranging the ordinary differential equation (2) results in the following:

$$\frac{d q(t)}{dt} = P - Dq(t)^\beta$$

$$d q(t) = Pdt[1 - \frac{D}{P} q(t)^\beta], \text{ let } \alpha = D/P$$

$$d q(t) = Pdt[1 - \alpha q(t)^\beta]$$

$$\frac{1}{(1 - \alpha q(t)^\beta)} dq = Pdt$$

After integrating the ordinary differential equation we get:

$$\int_0^t \frac{1}{1 - \alpha q(t)^\beta} dq = P \int_0^t dt \quad (5)$$

The left-hand side of (5) can be integrated to yield the hyper-geometric function ${}_2F_1$.

$$\int \frac{1}{1 - \alpha q^\beta} dq = q \times \left[{}_2F_1\left(1, \frac{1}{\beta}; 1 + \frac{1}{\beta}; \alpha q^\beta\right) \right]$$

Where

$${}_2F_1\left(1, \frac{1}{\beta}; 1 + \frac{1}{\beta}; \alpha q^\beta\right) = \sum_{n=0}^{\infty} \frac{(1)_n (1/\beta)_n (\alpha q^\beta)^n}{(1+1/\beta)_n n!}$$

and

$$(a)_0 = 1$$

$$(a)_n = a(a+1)(a+2)\dots(a+n-1)$$

Then, the right hand side of (5), can be written as:

$$\begin{aligned} q \times {}_2F_1\left(1, \frac{1}{\beta}; 1 + \frac{1}{\beta}; \alpha q^\beta\right) &= q \sum_{n=0}^{\infty} \frac{(n!)(\frac{1}{\beta})(\frac{1}{\beta}+1)\dots(\frac{1}{\beta}+n-1)}{(\frac{1}{\beta}+1)\dots(\frac{1}{\beta}+n-1)(\frac{1}{\beta}+n)} \frac{(\alpha q^\beta)^n}{n!} = q \sum_{n=0}^{\infty} \frac{\frac{1}{\beta}(\alpha q^\beta)^n}{(\frac{1}{\beta}+n)} \\ &= q \sum_{n=0}^{\infty} \frac{(\alpha q^\beta)^n}{(1+n\beta)} = \sum_{n=0}^{\infty} \frac{\alpha^n q^{n\beta+1}}{(1+n\beta)} \end{aligned}$$

Therefore, (5) can be written as follows:

$$\left. \sum_{n=0}^{\infty} \frac{\alpha^n q^{n\beta+1}}{(1+n\beta)} \right|_0^t = Pt \tag{6}$$

Since $q(0) = q(T) = L$ while $q(t_1) = Q$, integrating over the range $[0, t_1]$ gives:

$$\begin{aligned} t_1 P &= \sum_{n=0}^{\infty} \frac{\alpha^n Q^{n\beta+1}}{(n\beta+1)} - \sum_{n=0}^{\infty} \frac{\alpha^n L^{n\beta+1}}{(n\beta+1)} = \sum_{n=0}^{\infty} \frac{\alpha^n (Q^{n\beta+1} - L^{n\beta+1})}{(n\beta+1)}, \\ t_1 &= \sum_{n=0}^{\infty} \frac{\alpha^n (Q^{n\beta+1} - L^{n\beta+1})}{P(n\beta+1)} \end{aligned} \tag{7}$$

In order to obtain an expression for $q(t)$ during the uptime phase, (2) is rearranged differently from (5) and integrated as follows:

$$\int_a^b q(t) dt = \frac{1}{P} \int_a^b \frac{q(t)}{1 - \alpha q(t)^\beta} dq \tag{8}$$

The right-hand side of (8) again integrates to the hyper-geometric function ${}_2F_1$.

$$\int \frac{q}{1-\alpha q^\beta} dq = \frac{q^2}{2} {}_2F_1\left(1, \frac{2}{\beta}; 1 + \frac{2}{\beta}; \alpha q^\beta\right)$$

After simplification, ‘‘uptime phase’’(8) can be written as:

$$\int_a^b q(t) dt = \sum_{n=0}^{\infty} \frac{\alpha^n [q(b)^{n\beta+2} - q(a)^{n\beta+2}]}{P(n\beta+2)} = \sum_{n=0}^{\infty} \frac{\alpha^n (Q^{(2+n\beta)} - L^{(2+n\beta)})}{P(2+n\beta)} \quad (9)$$

During the downtime phase of the cycle ($t_1 \leq t \leq T$):

$$\int_a^b q(t) dt = \frac{q(a)^{2-\beta} - q(b)^{2-\beta}}{D(2-\beta)} = \frac{Q^{2-\beta} - L^{2-\beta}}{D(2-\beta)} \quad (10)$$

$$T = t_1 + \frac{Q^{1-\beta} - L^{1-\beta}}{D(1-\beta)} \quad (11)$$

To add a constraint that governs the relation between Q and L from (7):

$$t_1 = \sum_{n=0}^{\infty} \frac{\alpha^n (Q^{n\beta+1} - L^{n\beta+1})}{P(n\beta+1)} > 0,$$

$$\sum_{n=0}^{\infty} \alpha^n (Q^{n\beta+1} - L^{n\beta+1}) > 0, \text{ after simplification:}$$

$$\sum_{n=0}^{\infty} \alpha^n (Q^{n\beta+1}) > \sum_{n=0}^{\infty} \alpha^n (L^{n\beta+1}) \quad (12)$$

$$\alpha Q^\beta < 1, \quad Q \geq 0, \quad L \geq 0 \quad (13)$$

From the optimum values of Q and L , the following quantities can be calculated:

$$\int_0^T q(t) dt = \frac{Q^{2-\beta} - L^{2-\beta}}{D(2-\beta)} + \sum_{n=0}^{\infty} \frac{\alpha^n (Q^{n\beta+2} - L^{n\beta+2})}{P(n\beta+2)} \quad (14)$$

$$S = Pt_1 = \sum_{n=0}^{\infty} \frac{\alpha^n (Q^{n\beta+1} - L^{n\beta+1})}{(n\beta + 1)} \quad (15)$$

3.3 Solution Algorithm of Retroactive Holding Cost

Assuming a retroactive holding cost, only the holding cost of the last storage interval is used retroactively for *all* earlier intervals. Assuming that the cycle ends in interval e , ($\tau_{e-1} \leq T \leq \tau_e$), then the rate h_e is applied to holding cost intervals 1, 2, ..., e . Therefore, the total profit per unit time π is given by:

$$\pi = \frac{\gamma(Pt_1)}{T} - \frac{K}{T} - \frac{h_i}{T} \int_0^T q(t) dt \quad \tau_{i-1} \leq T \leq \tau_i \quad (16)$$

The optimum solution can be determined by using the following steps:

1. Starting with the lowest holding cost h_1 , solve NLP1 (with equation (16) as objective function, (12- 13) as constraints) with Q and L as decision variable, and then solve equation (7) to determine the value of t_1 , and finally solve equation (11) to find the value of T for each h_i until Q and L are realizable (i.e., $\tau_{i-1} \leq T \leq \tau_i$). Call these values T_R , L_R and Q_R .
2. Calculate all break-point values of Q_i and L_i , by adding " $T = \tau_i$ " that is in (11) to NLP1 as an additional constraint and then solve for Q and L .
3. For all Q_R , Q_i , L_R and L_i , use (14) to calculate $\int_0^T q(t) dt$, and then substitute the result using the appropriate h_i into (16) to calculate the total profit π .
4. Choose the value of Q that gives the maximum total profit, and then use (15) to calculate the corresponding production lot size S .

3.4 Numeric Example

Given the following parameters:

$D = 400$ units per year, $P = 1,000$ units per year, $K = \$300$ per order

$\beta = 0.1$, $h_1 = \$6/\text{unit}/\text{year}$, $h_2 = \$8/\text{unit}/\text{year}$, $h_3 = \$10/\text{unit}/\text{year}$

$\tau_1 = 0.3$ years, $\tau_2 = 0.6$ years, $\tau_3 = \infty$, $\gamma = \$20/\text{unit}$,

The solution algorithm is implemented in the following steps.

Step 1

Substituting $h_1 = 6$ (for $0 < T \leq 0.3$), solving (NLP1) gives:

$Q = 425.321$ and $L = 103.567$, $t1 = 0.545162$, $T = 1.00925$, $\pi = 12,102$ (not realizable).

Substituting $h_2 = 8$ (for $0.3 < T \leq 0.6$), solving (NLP1) gives:

$Q = 332.684$ and $L = 66.1937$, $t1 = 0.8238$, $T = 1.21996$, with $\pi = 11,637.1$ (not realizable).

Substituting $h_3 = 10$ (for $T > 0.6$), solving (NLP1) gives:

$Q = 276.12$ and $L = 46.100$, $t1 = 0.679742$, $T = 1.002964$, with $\pi = 11,273.4$ (realizable)

Step 2

Setting $T = \tau_1 = 0.3$ with $h=6$, solving the NLP1 model gives: $Q_I = 12.231$ and $L_I = 0$, $\pi = 3,228.21$.

Setting $T = \tau_2 = 0.6$ with $h=8$, solving the NLP1 model gives: $Q_2 = 17.2986$ and $L_2 = 0.02$, $\pi = 5,291.36$.

Step 3

$Q_R = 276.12$, $L_R = 46.1$ and $h_3 = 10$: $\pi = \$ 11,273.4$

$Q_I = 12.231$, $L_I = 0$ and $h_1 = 6$: $\pi = 3,228.21$

$Q_2 = 17.298$, $L_2 = 0.02$ and $h_2 = 8$: $\pi = 5,291.36$

Step 4

The maximum profit ($\pi = 11,273.4/\text{year}$) is obtained with $Q = 276.12$. Using (15), the corresponding lot size is calculated as: $S = 338$. Therefore, the optimum inventory policy is obtained with cycle time $T = 1.002964$ year and lot size $S = 679.742$.

3.5 Sensitivity Analysis

The sensitivity analysis is carried out for this model by increasing the value of each parameter by 20% and resolving the model and then decreasing the value by 20%.

Table 1 Sensitivity Analysis Results of Model 1

| <i>Parameter</i> | <i>Original Value</i> | <i>New Values</i> | Q^* | L^* | T | tI | Π |
|------------------|-----------------------|-------------------|---------|--------|---------|---------|----------|
| D | 400 | 480 | 291.150 | 73.584 | 1.571 | 1.130 | 14,019.5 |
| | | 320 | 247.605 | 27.062 | 0.8862 | 0.45830 | 8,629.9 |
| | | 1200 | 293.748 | 40.816 | 0.85456 | 0.47056 | 11,184.2 |

| | | | | | | | |
|--------------------------|------------|---------------|--------|-------|---------|---------|-----------|
| P | 1,000 | 800 | 242.55 | 58.13 | 1.603 | 1.3215 | 11,428.3 |
| K | 300 | 360 | 287.38 | 42.65 | 1.09778 | 0.7260 | 11,217 |
| | | 240 | 263.54 | 50.28 | 0.9524 | 0.6276 | 11,333.9 |
| β | 0.1 | 0.12 | 323.97 | 83.39 | 1.3075 | 0.9869 | 12,768.8 |
| | | 0.08 | 233.28 | 22.64 | 0.8695 | 0.5076 | 10,041.46 |
| γ | 20 | 24 | 310.04 | 66.13 | 0.7289 | 0.3645 | 13,937.3 |
| | | 16 | 242.47 | 28.32 | 0.9429 | 0.6103 | 8,658 |
| $h_{1,2 \text{ and } 3}$ | 6,8 and 10 | 7.2, 9.6 & 12 | 237.78 | 33.93 | 0.898 | 0.5822 | 10,972.95 |
| | | 4.8, 6.4 & 8 | 332.68 | 66.19 | 1.2199 | 0.82382 | 11,637.1 |

From the above table, we can observe the effect of the demand while the remaining parameters have less effect to the overall total profit.

CHAPTER 4

OPTIMAL EPQ MODEL FOR STOCK-DEPENDENT DEMAND, VARIABLE HOLDING COST AND INCREMENTAL HOLDING COST

In this chapter, a mathematical models is developed to find the optimal solution that maximize the total profit of production-inventory systems (EPQ) with stock-dependent demand rate, finite production rate with incremental holding cost. The main difference between this model and the pervious one is the nature of holding cost as there different holding cost used for each storage interval un-like the retroactive holding cost.

4.1 Production-Inventory Model

An incrementally increasing holding cost means that a different holding cost h_i applies to each storage interval i ($\tau_{i-1} \leq t \leq \tau_i$). The objective, which is to maximize the total profit per unit time, is expressed as follows:

$$\text{Max } \pi = \frac{\gamma(Pt_1)}{T} - \frac{K}{T} - \frac{1}{T} \sum_{i=1}^e h_i \int_{\tau_{i-1}}^{\tau_i} q(t) dt \quad (17)$$

A given interval $[\tau_{i-1}, \tau_i]$ may fall entirely in the first phase (before t_1), entirely in the second phase (after t_1), or straddle both phases. Therefore, depending on the relationship between end point $[\tau_{i-1}, \tau_i]$ and t_1 , there are three possible procedures for calculating the integrals in (17). If the interval falls entirely in the first phase ($\tau_{i-1} < \tau_i \leq t_1$), then we use (9), replacing a and b by τ_{i-1} and τ_i . If it falls entirely in the second phase ($t_1 \leq \tau_{i-1} < \tau_i$), then we use (10), replacing a and b by τ_{i-1} and τ_i . However, if the interval straddles both phases ($\tau_{i-1} \leq t_1 < \tau_i$), then we have to evaluate the integral over $[\tau_{i-1}, \tau_i]$ using a combination of (9) and (10) as follows:

$$\int_{\tau_{i-1}}^{\tau_i} q(t) dt = \sum_{n=0}^{\infty} \frac{\alpha^n [Q^{n\beta+2} - q(\tau_{i-1})^{n\beta+2}]}{P(n\beta+2)} + \frac{Q^{2-\beta} - q(\tau_i)^{2-\beta}}{D(2-\beta)}, \quad \tau_{i-1} \leq t_1 < \tau_i \quad (18)$$

The inventory level $q(t)$ is determined from (2) during the uptime phase and from (3) during the downtime phase. Therefore, the functions $q(\tau_i)$ and $q(\tau_{i-1})$ are determined from two different expressions in the two phases.

$0 \leq t \leq t_1$

$$\frac{dq(t)}{dt} = P - D[q(t)]^\beta, \quad D > 0, \quad 0 \leq t \leq t_1, \quad 0 < \beta < 1$$

Therefore, after integrating the above equation and simplified, it can be written as follows:

$$\sum_{n=0}^{\infty} \frac{\alpha^n q^{n\beta+1}}{(1+n\beta)} \Big|_0^t = Pt$$

$$\sum_{n=0}^{\infty} \frac{\alpha^n q(t)^{n\beta+1}}{(1+n\beta)} - \sum_{n=0}^{\infty} \frac{\alpha^n q(0)^{n\beta+1}}{(1+n\beta)} = Pt$$

$$\sum_{n=0}^{\infty} \frac{\alpha^n q(t)^{n\beta+1}}{(1+n\beta)} - \sum_{n=0}^{\infty} \frac{\alpha^n L^{n\beta+1}}{(1+n\beta)} = Pt$$

$$\sum_{n=0}^{\infty} \frac{\alpha^n (q(t)^{n\beta+1} - L^{n\beta+1})}{(n\beta+1)} = Pt, \quad 0 \leq \tau_i \leq t_1 \quad (19)$$

$t_1 \leq t \leq T$

The on-hand inventory level at time t , $q(t)$, can be evaluated by solving (3):

$$q^{-\beta} dq = -D dt$$

by integrating both sides:

$$\int_{t_1}^t q^{-\beta} dq = \int_{t_1}^t -D dt, \text{ where } t_1 \leq t \leq T$$

$$\left. \frac{q^{1-\beta}}{(1-\beta)} \right|_{t_1}^t = -D(t - t_1)$$

$$q^{1-\beta}(t) - q^{1-\beta}(t_1) = -D(1-\beta)(t - t_1)$$

$$q^{1-\beta}(t) = q^{1-\beta}(t_1) - D(1-\beta)(t - t_1)$$

However, since $q(t_1) = Q$, then

$$q^{1-\beta}(t_1) = Q^{1-\beta}$$

Thus;

$$q^{1-\beta}(t) = Q^{1-\beta} - D(1-\beta)(t - t_1)$$

$$q(t) = [Q^{1-\beta} - D(1-\beta)(t - t_1)]^{1/(1-\beta)} \quad t_1 \leq \tau_i \leq T \quad (20)$$

If the current interval i is the last interval in the cycle (i.e. $i = e$), then the interval's end point $\tau_i = \tau_e$ has to be replaced by the cycle time T . Therefore, it should be assumed that τ_i

$= T$ and $q(\tau_i) = L$ for the last interval i in (17). Furthermore, the cycle time T must fall in the last interval e .

$$\tau_{e-1} \leq T \leq \tau_e$$

4.2 Solution Algorithm

Since the objective function (17) is constrained, direct optimization by differential calculus is not feasible. For the incremental holding cost case, the optimum solution is obtained by nonlinear programming according to the following steps:

1. Substitute the minimum and maximum values of h_i into NLP1 to determine the range of values for Q and L , and then use (7) and (11) to determine the corresponding range of t_1 and T .
2. For each possible combination of t_1 and T , formulate a nonlinear programming (NLP2) model whose objective function is (17), decision variable is Q , L and T , and constraints are (7), (11), and (19)-(20). In each NLP model, use the applicable terms for each interval $[\tau_{i-1}, \tau_i]$ in the objective and constraints.
3. For each combination of t_1 and T , solve the corresponding NLP model to find the optimum solution.
4. Choose the feasible solution with the maximum total profit π .

4.3 Numeric Example

Resolve Example 1 assuming the holding cost increases incrementally. The solution algorithm is implemented in the following steps.

Step 1

For $h_1 = 6$ ($0 < T \leq 0.3$), (12), (7), and (11) give $Q = 425.321$, $L = 103.567$, $t_1 = 0.545162$, and $T = 1.00925$.

For $h_3 = 10$ ($T > 0.6$), (12), (7), and (11) give $Q = 276.12$, $L = 46.100$, $t_1 = 0.679742$, and $T = 1.002964$.

Clearly T falls in the third interval. However, the results indicate that t_1 may fall either in the second or the third interval.

Step 2 (a)

Assuming t_1 is located in the second interval while T is located in the third interval, then $e = 3$. The NLP model is formulated as follows:

$$\begin{aligned} \text{Max } \pi = & \frac{\gamma(Pt_1)}{T} - \frac{K}{T} - \frac{h_1}{T} \sum_{n=0}^{\infty} \frac{\alpha^n [q(0.3)^{n\beta+2} - q(0)^{n\beta+2}]}{P(n\beta+2)} \\ & - \frac{h_2}{T} \left(\sum_{n=0}^{\infty} \frac{\alpha^n [Q^{n\beta+2} - q(0.3)^{n\beta+2}]}{P(n\beta+2)} + \frac{Q^{2-\beta} - q(0.6)^{2-\beta}}{D(2-\beta)} \right) - \frac{h_3}{T} \left(\frac{q(0.6)^{2-\beta} - q(T)^{2-\beta}}{D(2-\beta)} \right) \end{aligned}$$

Subject to:

$$\sum_{n=0}^{\infty} \frac{\alpha^n (q(0.3)^{n\beta+1} - L^{n\beta+1})}{(n\beta+1)} = P(0.3), \quad 0 \leq \tau_i \leq t_1$$

$$t_1 = \sum_{n=0}^{\infty} \frac{\alpha^n [Q^{n\beta+1} - L^{n\beta+1}]}{P(n\beta+1)}$$

$$T = t_1 + \frac{Q^{1-\beta} - L^{1-\beta}}{D(1-\beta)}$$

$$q(0.6) = [Q^{1-\beta} - D(1-\beta)(0.6-t_1)]^{\frac{1}{1-\beta}}, \quad 0 \leq \tau_i \leq t_1$$

$$T > 0.6$$

Step 2 (b)

Assuming both t_1 and T is in the third interval, then $e = 3$. The NLP model is formulated as follows:

$$\begin{aligned} Max \pi = & \frac{\gamma(Pt_1)}{T} - \frac{K}{T} - \frac{h_1}{T} \sum_{n=0}^{\infty} \frac{\alpha^n [q(0.3)^{n\beta+2} - q(0)^{n\beta+2}]}{P(n\beta+2)} \\ & - \frac{h_2}{T} \left(\sum_{n=0}^{\infty} \frac{\alpha^n [q(0.6)^{n\beta+2} - q(0.3)^{n\beta+2}]}{P(n\beta+2)} \right) - \frac{h_3}{T} \left(\sum_{n=0}^{\infty} \frac{\alpha^n [q(t_1)^{n\beta+2} - q(0.6)^{n\beta+2}]}{P(n\beta+2)} + \frac{q(t_1)^{2-\beta} - q(T)^{2-\beta}}{D(2-\beta)} \right) \end{aligned}$$

This objective is maximized subject to constraints:

$$\sum_{n=0}^{\infty} \frac{\alpha^n (q(0.6)^{n\beta+1} - L^{n\beta+1})}{(n\beta+1)} = P(0.6), \quad 0 \leq \tau_i \leq t_1$$

$$\sum_{n=0}^{\infty} \frac{\alpha^n (q(0.3)^{n\beta+1} - L^{n\beta+1})}{(n\beta+1)} = P(0.3), \quad 0 \leq \tau_i \leq t_1$$

$$t_1 = \sum_{n=0}^{\infty} \frac{\alpha^n [Q^{n\beta+1} - L^{n\beta+1}]}{P(n\beta+1)}$$

$$T = t_1 + \frac{Q^{1-\beta} - L^{1-\beta}}{D(1-\beta)}$$

$$T > 0.6$$

Step 3

The optimum solution of the NLP in step 2(a) is:

$$Q = 243.482, L = 86.4519, t_1 = 0.468867, T = 0.70513, \pi = \$11,277.9$$

The optimum solution of the NLP in step 2(b) is:

$$Q = 286.174, L = 90.3833, t_1 = 0.6, T = 0.890842, \pi = \$11,586.0^*.$$

Step 4

The optimum solution of Example 2 for incremental holding cost is:

$$Q = 286.174, L = 90.3833, t_1 = 0.6, T = 0.890842, \pi = \$11,586.0^*.$$

4.4 Sensitivity Analysis

The same concept that was carried out to make the sensitivity analysis is used for this model by increasing and decreasing the parameters by 20% and then re-solving the model.

Table 2 Sensitivity Analysis Results of Model 2

| <i>Parameter</i> | <i>Original Value</i> | <i>New Values</i> | <i>Q*</i> | <i>L*</i> | <i>T</i> | <i>t1</i> | <i>π</i> | |
|------------------|-----------------------|-------------------|--------------|-----------|----------|-----------|-----------|--|
| <i>D</i> | 400 | 480 | 268.14 | 158.74 | 0.733 | 0.6 | 14,308.29 | |
| | | 320 | 314.126 | 32.712 | 1.133 | 0.6 | 8,829.41 | |
| <i>P</i> | 1,000 | 1200 | 366.42 | 53.168 | 1.0645 | 0.6 | 11,455.87 | |
| | | 800 | Not feasible | | | | | |
| <i>K</i> | 300 | 360 | 285.416 | 89.429 | 0.89 | 0.6 | 11,518.61 | |
| | | 240 | 286.93 | 91.3399 | 0.890 | 0.6 | 11,653.32 | |
| | | 0.12 | Not feasible | | | | | |

| | | | | | | | |
|--------------------------|------------|---------------|--------------|---------|-------|------|-----------|
| β | 0.1 | 0.08 | Not feasible | | | | |
| γ | 20 | 24 | Not feasible | | | | |
| | | 16 | 258.2899 | 54.38 | 0.9 | 0.6 | 8,919.76 |
| $h_{1,2 \text{ and } 3}$ | 6,8 and 10 | 7.2, 9.6 & 12 | 208.362 | 67.167 | 0.623 | 0.41 | 10,988.11 |
| | | 4.8, 6.4 & 8 | 326.096 | 139.389 | 0.87 | 0.6 | 11,926.57 |

We can observe the scenarios where there is no feasible solution as the constraints are not met and the total profit per unit time function is not continuous as the holding cost is incremental.

CHAPTER 5

OPTIMAL EPQ MODEL FOR STOCK-DEPENDENT DEMAND, VARIABLE HOLDING COST, RETROACTIVE HOLDING COST AND ALL UNIT DISCOUNT

In this chapter, we introduce the concept of all unit discounts where the sellers tend to give to encourage buying in big batches. The main objective of this chapter is to develop a mathematical model with optimization solution procedure of EPQ with stock-dependent demand rate, finite production rate and variable holding cost retroactive holding cost with all-units discounts.

5.1 Production-inventory Model

The inventory level variation over time $q(t)$ during a typical cycle is divided into two phases as well: uptime and downtime. During the first (uptime) phase of the cycle, a new order is produced at a constant rate P while the inventory is consumed at the stock-dependent demand rate of Dq^β . During the second (downtime) phase of the cycle, the rate of change (decrease) in the inventory level is equal to the demand rate.

The net profit per unit time consists of four components: gross profit for the fresh product less the procurement cost, ordering cost and the holding cost. In this model, the holding cost is defined as the production of interest rate by the purchase cost (i^*c) and the gross profit per unit γ equals to $(\delta-c)$ which is (sales price – purchase cost).

The total profit per unit time is as follows:

$$\pi = \frac{(\delta-c_j)[Pt_1]}{T} - \frac{K}{T} - \frac{ic_j \int_0^{t_1} q(t)dt}{T} - \frac{ic_j \int_{t_1}^T q(t)dt}{T} \quad (21)$$

The same concept and derivation used in section (3.2) is utilized to develop t_1 , $\int_a^b q(t)$ uptime, $\int_a^b q(t)$ down time and T, consequently.

$$t_1 = \sum_{n=0}^{\infty} \frac{\alpha^n (Q^{n\beta+1} - L^{n\beta+1})}{P(n\beta+1)} \quad (22)$$

$$\int_a^b q(t)dt = \sum_{n=0}^{\infty} \frac{\alpha^n [q(b)^{n\beta+2} - q(a)^{n\beta+2}]}{P(n\beta+2)} = \sum_{n=0}^{\infty} \frac{\alpha^n (Q^{(2+n\beta)} - L^{(2+n\beta)})}{P(2+n\beta)} \quad (23)$$

$$\int_a^b q(t)dt = \frac{q(a)^{2-\beta} - q(b)^{2-\beta}}{D(2-\beta)} = \frac{Q^{2-\beta} - L^{2-\beta}}{D(2-\beta)} \quad (24)$$

$$T = t_1 + \frac{Q^{1-\beta} - L^{1-\beta}}{D(1-\beta)} \quad (25)$$

From the optimum value of Q , the following quantities can be calculated:

$$\int_0^T q(t)dt = \frac{Q^{2-\beta} - L^{2-\beta}}{D(2-\beta)} + \sum_{n=0}^{\infty} \frac{\alpha^n (Q^{n\beta+2} - L^{n\beta+2})}{P(n\beta+2)} \quad (26)$$

$$S = Pt_1 = \sum_{n=0}^{\infty} \frac{\alpha^n (Q^{n\beta+1} - L^{n\beta+1})}{(n\beta+1)} \quad (27)$$

The relationship between Q and L is described in the following constraint:

$$\sum_{n=0}^{\infty} \alpha^n (Q^{n\beta+1}) > \sum_{n=0}^{\infty} \alpha^n (L^{n\beta+1}) \quad (28)$$

5.2 Solution Algorithm of Retroactive Holding Cost with All Unit

Discount

Assuming a retroactive holding cost, only the holding cost of the last storage interval is used retroactively for *all* earlier intervals. Assuming that the cycle ends in interval e , ($\tau_{e-1} \leq T \leq \tau_e$), then the rate h_e is applied to holding cost intervals 1, 2, ..., e . Furthermore, the discount is applied to all units in an order (all unit discounts). The optimum solution is obtained by nonlinear programming according to the following steps:

1. Starting with the lowest holding cost; (i^*c), use NLP3 (with equation (21) as objective function, (28 and non-negativity) as constraints) to determine Q and L , and use (25) to determine T for each *possible combination of i_j and c_j* until Q and T are realizable (i.e., $\tau_{j-1} \leq T \leq \tau_j$) and (i.e., $\sigma_{j-1} \leq Q \leq \sigma_j$). Call these values Q_R , L_R and T_R .
2. Starting with the realizable points from step 1, calculate all break-point values of Q and L , by setting $Q_i = Q(\tau_i)$ and solve NLP3 for L and then find the value of T from (25). Then, set the border value of T and then re-solve NLP3 for Q and L .
3. For all Q_R and Q_i , use (26) to calculate $\int_0^T q(t)dt$, and then substitute the result using the appropriate i_j and c_j into (21) to calculate the total profit π .

4. Choose the value of Q that gives the maximum total profit, and then use (27) to calculate the corresponding production lot size S .

5.3 Numeric Example

Given the following parameters:

$$D = 400 \text{ units per year}, P = 1,000 \text{ units per year}, K = \$300 \text{ per order}$$

$$\beta = 0.1, i_1 = 12\%, i_2 = 16\%, i_3 = 20\%, c_1 = 50, c_2 = 45, c_3 = 40$$

$$h_1 = 0.12(50) = \$6/\text{unit}/\text{year}, h_2 = 0.16(45) = \$8/\text{unit}/\text{year}, h_3 = 0.20(40) = \$10/\text{unit}/\text{year}$$

$$\tau_1 = 0.3 \text{ years}, \tau_2 = 0.6 \text{ years}, \tau_3 = \infty$$

$$\sigma_1 = 300, \sigma_2 = 500 \text{ and } \delta = \$70/\text{unit},$$

The solution procedure is implemented in the following steps.

Step 1

| | $c_1=50$ ($0 \leq Q < 300$) | $c_2=45$ ($300 \leq Q < 500$) | $c_3=40$ ($Q \geq 500$) |
|--|--|--|--|
| $i_1 = 0.12$ ($0 \leq T < 0.3$) | $Q=424.134,$ $L=103.2,$ $T=1.52015$ $t_1=1.0571$ (not realizable) | $Q=544.754,$ $L=177.112,$ $T=1.82335$ $t_1=1.31063$ (not realizable) | $Q=695.79,$ $L=278.215,$ $T=2.18229$ $t_1=1.61803$ (not realizable) |
| $i_2 = 0.16$ ($0.3 \leq T < 0.6$) | $Q=332.151,$ $L=66.0562,$ $T=1.2179$ $t_1=0.822303$ (not realizable) | $Q=422.611,$ $L=116.908,$ $T=1.4528$ $t_1=1.01332$ (not realizable) | $Q=536.212,$ $L=187.607,$ $T=1.73003$ $t_1=1.24428$ (not realizable) |
| $i_3 = 0.20$ ($T \geq 0.6$) | $Q=275.833,$ $L=46.0374,$ $T=1.02853$ $t_1=0.678933$ | $Q=348.165,$ $L=83.7566,$ $T=1.22194$ $t_1=0.832718$ | $Q=439.118,$ $L=136.912,$ $T=1.44951$ $t_1=1.01828$ |

| | | | |
|--|-------------------------------------|-------------------------------------|------------------|
| | $\pi = \$ 11,272.3$ (realizable) | $\pi = \$ 14,816.4$ (realizable) | (not realizable) |
|--|-------------------------------------|-------------------------------------|------------------|

Step 2

Break points:

| | $c_1=50$ ($0 \leq Q < 300$) | $c_2=45$ ($300 \leq Q < 500$) | $c_3=40$ ($Q \geq 500$) |
|--|---|--|------------------------------|
| $i_1 = 0.12$ ($0 \leq T < 0.3$) | $T=0.3$ "as constraint" $\pi=11,395.6,$ $Q=262.901, L= 198.557$ | $T=0.3$ "as constraint" $\pi=15,071.8,$ $Q=361.213, L= 299.863$ | |
| $i_2 = 0.16$ ($0.3 \leq T < 0.6$) | $T=0.6$ "as constraint" $\pi=11,477.9,$ $Q=241.305, L=108.525,$ | $T=0.6$ "as constraint" $\pi=15,050.7,$ $Q= 308.961,$ $L =181.172,$ | |
| $i_3 = 0.20$, ($T \geq 0.6$) | $Q=300, C=45, i=0.2$ "as constraint" $\pi=14,795.65$ $L = 81.64, T=0.995$ | $Q=500, C=40, i=0.2,$ "as constraint", $\pi=18,511.96,$ $L = 134.193, T=1.776$ | |

Step 3

$$Q_R = 275.833, L_R=46.0374, i = 0.2, c=50 \text{ with } \pi_R = \$ 11,272.3$$

$$Q_R = 348.165, L_R=83.7566, i = 0.2, c=45 \text{ with } \pi_R = \$ 14,816.4$$

$$Q_1=262.901, L_1= 198.557, \pi_1=11,395.6$$

$$Q_2=361.213, L_2= 299.863, \pi_2=15,071.8$$

$$Q_3=241.305, L_3=108.525, \pi_3=11,477.9$$

$$Q_4= 308.961, L_4 =181.172, \pi_4=15,050.7$$

$$Q_5=300.000, L_5=81.64, \pi_5=14,795.65$$

$$Q_6=500.000, L_6=134.193, \pi_6= 18,511.96$$

Step 4

The maximum profit ($\pi = 18,511.96/\text{year}$) is obtained with $Q = 500$. Therefore, the optimum inventory policy is:

$$\text{Cycle time } T = 1.776 \text{ year}$$

5.4 Sensitivity Analysis

The same concept that was carried out to make the sensitivity analysis in the previous models, is used for this model by increasing and decreasing the parameters by 20% and then re-solving the model.

Table 3 Sensitivity Analysis Results of Model 3

| <i>Parameter</i> | <i>Original Value</i> | <i>New Values</i> | <i>Q*</i> | <i>L*</i> | <i>T</i> | <i>π</i> |
|----------------------------|-----------------------|-------------------|-----------|-----------|----------|-------------------------|
| <i>D</i> | 400 | 480 | 500 | 176.25 | 2.696 | 22,693.2 |
| | | 320 | 500 | 82.748 | 1.697 | 14,267.6 |
| <i>P</i> | 1,000 | 1200 | 500 | 125.54 | 1.291 | 18,452.0 |
| | | 800 | 500 | 119.29 | 4.908 | 18,361.5 |
| <i>K</i> | 300 | 360 | 500 | 129.27 | 1.799 | 18,478.4 |
| | | 240 | 500 | 139.56 | 1.754 | 18,546.0 |
| <i>β</i> | 0.1 | 0.12 | 500 | 220.25 | 1.826 | 21,145.1 |
| | | 0.08 | 500 | 66.055 | 1.853 | 16,250.8 |
| <i>δ</i> | 70 | 84 | 589.83 | 250.564 | 1.726 | 28,568.7 |
| | | 56 | 500 | 28.433 | 2.226 | 8,717.16 |

| | | | | | | |
|--------------------------|---------------|-------------------|--------|---------|-------|----------|
| $i_{1,2 \text{ and } 3}$ | 12, 16 and 20 | 14.4, 19.2 and 24 | 500 | 95.253 | 1.947 | 18,011.6 |
| | | 9.6, 12.8 and 16 | 536.21 | 187.607 | 1.730 | 19,051.4 |
| $c_{1,2 \text{ and } 3}$ | 50, 45 and 40 | 60, 54 and 48 | 500 | 43.995 | 2.163 | 12,425.2 |
| | | 40, 36 and 32 | 644.45 | 270.688 | 1.931 | 24,875.9 |

Most of the optimal cases reported in this table are located at the break-points. If we compare the results in this model and the one reported in section 3.5 where there is no quantity discount, we will find that quantity discount will have positive impact to the total profile and will almost double the profit as that will encourage the buyer to raise the demand.

CHAPTER 6

OPTIMAL EPQ MODEL FOR STOCK-DEPENDENT DEMAND, VARIABLE HOLDING COST, INCREMENTAL HOLDING COST AND ALL UNIT DISCOUNT

In this chapter, all unit discounts along with incremental holding cost is introduced in developing the mathematical model that maximize the total profit of EPQ. The main difference between this model and the pervious one is the nature of holding cost as there different holding cost used for each storage interval un-like the retroactive holding cost.

6.1 Production-Inventory Model

The objective, which is to maximize the total profit per unit time, is expressed as follows:

$$\text{Max } \pi = \frac{(\delta - c_j)(Pt_1)}{T} - \frac{K}{T} - \frac{c_j}{T} \sum_{j=1}^e i_j \int_{\tau_{j-1}}^{\tau_j} q(t) dt \quad (29)$$

calculating the integrals in (29) may have three possible procedures for solution as an interval $[\tau_{i-1}, \tau_i]$ may fall entirely in the first phase (before t_1), entirely in the second

phase(after t_1), or straddle both phases. If the interval falls entirely in the first phase ($\tau_{i-1} < \tau_i \leq t_1$), then we use following equation:

$$\int_{\tau_{j-1}}^{\tau_j} q(t)dt = \sum_{n=0}^{\infty} \frac{\alpha^n (Q^{(2+n\beta)} - L^{(2+n\beta)})}{P(2+n\beta)} \quad (30)$$

If it falls entirely in the second phase ($t_1 \leq \tau_{i-1} < \tau_i$), then we use the following equation:

$$\int_{\tau_{j-1}}^{\tau_j} q(t)dt = \frac{Q^{2-\beta} - L^{2-\beta}}{D(2-\beta)} \quad (31)$$

However, if the interval straddles both phases ($\tau_{i-1} \leq t_1 < \tau_i$), then we have to evaluate the integral over $[\tau_{i-1}, \tau_i]$ using a combination of (30) and (31) as follows:

$$\int_{\tau_{i-1}}^{\tau_i} q(t)dt = \sum_{n=0}^{\infty} \frac{\alpha^n [Q^{n\beta+2} - q(\tau_{i-1})^{n\beta+2}]}{P(n\beta+2)} + \frac{Q^{2-\beta} - q(\tau_i)^{2-\beta}}{D(2-\beta)}, \quad \tau_{i-1} \leq t_1 < \tau_i \quad (32)$$

By using the same concept and mathematical derivation described in section (4.1), the following two equations are used to find the q at the break points:

$$\sum_{n=0}^{\infty} \frac{\alpha^n (q(t)^{n\beta+1} - L^{n\beta+1})}{(n\beta+1)} = Pt, \quad 0 \leq \tau_i \leq t_1 \quad (33)$$

$$q(t) = [Q^{1-\beta} - D(1-\beta)(t-t_1)]^{\frac{1}{1-\beta}}, \quad t_1 \leq \tau_i \leq T \quad (34)$$

$$\text{Where, } \tau_{e-1} \leq T \leq \tau_e \quad (35)$$

6.2 Solution Algorithm

Direct optimization of the objective function (29) by differential calculus is not feasible. For this case, the optimum solution is obtained by nonlinear programming according to the following steps:

1. Substitute the minimum and maximum values of the product (i^*c) into (NLP3) to determine the range of values for Q and L , and then use (22) and (25) to determine the corresponding range of t_1 and T .
2. For each possible combination of t_1 and T , formulate a nonlinear programming (NLP4) model whose objective function is (29), decision variable is Q and L , and constraints are (22), (25), and (33)-(35). In each NLP model, use the applicable terms for each interval $[\tau_{i-1}, \tau_i]$ in the objective and constraints.
3. For each combination of t_1 and T , solve the corresponding NLP model to find the optimum solution.
4. Choose the feasible solution with the maximum total profit π .

6.3 Numeric Example

Resolve the same example in section (5.3) with the assumption that the holding cost increases incrementally.

The solution procedure is implemented in the following steps.

Step 1

For $i_1=0.12$, $c_3 = 40$ and $(0 < T \leq 0.3)$, $Q=695.79$, $L=278.215$, $T=2.18229$, $t_1=1.61803$

For $i_3=0.20$, $c_1 = 50$ and $(T > 0.6)$, $Q=275.833$, $L=46.0374$, $T=1.02853$, $t_1=0.678933$

Clearly T and t_1 fall in the third interval.

Step 2

When both t_1 and T are in the third interval, then $e = 3$. The NLP model is formulated as follows:

$$\begin{aligned} \pi = & \frac{(\delta - c_3)(Pt_1)}{T} - \frac{K}{T} \\ & - \frac{c_3}{T} \left(i_1 \left(\sum_{n=0}^{\infty} \frac{\alpha^n [q(0.3)^{n\beta+2} - q(0)^{n\beta+2}]}{P(n\beta + 2)} \right) \right. \\ & + i_2 \left(\sum_{n=0}^{\infty} \frac{\alpha^n [q(0.6)^{n\beta+2} - q(0.3)^{n\beta+2}]}{P(n\beta + 2)} \right) \\ & \left. + i_3 \left(\sum_{n=0}^{\infty} \frac{\alpha^n [q(t_1)^{n\beta+2} - q(0.6)^{n\beta+2}]}{P(n\beta + 2)} + \frac{q(t_1)^{2-\beta} - q(T)^{2-\beta}}{D(2 - \beta)} \right) \right) \end{aligned}$$

This objective is maximized and subject to the following constraints:

$$\sum_{n=0}^{\infty} \frac{\alpha^n (q(0.6)^{n\beta+1} - L^{n\beta+1})}{(n\beta + 1)} = P(0.6), \quad 0 \leq \tau_i \leq t_1$$

$$\sum_{n=0}^{\infty} \frac{\alpha^n (q(0.3)^{n\beta+1} - L^{n\beta+1})}{(n\beta + 1)} = P(0.3), \quad 0 \leq \tau_i \leq t_1$$

$$t_1 = \sum_{n=0}^{\infty} \frac{\alpha^n [Q^{n\beta+1} - L^{n\beta+1}]}{P(n\beta + 1)}$$

$$T = t_1 + \frac{Q^{1-\beta} - L^{1-\beta}}{D(1 - \beta)}$$

$$T > 0.6$$

Step 3

The optimum solution of the NLP in step 2 is:

$$Q = 447.794, L=280.305, t_1 = 0.599998, T = 0.830678, \pi = \$18,991.1.$$

Step 4

There is only one feasible solution and it is the optimum solution which is:

$$Q = 447.794, L=280.305, t_1 = 0.599998, T = 0.830678, \pi = \$18,991.1.$$

6.4 Sensitivity Analysis

The sensitivity analysis is carried out by increasing and decreasing the parameters by 20% and then re-solving the model.

Table 4 Sensitivity Analysis Results of Model 4

| <i>Parameter</i> | <i>Original Value</i> | <i>New Values</i> | <i>Q*</i> | <i>L*</i> | <i>T</i> | <i>t1</i> | <i>π</i> |
|------------------|-----------------------|-------------------|---------------------|---------------|--------------|--------------|-----------------|
| <i>D</i> | <i>400</i> | <i>480</i> | <i>Not Feasible</i> | | | | |
| | | <i>320</i> | <i>407.79</i> | <i>143.69</i> | <i>1.072</i> | <i>0.6</i> | <i>14,637.6</i> |
| <i>P</i> | <i>1,000</i> | <i>1200</i> | <i>415.03</i> | <i>220.4</i> | <i>0.671</i> | <i>0.397</i> | <i>18,564.2</i> |
| | | <i>800</i> | <i>339.45</i> | <i>280.61</i> | <i>0.682</i> | <i>0.6</i> | <i>18,807.8</i> |
| <i>K</i> | <i>300</i> | <i>360</i> | <i>446.47</i> | <i>278.81</i> | <i>0.831</i> | <i>0.6</i> | <i>18,918.9</i> |
| | | <i>240</i> | <i>449.12</i> | <i>281.79</i> | <i>0.830</i> | <i>0.6</i> | <i>19,063.4</i> |
| <i>β</i> | <i>0.1</i> | <i>0.12</i> | <i>476.35</i> | <i>243.70</i> | <i>1.480</i> | <i>1.213</i> | <i>21,716.2</i> |
| | | <i>0.08</i> | <i>361.772</i> | <i>134.07</i> | <i>0.967</i> | <i>0.6</i> | <i>16,652.4</i> |

| | | | | | | | |
|--------------------------|------------------|-------------------------|---------------------|--------|-------|------------|----------|
| δ | 70 | 84 | <i>Not feasible</i> | | | | |
| | | 56 | 285.22 | 89.190 | 0.891 | 0.6 | 9,201.43 |
| $i_{1,2 \text{ and } 3}$ | 12, 16 and 20 | 14.4, 19.2 and 24 | 385.06 | 208.77 | 0.848 | 0.6 | 18,571.8 |
| | | 9.6, 12.8 and 16 | <i>Not feasible</i> | | | | |
| $c_{1,2 \text{ and } 3}$ | 50, 45 and 40 | 60, 54 and 48 | 267.93 | 109.82 | 0.720 | 0.486 | 12,685.4 |
| | | 40, 36 and 32 | 705.19 | 562.19 | 0.783 | 0.6 | 25,548.9 |

There are two observations with this table, as few scenarios with no feasible solution and the total profit function is not continuous, and the second observation is that the quantity discount encourages the buyers to raise the demand and increase the total profit.

CHAPTER 7

CONCLUSION AND CONTRIBUTION

In this thesis, four different economic production quantity (EPQ) models with stock level dependent demand rate, variable holding cost “the new (higher) holding cost can be applied either retroactively to all storage periods, or incrementally to the new period only.” and quantity discount “All-unit quantity discount” were developed with mathematical formulation and NLP programming with the results of one example that is used in the literature. Furthermore, sensitivity analyses of all the parameters in the EPQ models were conducted for the four models and extensive study on the effect of increasing and decreasing the value of the parameters by 20 percent over the total profit per unit time were conducted.

7.1 Major Contribution

After completing this thesis work, the major contributions added to the literature are as follows:

- Extended Al-Fares (2012) models “with single decision variable Q to multiple decision variables” with maximization objective function rather than minimizing total cost per unit time and allowing non-zero end inventory for each cycle.
- Introduced the “all unit quantity” discount to the last two EPQ models, and redeveloped the EPQ models with incremental and retroactive holding cost.

7.2 Further Extension and Research

There are several directions for future research can be considered. Some of these are:

- Assume the quality as not perfect, and introduce type I and II error.
- Introducing the incremental discount rather than the all unit discount.
- Introduce quality and inspection and figure out the effect of the overall supply chain.
- Allow shortages, where all the above models assume shortages are not allowed.
- Variable ordering cost
- Variable production rate P .

Appendix

The Mathematica codes that have been used to find the solution of the NLP problem in example 1 are listed to this appendix.

The first model:

```
d=400;
P=1000;
β=0.1;
h=6;
K=300;
γ=20;
η=0;
α=d/P;
```

$$TP = \left(\gamma * \left(P * \sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{n+\beta} - L^{n+\beta})}{P * (1 + n * \beta)} \right) - K * h * \left(\sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{2n+\beta} - L^{2n+\beta})}{P * (2 + n * \beta)} \right) + (Q^{1-\beta} - L^{1-\beta}) * (d * (1-\beta)) \right) * \left(\sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{n+\beta} - L^{n+\beta})}{P * (1 + n * \beta)} + (Q^{1-\beta} - L^{1-\beta}) * (d * (1-\beta)) \right) \quad (*Total\ profit\ equation*)$$

```
sol=NMaximize[{TP, Sum[α^n * Q^{n+β+1}, {n,0,∞}] >= Sum[α^n * L^{n+β+1}, {n,0,∞}]}, {Q,L}]
```

(*derived from t1*)

```
Q=sol[[2,1,2]];L=sol[[2,2,2]]
```

$$solve[t1 = \sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{n+\beta+1} - L^{n+\beta+1})}{P * (1 + n * \beta)}, t1]$$

```
solve[T==1+(Q^{1-β}-L^{1-β})*(d*(1-β))T]
```

```
{12102.3, {Q→425.321, L→103.567}}
```

```
solve[t1=1.06053, t1]
```

```
solve[T=0.464092, t1, T]
```

The second model:

d=400;
P=1000;
β=0.1;
h=6;
K=300;
γ=20;
η=0;
α=d/P;

$$TP = \left(\gamma * P * \sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{n+Q+1} - L^{n+Q+1})}{P * (1 + n * \beta)} \right) - K - h * \left(\sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{2+n+Q} - L^{2+n+Q})}{P * (2 + n * \beta)} \right) + (Q^{1-\beta} L^{1-\beta}) (d * (1-\beta)) \left(\sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{n+Q+1} - L^{n+Q+1})}{P * (1 + n * \beta)} \right) + (Q^{1-\beta} L^{1-\beta}) (d * (2-\beta)) \left(\sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{2+n+Q} - L^{2+n+Q})}{P * (2 + n * \beta)} \right) \quad (*Total\ profit\ equation*)$$

$$\text{solve} \{ \text{Maximize} \left[\left(\gamma * P * \sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{n+Q+1} - L^{n+Q+1})}{P * (1 + n * \beta)} \right) - K - h * \left(\sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{2+n+Q} - L^{2+n+Q})}{P * (2 + n * \beta)} \right) + (Q^{1-\beta} L^{1-\beta}) (d * (1-\beta)) \left(\sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{n+Q+1} - L^{n+Q+1})}{P * (1 + n * \beta)} \right) + (Q^{1-\beta} L^{1-\beta}) (d * (2-\beta)) \left(\sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{2+n+Q} - L^{2+n+Q})}{P * (2 + n * \beta)} \right) \right] \right. \\ \left. \sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{n+Q+1} - L^{n+Q+1})}{P * (1 + n * \beta)} + (Q^{1-\beta} L^{1-\beta}) (d * (1-\beta)) \sum_{n=0}^{\infty} \alpha^n * Q^{n+Q+1} \geq \sum_{n=0}^{\infty} \alpha^n * L^{n+Q+1} \right. \quad (*derived\ from\ 1*), \alpha * Q \leq 1,$$

$$\left. \sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{2+n+Q} - L^{2+n+Q})}{P * (2 + n * \beta)} + (Q^{1-\beta} L^{1-\beta}) (d * (2-\beta)) \geq 0.6 \right\} \quad (*additional\ condition*), Q \geq 0, L \geq 0, \{Q, L\}$$

Q=sol[[2,1,2]];L=sol[[2,1,2]];

$$\text{solve}[1] = \sum_{n=0}^{\infty} \frac{\alpha^n * (Q^{n+Q+1} - L^{n+Q+1})}{P * (1 + n * \beta)} \quad ;1]$$

$$\text{solve}[T=1+(Q^{1-\beta} L^{1-\beta}) (d * (1-\beta)) T]$$

References

- [1].Alfares, H.K., 2007. Inventory model with stock-level dependent demand rate and variable holding cost. *International Journal of Production Economics*, 108 (1-2), 259-265.
- [2].Alfares, H.K., 2012. Production-inventory with finite production rate, stock-dependent demand, and variable holding cost, 17th International Symposium on Inventories, (ISIR 2012) August 20-24, 2012, Budapest, Hungary.
- [3].Baker, R.C, Urban., T.L., 1988a. A deterministic inventory system with an inventory level dependent rate. *Journal of the Operation Research Society*, 39 (9), 823-831.
- [4].Baker, R.C, Urban., T.L., 1988b. Single-period inventory dependent demand models. *Omega-The International Journal of Management Science*, 16 (6), 605-607.
- [5].Benton, W., Park, S., 1996. A classification of literature on determining the lot size under quantity discounts. *European Journal of Operational Research* , 92, 219–238.
- [6].Das, D., Roy A. and Kar S. 2010. Improving production policy for a deteriorating item under permissible delay in payments with stock-dependent demand rate. *Computers and Mathematics with Applications*, 60, 1973-1985.
- [7].Duan, Y., Li, G., Tien, J. and Huo, J. 2012. Inventory models for perishable items with inventory level dependent demand rate. *Applied Mathematical Modelling*, 36, 5015-5028.
- [8].Ferguson, M., Jayaraman, V., Souza, G.V., 2007. Note: An application of the EOQ model with nonlinear holding cost to inventory management of perishables. *European Journal of Operational Research*, 180 (1), 485-490.

- [9].García-Laguna, J., San-José, L. Cárdenas-Barrón, L. and Sicilia, J. 2010.The integrality of the lot size in the basic EOQ and EPQ models: Applications to other production-inventory models. *Applied Mathematics and Computation*, 216, 1660-1672.
- [10]. Gayen, M. Pal, A.K., 2009. A two ware house inventory model for deteriorating items with stock dependent demand rate and holding cost. *Operational Research*, 9 (2), 153-165.
- [11]. Giri, B.C., Chaudhuri, K.S., 1998. Deterministic models of perishable inventory with stock-dependent demand rate and nonlinear holding cost. *European Journal of Operational Research* 105 (3), 467-474.
- [12]. Giri, B.C., Goswami, A., Chaudhuri, K.S., 1996. An EOQ model for deteriorating items with time-varying demand and costs. *Journal of the Operational Research Society*, 47 (11), 1398-1405.
- [13]. Goh, M., 1992. Some results for inventory models having inventory level dependent demand rate. *International Journal of Production Economics*, 27 (1), 155-160.
- [14]. Goh, M., 1994. EOQ models with general demand and holding cost functions. *European Journal of Operational Research*, 73 (1), 50-54.
- [15]. Gupta, R., Vrat, P., 1986. Inventory model for stock-dependent consumption rate. *Opsearch*, 23 (1), 19-24.
- [16]. Hsieh, T. and Dye, C. 2010. Optimal replenishment policy for perishable items with stock-dependent selling rate and capacity constraint. *Computers & Industrial Engineering*, 251, 251-258.

- [17]. Hu, J., et. al., 2004. A modified silver-meal heuristic for dynamic lot sizing under incremental quantity discounts. *Journal of the Operational Research Society* 55, 671–673.
- [18]. Hu, J., Munson, C., 2002. Dynamic demand lot-sizing rules for incremental quantity discounts. *Journal of the Operational Research Society*, 53, 855–863.
- [19]. Lin, T., 2012. An economic order quantity with imperfect quality and quantity discounts. *Applied Mathematical Modelling*, 34, 3158–3165.
- [20]. Mahata, G.C., Goswami, A., 2009. Fuzzy EOQ models for deteriorating items with stock dependent demand & non-linear holding costs. *International Journal of Applied Mathematics and Computer Sciences* 5(2), 94-98.
- [21]. Mendoza, A., Ventura J. A., 2008. Incorporating quantity discounts to the EOQ model with transportation costs. *International Journal of Production Economics*, 113(2), 754-765
- [22]. Min, J., Zhou, Y.-W. 2009. A perishable inventory model under stock-dependent selling rate and shortage-dependent partial backlogging with capacity constraint. *International Journal of Systems Science*, 40 (1), 33-44.
- [23]. Muhlemann, A.P., Valtis-Spanopoulos, N.P., 1980. Variable holding cost rate model. *European Journal of Operational Research*, 4 (2), 132-135.
- [24]. Munson, C., Rosenblatt, M., 1998. Theories and realities of quantity discounts: An exploratory study. *Production and Operations Management*, 7, 352–369.
- [25]. Pal, S., Maiti, M. and Maiti, M. 2009. An EPQ model with price discounted promotional demand in an imprecise planning horizon via Genetic Algorithm. *Computers & Industrial Engineering*, 2009, 181-187.

- [26]. Pando, V., Garcia-Laguna, J., San-Jose, L. and Sicilia, J., 2012. Maximizing profits in an inventory model with both demand rate and holdingcost per unit time dependent on the stock level. *Computers & Industrial Engineering*, 62, 599-806.
- [27]. Roy, A., 2008. An inventory model for deteriorating items with price dependent demand and time-varying holding cost. *Advanced Modeling and Optimization*, 10 (1), 25-37.
- [28]. Roy, A., Maiti, M., Kar, S. and Maiti, M. 2009. An inventory model for a deteriorating item with displayed stock dependent demand under fuzzy inflation and time discounting over a random planning horizon. *Applied Mathematical Modelling*, 33, 744-759.
- [29]. Ray, J. and Chaudhuri, K.S.,1997. An EOQ model with stock-dependent demand, shortage, inflation and time discounting. *International Journal of Production Economics* 53 , 171-180.
- [30]. San-Jose', L. and Garcí'a-Laguna, J. 2009. Optimal policy for an inventory system with backlogging and all-units discounts: Application to the composite lot size model. *European Journal of Operational Research*, 192, 808-823.
- [31]. Sugapriya, C. and Jeyaraman, K. 2012. An EPQ Model Permitting Two Levels of Trade Credit Offering Price Discount with Time. *International Journal of Mathematical Archive*,3 , 1590-1596.
- [32]. Sana, S.S., Sarkar, B.K., Chaudhuri, K., Purohit, D., 2009. The effect of stock, price and advertising on demand - An EOQ model. *International Journal of Modelling, Identification and Control*, 6 (1), 81-88.

- [33]. Sarfaraz, A.R., 2009. A Deterministic and stochastic model for production lot size as a function of storage cost. *International Journal of Modern Engineering*, 9 (2), 67-72.
- [34]. Sarkar, B., 2012. An EOQ model with delay in payments and stock-dependent demand in the presence of imperfect production. *Applied mathematics and Computation*, 218, 8295-8308.
- [35]. Singh, S.R., Kumar, S., Gaur, N.K., 2009. Inventory model with power demand, partial back logging, and incremental holding cost under inflation. *International Transactions in Applied Sciences*, 1 (2): 93-102.
- [36]. Singh, N., Singh, S.R., Vaish, B., 2009. EPQ model for time varying production and demand rate with trade credit. *Asia-Pacific Operational Research Societies Conference (APORS 2009)*, Jaipur, India, December 6-9.
- [37]. Teng, J.-T., Chang, C.-T., 2005. Economic production quantity for deteriorating items with price- and stock- dependent demand. *Computer & Operations Research*, 32, 297-308.
- [38]. Teng, J.-T., Yang, H.-L., 2007. Deterministic inventory lot-size models with time-varying demand and cost under generalized holding costs. *Information and Management Sciences*, 18 (2), 113-125.
- [39]. Tripathy, C.K., Pradhan, L.M., Mishra, U., 2010. An EPQ model for linear deteriorating item with variable holding cost. *International Journal of Computational and Applied Mathematics*, 5 (2), 209-215.
- [40]. Urban, T.L., 1995. Inventory models with the demand rate dependent on stock and shortage levels. *International Journal of Production Economics*, 40 (1), 2-28.

- [41]. Urban, T.L., 2005. Inventory models with inventory-level-dependent demand: A comprehensive review and unifying theory. *European Journal of Operational Research*, 162, 792-804.
- [42]. Urban, T.L., 2008. An extension of inventory models with discretely variable holding costs. *International Journal of Production Economics*, 114 (1), 399-403.
- [43]. Weiss, H.J., 1982. Economic order quantity models with nonlinear holding costs. *European Journal of Operational Research*, 9 (1), 56-60.
- [44]. Wu, K., Ouyang, L. and Yang, C. 2006. An optimal replenishment policy for non-instantaneous deteriorating items with stock-dependent demand and partial backlogging. *International Journal of Production Economics*, 101, 369-384.
- [45]. Yang, H.-L., Teng, J.-T., Chern, M.-S., 2010. An inventory model under inflation for deteriorating items with stock-dependent consumption rate and partial backlogging shortages. *International Journal of Production Economics*, 123 (1), 8-19.
- [46]. Yang, S., Hong, K. and Lee C. 2013. Supply chain coordination with stock-dependent demand rate and credit incentives. *International Journal of Production Economics*.

Vitae

Name :Ahmad Abdulkareem Abdulaziz AlShaer |
Nationality :Saudi |
Date of Birth :12/18/1983|
Email :ahmad.shaer@aramco.com |
Address :18678 Dhahran 31311|

Academic Background:

- December 2013: M.S. degree in Systems Engineering from King Fahd University of Petroleum and Minerals.
- January 2007: B.S. degree in Systems Engineering from King Fahd University of Petroleum and Minerals.

Work Experience:

- March 2008 to Present: Engineer at Saudi Aramco, Project and Strategic Purchasing Department.
 - Worked as material standardization engineer, quality management system inspector, local and Middles East manufactures pre-qualification coordinator.
- January 2007 to February 2008: Measurement While Drilling Engineer at Baker Hughes Inc.