

GeoGebra as facilitator of a hypotrochoid generalization in an initiation scientific research project at undergraduate level

Ana Maria Amarillo Bertone; Lúcia Resende Pereira Bonfim; Ingrid da Silva Pacheco; Layla Giovanna Girotto

Abstract

An initiation to scientific research project was proposed for two undergraduate students in Environmental Engineering, with the purpose of studying a generalization of the hypotrochoid and epitrochoid curves. The GeoGebra software is the facilitator of the team of two professors and the students. The difficulties of the mathematical proofs become, in the environment of the dynamic geometry, exercises of construction of curves that, arranged in sequence, determined the generalization of the well-known hypotrochoid curve, result that is detailed in this work. From this first discovery, the transition to epitrochoid curves or more general curves becomes an iterative application and an application of mathematical induction. This study has demonstrated the importance of the computational tool, specially for its contribution in the visualization of theoretical results as well as for its simplicity in coding.

Keyword: Hypotrochoid; undergraduate research in Geometry; GeoGebra.

Published Date: 10/31/2018

Page: 242-252

Vol 6 No 10 2018

DOI: <https://doi.org/10.31686/ijer.Vol6.Iss10.1181>

GeoGebra as facilitator of a hypotrochoid generalization in an initiation scientific research project at undergraduate level

Ana Maria Amarillo Bertone (Corresponding author)

Dept. of Mathematics, University of Uberlandia (FAMAT-UFU),
Uberlandia, MG, Brazil.
amabertone@ufu.br

Lúcia Resende Pereira Bonfim

Dept. of Mathematics, University of Uberlandia (FAMAT-UFU),
Uberlandia, MG, Brazil.
luciapereira@ufu.br

Ingrid da Silva Pacheco

Institute of Agrarian Sciences, Federal University of Uberlandia (ICIAG-UFU),
Scholarship student of Scientific Initiation – DIREN-UFU
Uberlandia, MG, Brazil.
ingrid_1194@hotmail.com

Layla Giovanna Girotto

Institute of Agrarian Sciences, Federal University of Uberlandia (ICIAG-UFU),
Scholarship student of Scientific Initiation – DIREN-UFU
Uberlandia, MG, Brazil.
laylagg.eab@gmail.com

Abstract

An initiation to scientific research project was proposed for two undergraduate students in Environmental Engineering, with the purpose of studying a generalization of the hypotrochoid and epitrochoid curves. The GeoGebra software is the facilitator of the team of two professors and the students. The difficulties of the mathematical proofs become, in the environment of the dynamic geometry, exercises of construction of curves that, arranged in sequence, determined the generalization of the well-known hypotrochoid curve, result that is detailed in this work. From this first discovery, the transition to epitrochoid curves or more general curves becomes an iterative application and an application of mathematical induction. This study has demonstrated the importance of the computational tool, specially for its contribution in the visualization of theoretical results as well as for its simplicity in coding.

Keywords: Hypotrochoid; undergraduate research in Geometry; GeoGebra.

1. Introduction

The research on a generalization of the hypotrochoid and epitrochoid curves [1] began to be carried out as part of a scientific initiation project, in which two undergraduate students in Environmental Engineering were encouraged to research the subject. It began with a bibliographic and internet search, where the students found materials of a dynamic visualization that could be possible to reproduce using the software GeoGebra [2]. Motivated by these images, the first step in the research was to study the classical hypotrochoid curve and its implementation in GeoGebra. This process facilitated the discovery of a more general formula, starting the dynamic with three circles, from which the students began to create detailed routines that had not yet been presented in the literature.

The students began understanding the dynamics of the construction of the hypotrochoid in the most simple way, not appealing for rigorous mathematical definitions. They understood that the hypotrochoid is a curve described by a point P , the pole, attached to a given circumference C_1 , that rolls without slipping, along a second circumference C_0 , that is fixed, as shown in Figure 1. The segment with extremes in the center of C_1 and the pole, we denote by d .

In history, according to Zbynek et al [3], the hypocycloide, which is a hypotrocoide where d is equal to the radius of the moving circumference, dates back to the Greeks, who used them to explain the retrograde motion of the planets. In the mid-1570s, the mathematician Girolamo Cardano (1501) described hypocycloid applications in high-speed printing press technology. In 1674, the Danish astronomer Ole Roemer began a systematic investigation of cycloid curves in connection with mechanical gears. Other mathematicians who studied these curves were, among others, Laurent La Hire (1606-1656), Gérard Desargues (1591-1661), Isaac Newton (1642-1726) and Leonhard Euler (1707-1783).




Figure 1. Hypotrochoid at time zero




Figure 2. Hypotrochoid at time $T \neq 0$.

In 1800 the hipocicloide began to be studied for train gears in engineering. Many rotary machines traditionally use this type of curves; let us remember the hydraulic motors, clocks and timing devices, the Wankel motor, rotary pump piston, speed reducers, among others. Wankel's spinning engine was invented by the German engineer Felix Wankel, who received his first patent for the engine in 1929. Currently, the engine is used in automobiles, and the applications of these curves are still an active area of research.

This study is organized as follows: In section 1, the hypotrochoid general formula is obtained mathematically, discovery from the continuously feedback by the simulations in GeoGebra. In section 2, it is explained in detail the construction in GeoGebra of the first result of generalization of the hypotrochoid of three circles and a pole. Finalizing the study with simulations in GeoGebra and the final considerations.

We emphasize that all the figures of this work were obtained in GeoGebra by the authors.

2. Mathematical proof with GeoGebra's assistance: generalized hypotrochoid formula

This section starts with the first generalization of the hypotrochoid curve considering three circumferences: a fixed, C_0 , of center O , a moving circumference, C_1 , with center in O_1 , tangent to C_0 that, at the first instant time, the angle MOA , denoted by $\angle MOA$, with vertex in O is spinning without slipping counterclockwise (see Figure 2); a third circumference, C_2 , of center O_2 , tangent to C_1 spinning clockwise $\angle AO_1B$. Finally, the pole P belonging to the ray starting in O_2 and determining the angle $\angle BO_2P$ with the ray with origin in O_1 , considered in clockwise sense. As hypothesis for this construction, it is considering the equality of the angles $\angle MOA$, $\angle AO_1B$ and $\angle BO_2P$, with the objective of preserving the dynamic of the classical hypotrochoid, described in the introduction.

Starting with the proof, let us denote $OA = R$, $O_1A = r_1$, $O_2B = r_2$, and $O_2P = d$. Observing Figure 2,

$$\angle BO_2I = \angle O_2O_1H \tag{5}$$

In the right-angle triangle O_2IP , using the trigonometric relations and Equation (6), it is obtained

$$O_2I = O_2P \cos(\angle PO_2I) = d \cos(\angle AO_1B - \angle MOA + \angle PO_2B). \tag{7}$$

Consequently, the equality of the segments FG and O_2I is guaranteed. Therefore, using the Equations (1), (2) (4) and (7), we obtain that

$$X(P) = (R - r_1) \cos(\angle MOA) + (r_1 - r_2) \cos(\angle AO_1B - \angle MOA) + d \cos(\angle AO_1B - \angle MOA + \angle PO_2B) \tag{8}$$

From the dynamic proposed for this generalized hypotrochoid, we also have that

$$R \cdot \text{arc } \angle MOA = r_1 \cdot \text{arc } \angle AO_1B = r_2 \cdot \text{arc } \angle BO_2P,$$

Where arc $\angle MOA$ denoted the arc of a circle containing the points M and A. Denoting $x = \text{arc } \angle MOA$, we conclude

$$\text{arc } \angle AO_1B = x \cdot R/r_1 \text{ and } \text{arc } \angle BO_2P = x \cdot R/r_2. \tag{9}$$

Substituting this last expression in Equation (8), we get

$$X(P) = (R - r_1) \cos(x) + (r_1 - r_2) \cos((R/r_1 - 1)x) + d \cos((R/r_1 + R/r_2 - 1)x) \tag{10}$$

To calculate que the y-coordinate of P , and observing Figure 3, we have that que $s = |\text{y-coordinate } P|$,

$$s = OK + KL, \text{ and} \tag{11}$$

$$OK = |O_2| = JK - JO. \tag{12}$$

On the other hand, we have that $\angle O_1O_2S = \angle BO_2I$, that together with Equations (3) and (5), yield

$$\angle O_1O_2S = \angle BO_2I = \angle O_2O_1H = \angle AO_1B - \angle MOA. \tag{13}$$

By the trigonometric relations in the right-angle triangle O_1SO_2 , and using Equation (13), it is obtained

$$SO_1 = O_1O_2 \sin(\angle O_1O_2S) = (r_1 - r_2) \sin(\angle AO_1B - \angle MOA). \tag{14}$$

As we also have $SO_1 = JK$, then, by Equation (14), we conclude

$$JK = (r_1 - r_2) \sin(\angle AO_1B - \angle MOA). \tag{15}$$

Besides, By the trigonometric relations in the right-angle triangle OO_1E , we have

$$O_1E = OO_1 \sin(\angle MOA) = (R - r_1) \sin(\angle MOA), \tag{16}$$

that together with the equality $O_1E = JO$, and Equation (16) give us the expression

The elements of the proof of the calculation of the $X(P)$.

A similar proof could be done for the case of the epitrochoid that yields in the results of Equations (23) and (24):

$$X(P) = (R + r_1)\cos(x) + (r_1 + r_2) \cos((R/r_1 + 1) x) + d \cdot \cos ((R/r_1 + R/r_2 + 1) x), \tag{23}$$

$$Y(P) = (R + r_1)\sin(x) - (r_1 + r_2) \sin((R/r_1 + 1) x) - d \cdot \sin((R/r_1 + R/r_2 + 1) x). \tag{24}$$

The formulas given by Equations (10), (22), (23) and (24) can be generalized for n circumferences, using the same dynamic by applying a mathematical induction method to obtain

$$X(P) = (R - r_1) \cos(x) + (r_1 - r_2) \cos((R/r_1 - 1) x) + (r_2 - r_3) \cos((R/r_1 + R/r_2 - 1) x) + \dots \tag{25}$$

$$+ (r_{n-1} - r_n) \cos((R/r_1 + R/r_2 + \dots + R/r_{n-1} - 1) x) + d \cos((R/r_1 + R/r_2 + \dots + R/r_n - 1) x),$$

$$X(P) = (R - r_1)\sin(x) - (r_1 - r_2) \sin((R/r_1 - 1) x) \tag{26}$$

$$- (r_2 - r_3) \sin((R/r_1 + R/r_2 - 1) x) - \dots$$

$$- (r_{n-1} - r_n) \sin((R/r_1 + R/r_2 + \dots + R/r_{n-1} - 1) x) - d \sin((R/r_1 + R/r_2 + \dots + R/r_n - 1) x).$$

Simulations built in the GeoGebra environment which curves follow the trajectory of the points with coordinator of Equations (10) and (22), are shown in Section 2 for n=2 and n=3.

3. First construction in GeoGebra

For the construction of the simulations in the GeoGebra environment, first is defined a slider T that represents the time control of the dynamic of the generalized hypotrochoid curve. The time T is measure in a way that the trajectory of the pole P designs a complete curve just once. In this construction, the slider T takes values between 0 and 2π . Equations (10) and (22) of the x-coordinator of P, are use in three stages:

1. Introducing the functions

$$a(x) = R \cos(x),$$

$$b(x) = R \sin(x),$$

to obtain the coordinators of the center O of the fixed circumference C0, substituting x for the value of the slider T, preciously defined.

2. In the input bar also are typed the following functions:

$$c(x) = (R - r_1) \cos(x) + (r_1 - r_2) \cos\left(\left(\frac{R}{r_1} - 1\right)x\right),$$

$$d(x) = (R - r_1) \sin(x) - (r_1 - r_2) \sin\left(\left(\frac{R}{r_1} - 1\right)x\right),$$

to obtain the coordinators of center O1 of the mobile circumference C1, substituting x for the value of the slider T.

3. The O2 coordinators of the circumference center C2, are obtained through the formulas

$$e(x) = (R - r_1) \cos(x) + (r_1 - r_2) \cos\left(\left(\frac{R}{r_1} - 1\right)x\right) + d \cos\left(\left(\frac{R}{r_1} + \frac{R}{r_2} - 1\right)x\right)$$

$$f(x) = (R - r_1) \sin(x) - (r_1 - r_2) \sin\left(\left(\frac{R}{r_1} - 1\right)x\right) - d \sin\left(\left(\frac{R}{r_1} + \frac{R}{r_2} - 1\right)x\right),$$

replacing x for the slider T values.

Therefore, determining the P coordinators as in Equation we get at instant T=0, for the corresponding values R = 20, r1 = 5, r2 = 1 and d = 5, the curve shown in Figure 4. When T = 2, the curve trajectory is shown in Figure 5.




Figure 4: The generalized hypocycloid curve of three circles. First construction in GeoGebra. The slider T (time) at point 0.




Figure 5: The generalized hypotrochoid curve of three circles.
The slider T in the same simulation of Figure 4 with T=2.

When $T = 2\pi$, the curve complete trajectory is shown in Figure 6.




Figure 6: The generalized hypotrochoid curve of three circles.
The completion of the Figure 4 simulation of with the slider T at point 2π .

Many other simulations were performed with different values of R, r_1 , r_2 and d. A more complex complete trajectory of the generalized hypotrochoid, is shown in Figure 7 the values $R=20$, $r_1=8$, $r_2=1$ and $d=3$ apply

at T=0. In Figure 8, the same curve is shown at T=4π.




Figure 7: The generalized hypotrochoid curve of three circles. Another construction in GeoGebra with the slider T at T=0.




Figure 8: The generalized hypotrochoid curve of three circles. The completion of the Figure 7 simulation with T=4π.

5. Conclusion

An explanatory research is carried out, trying to understand the cause of the dynamics of a classic curve, the hypotrochoid. It is also common to find explanatory research to support a descriptive research [4]. It is also sought to advance the results of the researches found, and rigorously demonstrate the findings. We seek to understand and describe the generalized mechanics of a curve. The task of finding a formula to mathematically base the discovery, is also facilitated by GeoGebra. The implementation and visualization in its environment were elements that contributed strongly to prove the theoretical results involved in obtaining the formulas. The time dynamics modeled with a slider, creates the fascinating images and the idealized movement being visualized through this tool.

It is important to note that, this study confirmed that this type of investigative process exceeded the expectations of students of scientific initiation, and that, according to them, has increasingly reinforced the importance of using GeoGebra as a facilitator for the enhancement of creativity through implementation of routines and visualization. And as a way of confirming rigorous mathematical demonstrations.

6. References

- [1] Lawrence, J. D. (2014). A catalog of special plane curves. Dover Publications Inc.
- [2] Hohenwarter, M. (2001) GeoGebra software, www.geogebra.org Last access July 2018.
- [3] Zbynek, S.; Bohum B.; Miroslav, L. (2010). Hermite interpolation by hypocycloids and epicycloids with rational sets, Science Direct, pp 405-408.
- [4] Fiorentini, D.; Lorenzato, S. (2006) Investigaç o em educaç o matem tica: percursos te ricos e metodol gicos. Campinas, SP: Autores Associados.

Copyright Disclaimer

Copyright for this article is retained by the author(s), with first publication rights granted to the journal. This is an open-access article distributed under the terms and conditions of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>).