



Vasospastic angina, plaque erosion, ischemia and cardiac arrest: Four of a kind or straight?

Authors: Pablo Vadillo Martín, Juan Francisco Cueva Recalde, Ainhoa Pérez Guerrero, Pablo
Revilla Martí, José Ramón Ruiz Arroyo

Article type: Clinical vignette

Received: May 4, 2023

Accepted: August 11, 2023

Early publication date: August 24, 2023

This article is available in open access under Creative Common Attribution-Non-Commercial-No Derivatives 4.0 International (CC BY-NC-ND 4.0) license, allowing to download articles and share them with others as long as they credit the authors and the publisher, but without permission to change them in any way or use them commercially.

Vasospastic angina, plaque erosion, ischemia and cardiac arrest: Four of a kind or straight?

Short title: Atherosclerotic plaque erosion due to coronary spasm

Pablo Vadillo Martín, Juan Francisco Cueva Recalde, Ainhoa Pérez Guerrero, Pablo Revilla Martí, José Ramón Ruiz Arroyo

Department of Cardiology, Hospital Clínico Universitario Lozano Blesa, Saragossa, Spain

Correspondence to:

Pablo Vadillo Martín, MD,
Department of Cardiology,
Hospital Clínico Universitario Lozano Blesa,
Saragossa, Spain, 50009,
phone: +34 664 856 507,
e-mail: pablovadillomartin@gmail.com

A 56-year-old woman, current smoker with a history of arterial hypertension and dyslipidemia was previously studied due to recurrent syncope with chest pain associated in recent months. Normal cardiac morphology and function was assessed by echocardiography and a coronary computed tomography angiography showed a noncalcified plaque with a 40% stenosis in the left anterior descending coronary artery (LAD) (Figure 1A). Single antiplatelet therapy and a statin were started.

One month after, she was admitted to the intensive care unit after resuscitation from out-of-hospital cardiac arrest. Post-return of spontaneous circulation electrocardiogram showed an ST-segment elevation in anterior leads which led to an emergent coronary angiography, but no obstructive coronary artery disease was found.

During admission, the patient presented satisfactory neurologic and cardiac evolution with significantly increased troponin levels. Anterior myocardial edema (Figure 1B) was found on T2 mapping images without late gadolinium enhancement (Figure 1C) in cardiac magnetic resonance. With suspicion of vasospastic angina, acetylcholine (Ach)

invasive provocative test was performed. The first Ach bolus of 20 mcg in the LAD induced chest pain along transient ST-segment elevation in the anterior leads and severe spasm in mid anterior descending coronary artery (**Figure 1D, 1E**) relieved by intracoronary nitroglycerin. In addition, optical coherence tomography assessment of the LAD revealed a small erosion in the mid segment (**Figure 1F**). Dual antiplatelet therapy, dihydropyridine calcium channel blocker and long-acting nitrates were started and a subcutaneous implantable cardioverter defibrillator was implanted in secondary prevention.

We report a case of an out-of-hospital cardiac arrest secondary to acute ischemia due to vasospastic angina and with the additional finding of plaque erosion. In this scenery, a causative role of spasm leading to plaque erosion have been proposed (straight) and we believe is more feasible than the simultaneous coincidence of several factors (four of a kind).

Article information

Conflict of interest: None declared.

Funding: None.

Open access: This article is available in open access under Creative Common Attribution-Non-Commercial-No Derivatives 4.0 International (CC BY-NC-ND 4.0) license, which allows downloading and sharing articles with others as long as they credit the authors and the publisher, but without permission to change them in any way or use them commercially. For commercial use, please contact the journal office at kardiologiapolska@ptkardio.pl.

References

1. Shin ES, Her AY, Ann SH, et al. Thrombus and plaque erosion characterized by optical coherence tomography in patients with vasospastic angina. *Rev Esp Cardiol (Engl Ed)*. 2017; 70(6): 459–466, doi: [10.1016/j.rec.2016.11.003](https://doi.org/10.1016/j.rec.2016.11.003), indexed in Pubmed: [27939277](https://pubmed.ncbi.nlm.nih.gov/27939277/).
2. Yamamoto T, Toshimitsu I, Ishida A. Healed plaque erosion as a cause of recurrent vasospastic angina: a case report. *Eur Heart J Case Rep*. 2021; 5(10): ytab349, doi: [10.1093/ehjcr/ytab349](https://doi.org/10.1093/ehjcr/ytab349), indexed in Pubmed: [34738054](https://pubmed.ncbi.nlm.nih.gov/34738054/).
3. Tzimas G, Rotzinger DC, Muller O, et al. Myocardial oedema detected by T2-mapping: a key marker of recent ischaemia after resuscitated sudden cardiac death. *Eur Heart J Cardiovasc Imaging*. 2019; 20(11): 1319, doi: [10.1093/ehjci/jez198](https://doi.org/10.1093/ehjci/jez198), indexed in Pubmed: [31361308](https://pubmed.ncbi.nlm.nih.gov/31361308/).




Figure 1. **A.** Computed tomography angiography; noncalcified plaque with a 40% stenosis in the left anterior descending coronary artery. **B, C.** Cardiac magnetic resonance; anterior myocardial edema on T2 mapping (**B**) without late gadolinium enhancement (**C**). **D, E.** Severe spasm in mid anterior descending coronary artery. **F.** Optical coherence tomography, small erosion in the mid segment