

## DAFTAR PUSTAKA

- Astawan, 2008. Membuat Mi dan Bihun. Penebar Swadaya. Jakarta.
- Aliawati, G. 2003. Teknik Analisis Kadar Amilosa dalam Beras. *Buletin Teknik Pertanian* **8** (0251): 82–84.
- Anderson, R.A., Conway, V.F., Pfeifer, V.F., and Griffin, E.L. 1969. Gelatinization of corn grifts by roll and extrusion cooking. *Cereal Science Today* **14**: 4–12.
- Aparicio-saguilán, A., Valera-zaragoza, M., Perucini-, M., Páramo-calderón, D.E., Aguirre-cruz, A., Ramírez-, A., Bello-pérez, L.A., Valera-zaragoza, M., and Perucini-, M. 2015. Lintnerization of banana starch isolated from underutilized variety : morphological , thermal , functional properties , and digestibility. **6337** (March 2016): .
- Asp, N.-G., and Björck, I. 1992. Resistant starch. *Trends in Food Science \& Technology* **3**: 111–114.
- de Barros Mesquita, C., Leonel, M., Franco, C.M.L., Leonel, S., Garcia, E.L., and dos Santos, T.P.R. 2016. Characterization of banana starches obtained from cultivars grown in Brazil. *International Journal of Biological Macromolecules* **89**: 632–639.
- Becker, C., Hammerle-Fickinger, A., Riedmaier, I., and Pfaffl, M.W. 2010. mRNA and microRNA quality control for RT-qPCR analysis. *Methods (San Diego, Calif.)* **50** (4): 237–243.
- Beckles, D.M., and Thitisaksakul, M. 2015. Use of Biotechnology to Engineer Starch in Cereals. (October): .
- Bello-Pérez, L.A., Agama-Acevedo, E., Sánchez-Hernández, L., and Paredes-López, O. 1999. Isolation and partial characterization of banana starches. *Journal of Agricultural and Food Chemistry* **47** (3): 854–857.
- Bello-Pérez, L.A., De Francisco, A., Agama-Acevedo, E., Gutierrez-Meraz, F., and García-Suarez, F.J.L. 2005. Morphological and Molecular Studies of Banana Starch. *Food Science and Technology International* **11** (5): 367–372.
- Bertoft, E. 2017. Understanding starch structure: Recent progress. *Agronomy* **7** (3): .
- Bezerra, C.V., Rodrigues, A.M. da C., Amante, E.R., and Silva, L.H.M. da. 2013. Nutritional potential of green banana flour obtained by drying in spouted bed. *Revista Brasileira de Fruticultura* **35** (4): 1140–1146.

- Birt, D.F., Boylston, T., Hendrich, S., Jane, J., Hollis, J., Li, L., McClelland, J., Moore, S., Phillips, G.J., Rowling, M., Schalinske, K., Scott, M.P., and Whitley, E.M. 2013. Resistant Starch : Promise for Improving Human Health 1 , 2. 587–601.
- Carciofi, M., Blennow, A., Jensen, S.L., Shaik, S.S., Henriksen, A., Buléon, A., Holm, P.B., and Hebelstrup, K.H. 2012. Concerted suppression of all starch branching enzyme genes in barley produces amylose-only starch granules. *BMC Plant Biology* **12**: 1–16.
- Chávez-Salazar, A., Bello-Pérez, L.A., Agama-Acevedo, E., Castellanos-Galeano, F.J., Álvarez-Barreto, C.I., and Pacheco-Vargas, G. 2017. Isolation and partial characterization of starch from banana cultivars grown in Colombia. *International Journal of Biological Macromolecules* **98**: 240–246.
- Dupuis, J.H., Liu, Q., and Yada, R.Y. 2014. Methodologies for Increasing the Resistant Starch Content of Food Starches: A Review. *Comprehensive Reviews in Food Science and Food Safety* **13** (6): 1219–1234.
- Fontes, S. de M., Cavalcanti, M.T., Candeia, R.A., and Almeida, E.L. 2017. Characterization and study of functional properties of banana starch green variety of Mysore (Musa AAB - Mysore). *Food Science and Technology* **37** (2): 224–231.
- Fuentes-Zaragoza, E., Riquelme-Navarrete, M.J., Sánchez-Zapata, E., and Pérez-Álvarez, J.A. 2010. Resistant starch as functional ingredient: A review. *Food Research International* **43** (4): 931–942.
- Goñi, I., García-Diz, L., Mañas, E., and Saura-Calixto, F. 1996. Analysis of resistant starch: A method for foods and food products. *Food Chemistry* **56** (4): 445–449.
- Herawati, H. 2011. Potensi pengembangan produk pati tahan cerna sebagai pangan fungsional. *Jurnal Litbang Pertanian* **30** (1): 31–39.
- Hoffmann Sardá, F.A., Giuntini, E.B., Gomez, M.L.P.A., Lui, M.C.Y., Negrini, J.A.E., Tadini, C.C., Lajolo, F.M., and Menezes, E.W. 2016. Impact of resistant starch from unripe banana flour on hunger, satiety, and glucose homeostasis in healthy volunteers. *Journal of Functional Foods* **24**: 63–74.
- Hung, P. V., Cham, N.T.M., and Truc, P.T.T. 2013. Characterization of Vietnamese banana starch and its resistant starch improvement. *International Food Research Journal* **20** (1): 205–211.
- Irhami, I., and Anwar, Chairil, Kemalawaty, M. 2019. Karakterisasi Sifat Fisikokimia Pati Ubi Jalar Dengan Mengkaji Jenis Varietas dan Lama Pengeringan. *Jurnal Teknotan* **12** (2): 1.

- Itoh, K., Ozaki, H., Okada, K., Hori, H., Takeda, Y., and Mitsui, T. 2003. Introduction of Wx Transgene into Rice wx Mutants Leads to Both High- and Low-Amylose Rice. *Plant and Cell Physiology* **44** (5): 473–480.
- Jeon, J.-S., Ryoo, N., Hahn, T.-R., Walia, H., and Nakamura, Y. 2010. Starch biosynthesis in cereal endosperm. *Plant physiology and biochemistry : PPB* **48** (6): 383–392.
- Jobling, S. 2004. Improving starch for food and industrial applications. 210–218.
- Jourda, C., Cardi, C., Gibert, O., Toro, A.G., Ricci, J., Mbéguié-A-Mbéguié, D., and Yahiaoui, N. 2016. Lineage-specific evolutionary histories and regulation of major starch metabolism genes during banana ripening. *Frontiers in Plant Science* **7** (DECEMBER2016): 1–21.
- Kadir, S. 2005. Karakterisasi Tepung Empat Varietas Pisang. *J. Agrisains* **6** (I): 1–6.
- Khawas, P., Das, A.J., Sit, N., Badwaik, L.S., and Deka, S.C. 2014. Nutritional Composition of Culinary Musa ABB at Different Stages of Development. **2** (3): 80–87.
- Kim, D.-O., Lee, K.W., Lee, H.J., and Lee, C.Y. 2002. Vitamin C equivalent antioxidant capacity (VCEAC) of phenolic phytochemicals. *Journal of agricultural and food chemistry* **50** (13): 3713–3717.
- Korbie, D.J., and Mattick, J.S. 2008. Touchdown PCR for increased specificity and sensitivity in PCR amplification. *Nature Protocols* **3** (9): 1452–1456.
- Kumoro, A.C., and Purbasari, A. 2014. Sifat Mekanik Dan Morfologi Plastik Biodegradable Dari Limbah Tepung Nasi Aking Dan Tepung Tapioka Menggunakan Pemplastik Gliserol. *Teknik* **35** (1): 8–16.
- Lehmann, U., Jacobasch, G., and Schmiedl, D. 2002. Characterization of resistant starch type III from banana (*Musa acuminata*). *Journal of Agricultural and Food Chemistry* **50** (18): 5236–5240.
- Li, C., and Gilbert, R.G. 2016. Progress in controlling starch structure by modifying starch-branching enzymes. *Planta* **243** (1): 13–22.
- Liu, C., Wang, S., Chang, X., and Wang, S. 2015. Structural and functional properties of starches from Chinese chestnuts. *Food Hydrocolloids* **43**: 568–576.
- Miao, H., Sun, P., Liu, J., Jin, Z., and Xu, B. 2018. Starch branching enzymes (SBEs) in banana: genome-wide identification and expression analysis reveal their involvement in fruit development, ripening and regulated responses to abiotic/biotic stresses. .

- Miao, H., Sun, P., Liu, Q., Liu, J., Xu, B., and Jin, Z. 2017. The AGPase family proteins in banana: Genome-wide identification, phylogeny, and expression analyses reveal their involvement in the development, ripening, and abiotic/biotic stress responses. *International Journal of Molecular Sciences* **18** (8): 1–17.
- Miao, H., Sun, P., Liu, W., Xu, B., and Jin, Z. 2014. Identification of genes encoding granule-bound starch synthase involved in amylose metabolism in banana fruit. *PLoS ONE* **9** (2): 1–9.
- Musita, N. 2012. Kajian kandungan dan karakteristiknya pati resisten dari berbagai varietas pisang. *Jurnal Dinamika Penelitian Industri* **23** (1): 57–65.
- Naidu, K.A. 2003. Vitamin C in human health and disease is still a mystery? An overview. *Nutrition journal* **2**: 7.
- Nugent, A.P. 2005. Health properties of resistant starch. 27–54.
- O'Neill, E.C., and Field, R.A. 2015. Underpinning starch biology with in vitro studies on carbohydrate-active enzymes and biosynthetic glycomaterials. *Frontiers in Bioengineering and Biotechnology* **3** (SEP): .
- Pan, T., Lin, L., Wang, J., Liu, Q., and Wei, C. 2018. Long branch-chains of amylopectin with B-type crystallinity in rice seed with inhibition of starch branching enzyme I and IIb resist in situ degradation and inhibit plant growth during seedling development. *BMC Plant Biology* **18** (1): 9.
- Peroni-Okita, F.H.G., Simão, R.A., Cardoso, M.B., Soares, C.A., Lajolo, F.M., and Cordenunsi, B.R. 2010. In vivo degradation of banana starch: Structural characterization of the degradation process. *Carbohydrate Polymers* **81** (2): 291–299.
- Purna Mahardika, N., and Zuraida, R. 2016. Vitamin C pada Pisang Ambon (*Musa paradisiaca* S.) dan Anemia Defisiensi Besi. *Majority* **5** (4): 124.
- R.K, T.A.R. a. and J. 2012. Study of advanced maturity stages of banana. *International Journal of Advanced Engineering Research and Studies* **I** (III): 272–274.
- Rahman, T., and Rohmah Luthfiyanti, dan R.E. 2011. Optimasi Proses Pembuatan Food Bar Berbasis Pisang. *Prosiding SNaPP2011 Sains, Teknologi, dan Kesehatan* **2** (1): 239–246.
- Rajkumar, P., Wang, N., Elmasry, G., Raghavan, G.S. V, and Garipey, Y. 2012. Studies on banana fruit quality and maturity stages using hyperspectral imaging. *Journal of Food Engineering* **108** (1): 194–200.
- Regina, A., Bird, A., Topping, D., Bowden, S., Freeman, J., Barsby, T., Kosar-Hashemi, B., Li, Z., Rahman, S., and Morell, M. 2006. High-amylose wheat generated by RNA interference improves indices of large-bowel health in

rats. *Proceedings of the National Academy of Sciences of the United States of America* **103** (10): 3546–51.

\_\_\_\_\_. 2006. High-amylose wheat generated by RNA interference improves indices of large-bowel health in rats. *Proceedings of the National Academy of Sciences of the United States of America* **103** (10): 3546–3551.

Sajilata, M.G., Singhal, R.S., and Kulkarni, P.R. 2006. Resistant Starch? A Review. *Comprehensive Reviews in Food Science and Food Safety* **5** (1): 1–17.

Sang, Y., Bean, S., Seib, P.A., Pedersen, J., and Shi, Y.-C. 2008. Structure and functional properties of sorghum starches differing in amylose content. *Journal of agricultural and food chemistry* **56** (15): 6680–6685.

Sestili, F., Botticella, E., Proietti, G., Janni, M., D'Ovidio, R., and Lafiandra, D. 2012. Amylose content is not affected by overexpression of the Wx-B1 gene in durum wheat. *Plant Breeding* **131** (6): 700–706.

Sestili, F., Janni, M., Doherty, A., Botticella, E., D'Ovidio, R., Masci, S., Jones, H.D., and Lafiandra, D. 2010. Increasing the amylose content of durum wheat through silencing of the SBEIIa genes. *BMC plant biology* **10**: 144.

Shimada, T., Otani, M., Hamada, T., and Kim, S.H. 2006. Increase of amylose content of sweetpotato starch by RNA interference of the starch branching enzyme II gene (IbSBEII). *Plant Biotechnology* **23** (1): 85–90.

Soares, C.A., Peroni-Okita, F.H.G., Cardoso, M.B., Shitakubo, R., Lajolo, F.M., and Cordenunsi, B.R. 2011. Plantain and banana starches: Granule structural characteristics explain the differences in their starch degradation patterns. *Journal of Agricultural and Food Chemistry* **59** (12): 6672–6681.

Srichuwong, S., Sunarti, T.C., Mishima, T., Isono, N., and Hisamatsu, M. 2005. Starches from different botanical sources I: Contribution of amylopectin fine structure to thermal properties and enzyme digestibility. *Carbohydrate Polymers* **60** (4): 529–538.

Suloi, A.N.F. 2019. Potensi Pati Resisten dari Berbagai Jenis Pisang – A Riview. 92–96.

Syukriani, L., Asben, A., Aisyah, S., Lesmana, W., Jamsari, J., and August, J. 2018. Research Journal of Pharmaceutical , Biological and Chemical Sciences Amylose Content Of Several Local Genotypes Of Banana From District Of. *Research Journal of Pharmaceutical , Biological and Chemical Sciences* **9** (4): 815–820.

Tam, L.M., Corke, H., Tan, W.T., Li, J., and Collado, L.S. 2004. Production of bihon-type noodles from maize starch differing in amylose content. *Cereal Chemistry* **81** (4): 475–480.

- Tetlow, I.J., Wait, R., Lu, Z., Akkasaeng, R., Bowsher, C.G., Esposito, S., Kosar-Hashemi, B., Morell, M.K., and Emes, M.J. 2004. Protein phosphorylation in amyloplasts regulates starch branching enzyme activity and protein-protein interactions. *Plant Cell* **16** (3): 694–708.
- Thakorlal, J., Perera, C.O., Smith, B., Englberger, L., and Lorens, A. 2010. Resistant starch in Micronesian banana cultivars offers health benefits. *Pacific health dialog* **16** (1): 49–59.
- Tharanathan, R.N., and Mahadevamma, S. 2003. Grain legumes—a boon to human nutrition. *Trends in Food Science & Technology* **14** (12): 507–518.
- Tufvesson, F., Wahlgren, M., and Eliasson, A.C. 2003. Formation of amylose-lipid complexes and effects of temperature treatment. Part 2. fatty acids. *Starch/Staerke* **55** (3–4): 138–149.
- Utrilla-Coello, R.G., Rodríguez-Huezo, M.E., Carrillo-Navas, H., Hernández-Jaimes, C., Vernon-Carter, E.J., and Alvarez-Ramirez, J. 2014. In vitro digestibility, physicochemical, thermal and rheological properties of banana starches. *Carbohydrate Polymers* **101** (1): 154–162.
- Vatanasuchart, N., Niyomwit, B., and Narasri, W. 2012. Resistant starch, physicochemical and structural properties of bananas from different cultivars with an effect of ripening and processing. *Kasetsart Journal - Natural Science* **46** (3): 461–472.
- Visser, R.G.F., and Jacobsen, E. 1993. Towards modifying plants for altered starch content and composition. *Trends in Biotechnology* **11** (2): 63–68.
- Wang, J., Hu, P., Chen, Z., Liu, Q., and Wei, C. 2017. Progress in high-amylose cereal crops through inactivation of starch branching enzymes. *Frontiers in Plant Science* **8** (April): 1–10.
- Zeeman, S.C., Kossmann, J., and Smith, A.M. 2010. Starch: Its metabolism, evolution, and biotechnological modification in plants. *Annual Review of Plant Biology* **61**: 209–234.
- Zhang, W., Wang, H., Zhang, Y., and Yang, Y. 2007. [Effects of resistant starch on insulin resistance of type 2 diabetes mellitus patients]. *Zhonghua yu fang yi xue za zhi [Chinese journal of preventive medicine]* **41** (2): 101–104.
- Zhou, H., Wang, L., Liu, G., Meng, X., Jing, Y., Shu, X., Kong, X., Sun, J., Yu, H., Smith, S.M., Wu, D., and Li, J. 2016. Critical roles of soluble starch synthase SSIIIa and granule-bound starch synthase Waxy in synthesizing resistant starch in rice. *Proceedings of the National Academy of Sciences* **113** (45): 12844–12849.