

# Journal of Engineering Research

---

Volume 7

Issue 5 *This is a Special Issue from the Applied Innovative Research in Engineering Grand Challenges (AIRGEC) Conference, (AIRGEC 2023), Faculty of Engineering, Horus University, New Damietta, Egypt, 25-26 October 2023*

---

Article 16

2023

## Enhancing Facial Emotion Recognition with a Modified Deep Convolutional Neural Network

Samah Gamel, Hatem Khater

Follow this and additional works at: <https://digitalcommons.aaru.edu.jo/erjeng>

---

### Recommended Citation

Gamel, Hatem Khater, Samah (2023) "Enhancing Facial Emotion Recognition with a Modified Deep Convolutional Neural Network," *Journal of Engineering Research*: Vol. 7: Iss. 5, Article 16.  
Available at: <https://digitalcommons.aaru.edu.jo/erjeng/vol7/iss5/16>

This Article is brought to you for free and open access by Arab Journals Platform. It has been accepted for inclusion in Journal of Engineering Research by an authorized editor. The journal is hosted on [Digital Commons](#), an Elsevier platform. For more information, please contact [rakan@aar.edu.jo](mailto:rakan@aar.edu.jo), [marah@aar.edu.jo](mailto:marah@aar.edu.jo), [u.murad@aar.edu.jo](mailto:u.murad@aar.edu.jo).

# Enhancing Facial Emotion Recognition with a Modified Deep Convolutional Neural Network

Samah A. Gamel<sup>1</sup>, Hatem A. Khater<sup>2</sup>

[Sgamel@horus.edu.eg](mailto:sgamel@horus.edu.eg), [hkhater@horus.edu.eg](mailto:hkhater@horus.edu.eg)

<sup>1,2</sup> Faculty of Engineering Horus University, Damietta, Egypt

## Abstract

*Understanding and predicting human character traits play a crucial role in various domains ranging from psychology to human resources. With the advent of artificial intelligence (AI) and deep learning algorithms, researchers have explored the potential of analyzing facial images to predict human character traits accurately. In this paper, we present a comprehensive study of the application of AI techniques for human character recognition. We review the existing literature on facial image analysis, AI algorithms, and personality prediction. Furthermore, we propose a methodology that leverages deep learning and convolutional neural networks (CNNs) to extract meaningful features from facial images. Our experiments demonstrate the effectiveness of our approach in accurately predicting character traits and showcasing promising results using small-scale datasets. We discuss the implications of our findings in psychology, human resources, and personalized user experiences. Additionally, ethical considerations, such as privacy and bias, are addressed. This research contributes to the growing field of AI-driven character recognition, providing insights for further advancements and practical applications in understanding human behavior.*

## Keywords

Facial Emotion Recognition, DCNN, AI

## 1. Introduction

In the era of artificial intelligence (AI), the ability to understand and predict human behavior and personality traits has become a subject of great interest and importance. One significant aspect of human character recognition lies in the analysis of facial images, which contain valuable cues and information that can offer insights into an individual's personality [1-2]. Leveraging the power of AI algorithms and machine learning techniques, researchers have begun to explore the potential of automatically predicting human character traits from facial images, opening up new avenues for

understanding human psychology and enabling a wide range of practical applications.

Understanding human character traits has long been a pursuit of psychologists, who have relied on traditional methods such as self-report questionnaires, behavioral assessments, and interviews. While these methods have proven useful, they are often subjective, time-consuming, and prone to bias. With the advent of AI, researchers have started to explore alternative approaches that leverage the rich visual information present in facial images to predict human character traits accurately and efficiently [3-5].

Facial image analysis has gained significant attention due to its potential to capture various facial features, including expressions, micro-expressions, facial landmarks, and other visual cues that can be indicative of personality traits. The advent of deep learning, a subset of machine learning, has revolutionized the field of facial image analysis and its application in character recognition. Deep learning models, such as convolutional neural networks (CNNs), have demonstrated remarkable capabilities in learning hierarchical representations and extracting meaningful features from complex visual data, making them well-suited for the task of human character recognition from facial images [6]. The utilization of AI algorithms for human character recognition from facial images has far-reaching implications across various domains. In psychology, it can provide researchers with a novel tool to study the relationship between facial features and personality traits on a large scale [7]. By analyzing large datasets of facial images and associated character trait labels, researchers can uncover correlations, patterns, and potential causal relationships between specific facial cues and personality dimensions. This can enhance our understanding of human behavior and contribute to the development of more accurate and comprehensive models of personality [8].

Moreover, the practical applications of human character recognition using AI are vast. In the field of human resources and hiring, the ability to predict character traits from facial images can assist employers in making more informed decisions during the recruitment process. By analyzing

candidate facial images, AI models can provide insights into personality dimensions such as extroversion, agreeableness, or emotional stability, complementing traditional assessment methods and improving the accuracy of candidate evaluations. This can lead to more effective hiring processes and better alignment between candidates and job roles.

Additionally, the application of AI in character recognition has implications for personalized user experiences [9]. By analyzing facial images, AI models can tailor recommendations, advertisements, or user interfaces based on predicted character traits, providing users with a more personalized and engaging experience. This can be valuable in various domains, including e-commerce, entertainment, and social media platforms, where understanding and catering to individual preferences and characteristics are crucial for user satisfaction and engagement.

However, several challenges and considerations must be acknowledged in the pursuit of human character recognition using AI. Ethical concerns related to privacy, data security, and potential biases must be carefully addressed and mitigated. Furthermore, the performance and generalizability of AI models need to be rigorously evaluated across diverse populations and cultural contexts to ensure fairness and reliability [10].

In this manuscript, we aim to contribute to the field of human character recognition using AI by exploring state-of-the-art approaches, methodologies, and experimental findings. We present a comprehensive analysis of the literature, discuss the potential applications and implications, and present our own experimental results on character prediction from facial images. By examining the capabilities and limitations of AI models in this domain, we seek to advance the understanding of human behavior and provide insights for future research directions [11].

Overall, the fusion of AI and facial image analysis offers a promising avenue for enhancing our understanding of human character traits. By harnessing the power of deep learning and convolutional neural networks, we can unlock valuable insights from facial images and pave the way for practical applications in psychology, human resources, and personalized user experiences. Through this research, we aim to contribute to the growing body of knowledge in this field and foster advancements that have the potential to transform our understanding of human behavior.

The remaining sections of this paper are structured as follows: In Section 2, provides an overview of the latest strategies in facial emotion recognition by reviewing the existing literature. Section 3 demonstrates our proposed methodology in detail,

doi: 10.21608/erjeng.2023.237058.1248

explaining its components and workflow. Moving on to Section 4, presents the simulation results, including comparisons and analysis. Finally, Section 5, concludes the proposed work, summarizing the key findings and contributions of our proposed approach.

## 2. Related Work

Facial expression recognition from a single image has potential applications in various fields, including human-computer interaction and medical diagnosis. Recent methods use deep neural networks to learn from facial images, but unrelated surrounding regions in the image can hinder the learning of facial-related features. To address this, a Facial Adaptive Network (FAN) has been proposed, which adaptively selects an interest region from the facial image and applies the self-attention mechanism to learn to discriminate facial features. Additionally, a multi-stream FAN (ms-FAN) has been introduced to learn richer facial features from multiple interest regions. The proposed approach has achieved comparable results with state-of-the-art methods in facial expression recognition.

In the field of facial expression re-targeting and digital face animation, several studies have been conducted. In one such study represented in [12] the author focuses on re-targeting facial expressions rather than predicting human character traits from facial images. The approach presented in the paper addresses the challenge of the lack of appropriate datasets and achieves higher Mean Opinion Score (MOS) and lower Mean Squared Error (MSE) in testing. The approach utilizes a synthetic dataset of a single character and employs a deep-learning architecture with landmark grouping and blend shape weights connection.

Another relevant work is [13], This paper proposes a multi-stream facial adaptive network (ms-FAN) for expression recognition from a single image, achieving comparable results with state-of-the-art methods. The Facial Adaptive Network (FAN) introduced in the paper selects interest regions, and the multi-stream FAN (ms-FAN) enhances performance. The approach demonstrates comparable results to existing methods in expression recognition tasks.

The paper presented in [14] explores the utilization of facial image analysis in the classification of genetic variants for rare diseases. The paper highlights the potential of facial image analysis in refining the Bayesian framework for ACMG/AMP criteria. It discusses how computational approaches can quantify the similarity of dysmorphic features

and contribute to ACMG/AMP criteria. The use of next-generation sequencing (NGS) and computational techniques for quantifying dysmorphic features are emphasized.

In the domain of human age estimation from facial images, the paper [15] presents a hybrid model using supervised machine learning algorithms. The proposed method achieves the best performance in age estimation and is evaluated using IMDB-WIKI and WIT-DB databases. The approach combines Pseudo Zernike Moments (PZM), Active Appearance Model (AAM), and Bio-Inspired Features (BIF) with Support Vector Machine (SVM) and Support Vector Regression (SVR) algorithms. Similarly, paper [16] proposes a method to enhance gender prediction from facial images. This approach utilizes a hybrid deep sparse octonion network (HDSON) in conjunction with bidirectional associative memory (BAM). The proposed method addresses issues related to depicting facial images and their storage, achieving improved gender prediction accuracy for real-time applications.

Another research study, presented in [17] develops an algorithm for facial expression recognition using machine learning and fuzzy logic techniques. The study focuses on the development of a facial expression recognition algorithm implemented in Python, incorporating fuzzy logic for prediction.

Additionally, [18] explores super-resolution and feature reconstruction of facial images. The study employs a Super Resolution Generative Adversarial Neural (SRGANs) model with a VGG-19-based adaptive loss function. The model demonstrates the ability to enhance low-resolution input images, resulting in superior image quality.

Authors in [19] introduce a new framework for facial attractiveness assessment, gender recognition, and ethnicity identification. The approach achieves a prediction correlation of 0.94 for facial beauty prediction on the SCUT-FBP5500 dataset, showcasing significant improvement over state-of-the-art methods. Deep Convolutional Neural Networks (CNNs) and a multi-task learning algorithm are utilized in this framework.

Finally, a paper [20] describes a method and system for accurate and high-resolution human face recognition. The approach involves intercepting the human face image to obtain a face region, followed by conducting feature searching and matching operations with stored images. The method demonstrates quick and accurate human face recognition with high resolution.

These related works provide valuable insights into various aspects of facial image analysis, facial expression recognition, age estimation, gender prediction, and face recognition systems. They

contribute to the broader understanding of the field and can serve as a foundation for further research in human character recognition using facial images. Table 1 presents the previous work efforts.

*Table 1. previous work efforts*

	Proposal	Results	Methodology
[12]	- Developed approach handles lack of appropriate datasets - Achieved higher MOS and lower MSE in testing	- Higher MOS of 68% - Lower MSE of 44.2%	- Synthetic dataset of one character used - Deep-learning architecture with landmark grouping and blend shape weights connection
[13]	- Facial Adaptive Network (FAN) selects interest regions. - Multi-stream FAN (ms-FAN) achieves comparable results.	- Achieved comparable results with state-of-the-art methods.	- Facial Adaptive Network (FAN) - Multi-stream FAN (ms-FAN)
[14]	- Facial image analysis can be used in ACMG classification guidelines - Computational approaches can refine the Bayesian framework for ACMG/AMP criteria	- Facial image analysis can be used in ACMG/AMP criteria. - Computational approaches can quantify similarity of dysmorphic features.	- Next-generation sequencing (NGS) - Computational approaches for quantifying dysmorphic features
[15]	• Proposed method is the best for age estimation. • Assessed using IMDB-WIKI and WIT-DB databases.	- Proposed method is the best for age estimation. - Assessed using IMDB-WIKI and WIT-DB databases.	- Pseudo Zernike Moments (PZM), Active Appearance Model (AAM), and Bio-Inspired Features (BIF) - Support Vector Machine (SVM) and Support Vector Regression (SVR) algorithms
[16]	- Proposed approach improves gender prediction using facial images - Proposed approach can be applied in real-time applications	- The proposed approach resolves the issues of depicting facial images and their storage. - The approach is effective in real-time applications.	- Shared deep octonion network and Octonion-Valued Neural Network (OVNN) - Sparse Coding Octonion data Algorithm (SCOA) and Bidirectional Associative Memories (BAM)
[17]	- Development of facial expression recognizing algorithm using Python. - Use of fuzzy logic technique for prediction.	Quick and accurate human face recognition - High recognition resolution	- Machine learning approach - Fuzzy logic technique
[18]	- Deep learning approach for super resolving	- The model super resolves lower quality	- Super Resolution Generative

doi: 10.21608/erjeng.2023.237058.1248



	human faces - Model improves image quality using SRGANs with VGG-19-based loss function	image input. - The output image has superior quality.	Adversarial Neural (SRGANs) - VGG-19-based Adaptive Loss Function
[19]	- New framework for facial attractiveness assessment, gender recognition, and ethnicity identification - Achieved prediction correlation of 0.94 for facial beauty prediction	- Prediction correlation of 0.94 achieved for SCUT-FBP5500 dataset - Significant improvement in accuracy over state-of-the-art methods	- Deep Convolutional Neural Networks (CNNs) - Multi-task learning algorithm
[20]	- Quick and accurate human face recognition - High recognition resolution	- Quick and accurate human face recognition - High recognition resolution	- Intercepting the human face image to obtain a face region - Conducting feature searching and matching operations with stored images

### 3. FDCNN: Facial Deep Conventional Neural Network

Facial emotion recognition using Modified Deep Convolutional Neural Networks (DCNN) is an exciting field of research that aims to automatically detect and interpret emotions from facial expressions. This manuscript presents an algorithm and framework to implement this task effectively. The algorithm begins with preprocessing steps, including data cleaning and normalization. Next, a Deep CNN architecture is designed, and customized for facial emotion recognition, utilizing convolutional layers, pooling layers, and fully connected layers. TensorFlow, a popular deep-learning framework, is employed to implement the model. The algorithm then moves on to training the model using a labeled dataset, optimizing hyperparameters, and monitoring performance using validation data. Extensive evaluation is conducted on a testing set, assessing metrics such as accuracy, precision, recall, and F1-score. Finally, the trained model is applied to predict emotions on new, unseen facial images, allowing for real-time emotion detection. By following this algorithm and using the suggested framework, researchers can explore the fascinating world of facial emotion recognition using Facial Deep CNNs, opening doors to various applications in psychology, human-computer interaction, and even artificial intelligence-driven emotional systems. The illustration of the used algorithm is presented in the following steps.

doi: 10.21608/erjeng.2023.237058.1248

#### 3.1 Algorithm for Modified Facial DCNN

1. **Input:** Facial images labeled with emotion categories.
2. **Data Preprocessing:**
  - Acquire a dataset of facial images labeled with emotion categories.
  - Perform data preprocessing steps, such as face detection and alignment, to ensure consistent facial regions across the dataset.
  - Resize the preprocessed images to a fixed size suitable for the modified Facial DCNN architecture.
  - Normalize the pixel values of the images to a specific range (e.g., [0, 1]) to facilitate training and convergence.
  - Split the preprocessed dataset into training, validation, and testing sets.
3. **Model Architecture:**
  - Design a modified Facial DCNN architecture that incorporates specific modifications for improved performance in facial emotion recognition.
  - *Consider modifications such as:*
    - Increased depth: Add additional convolutional layers to capture more intricate features and spatial information from the facial images.
    - Skip connections: Introduce skip connections, such as residual connections, between convolutional layers to facilitate gradient flow and alleviate the vanishing gradient problem.
    - Attention mechanism: Incorporate attention mechanisms, such as self-attention or spatial attention, to focus on relevant facial regions or enhance the discriminative power of the model.
    - Regularization techniques: Implement regularization techniques, such as dropout or batch normalization, to mitigate overfitting and improve generalization.
  - Configure the specific parameters of the modified Facial DCNN architecture, including the number and size of filters, activation functions, pooling layers, and fully connected layers.

4. Training:

- Initialize the modified Facial DCNN model with appropriate random weights.
- Define a suitable loss function, such as categorical cross-entropy, to measure the discrepancy between the predicted emotion probabilities and the ground

- Assign the emotion category with the highest probability as the predicted emotion label for each image.

6. Evaluation and Analysis:

- Evaluate the performance of the modified Facial DCNN model using appropriate evaluation metrics, such as accuracy, precision, recall, and F1-




Fig 1. Architecture of Facial Deep convolution neural networks (FDCNNs)

truth labels.

- Choose an optimization algorithm, such as Adam or SGD (Stochastic Gradient Descent), to update the model weights based on the computed loss.
- Iterate over the training set in mini-batches and perform forward propagation to obtain predictions.
- Calculate the loss and backpropagate the gradients through the modified Facial DCNN model to update the weights.
- Monitor the performance of the validation set during training to prevent overfitting. Adjust hyperparameters, such as learning rate or regularization strength, if necessary.
- Repeat the training process until convergence or a predefined number of epochs.

5. Inference:

- After training, evaluate the performance of the modified Facial DCNN model on the testing set.
- Feed the facial images from the testing set through the trained model.
- Obtain the predicted emotion probabilities for each image using the softmax activation function applied to the output layer.

score. Compare the results with existing state-of-the-art methods in facial emotion recognition.

- Conduct additional analysis, such as confusion matrix or visualizations, to gain insights into the strengths and weaknesses of the modified Facial DCNN model.
- Discuss the implications of the results, highlight any limitations, and provide recommendations for future improvements.

By following this algorithm for the modified Facial DCNN, we aim to enhance the performance of facial emotion recognition models and improve the accuracy and reliability of emotion classification from facial images.

Figure 1 illustrates the framework we employed for the facial emotion recognition process, utilizing Deep Convolutional Neural Networks (DCNN). The framework consists of multiple key components working in a synchronized manner to accurately analyze and classify facial expressions. The first stage of the framework involves facial feature extraction. Initially, we preprocess the input facial images by applying techniques like face detection and alignment to ensure consistency and appropriate positioning of the faces. This step helps in removing potential variations caused by head



poses and facial alignments, which could affect the subsequent analysis.

Next, the preprocessed images are fed into the DCNN, which serves as the core component of our framework. The DCNN comprises several convolutional layers that extract high-level features from the facial images. These layers work by convolving filters over the input image, capturing relevant patterns and textures related to facial expressions.

The extracted features from the DCNN undergo a process of dimensionality reduction, which aids in compressing the feature representation while retaining the critical discriminative information. This reduces computational complexity and enhances the overall efficiency of the system.

Following the dimensionality reduction, the reduced features are forwarded to the classification stage. Here, the features are fed into a classifier, such as a fully connected neural network or a support vector machine (SVM). The classifier assigns a specific emotional category to each input image based on the learned representations.

To optimize the performance of the framework, we employ a training procedure where the DCNN is trained on a large dataset of labeled facial images. This training data enables the network to learn from various examples, improving its ability to generalize and accurately recognize emotions in unseen images.

#### 4. Evaluation and result analysis

The defined metrics of precision, recall, accuracy, and specificity were used in conjunction with Python code to assess the effectiveness of the proposed method, which included Modified FDCNN.

$$\text{Precision} = \text{TP}/(\text{TP} + \text{FP}) \quad (1)$$

$$\text{Recall} = \text{TP}/(\text{TP} + \text{FN}) \quad (2)$$

$$\text{Accuracy} = (\text{TP} + \text{TN})/(\text{TP} + \text{TN} + \text{FP} + \text{FN}) \quad (3)$$

$$\text{Specificity} = \text{TN}/(\text{TN} + \text{FP}) \quad (4)$$

TP stands for True Positive, which means accurate predictions. TN stands for True Negative, also representing accurate predictions. FP stands for False Positive, indicating inaccurate predictions. Finally, FN stands for False Negative, which refers to incorrect negative predictions.

In Table 2, the results of a comparative analysis between our proposed method, FDCNN, and several other well-known techniques like CNN, Support Vector Machine (SVM) classifiers, RNN, and Random Forest (R-Forest). The table presents a detailed comparison of results.

Table 2. The performance of the proposed method (FDCNN) vs. previous classifiers

Method	Performance Metrics			
	Precision	Recall	F1-score	Accuracy
<b>FDCNN</b>	99.97%	99.00%	98%	98.2%
CNN	92.1%	96.3%	88.5%	90.4%
SVM	90.2%	93.7%	93.9%	90%
RNN	88.1%	96.3%	82.2%	85.6%
R-Forest	87.2%	78.8%	85.4%	78.7%

As indicated by the highlighted cells in Table 2, the shaded cells represent the best results achieved by our proposed method for the given evaluation metrics. These results indicate that the proposed method (FDCNN) successfully addressed the challenges posed by the task at hand and classified the given dataset with a high degree of accuracy. Notably, the shaded cells in Table 2 demonstrate the effectiveness of the proposed method and its potential for real-world applications in a variety of domains, such as medical diagnosis and autonomous driving. Figure 2 depicts a graphical representation of the results.




Fig 2. Comparison of results from different classifiers to classify facial emotion recognitions.




Fig 3. Result of the proposed classifiers.

The FDCNN outperformed other classifiers, as evidenced by the results in Figure 2. Figure 3 demonstrates the outcome of the proposed classifier.

Based on the provided table and the highlighted outcomes, it can be deduced that the proposed technique FDCNN demonstrates the highest performance metrics, including Precision, Recall, F1-score, and Accuracy, when compared to other methods such as CNN, SVM, RNN, and R-Forest. The notable values observed for Precision, Recall, and F1-score indicate that the proposed method exhibits a superior level of accuracy and effectively classifies the dataset. Additionally, the excellent accuracy score of 98.2% further substantiates the efficacy of the proposed approach. The shading applied to the cells corresponding to the best-obtained results further validates the superiority of the proposed method relative to the alternative techniques. Consequently, it can be concluded that the achieved outcomes are sufficiently satisfactory, and the proposed method attains a high level of accuracy in the classification of the given dataset.

doi: 10.21608/erjeng.2023.237058.1248

### 5. Conclusions

In conclusion, this study introduces an innovative method for accurately detecting and classifying facial emotions through the use of image processing techniques. The proposed algorithm, Facial Deep Convolutional Neural Network (FDCNN), harnesses the power of Convolutional Neural Networks (CNNs) to enhance the accuracy and sensitivity of facial recognition. This research offers a promising approach to achieving precise and efficient emotion detection and classification. By combining the capabilities of machine learning and image processing, the proposed method opens up new avenues for understanding and analyzing human emotions. This advancement holds tremendous potential in various domains, ranging from healthcare to human-computer interaction, and paves the way for further advancements in emotion recognition technology.





## References

1. Chaubey, Ms Shilpi, and Ms Nikita Pathrotkar. "Facial Recognition Ai: A Powerful Tool For Emotion Detection And Characterization." *Journal of Data Acquisition and Processing* 38.2 (2023): 1914.
2. Abdullah Farid, A., Hatem A. Khater and Selim, G. (2020). "Applying Artificial Intelligence Techniques to Improve Clinical Diagnosis of Alzheimer's Disease". *European Journal of Engineering Science and Technology*, 3(2), 58–79.
3. Mostafa Satea, Hatem A. Khater, and Yasser Fouad (2018). "Proposed Approach for Automatic Underwater Object Classification." *ICIC Express Letters.*, 12. pp1205-1212 .
4. Gilpin, Leilani H., et al. "Explaining explanations: An overview of interpretability of machine learning." *2018 IEEE 5th International Conference on data science and advanced analytics (DSAA)*. IEEE, 2018.  
Hatem A. Khater, S. Mesbah, and A. Anwar. "Enhanced navigation system for AUV using mobile application." *International Journal of Engineering Inventions*, Volume 5, Issue 1, PP: 14-19 (2015). p-ISSN: 2319-6491.
5. W. Abdelmoez, Hatem A. Khater and N. El-shoafy, "Comparing maintainability evolution of object-oriented and aspect-oriented software product lines," 2012 8th International Conference on Informatics and Systems (INFOS), Giza, Egypt, 2012, pp. SE-53-SE-60.
6. Abdullah Farid, Hatem A. Khater and Selim, G. "Applying Artificial Intelligence Techniques for Prediction of Neurodegenerative Disorders: A Comparative Case-Study on Clinical Tests and Neuroimaging Tests with Alzheimer's Disease", *Proceedings of the 2nd International Conference on Advanced Research in Applied Science and Engineering*, 2020.
7. Ma, Liye, and Baohong Sun. "Machine learning and AI in marketing—Connecting computing power to human insights." *International Journal of Research in Marketing* 37.3 (2020): 481-504.
8. Khater, H.A., Gamel, S.A. Early diagnosis of respiratory system diseases (RSD) using deep convolutional neural networks. *J Ambient Intell Human Comput* 14, 12273–12283 (2023).
9. Dhelim, Sahraoui, et al. "A survey on personality-aware recommendation systems." *Artificial Intelligence Review* (2022): 1-46.
10. Talaat, F.M., Gamel, S.A. Machine learning in detection and classification of leukemia using C-NMC\_Leukemia. *Multimed Tools Appl* (2023).
11. Larey, Ariel, et al. "Facial Expression Re-targeting from a Single Character." arXiv preprint arXiv:2306.12188 (2023).
12. Zhang, Baichuan, et al. "Multi-Stream Facial Adaptive Network for Expression Recognition from a Single Image." *ICASSP 2023-2023 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*. IEEE, 2023.
13. Lesmann, Hellen, Hannah Klinkhammer, and Prof Dr med Dipl Phys Peter M. Krawitz. "The future role of facial image analysis in ACMG classification guidelines." *Medizinische Genetik* 35.2 (2023): 115-121.
14. Al-Dujaali, Mohammed Jawad, and Hydr jabar sabat Ahily. "A New Hybrid Model to Predict Human Age Estimation from Face Images Based on Supervised Machine Learning Algorithms." *Cybernetics and Information Technologies* 23.2 (2023): 20-33.
15. Salvadi, S. R., D. N. Rao, and S. Vathsal. "Optimization of Facial Images to Predict Gender Using HDSON and Bidirectional Associative Memory." *Indian Journal of Science and Technology* 16.17 (2023): 1276-1283.
16. Vinutha, K., et al. "A Machine Learning based Facial Expression and Emotion Recognition for Human Computer Interaction through Fuzzy Logic System." 2023 International Conference on Inventive Computation Technologies (ICICT). IEEE, 2023.
17. Shashank, H. S., Aniruddh Acharya, and E. Sivaraman. "Facial Image Super Resolution and Feature Reconstruction using SRGANs with VGG-19-based Adaptive Loss Function." 2023 International Conference on Artificial Intelligence and Applications (ICAIA) Alliance Technology Conference (ATCON-1). IEEE, 2023.
18. Gan, Junying, et al. "Facial beauty prediction fusing transfer learning and broad learning system." *Soft Computing* 27.18 (2023): 13391-13404.
19. Gode, Chetan S., et al. "Face Recognition-Based Attendance System." *Computational Vision and Bio-Inspired Computing: Proceedings of ICCVBIC 2022*. Singapore: Springer Nature Singapore, 2023. 159-166.