



Corrigendum: Long-Term Impact of Single Epilepsy Training on Knowledge, Attitude and Practices: Comparison of Trained and Untrained Rwandan Community Health Workers

Peter Dedeken^{1,2,3*}, Stephen N. Muhumuza^{4,5}, Fidele Sebera^{1,6,7}, Josiane Umwiringirwa⁶, Leopold Bitunguhari⁴, Hans Tierens⁸, Dirk E. Teuwen^{1,3} and Paul A. J. M. Boon¹

¹Department of Neurology, Ghent University Hospital, Ghent, Belgium, ²Department of Neurology, Heilig Hart Ziekenhuis, Lier, Belgium, ³UCB Pharma, Brussels, Belgium, ⁴School of Medicine and Pharmacy, University of Rwanda, Kigali, Rwanda, ⁵Kabgayi District Hospital, Kabgayi, Rwanda, ⁶CARAES Neuro-psychiatric Hospital, Brothers of Charity, Department of Neurology, Kigali, Rwanda, ⁷Centre Hospitalier Universitaire (CHU-K), Kigali, Rwanda, ⁸Dataroots BV, Leuven, Belgium

Keywords: epilepsy, knowledge, attitude, practices, community health workers, training

A Corrigendum on

Long-Term Impact of Single Epilepsy Training on Knowledge, Attitude and Practices: Comparison of Trained and Untrained Rwandan Community Health Workers

by Dedeken P, Muhumuza SN, Sebera F, Umwiringirwa J, Bitunguhari L, Tierens H, Teuwen DE and Boon PAJ (2021). *Int J Public Health*. 66:645598. doi: 10.3389/ijph.2021.645598

OPEN ACCESS

*Correspondence:

Peter Dedeken
 info.dedekenneurologie@gmail.com

Received: 08 August 2023

Accepted: 09 October 2023

Published: 06 November 2023

Citation:

Dedeken P, Muhumuza SN, Sebera F, Umwiringirwa J, Bitunguhari L, Tierens H, Teuwen DE and Boon PAJM (2023) Corrigendum: Long-Term Impact of Single Epilepsy Training on Knowledge, Attitude and Practices: Comparison of Trained and Untrained Rwandan Community Health Workers. *Int J Public Health* 68:1606486. doi: 10.3389/ijph.2023.1606486

There were three mistakes in “**Table 4.** Attitudes, knowledge and practices towards epilepsy. Survey on epilepsy Knowledge, Attitudes and Practices in Community Health Workers, Rwanda, 2018.” as published. Under the question “A child living with epilepsy should never attend school?”, it read “True (D)/False (UD)/Sometimes true (UD)/Not familiar (UD)”, with (D) = desired, (UD) = undesired. This has been corrected to “True (UD)/False (D)/Sometimes true (UD)/Not familiar (UD).”

Under the question “What is the cause of epilepsy” row “Genetic trait(D)” column “82 respondents” it read “21(13,0.5)”, this has been corrected to “21 (13.5)”.

Under the question “May your daughter marry a man living with epilepsy?” row “No (UD)” column “N=96” it read “12 (12,0.5)”, this has been corrected to “12 (12.5)”. The corrected “**Table 4.** Attitudes, knowledge and practices towards epilepsy. Survey on epilepsy Knowledge, Attitudes and Practices in Community Health Workers, Rwanda, 2018.” appears below.

The authors apologize for this error and state that it does not change the scientific conclusions of the article in any way. The first published incorrect version of the article has been updated.

Copyright © 2023 Dedeken, Muhumuza, Sebera, Umwiringirwa, Bitunguhari, Tierens, Teuwen and Boon. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

TABLE 4 | Attitudes, knowledge and practices towards epilepsy. Survey on epilepsy Knowledge, Attitudes and Practices in Community Health Workers, Rwanda, 2018.

	Group A (N = 96)	Group B (N = 103)
	n (%)	n (%)
KNOWLEDGE		
Have you heard/read about epilepsy?	N = 96	N = 103
Yes (D)	95 (99.0)	91 (88.3)
No (UD)	1 (1.0)	12 (11.7)
	$p = 0.006$	
Which age group is most affected?^a	94 respondents	101 respondents
	N = 95	N = 109
0–4 (UD)	7 (7.4)	27 (24.8)
5–9 (UD)	21 (22.1)	34 (31.2)
≥10 (D)	67 (70.5)	48 (44.0)
	$p < 0.001$	
What is the cause of epilepsy?^a	95 respondents	82 respondents
	N = 206	N = 156
Brain injury (D)	86 (41.7)	61 (39.1)
Genetic trait (D)	14 (6.8)	21 (13.5)
Birth injury (D)	59 (28.6)	13 (8.3)
Excessive worry (UD)	27 (13.1)	15 (9.6)
Blood disorders (D)	17 (8.3)	17 (10.9)
Witchcraft (UD)	1 (0.5)	1 (0.8)
Curse of God (UD)	0 (0.0)	0 (0.0)
Spirit possession (UD)	1 (0.5)	8 (5.1)
Not familiar (UD)	1 (0.5)	20 (12.8)
	$p < 0.001$	
Is epilepsy...^a	96 respondents	89 respondents
	N = 114	N = 105
Madness (UD)	6 (5.3)	9 (7.6)
Spirit possession (UD)	12 (10.5)	13 (11.0)
Mental retardation (UD)	3 (2.6)	5 (4.2)
Brain disease (D)	93 (81.6)	78 (66.1)
Not familiar (UD)	0 (0.0)	13 (11.0)
	$p = 0.013$	
ATTITUDES		
Would you allow your child to play with a child living with epilepsy?	N = 96	N = 103
Yes (D)	93 (96.9)	84 (81.6)
No (UD)	3 (3.1)	7 (6.8)
Not familiar (UD)	0	12 (11.7)
	$p = 0.003$	
A child living with epilepsy should never attend school?	N = 96	N = 102
True (UD)	11 (11.5)	16 (15.7)
False (D)	80 (83.3)	70 (68.6)
Sometimes true (UD)	5 (5.2)	4 (3.9)
Not familiar (UD)	0 (0.0)	12 (11.8)
	$p = 0.011$	
May your son marry a woman living with epilepsy?	N = 95	N = 102
Yes (D)	80 (84.2)	51 (50.0)
No (UD)	15 (15.8)	38 (37.3)
Not familiar (UD)	0 (0.0)	13 (12.7)
	$p < 0.001$	
May your daughter marry a man living with epilepsy?	N = 96	N = 103
Yes (D)	84 (87.5)	52 (50.5)
No (UD)	12 (12.5)	40 (38.8)
Not familiar (UD)	0 (0.0)	11 (10.7)
	$p < 0.001$	

(Continued on following page)

TABLE 4 | (Continued) Attitudes, knowledge and practices towards epilepsy. Survey on epilepsy Knowledge, Attitudes and Practices in Community Health Workers, Rwanda, 2018.

	Group A (N = 96)	Group B (N = 103)
	n (%)	n (%)
Can you give a job to a person living with epilepsy?	N = 96	N = 102
Yes (D)	91 (94.8)	68 (66.7)
No (UD)	5 (5.2)	34 (33.3)
Not familiar (UD)	0 (0.0)	0 (0.0)
		$p < 0.001$
Is epilepsy is contagious?	N = 94	N = 100
Always (UD)	1 (1.1)	7 (7.0)
Sometimes (UD)	16 (17.0)	29 (29.0)
Never (D)	77 (81.9)	64 (64.0)
Not familiar (UD)	0 (0.0)	0 (0.0)
		$p = 0.026$
PRACTICES		
If a person found on the road what would you do?^a	96 respondents	97 respondents
	N = 96	N = 110
Health facility (D)	95 (99.0)	84 (76.4)
Traditional healer (UD)	0 (0.0)	3 (2.7)
Chinese medicine (UD)	0 (0.0)	3 (2.7)
Praying session (UD)	0 (0.0)	5 (4.5)
Do nothing as there is no treatment (UD)	0 (0.0)	5 (4.5)
Do not know (UD)	1 (1.0)	4 (3.6)
Not familiar (UD)	0 (0.0)	6 (5.5)
		$p = 0.025$
What would you recommend for treatment for a family member living with epilepsy?^a	96 respondents	98 respondents
	N = 106	N = 121
Health facility (D)	96 (90.6)	92 (76.0)
Traditional healer (UD)	0 (0.0)	8 (6.6)
Chinese medicine (UD)	2 (1.9)	3 (2.5)
Prayers (UD)	8 (7.5)	11 (9.1)
No, as epilepsy cannot be treated (UD)	0 (0.0)	2 (1.7)
Do not know what to do (UD)	0 (0.0)	1 (0.8)
Not familiar (UD)	0 (0.0)	4 (3.3)
		$p = 0.18$
How long should the treatment be given?^b	94 respondents	102 respondents
	N = 98	N = 102
For 1 week (UD)	3 (3.1)	11 (10.8)
For 1 year (UD)	5 (5.1)	7 (6.9)
For 2 years of seizure freedom (D)	45 (45.9)	17 (16.7)
For life (D)	45 (45.9)	67 (65.6)
		$p < 0.001$

^aMore than one answer was allowed.

^bSome Community Health Workers selected two answers with n, number responses; D, desired response; UD, undesired response.