

University of Groningen

Leverage Points in Modality Shifts

Tikhonov, Aleksey; Bylinina, Lisa; Paperno, Denis

Published in:

Proceedings of the 12th Joint Conference on Lexical and Computational Semantics (*SEM 2023)

DOI:

[10.18653/v1/2023.starsem-1.2](https://doi.org/10.18653/v1/2023.starsem-1.2)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2023

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Tikhonov, A., Bylinina, L., & Paperno, D. (2023). Leverage Points in Modality Shifts: Comparing Language-only and Multimodal Word Representations. In A. Palmer, & J. Camacho-Collados (Eds.), *Proceedings of the 12th Joint Conference on Lexical and Computational Semantics (*SEM 2023)* (pp. 11-17). (Proceedings of the Annual Meeting of the Association for Computational Linguistics). Association for Computational Linguistics, ACL Anthology. <https://doi.org/10.18653/v1/2023.starsem-1.2>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Leverage Points in Modality Shifts: Comparing Language-only and Multimodal Word Representations

Aleksey Tikhonov

Inworld.AI

altsoph@gmail.com

Lisa Bylinina*

Center for Language and Cognition

University of Groningen

e.g.bylinina@rug.nl

Denis Paperno*

Institute for Language Sciences

Utrecht University

d.paperno@uu.nl

Abstract

Multimodal embeddings aim to enrich the semantic information in neural representations of language compared to text-only models. While different embeddings exhibit different applicability and performance on downstream tasks, little is known about the systematic representation differences attributed to the visual modality. Our paper compares word embeddings from three vision-and-language models (CLIP, OpenCLIP and Multilingual CLIP, Radford et al. 2021; Ilharco et al. 2021; Carlsson et al. 2022) and three text-only models, with static (FastText, Bojanowski et al., 2017) as well as contextual representations (multilingual BERT Devlin et al. 2018; XLM-RoBERTa, Conneau et al. 2019). This is the first large-scale study of the effect of visual grounding on language representations, including 46 semantic parameters. We identify meaning properties and relations that characterize words whose embeddings are most affected by the inclusion of visual modality in the training data; that is, points where visual grounding turns out most important. We find that the effect of visual modality correlates most with denotational semantic properties related to concreteness, but is also detected for several specific semantic classes, as well as for valence, a sentiment-related connotational property of linguistic expressions.

1 Introduction

Linguistic representations developed by recent large pre-trained language models (LMs) (Devlin et al., 2018; Liu et al., 2019; Radford et al., 2019 a.o.) proved to be very useful across a variety of practical applications. This success has given a new life to the debate around extractability and quality of semantic information in representations trained solely on textual input. According to the

widely supported argument, unless the textual data is grounded in a separate space (say, visual), the linguistic representations are bound to be semantically deficient (see Bender and Koller, 2020 a.o.).

We aim to shed new empirical light on the discussion of grounding in computational models by comparing language-only text representations to visually informed text representations. Recent advances produced empirically successful large models pre-trained on a combination of textual and visual data (Li et al., 2019; Tan and Bansal, 2019, 2020; Radford et al., 2021). While these multimodal systems have already given rise to a plethora of applications for language-and-vision (L&V) downstream tasks, there is still little work that directly compares textual representations of language-only models to those of multimodal ones (however, see Davis et al., 2019; Lüddecke et al., 2019; Pezzelle et al., 2021). In contrast to previous related work that focuses on model evaluation with respect to specific benchmarks, we look at the impact of visual grounding from a somewhat different, non-evaluation-based perspective. We do not aim to measure the representation quality with respect to some gold standard, but compare language-only and L&V models to each other intrinsically. Our **goal** is to identify the areas in which *the contrasts between the two kinds of models* tend to lie, independent of the models' fitness for specific tasks.

To do so, we focus on a set of 13k word pairs and compare cosine distances within these pairs in the embedding spaces of language-only vs. L&V models. Fixing the word pairs and comparing the models allows us to measure how the change in model modality stretches the embedding space, with the word pairs as indirect reference points.

The pairs are characterized along 46 different semantic parameters. This information makes it possible to identify the meaning aspects for which

*Equal contribution.

the change in model modality matters the most.

Our **contributions** are:

1. a methodology for measuring the influence of grounding on semantic representations;
2. a dataset characterizing a large number of word pairs along various semantic parameters and embedding distances in the models that we study.

Our **results** are the following:

- The semantic parameter that makes the highest contribution into explaining the impact of modality on word representation is **concreteness**. This aligns with previous results that visual modality improves representations of concrete nouns but not abstract ones (Pezzelle et al., 2021).
- Representations of particular semantic groups of nouns are affected the most.
- Semantic relations between nouns only have small interaction with modality across the models we tested, with variation from model to model.
- Connotational meanings from the VAD (valence, arousal, dominance) repertoire (Mohammad, 2018) – specifically, valence – play a role in representational shifts relating to modality. This is a somewhat surprising result since visual grounding is expected to relate to the denotational aspects of representations. This result is in line with recent discussion in semantics about the inter-relatedness of denotational and connotational meanings (Ruytenbeek et al., 2017; Terkourafi et al., 2020; Van Tiel and Pankratz, 2021; Beltrama, 2021; Gotzner and Mazzarella, 2021).

We now discuss our data, analysis and results.

2 Data¹

The dataset consists of word pairs. To collect them, we start with 1000 most frequent words in FastText (Bojanowski et al., 2017). For each of them, we take 100 closest words, by cosine distance over FastText embeddings. This gives 1M pairs to work with. We filter this list of pairs in several ways. First, we only keep those pairs where both words are nouns, according to both NLTK² and SpaCy³

¹Our code and data are available on GitHub: https://github.com/altsoph/modality_shifts

²<https://github.com/nltk/nltk>

³<https://github.com/explosion/spacy-models>

POS labels. Second, we filter out pairs where one of the words is a substring of the other or where the two words have the same lemma. This helps against some FastText artifacts.

One of the goals of our filtering strategy was to balance representation quality of the words (the frequency filter) and the chance for the pair to stand in a WordNet relation (the similarity filter). This gives us a set of pairs like the following:

⟨ page, article ⟩
⟨ people, politicians ⟩
⟨ city, hometown ⟩

Each of the resulting pairs was characterized along a set of properties of interest, collected over a variety of available sources of human-annotated semantic information. The properties we look at come in two big blocks: 1) the ones that characterize individual words (assigned to each word in the pair); 2) the ones that characterize a semantic relation between the words in the pair.

Properties for individual words included:

- **Concreteness**, a continuous score on the abstractness-concreteness scale, the Ghent concreteness norms (Brysbaert et al., 2014);
- 26 **WordNet supersenses** of nouns (ACT, ANIMAL, FEELING, FOOD etc.), implemented as boolean labels (Miller, 1995);
- 3 NRC VAD continuous scores for **valence**, **arousal** and **dominance** (Mohammad, 2018).

Relational semantic properties included:

- 6 **WordNet semantic relations** (Miller, 1995): ANTONYMS, SYNONYMS, SAME_HYPONYMS, SAME_HYPERNYMS, HYPONYMS, HYPERNYMS.
- 10 **ConceptNet semantic relations** (Speer et al., 2017): ANTONYM, SYNONYM, ATLOCATION, DERIVEDFROM, DISTINCTFROM, FORMOF, ISA, PARTOF, RELATEDTO, SIMILARTO.

The relations were implemented as boolean labels.

This is the most comprehensive list of semantic parameters for which human annotations exist on a large scale. It covers both denotational and connotational aspects of meaning of both individual words and relation within pairs. Connotational meanings are represented with three sentiment-related meaning aspects only, as these are the only ones represented in a large human-annotated dataset (Mohammad, 2018).

Additionally, word count based on Wikipedia

(accessed via `Textacy`) is included for each word in all pairs as a non-semantic baseline parameter.

We leave only those word pairs for which all the above mentioned parameters are defined. This gives us 13k word pairs in total, each of the pairs gets characterized along 30 individual semantic parameters (*2, for the first and the second noun in the pair) and 16 relational parameters; plus, word count for each of the words in the pair.

We collect the distances between the words in each pair for their embeddings from the models of interest. As **text-only models**, we use fastText (Bojanowski et al., 2017) and two contextualized embedding models: multilingual BERT (mBERT, Devlin et al., 2018) and XLM-RoBERTa (XLMR, Conneau et al., 2019). For each contextualized model, we extract three kinds of word type embeddings known to show systematic differences (Vulić et al., 2020); average of all token embeddings, including separator tokens, from the final encoding layer of a word presented in isolation (**iso**); the average encoding over the bottom 6 layers across a sample of 10 usage contexts (**avg-bottom**), and the average encoding from the final layer across a sample of 10 usage contexts (**avg-last**). As multimodal models, we use CLIP, OpenCLIP and Multilingual CLIP (Radford et al., 2021; Ilharco et al., 2021; Carlsson et al., 2022). For each multimodal model, we extract two different types of word type embeddings, one by encoding the word in isolation and one by averaging over sentence embeddings of 10 usage examples.

The goal is to find a common ground of different models depending on their modality. In this way we hope to be able to distinguish between model-specific idiosyncrasies and general properties of text-based representations.

3 Analysis

We run a series of regression analyses with semantic features and relations as predictors, along with word frequency as baseline.

We analyze the shift in distances within word pairs between two embedding models. To measure it, we rank all word pairs in our dataset by the ratio between the cosine distance values of the pair in the two embedding models. Using ratios and ranks rather than absolute differences serves as a normalization strategy because the vector spaces have significantly different structures (see Appendix A). The resulting rank of the pair is then used as the

dependent variable in a regression analysis.

The baseline regression model includes as predictors word frequencies in the Wikipedia corpus and concreteness scores from the Ghent concreteness norms dataset (Brysbaert et al., 2014). To estimate the contribution of different groups of semantic features, we add them to the regression as additional predictors. This is done separately for

1. taxonomic features of the two words formalized as their WordNet supersenses (Miller, 1995);
2. sentiment/connotation-related features of the two words extracted from NRC VAD (Mohammad, 2018);
3. relation within the word pair according to Princeton WordNet (Miller, 1995);
4. relation within the word pair according to ConceptNet (Speer et al., 2017).

All numeric parameters (concreteness scores, word frequencies, and VAD values) were normalized by converting numeric values into ranks.

To calculate regression, we used a standard implementation of ordinary least squares regression from the statsmodels python package. We compute adjusted R-squared values to avoid a bias from the different numbers of parameters. Each fitted regression showed high significance ($p < 0.0001$).

4 Results

The results of regression analysis for several models are illustrated in Table 1. Our main observations are:

- **Baselines.** Concreteness plays a major role in explaining modality shifts, in line with results of previous studies (Pezzelle et al., 2021).
- **Combined WordNet supersenses.** We find a significant effect for many pairs of text vs. multimodal models, although different subsets of taxonomic features prove significant in different pairs of models.
- **WordNet and ConceptNet relations** tend to be significant when aggregated, although no individual relation has a systematic effect across model pairs.
- **VAD** features produce varied effects, with valence showing the most consistent modality difference. VAD features explain only a small percentage of variance in all models.

CLIP-iso vs.	XLMR-iso	mBERT-iso	BERT-avg-last	fastText
Baselines				
concreteness	9.5	11.68	2.27	8.71
frequency	5.43	7.81	1.91	0.45
concreteness+frequency	16.73	17.16	3.65	9.54
+taxonomic	21 (+4.27)	20.35 (+3.19)	5.43 (+1.78)	19.50 (+9.96)
+VAD	17.36 (+0.63)	17.49 (+0.33)	4.62 (+0.97)	10.78 (+1.24)
+WordNet relations	18.47 (+1.74)	17.36 (+0.2)	10.05 (+6.4)	10.34 (+0.8)
+ConceptNet relations	19.8 (+3.07)	17.47 (+0.31)	8.84 (+5.19)	10.26 (+0.72)

Table 1: Illustration of our method: Embedding space in CLIP-iso vs. four of the text-only models. Table reports percentage of variance (adjusted R^2) in cosine distance ratio explained by different groups of semantic factors. We take the number in parentheses as an estimate of the *effect* of the factor (e.g. the effect of all taxonomic features from WordNet combined) on the difference between two embedding spaces (e.g. fastText vs. CLIP).




Figure 1: Comparing semantic features’ contributions to contrasts between text models vs. other text models, on the one hand, and text models vs. L&V models, on the other hand. Explanatory contributions of concreteness, VAD valence and Wordnet supersense ‘Is Possession’ are sensitive to model modality, unlike supersense ‘Is Attribute’. (Here and in Appendix B, whiskers in the boxplots are set to 0.5 IQR.)

Figure 1 illustrates the effect of specific features: concreteness, valence and possession WordNet supersense, vs. the attribute supersense that has no consistent effect on modality shifts. For more plots, see Appendix B.

5 Conclusion and discussion

The goal of our paper was to investigate what semantic factors contribute to the difference in representational spaces of language-only models vs. multimodal models.

Our regression analysis confirmed previous findings that concreteness plays a major role in this difference (Pezzelle et al., 2021). This is natural since imageability, the measurable manifestation of concreteness, is directly related to whether useful information about a concept can be inferred from visual data.

However, other factors beyond abstractness contribute to the modality-based space contrasts as well. The most important factor here is taxonomic, as measured by the effect of WordNet lexicographer files. Wordnet supersenses consistently affect semantic similarities in text-only models vs.

L&V models: in particular, we found this for artifacts, quantities, possessions and communication lexical classes.

Lastly, sentiment-related lexical properties, most clearly valence, also affect the semantic similarity in language-only vs. multimodal spaces. Recently, several studies in semantics and pragmatics have indicated interactions of connotational content with denotational meanings (Ruytenbeek et al., 2017; Terkourafi et al., 2020; Van Tiel and Pankratz, 2021; Beltrama, 2021; Gotzner and Mazzarella, 2021). Our results can be interpreted as pointing in that direction too. Still, the effect of sentiment is overall much smaller than the core denotational properties of the words in the lexical pair, as illustrated by the comparison of the combined VAD to combined taxonomic features in Table 1.

We contribute to the understanding of different embedding spaces by demonstrating systematic differences between text-only vs. L&V models. Many questions are however left for future research. For example, do the distinct properties of multimodal embeddings make them better suited for specific tasks, as Pezzelle et al. (2021) argued for the relat-

edness judgments of concrete nouns?

In the light of Kruszewski’s finding (Kruszewski and Baroni, 2015) that taxonomic information interacts strongly with referential compatibility between concepts, our findings on the role of taxonomic status on vector space structure suggests that the choice of multimodal vs. textual representations can be crucial for inference, especially for the difficult case of the neutral vs. contradiction distinction.

Finally, we note that the semantic factors we considered only explain a small part of the discrepancy between textual and L&V models. The rest must be attributed to other factors, such as random differences in the textual data used for model training as well as semantic phenomena outside the scope of our study.

We hope that our study inspires further exploration of systematic differences between embedding models, both for visual grounding and beyond.

Acknowledgements

This work was funded by the European Research Council (ERC) under the European Union’s Horizon 2020 research and innovation programme (grant agreement No 742204).

References

- Andrea Beltrama. 2021. Just perfect, simply the best: an analysis of emphatic exclusion. *Linguistics and Philosophy*, pages 1–44.
- Emily M Bender and Alexander Koller. 2020. Climbing towards nlu: On meaning, form, and understanding in the age of data. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 5185–5198.
- Piotr Bojanowski, Edouard Grave, Armand Joulin, and Tomas Mikolov. 2017. Enriching word vectors with subword information. *Transactions of the Association for Computational Linguistics*, 5:135–146.
- Marc Brysbaert, Amy Beth Warriner, and Victor Kuperman. 2014. Concreteness ratings for 40 thousand generally known english word lemmas. *Behavior research methods*, 46(3):904–911.
- Fredrik Carlsson, Philipp Eisen, Faton Rekathati, and Magnus Sahlgren. 2022. [Cross-lingual and multilingual CLIP](#). In *Proceedings of the Thirteenth Language Resources and Evaluation Conference*, pages 6848–6854, Marseille, France. European Language Resources Association.
- Alexis Conneau, Kartikay Khandelwal, Naman Goyal, Vishrav Chaudhary, Guillaume Wenzek, Francisco Guzmán, Edouard Grave, Myle Ott, Luke Zettlemoyer, and Veselin Stoyanov. 2019. [Unsupervised cross-lingual representation learning at scale](#). *CoRR*, abs/1911.02116.
- Christopher Davis, Luana Bulat, Anita Lilla Veró, and Ekaterina Shutova. 2019. Deconstructing multimodality: visual properties and visual context in human semantic processing. In *Proceedings of the Eighth Joint Conference on Lexical and Computational Semantics (*SEM 2019)*, pages 118–124.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2018. [BERT: pre-training of deep bidirectional transformers for language understanding](#). *CoRR*, abs/1810.04805.
- Nicole Gotzner and Diana Mazzarella. 2021. Face management and negative strengthening: The role of power relations, social distance, and gender. *Frontiers in psychology*, 12.
- Gabriel Ilharco, Mitchell Wortsman, Ross Wightman, Cade Gordon, Nicholas Carlini, Rohan Taori, Achal Dave, Vaishal Shankar, Hongseok Namkoong, John Miller, Hannaneh Hajishirzi, Ali Farhadi, and Ludwig Schmidt. 2021. [Openclip](#). If you use this software, please cite it as below.
- Germán Kruszewski and Marco Baroni. 2015. So similar and yet incompatible: Toward the automated identification of semantically compatible words. In *Proceedings of the 2015 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 964–969.
- Liunan Harold Li, Mark Yatskar, Da Yin, Cho-Jui Hsieh, and Kai-Wei Chang. 2019. Visualbert: A simple and performant baseline for vision and language. *arXiv preprint arXiv:1908.03557*.
- Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Mandar Joshi, Danqi Chen, Omer Levy, Mike Lewis, Luke Zettlemoyer, and Veselin Stoyanov. 2019. Roberta: A robustly optimized bert pretraining approach. *arXiv preprint arXiv:1907.11692*.
- Timo Lüddecke, Alejandro Agostini, Michael Fauth, Minija Tamosiunaite, and Florentin Wörgötter. 2019. [Distributional semantics of objects in visual scenes in comparison to text](#). *Artificial Intelligence*, 274:44–65.
- George A Miller. 1995. Wordnet: a lexical database for english. *Communications of the ACM*, 38(11):39–41.
- Saif Mohammad. 2018. Obtaining reliable human ratings of valence, arousal, and dominance for 20,000 english words. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 174–184.
- Sandro Pezzelle, Ece Takmaz, and Raquel Fernández. 2021. [Word Representation Learning in Multimodal Pre-Trained Transformers: An Intrinsic Evaluation](#).

Transactions of the Association for Computational Linguistics, 9:1563–1579.

Alec Radford, Jong Wook Kim, Chris Hallacy, Aditya Ramesh, Gabriel Goh, Sandhini Agarwal, Girish Sastry, Amanda Askell, Pamela Mishkin, Jack Clark, et al. 2021. Learning transferable visual models from natural language supervision. In *International Conference on Machine Learning*, pages 8748–8763. PMLR.

Alec Radford, Jeff Wu, Rewon Child, David Luan, Dario Amodei, and Ilya Sutskever. 2019. Language models are unsupervised multitask learners.

Nicolas Ruytenbeek, Steven Verheyen, and Benjamin Spector. 2017. Asymmetric inference towards the antonym: Experiments into the polarity and morphology of negated adjectives. *GLOSSA-A JOURNAL OF GENERAL LINGUISTICS*, 2(1).

Robyn Speer, Joshua Chin, and Catherine Havasi. 2017. Conceptnet 5.5: An open multilingual graph of general knowledge. In *Thirty-first AAAI conference on artificial intelligence*.

Hao Tan and Mohit Bansal. 2019. Lxmert: Learning cross-modality encoder representations from transformers. *arXiv preprint arXiv:1908.07490*.


Hao Tan and Mohit Bansal. 2020. Vokenization: Improving language understanding with contextualized, visual-grounded supervision. *arXiv preprint arXiv:2010.06775*.

Marina Terkourafi, Benjamin Weissman, and Joseph Roy. 2020. Different scalar terms are affected by face differently. *International Review of Pragmatics*, 12(1):1–43.

Bob Van Tiel and Elizabeth Pankratz. 2021. Adjectival polarity and the processing of scalar inferences. *Glossa: a journal of general linguistics*, 6(1).


Ivan Vulić, Edoardo Maria Ponti, Robert Litschko, Goran Glavaš, and Anna Korhonen. 2020. Probing pretrained language models for lexical semantics. *arXiv preprint arXiv:2010.05731*.

A Properties of embedding spaces



Distributions of similarities between lexical pairs per model and embedding type

B Plots for more factors



Comparing semantic features' contributions to contrasts between text models vs. other text models, on the one hand, and text models vs. L&V models, on the other hand. Explanatory contributions of ConceptNet relations, combined VAD features, combined WordNet supersenses, and combined WordNet relations.