

Illinois Wesleyan University Digital Commons @ IWU

John Wesley Powell Student Research Conference

1998, 9th Annual JWP Conference

Apr 18th, 1:30 PM - 2:30 PM

The Role of Social Support in Mediating Stress and Illness

Valerie M. Stachour Illinois Wesleyan University

Johnna K. Shapiro, Faculty Advisor *Illinois Wesleyan University*

Follow this and additional works at: http://digitalcommons.iwu.edu/jwprc

Valerie M. Stachour and Johnna K. Shapiro, Faculty Advisor, "The Role of Social Support in Mediating Stress and Illness" (April 18, 1998). *John Wesley Powell Student Research Conference*. Paper 18. http://digitalcommons.iwu.edu/jwprc/1998/posters2/18

This Event is brought to you for free and open access by The Ames Library, the Andrew W. Mellon Center for Curricular and Faculty Development, the Office of the Provost and the Office of the President. It has been accepted for inclusion in Digital Commons @ IWU by the faculty at Illinois Wesleyan University. For more information, please contact digitalcommons@iwu.edu. ©Copyright is owned by the author of this document.

Poster Presentation 36

THE ROLE OF SOCIAL SUPPORT IN MEDIATING STRESS AND ILLNESS

<u>Valerie M. Stachour</u> and Johnna Shapiro* Department of Psychology, Illinois Wesleyan University

Social support has shown to be one important factor in the link between stress and illness. In this study, the role of social support is examined in light of the two current hypotheses in the field: the main effect hypothesis which states that strong social support will correlate with both low stress and low illness levels, and the buffering hypothesis which states that strong social support will correlate only with low illness levels. The nature of the social support group is investigated by looking at the strength and proximity of the group. We expect that strong social support will be correlated with lower illness levels. We also expect that a physically closer social support group will be correlated with lower illness levels. Finally, we hypothesize that the strength of the social support group will correlate more with lowered illness levels than with the proximity of the social support group.