



Illinois Wesleyan University Digital Commons @ IWU

John Wesley Powell Student Research
Conference

1998, 9th Annual JWP Conference

Apr 18th, 1:30 PM - 2:30 PM

Patterns of Organochlorine Pesticide Contamination in Neotropical Migrant Passerines

Heidi B. Richardson

Illinois Wesleyan University

J. A. Klemens

Illinois Wesleyan University

R. G. Harper, Faculty Advisor

Illinois Wesleyan University

J. A. Frick, Faculty Advisor

Illinois Wesleyan University

A. P. Capparella, Faculty Advisor

Illinois Wesleyan University

Follow this and additional works at: <http://digitalcommons.iwu.edu/jwprc>

Heidi B. Richardson; J. A. Klemens; R. G. Harper, Faculty Advisor; J. A. Frick, Faculty Advisor; and A. P. Capparella, Faculty Advisor, "Patterns of Organochlorine Pesticide Contamination in Neotropical Migrant Passerines" (April 18, 1998). *John Wesley Powell Student Research Conference*. Paper 12.
<http://digitalcommons.iwu.edu/jwprc/1998/posters2/12>

This Event is brought to you for free and open access by The Ames Library, the Andrew W. Mellon Center for Curricular and Faculty Development, the Office of the Provost and the Office of the President. It has been accepted for inclusion in Digital Commons @ IWU by the faculty at Illinois Wesleyan University. For more information, please contact digitalcommons@iwu.edu.

©Copyright is owned by the author of this document.

Poster Presentation 30

**PATTERNS OF ORGANOCHLORINE PESTICIDE CONTAMINATION IN
NEOTROPICAL MIGRANT PASSERINES**

Heidi B. Richardson, J.A. Klemens, R.G. Harper*, J.A. Frick*, and A.P. Capparella*
Departments of Biology and Chemistry, Illinois Wesleyan University, and
Department of Biological Science, Illinois State University

Previous work by our group has consistently shown low-level pesticide contamination in Neotropical migrant passerines (those songbirds that breed in North America and winter in the West Indies, Central and South America). To further this work, chemical analysis of eleven Neotropical migrant passerine species was conducted. The birds were collected in Illinois along the Mississippi River in May, 1996 and tested for the presence of 17 organochlorine pesticides. The most prevalent pesticides detected were p,p'-DDE, dieldrin, and heptachlor epoxide. No statistically significant differences in pesticide levels were found between males and females or between winter habitats (forest and shrub). Birds wintering in Central America were significantly more contaminated than birds that winter in Northern South America. Insect gleaners (warblers and vireos) were significantly more contaminated than aerial insect feeders (flycatchers), which were significantly more contaminated than plant consumers (thrushes, buntings, and grosbeaks). These findings suggest that winter range and diet are larger determinants of contamination levels in Neotropical migrant passerines than other characteristics considered.