



Title	Clinical features of anti-mitochondrial M2 antibody-positive myositis : case series of 17 patients
Author(s)	Nagai, Azusa; Nagai, Toshiyuki; Yaguchi, Hiroaki; Fujii, Shintaro; Uwatoko, Hisashi; Shirai, Shinichi; Horiuchi, Kazuhiro; Iwata, Ikuko; Matsushima, Masaaki; Ura, Shigehisa; Anzai, Toshihisa; Yabe, Ichiro
Citation	Journal of the neurological sciences, 442, 120391 <a href="https://doi.org/10.1016/j.jns.2022.120391">https://doi.org/10.1016/j.jns.2022.120391</a>
Issue Date	2022-11-15
Doc URL	<a href="http://hdl.handle.net/2115/90686">http://hdl.handle.net/2115/90686</a>
Rights	© 2022, Elsevier. This manuscript version is made available under the CC-BY-NC-ND 4.0 license <a href="http://creativecommons.org/licenses/by-nc-nd/4.0/">http://creativecommons.org/licenses/by-nc-nd/4.0/</a>
Rights(URL)	<a href="http://creativecommons.org/licenses/by-nc-nd/4.0/">http://creativecommons.org/licenses/by-nc-nd/4.0/</a>
Type	article (author version)
Additional Information	There are other files related to this item in HUSCAP. Check the above URL.
File Information	Fig.1 A B C D E F.pdf



[Instructions for use](#)

# Correlation of %VC and mRS score

$R = 0.67, p = 0.0034$

mRS score

0

1

2

3

4

5


40

60


80

100

%VC (%)



# Correlation of BMI and %VC



# Correlation of BMI and mRS score

$R = 0.56, p = 0.019$

mRS score

0

1

2

3

4

5


16

20

24

28

BMI



# Correlation of LVEF and mRS score

$R = -0.037, p = 0.89$

mRS score

0

1

2

3

4

5

30


40

50

60

70

LVEF (%)



# Correlation of disease duration before diagnosis and mRS score

$R = 0.28, p = 0.28$

mRS score

0

1

2

3

4


5

0

50

100

Disease duration before diagnosis (month)



# Correlation of AMA-M2 index and mRS score

$R = -0.026, p = 0.92$

mRS score

0

1

2

3

4

5

0

100

200

300

400

AMA-M2 (index)

