

# Technical Efficiency in the Swedish Trawl Fishery for Norway Lobster<sup>1</sup>

Håkan Eggert  
 Department of Economics  
 Göteborg University  
 Box 640  
 SE 405 30 Göteborg  
 Sweden  
 Hakan.Eggert@economics.gu.se

**Abstract** To reduce fleet capacity in European fisheries is an important objective of the European Union's Common Fisheries Policy. The success of such programmes depends both on the variation and the level of efficiency within the fishing fleets. If vessels with significantly lower efficiency level than average are decommissioned, the actual reduction in fishing capacity will be less than expected. Further, if the remaining vessels after a decommissioning program are not operating at an efficient level, future improvement in efficiency may even further offset the effects of the decommissioning program. This paper examines the level and determinants of technical efficiency for a sample of Swedish demersal trawlers, which mainly target Norway lobster but also shrimps and demersal fish in 1995. The data on per-trip gross revenues, fishing effort, gear choice, month of fishing and vessel attributes are analyzed using a translog stochastic production frontier, including a model for vessel-specific technical inefficiencies. Output elasticities and returns to scale are also examined. The technical inefficiency effects are found to be highly significant in explaining the levels and variation in vessel revenues. The mean efficiency for the sample vessels is estimated to be 66%. The inefficiency model indicates that efficiency decrease with total annual effort, and the same applies with vessel size in Gross Registered Tonnage. Further, it is found that older vessels are less efficient.

## Introduction

Declining fishery resources and excessive economic waste have become increasing global concerns. The fishing nations within the European Union (EU) are no exception. EU's Common Fisheries Policy (CFP) is a multi-objective policy, which consists of four principal components (Rodgers and Valatin, 1995). These four components can be characterized as a conservation policy, a structural policy, a market policy, and finally, third country agreements and international conventions. A crucial element within the structural policy is the Multi-Annual Guidance Programme (MAGP), which seeks to reduce fleets to appropriate size given the available fishing opportunities. Standard bioeconomic models usually assume a homogenous fishing fleet, but the existence of heterogenous fleets have long been identified, modeled (e.g. Copes, 1972, Anderson, 1982), and confirmed by several empirical studies (e.g. Dupont,

1990). Hence, a crudely designed decommissioning program aiming at a reduction of for instance overall Gross Registered Tonnage (GRT), may not achieve the desired reduction in fishing capacity. Further, if the remaining vessels after a decommissioning program are not operating at an efficient level, future improvement in efficiency may even further offset the effects of the decommissioning program. A potential outcome is a failure to ensure sustainable fisheries and increased social costs.

From a fisheries managers perspective, knowledge of the efficiency level at both the firm and fleet level and its' determinant factors would be valuable information to come to grips with the overfishing problems.

---

## <sup>1</sup> Acknowledgement

This work was sponsored, by the Swedish Council for Forestry and Agricultural Research, and by the Sustainable Coastal Zone Management Programme, which is funded by the Foundation for Strategic Environmental Research, MISTRA. Assistance in preparing the data set by Tore Gustavsson, Bernt Johnsson, and Dave Reich is gratefully acknowledged. I have benefitted from discussions with Ragnar Tveterås on aspects of this paper. Valuable comments from Thomas Sterner, Gardner Brown Jr, Dale Squires and Rögnvaldur Hannesson are also gratefully acknowledged.

Ideally, such information would include measures of total economic efficiency but, given the lack of appropriate data, estimates of technical efficiency can be a valuable substitute. Technical efficiency can be measured by different techniques (e.g. Färe, Grosskopf and Lovell, 1994.), but given the stochastic nature of fishing the stochastic frontier approach (Meusen and van den Broeck, 1977, and Aigner, Lovell and Schmidt, 1977) has so far been advocated in the literature.<sup>2</sup>

Despite the rapid development and widespread use of stochastic frontier approaches in assessing efficiency in many industries, such studies of commercial fisheries are scant. So far, there are only four published studies using the stochastic frontier approach (Kirkley, Squires and Strand, 1995, Kirkley, Squires and Strand, 1998, Sharma and Leung, 1998, and Campbell and Hand, 1998).<sup>3</sup> This is probably due to the complexity of marine fisheries leading to problems of providing necessary data, but also due to the traditional focus on biological objectives among fisheries managers. The traditional single focus on biological aspects are gradually changing within the EU, and it is now accepted that successful fisheries management systems must foster economic efficiency (Rodgers and Valatin, 1995).

In this study, the stochastic frontier approach is applied to a sample of Swedish demersal trawlers, which target Norway lobsters but in some cases also other species like shrimp and cod. The Battese and Coelli (1995) model is used on data including effort and gross revenues collected on per trip basis during 1995. Technical efficiency is estimated together with determinants of the technical efficiency at the vessel level, and we also explore output elasticities and returns to scale.

### The Swedish trawl fishery for Norway lobster

The Norway lobster (*Nephrops norvegicus*), also known as Dublin Bay prawn, is a Crustacean landed from 18 major stocks by fishers from 14 European countries. Total landings in 1995 were 50 000 tons with an ex-vessel value of almost Euro 200 million, which makes it the most valuable Crustacean in European fisheries. The Swedish trawl fishery for *Nephrops* exploits the Scandinavian stock together with Danish and Norwegian fishers, and in 1995 Swedish trawl landings exceeded 800

tons corresponding to a value of about Euro 7 millions<sup>4</sup> (Eggert and Ulmestrand, 1999).

The Swedish West Coast demersal trawl fleet target several species of which *Nephrops*, Shrimps and Cod are the most important ones. Each commercially important species has an overall total allowable catch (TAC) quota and a specific gear regulation. The gear regulations include different minimum sizes of the trawl mesh and a general upper limit of 70% by-catch of other species. *Nephrops* are caught mainly with *Nephrops* trawls, but also with creels and as by-catches in shrimp and demersal fish trawls. In 1995, approximately 200 trawlers recorded landings of *Nephrops*, but 73 of those accounted for more than 70% of total landings. 40% of these vessels have Göteborg, the second largest city in Sweden, as their homeport. The other vessels have homeports at a distance of 100-300 km away from Göteborg, where alternative job opportunities for fishers are more scarce. *Nephrops* live on specific bottoms and do not undertake extensive migrations, i.e. emigration and immigration between sub areas are zero, but the eggs are pelagic and can move long distances with currents. The latter implies a possible stock-recruitment relationship referring to the major stock, but such relationship is at present unknown (Anon., 1997).

The Swedish *Nephrops* fishery is managed under the Council of the EU, but the Swedish Board of Fisheries and the Swedish Coast Guard carry out the monitoring and enforcement. A TAC of 3500 tons for the Scandinavian stock was agreed upon in 1992, but was increased to 4800 tons in 1995, and has so far not been restrictive in any year. Sweden joined the EU January 1, 1995, which implies that the overall GRT restriction merely functioned as an upper limit in 1995. Commercial fishing requires a vessel license, which in turn requires a personal license held by a minimum of one crewmember. The enforced and supposedly restrictive regulations are: a) the maximum 70% by-catch rule, b) the minimum landing size of 40 mm carapace length (The size of the "head" of the creature, measured from the rear eye socket to the distal edge of the carapace, which corresponds approximately to a full length of 13 cm or an age of 5 to 8 years) and c) the minimum trawl mesh size of 70 mm. The overall impression is that the Swedish *Nephrops* fishery in 1995 could be characterized as an open access fishery (cf. Eggert and Ulmestrand, 1999).

### Data and variables

The Swedish Board of Fisheries collected the data used in this study, where the two most important sources are the log book database and the sales book database. The log book database identifies vessel, fishing effort, gear type and landing date on a per trip basis, while the

<sup>2</sup> According to Kirkley and Squires (1998) the criticism of nonstochasticity of the DEA approach can easily be overcome through the use of bootstrapping DEA (Data Envelope Analysis). However, to my knowledge there are no empirical applications of this approach to fisheries.

<sup>3</sup> Coglán, Pascoe and Harris (1998) is a fifth paper, discussing the EU related topic in this paper.

<sup>4</sup> Euro 1 = SEK 8.30

sales book database contains vessel, landing date and gross revenue.<sup>5</sup> A total of 73 demersal trawlers, landing more than 5 tons of *Nephrops* during 1995, were selected. Some vessels were dropped due to missing information and some trips with stationary gear, where the effort variable has a different meaning than for trawling, were excluded. The final data set is an unbalanced panel of 5644 observations from 61 vessels. Descriptive statistics are presented in table 1. The different trawls are labelled Shrimp, Single, Twin, and Fish, which represents shrimp trawl, single *Nephrops* trawl, twin *Nephrops* trawl, and demersal fish trawl, respectively. Table 1 shows that almost 90% of the trips targeted *Nephrops*. The parameter yeareffort is the total effort hours during 1995 for each vessel. Stockindex is a constructed proxy for stock abundance and price paid on a monthly basis (cf. in next section).

**Table 1.** Summary statistics for 5644 trip observations on 61 fishing vessels in Swedish demersal trawlers, targeting *Nephrops*, during 1995

Variable	Sample Mean	Standard	Max.	Minimum
Trips per vessel	92.52	28.5	152	36
Output (SEK)	10740	9801	124500	24
Effort (HOURS)	11.33	7.5	110	1
GRT (tons)	44.58	21.87	120	11
LOA (meters)	16.28	3.17	22.84	11.67
Engine power (kW)	244.4	62.75	400	110
Age (years)	28.5	20.9	66	4
SHRIMP	0.07	0.26	1	0
SINGLE	0.41	0.49	1	0
TWIN	0.45	0.50	1	0
FISH	0.07	0.25	1	0
Yeareffort (h)	1058	405.5	2564	299
Stockindex	3.92	0.10	4.04	3.74

Measuring capital in fisheries is often problematic. The standard approach is to focus on different vessel attributes such as length, width, GRT, etc. (Carlson, 1973), some attempts have been made to find more economic related measures like insurance value (Frost et al, 1995) or cost of capital invested in equipment (Hannesson, 1987). For this study, insurance values for a minor group of vessels were available but did not offer any promising results in terms of measuring capacity. A Swedish insurance company, specialized in fishing vessel, confirmed the lack of correlation between insurance value and capacity (Bengt Schröder, personal communication). Investment figures were not available, which left us with

<sup>5</sup> The link between the two databases is the landing date, which unfortunately does not provide a perfect match. Corrections for mis-fitting landing dates were done manually, and a potential risk of changing the data characteristics cannot be excluded.

the vessel attributes approach. Pascoe and Robinson (1998) constructed a composite measure of length and width, which proved superior to GRT in their study. In the MAGPs, capacity is a function of vessel attributes, notably vessel size and engine power. Given the available attributes and the correlation figures (table 2), an attempt with GRT, age, and kW was made, while length overall (LOA) was dropped to avoid multicollinearity problems.<sup>6</sup>

**Table 2.** Correlation matrix of variables. Value landed per unit effort (VPUE) and vessel attributes

	VPUE	LOA	GRT	KW	AGE
VPUE	1				
LOA	0.096527	1			
GRT	0.170238	0.88634	1		
KW	0.087233	0.476254	0.599341	1	
AGE	-0.03989	0.551067	0.31195	0.004342	1

**The Stochastic Frontier model**

The original stochastic frontier approach was further developed in a paper by Jondrow et al. (1982), which shows how to estimate the level of technical efficiency for each observation in the sample. Battese and Coelli (1988) developed a random effects model for estimating firm-specific levels of technical efficiency using panel data. A general frontier model can be given by,

$$Y_{it} = \beta x_{it} + \varepsilon_{it}$$

where  $Y_{it}$  denotes the output for the  $i^{th}$  firm in the  $t^{th}$  period,  $x_{it}$  is a vector of explanatory variables,  $\beta$  is a vector of unknown parameters to be estimated, and the error term is made up of two independent components,  $\varepsilon_{it} = V_{it} - U_{it}$ .  $V_{it}$  is assumed to be a standard symmetric independent and identically distributed (i.i.d.) error term as  $N(0, \sigma_v^2)$ , while  $U_{it}$  is the non-negative variable representing inefficiency. Estimation of the model only yields estimates of  $\varepsilon_{it}$ , but Jondrow et al. (1982) derived the expected value of  $U_{it}$  conditional upon the residual  $\varepsilon_{it}$ , using an additional distributional assumption for  $U_{it}$ .

Once technical efficiency is estimated, the search for explanatory variables is a natural step. Early empirical studies (e.g. Pitt and Lee, 1981) investigated the determinants of technical inefficiencies among firms in an industry by regressing the predicted inefficiency effects, obtained from an estimated stochastic frontier, upon a vector of firm specific factors. This two-stage approach is problematic as the inefficiency effects are assumed to be independent and identically distributed (i.i.d.) in the first stage, while in the second stage the predicted inefficiency effects are assumed to be a function of a number of firm-specific factors. The latter implies that the firm-specific factors are not identically distributed, unless all the

<sup>6</sup> In the analysis, the chosen model failed to converge when kW was included. This led to a stochastic model with GRT and age.

coefficients of the factors are simultaneously equal to zero. This inconsistency was identified by Reifschneider and Stevenson (1991) and Kumbakhar, Ghosh and McGuckin (1991), and as a further development Battese and Coelli (1995) presented an approach where the technical inefficiency effects in the stochastic frontier are assumed to be independently, but not identically distributed non-negative random variables.

To investigate the relationship between technical efficiency and input variables like fishing effort, vessel size, and type of gear, a stochastic frontier production function of the type proposed by Battese and Coelli (1995) is employed. In their model, a production frontier is specified which defines output as a function of a given set of inputs, together with technical inefficiency effects, which define the degree to which firms fail to reach the frontier because of technical inefficiencies of production. The model specifies that these inefficiency effects are modeled in terms of other observable explanatory variables and all parameters are estimated simultaneously.

We assume that the frontier technology of the fishing vessels can be represented by a translogarithmic production function. The parameters are estimated using data from individual fishing trips of 61 Swedish West Coast demersal trawlers operating during 1995

The Battese and Coelli (1995) model is estimated with the following specification of the production frontier:

$$(1) \ln Y_{it} = \beta_0 + \beta_H \ln HOURS + \beta_G \ln GRT + \beta_S STOCK + \beta_A \ln AGE + \beta_{HH} \ln HOURS^2 + \beta_{GG} \ln GRT^2 + \beta_{SS} STOCK^2 + \beta_{AA} \ln AGE^2 + \beta_{HG} \ln HOURS \cdot \ln GRT + \beta_{HS} \ln HOURS \cdot \ln STOCK + \beta_{GS} \ln GRT \cdot \ln STOCK + \beta_{SHRIMP} SHRIMP + \beta_{SINGLE} SINGLE + \beta_{FISH} FISH + \beta_{PORT} PORT (V_{it} - U_{it}), i=1, \dots, 61, t=1, \dots, T_i,$$

where  $\ln Y_{it}$  is the logarithm of harvest value by the  $i$ th vessel per  $t$ th trip<sup>7</sup>, HOURS is the number of hours fished<sup>8</sup>, GRT is the vessel's gross registered tonnage, Age is the vessel's age in years, and the dummy variables SHRIMP, SINGLE, and FISH take on the value 1 for shrimp trawl, single *Nephrops* trawl, and demersal fish trawl, respectively. The twin *Nephrops* trawl was omitted to avoid exact multicollinearity, the so-called dummy variable trap, and act as reference for the other trawls. Stock abundance is an important input in fishery production. In this study we focus on output during one year, where the output is a multiple product measured as

<sup>7</sup> Defining the production variable as the total value of output is standard practice in empirical work involving multi-product firms, but leads to a specified frontier that is not truly a production frontier. As noted by Coelli, Rao and Battese (1998), this implies that the inefficiency effect,  $\mu_i$ , accounts for any factors associated with inefficiency of production, including technical efficiency.

<sup>8</sup> The fishers report the number of hours that the trawl is in the water, i.e., steaming time is not included.

its total sales value. A correct stock measure would require stock estimates for each species on a monthly basis, species composition on a per trip basis, and prices for each species on a per trip basis. These requirements could not be met and instead a proxy for stock abundance and price variations was constructed. STOCK is a proxy, which is constructed by calculating the overall average landing value per unit effort on a monthly basis.<sup>9</sup> The variable PORT is a dummy variable taking on the value 1 if the homeport of the vessel is Göteborg and zero otherwise. It was included to test if there is a difference between Göteborg vessels and the others, which for example could be due to higher opportunity cost of labor or higher motivation among Göteborg skippers. The  $V_{it}$ s are assumed to be i.i.d. normal random variables with mean zero and constant variance,  $\sigma_v^2$ , and the  $U_{it}$ s are non-negative variables, which were assumed to be independently distributed, such that  $U_{it}$  is the truncation at zero of the normal distribution with mean,  $\mu_{it}$ , and variance,  $\sigma^2$ , where  $\mu_{it}$  is defined by

$$(2) \mu_{it} = \delta_0 + \delta_H \ln YEAREFFORT + \delta_G \ln GRT + \delta_A \ln AGE + \delta_P PORT,$$

where  $\ln YEAREFFORT$  is the natural logarithm of annual effort hours, and PORT is again equal to one if the home port of the vessel is Göteborg and zero otherwise.

Deviations from the production function are captured in the two error terms. The random error,  $V$ , accounts for measurement errors and potential effects from misspecification in the production technology, while  $U$  is associated with technical inefficiency of production.

The technical efficiency of production for the  $i$ th firm at the  $t$ th observation is defined by equation (3),

$$(3) TE_{it} = \exp(-U_{it})$$

The prediction of the technical efficiencies is based on its conditional expectation, given the model assumptions. Technical efficiency is equal to one if a firm has an inefficiency effect equal to zero and is less than one otherwise.

Maximum-likelihood estimates of the parameters of the model defined by (1) and (2) are obtained using the computer program FRONTIER 4.1 (Coelli 1994). The variance parameters are estimated by FRONTIER in terms of  $\sigma^2 = \sigma_v^2 + \sigma_u^2$  and  $\gamma = \sigma_u^2 / \sigma^2$ .

Various tests of hypotheses of the parameters in the frontier function and in the inefficiency model can be performed using the generalized likelihood-ratio test statistic,  $\lambda$ , given by,

$$(4) \lambda = -2 [\lambda(H_0) - \lambda(H_1)]$$

<sup>9</sup> We assume that the fishers attempt to maximize expected profit rather than actual profit to avoid the problem of simultaneous equations bias (Zellner, Kmenta and Drèze 1966)

where  $\lambda(H_0)$  and  $\lambda(H_1)$  denotes the value of likelihood function under the null ( $H_0$ ) and alternative ( $H_1$ ) hypotheses, respectively. This test statistic has approximately a chi-square or a mixed chi-square distribution with degrees of freedom equal to the difference between the parameters involved in the null and alternative hypotheses.

If the inefficiency effects are absent from the model, as specified by the null hypothesis  $H_0: \gamma = \delta_0 = \dots = \delta_4 = 0$ , then the statistic,  $\lambda$ , is approximately distributed according to a mixed chi-square distribution. In this case, critical values for the generalised likelihood-ratio test are obtained from Table 1 in Kodde and Palm (1986). If this null hypothesis is true, the production function is equivalent to the traditional average response function, which can be efficiently estimated by ordinary least-squares regression.

**Table 3.** Parameter Estimates of Stochastic Production Frontier and Technical Inefficiency Models

Stochastic production frontier	Coefficient	T-ratio
Constant	-13.81	-13.49
HOURS	1.51	2.34
GRT	-3.33	-5.00
AGE	0.068	-0.64
STOCK	13.28	16.94
HOURS <sup>2</sup>	0.05	2.39
GRT <sup>2</sup>	0.52	19.76
AGE <sup>2</sup>	-0.03	-1.64*
STOCK <sup>2</sup>	-1.54	-8.84
HOURSGRT	0.07	2.44
HOURSSTOCK	-0.36	-2.24
GRTSTOCK	-0.06	-0.38*
SHRIMP	0.23	6.57
SINGLE	-0.06	-2.93
FISH	0.02	0.47*
PORT	-0.12	-5.37
Technical inefficiency model		
Constant	-30.30	-7.56
YEAR	1.33	6.61
GRT	0.26	-2.84
AGE	0.60	6.70
PORT	-7.55	-7.96
$\sigma^2$	11.64	8.27
$\gamma$	0.984	478
Log likelihood function	-5540	
Mean Technical efficiency	0.658	

\* Insignificant variable.

The estimated coefficients of the translog stochastic production frontier, equation (1), do not have a straightforward interpretation. Since the input variables age, GRT, and port are included in the inefficiency model (4), the output elasticity with respect to these input variables are a function of the values of the inputs in both

the frontier and the inefficiency models. Following Battese and Broca (1997), the elasticity of mean output with respect to the  $k$ th input for vessel  $i$  at time  $t$  can be derived as,

(5)

$$\frac{\delta \ln E(Y_{it})}{\delta x_k} = \left[ \beta_k + 2\beta_{kk}x_{kit} + \sum_{j \neq k}^3 \beta_{kj}x_{jit} \right] - C_{it} \left[ \frac{\delta \mu_{it}}{\delta x_k} \right]$$

where

(6)

$$C_{it} = 1 - \frac{1}{\sigma} \left[ \frac{\phi\left(\frac{\mu_{it} - \sigma}{\sigma}\right)}{\Phi\left(\frac{\mu_{it} - \sigma}{\sigma}\right)} - \frac{\phi\left(\frac{\mu_{it}}{\sigma}\right)}{\Phi\left(\frac{\mu_{it}}{\sigma}\right)} \right]$$

and  $\phi$  and  $\Phi$  represent the density and the distribution functions of the standard normal random variable, respectively. The elasticity of mean output with respect to the  $k$ th input variable in equation (5) has two components. The first one within brackets is the traditional elasticity, here referred to as the elasticity of frontier output, and the second component is referred to as the elasticity of technical efficiency with respect to the  $k$ th input variable.

### Empirical Results

The parameter estimates of the stochastic production frontier model (1) and the technical inefficiency model (2) are presented in table 3. All coefficients, except when indicated, are significant at the 0.01 level.

Generalized likelihood-ratio tests of three null hypotheses are presented in table 4. All postulated null hypotheses are rejected at the 0.01 level. The first hypothesis, that the age variables could be dropped, is rejected. The second null hypothesis tests the possibility that the traditional Cobb-Douglas production is preferable, which is rejected. The final test concerns whether inefficiency effects are not stochastic and that technical inefficiency effects are absent, but again rejected. Hence, the traditional average production function (OLS) is not an adequate representation of the data. This is also confirmed by the value of  $\gamma$ , which is significantly different from zero and indicate that the inefficiency effect,  $U$ , explains most of the deviations from the frontier output.

**Table 4.** Generalized likelihood-ratio tests of hypotheses for parameters of the stochastic production frontier and technical inefficiency models for the Swedish Norway lobster fishery

Null hypothesis	Log-likelihood value	Test statistic ( $\lambda$ )	Critical value
$H_0 : \beta_A = \beta_{AA} = 0$ (No age effects)	-5565	50.1	9.21
$H_0 : \beta_{HH} = \beta_{GG} = \dots = \beta_{GS} = 0$ (Cobb-Douglas)	-5801	522	18.5
$H_0 : \gamma = \delta_0 = \delta_Y = \dots = \delta_P = 0$ (No inefficiency effects)	6038	996	16.1

All values statistically significant at the 0.01 level. The correct critical values for the hypothesis involving  $\gamma=0$  is taken from table 1 in Kodde and Palm (1986, p.1246).

Elasticities of mean output with respect to three input variables, fishing effort, gross register tonnage, and stock are estimated in table 5 at the mean values of the variables involved.. It should be noted that fishing effort is a flow input variable while GRT is a stock input variable, which

excludes the possibility of a direct comparison. The returns to scale parameter is estimated to 0.92. The corresponding figures for the previous studies in the literature are 0.96 for Campbell and Hand (1998), 1.86 for Sharma and Leung (1998), and, based on their results, the estimated returns to scale for Kirkley, Squires and Strand (1995) exceeds 2. The latter study is the only one with a stock variable, but excluding it still gives a returns to scale estimate of 1.6.

**Table 5.** Output elasticities for the Swedish Norway lobster fishery estimated at the mean of the input levels.


Variable	Mean	Std. Dev
HOURS	0.556	0.071
GRT	0.232	0.573
STOCK	0.132	0.335
Returns to scale	0.921	0.669
(AGE	-0.284	0.050)
(PORT	-0.176)	

The dummy variables in table 3 have a more direct interpretation. Of the four different trawls, the shrimp trawl gives the highest return while a single *Nephrops* has the lowest. Choosing the single *Nephrops* trawl instead of the twin *Nephrops* trawl leads to a reduction in expected returns of 5%. The result that shrimp trawl yields higher returns for these fishers, who mainly target *Nephrops* may seem puzzling. A reasonable explanation is that the fishers only go for shrimps when they know that abundance and/or prices are high for this species, but target *Nephrops* even if conditions are moderately worse than average. The analysis of output elasticity showed that there is a difference between Göteborg vessels and the other vessels. The lower front of Göteborg vessels could partly be due to diminishing returns from yeareffort, on average the Göteborg vessels had almost 20% higher yeareffort than the other ones.

The estimates of the explanatory variables in the technical inefficiency model are presented in table 3. All

of the five variables are significant at the 0.01 level and, as noted above, the null hypothesis of all coefficients being equal to zero is rejected. The coefficients YEAREFFORT and GRT are positive, which indicate that efficiency decreases with total annual effort, and with vessel size. The AGE coefficient is positive, which implies lower efficiency with increasing age. The dummy variable PORT is negative, which implies that vessels with homeport Göteborg on average are closer to their lower frontier.

The overall mean technical efficiency (TE) was estimated to 0.66, while mean efficiencies for each vessel are presented in figure 1. The majority of the vessels have a mean TE in the range 0.6-0.7, but a group of approximately 20% is in the range of 0.51-0.6 while the highest mean efficiency was 0.78.



**Figure 1.** Mean Technical Efficiency for 61 vessels in the Swedish trawl fishery for *Nephrops* and other demersal species


## Discussion and Conclusion

This paper provides an assessment of technical efficiency for a sample of Swedish demersal trawlers, targeting mainly Norway lobster, based on their 1995 effort and landings data. Figures from gross revenues and log book reports on a per trip basis, as well as vessel specific information are analyzed by estimating a translog stochastic frontier production function. Explanatory variables of technical inefficiency are estimated simultaneously, and output elasticities, and returns to scale are also explored.

Our results predict that technical inefficiency effects are significant in explaining the level and variation in per-trip vessel revenues. The mean technical efficiency level is estimated to be 66%. The inefficiency model indicates that fishers are less efficient the more hours they fish, and the larger vessels they have. The results also indicate that older vessels are less efficient. Finally, the Göteborg vessels seem to be more homogenous than the other vessels. Vessels from Göteborg were on average more close to their lower frontier than the other were to their higher front, i.e. variation was much bigger among "Not-Göteborg" vessels and both the best performers and the worst were from outside Göteborg. A potential problem, as the output is measured as landing value, is differences in landing prices at different ports. The major part, in the range 70-90%, of the landing values come from *Nephrops*. A comparison of monthly average prices paid in Göteborg and Smögen, the major landing port outside Göteborg, shows no trend in differences and the annual mean prices are almost identical (figure 2). The input elasticity estimates for this study lead to a returns to scale estimate close to unity when the stock input is disregarded. This is close to the result of Campbell and Hand (1998) and, despite the occurrence of insignificant

elasticity estimates in both studies, it is my guess that future studies will indicate at least more moderate returns to scale in fisheries than the results of Kirkley et al. (1995) and Sharma and Leung (1998). The report on MAGPs (Lassen et al., 1996), to the European Commission recommended fleet reductions of 40-50%. Via the political process, including treatment by the European Commission, the decision by the European Council stopped at a 20% reduction (personal communication Tore Gustavsson, Swedish Board of Fisheries). If 20% of the vessels with the lowest mean technical efficiency level in our sample are decommissioned, the reduction in fishing power would only be about 15%. If the remaining vessels manage to improve their mean efficiency from the current level of 0.67 to 0.8, which is just above the level of the best performing vessel, the effects of the decommissioning would be completely offset.

Longer time series data for this study would have given the opportunity to test the hypothesis of a positive time trend, like what is outlined in Campbell and Hand (1998). Despite the importance of allocative efficiency, due to data constraints, this study deals only with technical efficiency. Further data collection of economic variables in European fisheries would facilitate improved studies along what is outlined here. The gear choice among the demersal trawlers in this study has a significant result both in output and explaining efficiency. Due to the focus on Norway lobster in the data set further aspects of different gears could not be analyzed. A future study with vessels focusing on shrimps, demersal fish, Norway lobster, or a mix of two or three of these, together with price data could analyze the decision making process of gear choice and estimate separate production frontiers for each target.



**Figure 2.** 1995 Prices for *Nephrops*, monthly averages and annual mean, at the Göteborg and Smögen fish auctions

## References

- Aigner, D.J., C.A.K. Lovell and P. Schmidt. 1977. Formulation and Estimation of Stochastic Frontier Production Models. *Journal of Econometrics*. 6:21-37.
- Anderson, L. G. 1982. Optimal Utilization of Fisheries with Increasing Costs of Effort. *Can. J. of Fish. and Aq. Sc.* 39:211-214.
- Anon, 1997. Report of the Working Group on Assessment of *Nephrops* Stocks. ICES CM 1997/Assess:9.
- Battese, G.E. and T.J. Coelli. 1988. Prediction of Firm-Level Technical Efficiencies with a Frontier Production Function and Panel Data. *J. Econometrics* 38:387-99.
- Battese, G.E. and T.J. Coelli. 1995. A Model for Inefficiency Effects in a Stochastic Frontier Production Function for Panel Data. *Empirical Economics* 20:325-332.
- Campbell, H.F. and A.J. Hand. 1998. Joint ventures and technology transfer: the Solomon Islands pole-and-line fishery. *Journal of Development Economics* 57:421-442.
- Carlsson, E.W. 1973. Cross Section Production Functions for North Atlantic Groundfish and Tropical Tuna Seine Fisheries. In *Ocean Fishery Management: Discussion and Research*. Seattle: NOAA Technical Report NMFS CIRC-371.
- Coelli, T., D.S. Prasada Rao, and G.E. Battese. 1998. *An Introduction to Efficiency and Productivity Analysis*. Dordrecht: Kluwer Academic Publishers.
- Coglan, L., S. Pascoe and R. Harris. 1998. Measuring efficiency in demersal trawl fisheries using a production frontier approach. *Proceedings of the 10<sup>th</sup> annual conference of the European Association of Fisheries Economists*, The Hague.
- Copes, P. 1972. Factor Rents, Sole Ownership and the Optimum Level of Fisheries Exploitation. *The Manchester School of Social and Economic Studies* 40:145-163.
- Dupont, D. P. 1990. Rent Dissipation in Restricted Access Fisheries. *J. Environ. Econ. and Manage.* 19:26-44.
- Eggert, H. and M. Ulmestrand. 1999. A Bioeconomic analysis of the Swedish fishery for Norway lobster (*Nephrops norvegicus*). *Marine Resource Economics* 3:225-244.
- Frost, H., R.L. Smit, and P. Sparre. 1995. An Appraisal of the Effects of the Decommissioning Scheme in the Case of Denmark and the Netherlands. Danish Institute of Fisheries Economics Research, South Jutland University Centre, Esbjerg, Denmark.
- Färe, R., S. Grosskopf and C.A.K. Lovell. 1994. *Production Frontiers*. Cambridge: Cambridge University Press.
- Hannesson, R. 1983. Bioeconomic production function in fisheries: theoretical and empirical analysis. *Can. J. Fish. Aquat. Sci.* 40:968-982.
- Hannesson, R. 1987. Optimal Catch Capacity and Fishing Effort in Deterministic and Stochastic Fishery Models. *Fisheries Research* 5:1-21.
- Khumbakhar, S.C., S. Ghosh and J.T. McGuckin. 1991. A Generalized Production Frontier Approach for Estimating Determinants of Inefficiency in U.S. Dairy farms. *Journal of Business and Statistics* 9:279-286.
- Jondrow, J., C.A.K. Lovell, I.S. Materov and P. Schmidt. 1982. On Estimation of Technical Inefficiency in the Stochastic Production Function Model. *Journal of Econometrics* 19:233-238.



- Kirkley, J. E., D. Squires, and I.E. Strand. 1995. Assessing Technical Efficiency in Commercial Fisheries: The Mid-Atlantic Sea Scallop Fishery. *Amer. J. Agr. Econ.* 77(3):686-97
- Kirkley, J. E., D. Squires, and I.E. Strand. 1998. Characterizing Managerial Skill and Technical Efficiency in a Fishery. *Journal of Productivity Analysis* 9:145-160.
- Kirkley, J. E. and D. Squires. 1998. Measuring Capacity and Capacity Utilization in Fisheries. Background paper presented to FAO Technical Working Group on the Management of Fishing Capacity La Jolla, CA, 15-18 April 1998.
- Kodde, D.A. and F.C. Palm. 1986. Wald criteria for jointly testing equality and inequality restrictions. *Econometrica* 54:1243-48.
- Lassen, H. et al. 1996. The report of the group of independent experts to advise the European Commission on the fourth generation of Multi-annual Guidance Programmes, European Commission Directorate General for Fisheries, DGXIV, Brussels.
- Meusen, W. and J. van den Broeck. 1977. Efficiency Estimation from Cobb-Douglas Production Functions With Composed Error. *Internat. Economic Review.* 18:435-444
- Pascoe, S. and C. Robinson. 1998. Input controls, input substitution and profit maximisation in the English Channel beam trawl fishery. *J. of Agricultural Economics* 49(1):16-33.
- Pitt, M.M. and L-F. Lee. 1981. Measurement and Sources of Technical Inefficiency the Indonesian Weaving Industry. *Journal of Development Economics.* 9:43-64.
- Reifschneider, D. and R. Stevenson. 1991. Systematic Departures from the Frontier: A Framework for the Analysis of Firm Inefficiency. *Internat. Econ. Review* 32:715-723
- Rodgers, P. E. and G. B. Valatin, 1997. The Common Fisheries Policy Beyond 2002: Alternative options to the TACs and Quota system for the conservation and management of fisheries resources. European Parliament, Directorate General for Research, E-7/Final, EN-3-1997, Luxembourg.
- Sharma, K.R. and P. Leung. 1998. Technical Efficiency of the Longline Fishery in Hawaii: An Application of a Stochastic Production Frontier. *Mar. Res. Econ.* 13:259-274
- Zellner, A. J. Kmenta and J. Drèze. 1966. Specification and Estimation of Cobb-Douglas Production Function Models. *Econometrica* 34:784-795.