



DATA NOTE

The genome sequence of the Round-winged Muslin, *Thumatha senex* (Hübner, 1804) [version 1; peer review: 2 approved, 1 approved with reservations]

Douglas Boyes¹⁺, Ian Sims², Peter W.H. Holland³,
University of Oxford and Wytham Woods Genome Acquisition Lab,
Natural History Museum Genome Acquisition Lab,
Darwin Tree of Life Barcoding collective,
Wellcome Sanger Institute Tree of Life programme,
Wellcome Sanger Institute Scientific Operations: DNA Pipelines collective,
Tree of Life Core Informatics collective, Darwin Tree of Life Consortium

¹UK Centre for Ecology & Hydrology, Wallingford, England, UK

²Syngenta UK, Fulbourn, England, UK

³University of Oxford, Oxford, England, UK

+ Deceased author

V1 First published: 11 Jul 2023, 8:298
<https://doi.org/10.12688/wellcomeopenres.19648.1>
Latest published: 11 Jul 2023, 8:298
<https://doi.org/10.12688/wellcomeopenres.19648.1>

Abstract

We present a genome assembly from an individual female *Thumatha senex* (the Round-winged Muslin; Arthropoda; Insecta; Lepidoptera; Erebidae). The genome sequence is 810.3 megabases in span. Most of the assembly is scaffolded into 30 chromosomal pseudomolecules, including the W and Z sex chromosomes. The mitochondrial genome has also been assembled and is 15.5 kilobases in length.

Keywords

Thumatha senex, Round-winged Muslin, genome sequence, chromosomal, Lepidoptera






This article is included in the [Tree of Life gateway](#).

Open Peer Review

Approval Status ✓ ? ✓

	1	2	3
version 1 11 Jul 2023	✓ view	? view	✓ view

1. **Maria Cristina Arias**, University of Sao Paulo, São Paulo, Brazil
2. **Nicolas Dowdy** , Milwaukee Public Museum, Milwaukee, USA
Wake Forest University, Winston-Salem, USA
- Kathryn Sullivan** , Marquette University, Milwaukee, USA
Milwaukee Public Museum, Milwaukee, USA
- Makani Fisher**, Purdue University, West Lafayette, USA
3. **Kuppusamy Sivasankaran** , Loyola

College, Chennai, India

Any reports and responses or comments on the article can be found at the end of the article.

Corresponding author: Darwin Tree of Life Consortium (mark.blaxter@sanger.ac.uk)

Author roles: **Boyes D:** Investigation, Resources; **Sims I:** Investigation, Resources; **Holland PWH:** Writing – Original Draft Preparation, Writing – Review & Editing;

Competing interests: No competing interests were disclosed.

Grant information: This work was supported by Wellcome through core funding to the Wellcome Sanger Institute (206194, <https://doi.org/10.35802/206194>) and the Darwin Tree of Life Discretionary Award (218328, <https://doi.org/10.35802/218328>). *The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.*

Copyright: © 2023 Boyes D *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Boyes D, Sims I, Holland PWH *et al.* **The genome sequence of the Round-winged Muslin, *Thumatha senex* (Hübner, 1804) [version 1; peer review: 2 approved, 1 approved with reservations]** Wellcome Open Research 2023, 8:298 <https://doi.org/10.12688/wellcomeopenres.19648.1>

First published: 11 Jul 2023, 8:298 <https://doi.org/10.12688/wellcomeopenres.19648.1>

Species taxonomy

Eukaryota; Metazoa; Eumetazoa; Bilateria; Protostomia; Ecdysozoa; Panarthropoda; Arthropoda; Mandibulata; Pancrustacea; Hexapoda; Insecta; Dicondylia; Pterygota; Neoptera; Endopterygota; Amphiesmenoptera; Lepidoptera; Glossata; Neolepidoptera; Heteroneura; Ditrysia; Obtectomera; Noctuoidea; Erebidae; Arctiinae; Lithosiini; *Thumatha*; *Thumatha senex* (Hübner, 1804) (NCBI:txid997290).

Background

The Round-winged Muslin, *Thumatha senex*, is a small moth in the subfamily Arctiinae, family Erebidae, closely related to the Footman and Tiger moths. The genus *Thumatha* includes approximately 20 species, most restricted to sub-Saharan Africa; *T. senex* is the only representative found in Europe (Volynkin, 2021). While many members of the Arctiinae have brightly coloured wings, advertising unpalatability, *T. senex* has grey-brown wings with a thin covering of scales giving the moth a papery, translucent and delicate appearance.

In Britain, the moth is widely distributed in marshy areas, fenland and damp woodland in the south-east of England especially East Anglia, but it is less common in central and northern England, Wales and Northern Ireland; it is scarce in Scotland (NBN Atlas Partnership, 2021). In Ireland, the moth has been recorded from central and eastern regions (MothsIreland, 2022). In mainland Europe, the species is also associated with wetland habitats, with many records from the Netherlands, Scandinavia and France; there are scattered records further east across Eurasia including from Russia (GBIF Secretariat, 2022). The larvae are usually described as moss and lichen feeders although a study in marshy ground in southern Germany found the larvae more commonly in the detritus layer feeding on decaying vegetation from sedge *Carex* sp. (Wagner, 2023). The adults, which fly in summer, have been described as swarming in large numbers at dusk on warm, still nights in suitable habitats (South, 1961; Wagner, 2023).

The genome sequence of *Thumatha senex* was determined as part of the Darwin Tree of Life project. The assembled genome sequence will facilitate research into adaptations to wetland habitats and contribute to the growing set of resources for studying insect ecology and evolution.

Genome sequence report

The genome was sequenced from one female *Thumatha senex* (Figure 1) collected from Wytham Woods, Oxfordshire, UK (51.77, -1.34). A total of 48-fold coverage in Pacific Biosciences single-molecule HiFi long reads was generated. Primary assembly contigs were scaffolded with chromosome conformation Hi-C data. Manual assembly curation corrected 11 missing joins or mis-joins and removed two haplotypic duplications.

The final assembly has a total length of 810.3 Mb in 78 sequence scaffolds with a scaffold N50 of 28.4 Mb (Table 1). Most (99.48%) of the assembly sequence was assigned to



Figure 1. Photograph of the *Thumatha senex* (ilThuSene1) specimen used for genome sequencing.

30 chromosomal-level scaffolds, representing 28 autosomes and the W and Z sex chromosomes. Chromosome-scale scaffolds confirmed by the Hi-C data are named in order of size (Figure 2–Figure 5; Table 2). The order and orientation of W chromosome contigs is unknown as the Hi-C data used for scaffolding was derived from a male sample (PacBio HiFi data used for *de novo* assembly is from a female sample). While not fully phased, the assembly deposited is of one haplotype. Contigs corresponding to the second haplotype have also been deposited. The mitochondrial genome was also assembled and can be found as a contig within the multifasta file of the genome submission.

The estimated Quality Value (QV) of the final assembly is 66.2 with *k*-mer completeness of 100%, and the assembly has a BUSCO v5.3.2 completeness of 98.5% (single = 97.8%, duplicated = 0.7%), using the lepidoptera_odb10 reference set ($n = 5,286$).

Metadata for specimens, spectral estimates, sequencing runs, contaminants and pre-curation assembly statistics can be found at <https://links.tol.sanger.ac.uk/species/997290>.

Methods

Sample acquisition and nucleic acid extraction

The specimen used for genome sequencing was a female *Thumatha senex* (specimen number Ox000618, individual ilThuSene1) was collected from Wytham Woods, Oxfordshire (biological vice-county Berkshire), UK (latitude 51.77, longitude -1.34) on 2020-07-05, using a light trap. Douglas Boyes (University of Oxford) collected and identified the specimen. The specimen was snap-frozen on dry ice.

A male *T. senex* specimen (specimen number NHMUK013805987, ilThuSene2) was collected from Hartslock Nature Reserve latitude 51.51, longitude -1.11) on 2021-07-29. The specimen was collected and identified by Ian Sims (British

Table 1. Genome data for *Thumatha senex*, ilThuSene1.1.

Project accession data		
Assembly identifier	ilThuSene1.1	
Species	<i>Thumatha senex</i>	
Specimen	ilThuSene1	
NCBI taxonomy ID	997290	
BioProject	PRJEB59089	
BioSample ID	SAMEA7701482	
Isolate information	ilThuSene1, female: whole organism (DNA sequencing) ilThuSene2, male: head and thorax (Hi-C scaffolding)	
Assembly metrics*		Benchmark
Consensus quality (QV)	66.2	≥ 50
k-mer completeness	100%	≥ 95%
BUSCO**	C:98.5%[S:97.8%,D:0.7%], F:0.4%,M:1.1%,n:5,286	C ≥ 95%
Percentage of assembly mapped to chromosomes	99.48%	≥ 95%
Sex chromosomes	W and Z chromosomes	localised homologous pairs
Organelles	Mitochondrial genome assembled	complete single alleles
Raw data accessions		
PacificBiosciences SEQUEL II	ERR10798436, ERR10798437, ERR10802390	
Hi-C Illumina	ERR10802464	
Genome assembly		
Assembly accession	GCA_948477245.1	
Accession of alternate haplotype	GCA_948576625.1	
Span (Mb)	810.3	
Number of contigs	89	
Contig N50 length (Mb)	27.3	
Number of scaffolds	78	
Scaffold N50 length (Mb)	28.4	
Longest scaffold (Mb)	59.1	

* Assembly metric benchmarks are adapted from column VGP-2020 of "Table 1: Proposed standards and metrics for defining genome assembly quality" from (Rhie *et al.*, 2021).

** BUSCO scores based on the lepidoptera_odb10 BUSCO set using v5.3.2. C = complete [S = single copy, D = duplicated], F = fragmented, M = missing, n = number of orthologues in comparison. A full set of BUSCO scores is available at https://blobtoolkit.genomehubs.org/view/Thumatha_senex/dataset/CAOLNX01/busco.

Chromosome statistics

- Log10 chromosome count (total 79)
- Chromosome length (total 810M)
- Longest chromosome (59.1M)
- N50 length (28.4M)
- N90 length (16.8M)




Figure 2. Genome assembly of *Thumatha senex*, ilThuSene1.1: metrics. The BlobToolKit Snailplot shows N50 metrics and BUSCO gene completeness. The main plot is divided into 1,000 size-ordered bins around the circumference with each bin representing 0.1% of the 810,282,324 bp assembly. The distribution of scaffold lengths is shown in dark grey with the plot radius scaled to the longest scaffold present in the assembly (59,070,461 bp, shown in red). Orange and pale-orange arcs show the N50 and N90 scaffold lengths (28,419,001 and 16,758,000 bp), respectively. The pale grey spiral shows the cumulative scaffold count on a log scale with white scale lines showing successive orders of magnitude. The blue and pale-blue area around the outside of the plot shows the distribution of GC, AT and N percentages in the same bins as the inner plot. A summary of complete, fragmented, duplicated and missing BUSCO genes in the lepidoptera_odb10 set is shown in the top right. An interactive version of this figure is available at https://blobtoolkit.genomehubs.org/view/Thumatha_senex/dataset/CAOLNX01/snail.

Entomological and Natural History Society). This specimen was used for Hi-C scaffolding.

DNA was extracted at the Tree of Life laboratory, Wellcome Sanger Institute (WSI). The ilThuSene1 sample was weighed and dissected on dry ice with tissue set aside for Hi-C sequencing. Whole organism tissue was disrupted using a Nippi Powermasher fitted with a BioMasher pestle. High molecular weight (HMW) DNA was extracted using the Qiagen MagAttract HMW DNA extraction kit. HMW DNA was sheared into an average fragment size of 12–20 kb in a Megaruptor 3 system with speed setting 30. Sheared DNA

was purified by solid-phase reversible immobilisation using AMPure PB beads with a 1.8X ratio of beads to sample to remove the shorter fragments and concentrate the DNA sample. The concentration of the sheared and purified DNA was assessed using a Nanodrop spectrophotometer and Qubit Fluorometer and Qubit dsDNA High Sensitivity Assay kit. Fragment size distribution was evaluated by running the sample on the FemtoPulse system.

Sequencing

Pacific Biosciences HiFi circular consensus DNA sequencing libraries were constructed according to the manufacturers'




Figure 3. Genome assembly of *Thumatha senex*, ilThuSene1.1: BlobToolKit GC-coverage plot. Scaffolds are coloured by phylum. Circles are sized in proportion to scaffold length. Histograms show the distribution of scaffold length sum along each axis. An interactive version of this figure is available at [https://blobtoolkit.genomehubs.org/view/Thumatha senex/dataset/CAOLNX01/blob](https://blobtoolkit.genomehubs.org/view/Thumatha%20senex/dataset/CAOLNX01/blob).

instructions. DNA sequencing was performed by the Scientific Operations core at the WSI on the Pacific Biosciences SEQUEL II (HiFi) instrument. Hi-C data were also generated from head and thorax tissue of ilThuSene2 using the Arima2 kit and sequenced on the Illumina NovaSeq 6000 instrument.

Genome assembly, curation and evaluation

Assembly was carried out with Hifiasm (Cheng *et al.*, 2021) and haplotypic duplication was identified and removed with purge_dups (Guan *et al.*, 2020). The assembly was scaffolded with Hi-C data (Rao *et al.*, 2014) using YaHS (Zhou *et al.*, 2023). The assembly was checked for

contamination and corrected as described previously (Howe *et al.*, 2021). Manual curation was performed using HiGlass (Kerpedjiev *et al.*, 2018) and Pretext (Harry, 2022). The mitochondrial genome was assembled using MitoHiFi (Uliano-Silva *et al.*, 2022), which runs MitoFinder (Allio *et al.*, 2020) or MITOS (Bernt *et al.*, 2013) and uses these annotations to select the final mitochondrial contig and to ensure the general quality of the sequence.

A Hi-C map for the final assembly was produced using bwa-mem2 (Vasimuddin *et al.*, 2019) in the Cooler file format (Abdennur & Mirny, 2020). To assess the assembly metrics, the *k*-mer completeness and QV consensus quality values were




Figure 4. Genome assembly of *Thumatha senex*, ilThuSene1.1: BlobToolKit cumulative sequence plot. The grey line shows cumulative length for all scaffolds. Coloured lines show cumulative lengths of scaffolds assigned to each phylum using the buscogenes taxrule. An interactive version of this figure is available at https://blobtoolkit.genomehubs.org/view/Thumatha_senex/dataset/CAOLNX01/cumulative.

calculated in Merqury (Rhie *et al.*, 2020). This work was done using Nextflow (Di Tommaso *et al.*, 2017) DSL2 pipelines “sanger-tol/readmapping” (Surana *et al.*, 2023a) and “sanger-tol/genomenote” (Surana *et al.*, 2023b). The genome was analysed within the BlobToolKit environment (Challis *et al.*, 2020) and BUSCO scores (Manni *et al.*, 2021; Simão *et al.*, 2015) were calculated.

Table 3 contains a list of relevant software tool versions and sources.

Wellcome Sanger Institute - Legal and Governance

The materials that have contributed to this genome note have been supplied by a Darwin Tree of Life Partner. The submission of materials by a Darwin Tree of Life Partner is subject to the ‘**Darwin Tree of Life Project Sampling Code of Practice**’, which can be found in full on the Darwin Tree of Life website [here](#). By agreeing with and signing up to the Sampling Code

of Practice, the Darwin Tree of Life Partner agrees they will meet the legal and ethical requirements and standards set out within this document in respect of all samples acquired for, and supplied to, the Darwin Tree of Life Project.

Further, the Wellcome Sanger Institute employs a process whereby due diligence is carried out proportionate to the nature of the materials themselves, and the circumstances under which they have been/are to be collected and provided for use. The purpose of this is to address and mitigate any potential legal and/or ethical implications of receipt and use of the materials as part of the research project, and to ensure that in doing so we align with best practice wherever possible. The overarching areas of consideration are:

- Ethical review of provenance and sourcing of the material
- Legality of collection, transfer and use (national and international)




Figure 5. Genome assembly of *Thumatha senex*, ilThuSene1.1: Hi-C contact map of the ilThuSene1.1 assembly, visualised using HiGlass. Chromosomes are shown in order of size from left to right and top to bottom. An interactive version of this figure may be viewed at <https://genome-note-higlass.tol.sanger.ac.uk/l/?d=ZmhhH1o7TiCmqSVOtyNZcg>.

Table 2. Chromosomal pseudomolecules in the genome assembly of *Thumatha senex*, ilThuSene1.

INSDC accession	Chromosome	Length (Mb)	GC%
OX419724.1	1	59.07	38.0
OX419726.1	2	33.73	38.0
OX419727.1	3	33.22	38.0
OX419728.1	4	32.76	38.0
OX419729.1	5	31.67	38.0
OX419730.1	6	31.05	37.5
OX419731.1	7	30.98	38.0
OX419732.1	8	30.86	38.0
OX419733.1	9	29.09	37.5
OX419734.1	10	28.47	37.5
OX419735.1	11	28.42	38.0
OX419736.1	12	27.33	38.0
OX419737.1	13	27.16	38.0
OX419738.1	14	27.03	37.5

INSDC accession	Chromosome	Length (Mb)	GC%
OX419739.1	15	26.36	38.0
OX419740.1	16	26.14	38.0
OX419741.1	17	25.43	38.0
OX419742.1	18	24.87	38.5
OX419743.1	19	24.71	38.0
OX419744.1	20	24.54	38.0
OX419745.1	21	22.42	38.0
OX419746.1	22	21.76	38.5
OX419748.1	23	19.76	38.0
OX419749.1	24	17.75	38.5
OX419750.1	25	16.76	38.5
OX419751.1	26	16.4	39.5
OX419752.1	27	15.94	39.5
OX419753.1	28	13.67	38.5
OX419747.1	W	6.26	38.5
OX419725.1	Z	37.69	37.5
OX419754.1	MT	0.02	19.0

Table 3. Software tools: versions and sources.

Software tool	Version	Source
BlobToolKit	4.1.5	https://github.com/blobtoolkit/blobtoolkit
BUSCO	5.3.2	https://gitlab.com/ezlab/busco
Hifiasm	0.16.1-r375	https://github.com/chhylp123/hifiasm
HiGlass	1.11.6	https://github.com/higlass/higlass
Mercury	MercuryFK	https://github.com/thegenemyers/MERQURY.FK
MitoHiFi	2	https://github.com/marcelauliano/MitoHiFi
PretextView	0.2	https://github.com/wtsi-hpag/PretextView
purge_dups	1.2.3	https://github.com/dfguan/purge_dups
sanger-tol/genomenote	v1.0	https://github.com/sanger-tol/genomenote
sanger-tol/readmapping	1.1.0	https://github.com/sanger-tol/readmapping/tree/1.1.0
YaHS	1.2a	https://github.com/c-zhou/yahs

Each transfer of samples is further undertaken according to a Research Collaboration Agreement or Material Transfer Agreement entered into by the Darwin Tree of Life Partner, Genome Research Limited (operating as the Wellcome Sanger Institute), and in some circumstances other Darwin Tree of Life collaborators.

Data availability

European Nucleotide Archive: *Thumatha senex* (round-winged muslin). Accession number PRJEB59089; <https://identifiers.org/ena.embl/PRJEB59089>. (Wellcome Sanger Institute, 2023)

The genome sequence is released openly for reuse. The *Thumatha senex* genome sequencing initiative is part of the Darwin Tree of Life (DToL) project. All raw sequence data and the assembly have been deposited in INSDC databases. The genome will be annotated using available RNA-Seq data and presented through the [Ensembl](#) pipeline at the European Bioinformatics Institute. Raw data and assembly accession identifiers are reported in [Table 1](#).

Author information

Members of the University of Oxford and Wytham Woods Genome Acquisition Lab are listed here: <https://doi.org/10.5281/zenodo.4789928>.

Members of the Natural History Museum Genome Acquisition Lab are listed here: <https://doi.org/10.5281/zenodo.4790042>.

Members of the Darwin Tree of Life Barcoding collective are listed here: <https://doi.org/10.5281/zenodo.4893703>.

Members of the Wellcome Sanger Institute Tree of Life programme are listed here: <https://doi.org/10.5281/zenodo.4783585>.

Members of Wellcome Sanger Institute Scientific Operations: DNA Pipelines collective are listed here: <https://doi.org/10.5281/zenodo.4790455>.

Members of the Tree of Life Core Informatics collective are listed here: <https://doi.org/10.5281/zenodo.5013541>.

Members of the Darwin Tree of Life Consortium are listed here: <https://doi.org/10.5281/zenodo.4783558>.

References

- Abdennur N, Mirny LA: **Cooler: Scalable storage for Hi-C data and other genomically labeled arrays.** *Bioinformatics.* 2020; **36**(1): 311–316. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Allio R, Schomaker-Bastos A, Romiguier J, et al.: **MitoFinder: Efficient automated large-scale extraction of mitogenomic data in target enrichment phylogenomics.** *Mol Ecol Resour.* 2020; **20**(4): 892–905. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Bernt M, Donath A, Jühling F, et al.: **MITOS: Improved *de novo* metazoan mitochondrial genome annotation.** *Mol Phylogenet Evol.* 2013; **69**(2): 313–9. [PubMed Abstract](#) | [Publisher Full Text](#)
- Challis R, Richards E, Rajan J, et al.: **BlobToolKit - interactive quality assessment of genome assemblies.** *G3 (Bethesda).* 2020; **10**(4): 1361–1374. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Cheng H, Concepcion GT, Feng X, et al.: **Haplotype-resolved *de novo* assembly using phased assembly graphs with hifiasm.** *Nat Methods.* 2021; **18**(2): 170–175. [PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Di Tommaso P, Chatzou M, Floden EW, et al.: **Nextflow enables reproducible computational workflows.** *Nat Biotechnol.* 2017; **35**(4): 316–319. [PubMed Abstract](#) | [Publisher Full Text](#)

GBIF Secretariat: *Thumatha senex* Hübner, 1804. *GBIF Backbone Taxonomy*. 2022; [Accessed 4 March 2023].
[Reference Source](#)

Guan D, McCarthy SA, Wood J, *et al.*: **Identifying and removing haplotypic duplication in primary genome assemblies**. *Bioinformatics*. 2020; **36**(9): 2896–2898.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Harry E: **PretextView (Paired REad TEXTure Viewer): A desktop application for viewing pretext contact maps**. 2022; [Accessed 19 October 2022].
[Reference Source](#)

Howe K, Chow W, Collins J, *et al.*: **Significantly improving the quality of genome assemblies through curation**. *GigaScience*. Oxford University Press, 2021; **10**(1): g1aa153.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Kerpedjiev P, Abdennur N, Lekschas F, *et al.*: **HiGlass: web-based visual exploration and analysis of genome interaction maps**. *Genome Biol*. 2018; **19**(1): 125.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Manni M, Berkeley MR, Seppely M, *et al.*: **BUSCO update: Novel and streamlined workflows along with broader and deeper phylogenetic coverage for scoring of eukaryotic, prokaryotic, and viral genomes**. *Mol Biol Evol*. 2021; **38**(10): 4647–4654.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

MothsIreland: **72.037 Round-winged Muslin *Thumatha senex***. *Moths Ireland*. 2022; [Accessed 4 March 2023].
[Reference Source](#)

NBN Atlas Partnership: *Thumatha senex* (Hübner, [1808]) Round-winged Muslin. *NBN Atlas*. 2021; [Accessed 4 March 2023].
[Reference Source](#)

Rao SSP, Huntley MH, Durand NC, *et al.*: **A 3D map of the human genome at kilobase resolution reveals principles of chromatin looping**. *Cell*. 2014; **159**(7): 1665–80.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Rhie A, McCarthy SA, Fedrigo O, *et al.*: **Towards complete and error-free genome assemblies of all vertebrate species**. *Nature*. 2021; **592**(7856): 737–746.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Rhie A, Walenz BP, Koren S, *et al.*: **Mercury: Reference-free quality, completeness, and phasing assessment for genome assemblies**. *Genome Biol*. 2020; **21**(1): 245.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Simão FA, Waterhouse RM, Ioannidis P, *et al.*: **BUSCO: assessing genome assembly and annotation completeness with single-copy orthologs**. *Bioinformatics*. 2015; **31**(19): 3210–2.
[PubMed Abstract](#) | [Publisher Full Text](#)

South R: **Moths of the British Isles**. New edition. London: Frederick Warne and Co, 1961.

Surana P, Muffato M, Qi G: **sanger-tol/readmapping: sanger-tol/readmapping v1.1.0 - Hebridean Black (1.1.0)**. *Zenodo*. 2023a.
[Publisher Full Text](#)

Surana P, Muffato M, Sadasivan Baby C: **sanger-tol/genomenote (v1.0.dev)**. *Zenodo*. 2023b.
[Publisher Full Text](#)

Uliano-Silva M, Ferreira JGRN, Krashennikova K, *et al.*: **MitoHiFi: a python pipeline for mitochondrial genome assembly from PacBio High Fidelity reads**. *bioRxiv*. 2022.
[Publisher Full Text](#)

Vasimuddin M, Misra S, Li H, *et al.*: **Efficient Architecture-Aware Acceleration of BWA-MEM for Multicore Systems**. In: *2019 IEEE International Parallel and Distributed Processing Symposium (IPDPS)*. IEEE, 2019; 314–324.
[Publisher Full Text](#)

Volynkin AV: **Contribution to the knowledge of the genus *Thumatha* Walker, 1866 (Lepidoptera: Erebidae: Arctiinae) from Africa with descriptions of four new species**. *Bonn Zool Bull*. 2021; **70**(2): 317–331.
[Publisher Full Text](#)

Wagner W: *Thumatha senex* (Hübner, [1808]). *Lepidoptera and their Ecology*. 2023; [Accessed 4 March 2023].
[Reference Source](#)

Wellcome Sanger Institute: **The genome sequence of the Round-winged Muslin, *Thumatha senex* (Hübner, 1804)**. European Nucleotide Archive. [dataset], accession number PRJEB59089, 2023.

Zhou C, McCarthy SA, Durbin R: **YaHS: yet another Hi-C scaffolding tool**. *Bioinformatics*. 2023; **39**(1): btac808.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Open Peer Review



Current Peer Review Status:   

Version 1

Reviewer Report 31 August 2023

<https://doi.org/10.21956/wellcomeopenres.21765.r64906>

© 2023 Sivasankaran K. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

 **Kuppusamy Sivasankaran** 

Division of Taxonomy and Biodiversity, Entomology Research Institute, Loyola College, Chennai, Tamil Nadu, India

I appreciate the authors for compiling *Thumatha senex*'s whole genome sequence. They employed the appropriate software, genome assembly techniques for the whole genome sequencing.

Minor changes in the manuscript

In the Methods

- In the first paragraph, the first sentence can be modified as "A female *Thumatha senex* (specimen number Ox000618) moth specimen was collected from Wytham Woods, Oxfordshire (biological vice-country Berkshire), UK (latitude 51.77 longitude -1.34) on 2020-07-05, using a light trap. Douglas Boyes (University of Oxford) collected and identified the moth species. The specimen was snap-frozen on dry ice until the nucleic acid extraction."
- In the third paragraph the first sentence starts as "The DNA was extracted..." but the second sentence starts as "The whole organism...?"
- **Query:** Why have the authors used male and female specimens for the DNA extraction?

Overall, the manuscript is written well and it can be Approved for Indexing.

Is the rationale for creating the dataset(s) clearly described?

Yes

Are the protocols appropriate and is the work technically sound?

Yes

Are sufficient details of methods and materials provided to allow replication by others?

Yes

Are the datasets clearly presented in a useable and accessible format?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Taxonomy and phylogenetic implications of superfamily Noctuoidea moths using mitochondrial genome sequence.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 17 August 2023

<https://doi.org/10.21956/wellcomeopenres.21765.r64912>

© 2023 Dowdy N et al. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Nicolas Dowdy

¹ Zoology, Milwaukee Public Museum, Milwaukee, Wisconsin, USA

² Department of Biology, Wake Forest University, Winston-Salem, North Carolina, USA

Kathryn Sullivan

¹ Biological Sciences, Marquette University, Milwaukee, Wisconsin, USA

² Zoology, Milwaukee Public Museum, Milwaukee, Wisconsin, USA

Makani Fisher

Entomology, Purdue University, West Lafayette, Indiana, USA

This is a fantastic addition to the genomic resources of the Lepidoptera of Britain and Ireland. I have just a few notes, including some figure errors that require adjustment:

- Remove "closely related to the Footman and Tiger moths". It is more common for 'tiger moths' to refer to members of Arctiinae (and so Thumatha is a member of the group) and in some cases "Footman" can refer to Lithosiini, to which Thumatha is also a member.
- "approximately 20 species" is more accurately "13 species currently".
- Is/was the specimen deposited? Is there a voucher remaining?
- Some justification as to why a male was used for HiFi instead of a female would be welcomed.
- Illumina NovaSeq 6000 read archive information is missing from the "Raw Data Accessions" table, but used to generate Figure 3.
- Based on the GenBank WGS Project page (

<https://www.ncbi.nlm.nih.gov/nuccore/CAOLNX000000000.1>) it appears there are 8 associated sequence read archives, but only 4 are included in the "Raw Data Accessions" table. Is there a reason for that?

- Fig. 2 missing the BUSCO graph described in figure caption.
- Fig. 3 partly cuts off.

Is the rationale for creating the dataset(s) clearly described?

Yes

Are the protocols appropriate and is the work technically sound?

Yes

Are sufficient details of methods and materials provided to allow replication by others?

Yes

Are the datasets clearly presented in a useable and accessible format?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Phylogenomics, evolution, and behavioral ecology of Noctuoidea, especially Erebiidae and Arctiinae.

We confirm that we have read this submission and believe that we have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however we have significant reservations, as outlined above.

Reviewer Report 01 August 2023

<https://doi.org/10.21956/wellcomeopenres.21765.r63692>

© 2023 Arias M. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Maria Cristina Arias

Instituto de Biociências, University of Sao Paulo, São Paulo, State of São Paulo, Brazil

The paper reports the genome sequence of *Thumatha senex*, a Lepidoptera. The genome now available will enable to prospect it for putative genes or genome regions related to adaptations to wetlands. The paper is presented as DATA NOTE and follows the standard writing for this category. All the details concerning methods, software, dataset and their respective links are available. Thus I fully recommend this paper for indexing.

Is the rationale for creating the dataset(s) clearly described?

Yes

Are the protocols appropriate and is the work technically sound?

Yes

Are sufficient details of methods and materials provided to allow replication by others?

Yes

Are the datasets clearly presented in a useable and accessible format?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Genetics and evolution of bees

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.
