



# VCU

Virginia Commonwealth University  
VCU Scholars Compass

---

PS Magazine

VCU Libraries Digital Collections

---

1963

## PS Magazine Issue Index Issues 128-133

United States. Dept. of the Army

Will Eisner

Follow this and additional works at: <https://scholarscompass.vcu.edu/psm>

This material is in the public domain in the United States and thus is free of any copyright restriction.  
Acknowledgement of Virginia Commonwealth University Libraries as a source is requested.

---

**Downloaded from**

<https://scholarscompass.vcu.edu/psm/240>

This Book is brought to you for free and open access by the VCU Libraries Digital Collections at VCU Scholars Compass. It has been accepted for inclusion in PS Magazine by an authorized administrator of VCU Scholars Compass. For more information, please contact [libcompass@vcu.edu](mailto:libcompass@vcu.edu).

PS

THE  
PREVENTIVE  
MAINTENANCE  
MONTHLY



INDEX  
Issues 128-133  
(Jul-Dec 1963)

INDEX NO. 8

to

ISSUES 128 - 133


(July - December 1963)



An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels by the "Pin-Point" distribution method.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky, 40121

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:



#### DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 128 to 133 INCLUSIVE

PS            Page

A

ADAPTER (See WELDING)

ADAPTER SET

Engine Electrical Test--See SM's for breakdown of sets . . . . .	133	64
---	-----	----

AIRCRAFT, ARMY

Fixed Wing

CV-2 (Caribou)		
Brake use covered by TB . . . . .	130	46
OV-1 (Mohawk)		
Ejection Seat--Change stencil on drogue gun barrel . . . . .	130	46
Electrical System--Name plates on rotary inverters . . . . .	128	52
Landing Gear--Use MIL-H-5606 in struts . . . . .	129	38
Pneumatic actuator supply info . . . . .	129	39
U-8 (Seminole)		
Engine--check for cause of lean mixture . . . . .	129	42
Engine--Spring-type clamps on intake tubes . . . . .	130	45
Engine--TBO change . . . . .	129	65

Rotary Wing

CH-21 (Shawnee)		
Engine oil coolers can burst in cold weather . . . . .	130	40
Fabricate keel bolt ratchet wrench . . . . .	130	38
CH-37 (Mojave)		
Main Rotor Head--Hit all grease fittings . . . . .	130	46
OH-13 (Sioux)		
Hot weather storage for canopy doors . . . . .	129	44
Tail rotor shaft bearing check . . . . .	133	44
OH-23 (Raven)		
Hot weather storage for canopy doors . . . . .	129	44

## AIRCRAFT, ARMY (Cont'd)

## Rotary Wing

## UH-1A (Iroquois)

Tail Rotor Hub--Use correct data plate number . . . . . 131 57

## UH-1B (Iroquois)

Rotor blade tape info . . . . . 130 39

## UH-19 (Chickasaw)

Engine--Clogged rocker box drains . . . . . 129 37

## AIRCRAFT, ARMY, GENERAL

Anti-icing--Use fluid, MIL-D-19418 . . . . . 133 65

Bearings, Rod End--Keep Teflon type free of grease . . . . . 128 52

Cleaning--Use of proper materials . . . . . 131 48

Compass card FSN . . . . . 133 46

EIR--Ship part exhibit as is . . . . . 131 57

Electrical cable care . . . . . 130 37

Engine--Lockwire oil pressure valve caps . . . . . 128 53

Engine--Magneto aligning tool . . . . . 132 39

Greases--Don't mix . . . . . 131 57

International servicing symbols . . . . . 132 34

Lubricator--Lube it . . . . . 133 46

Maintenance Inspection Guide--TB AVN 23-67 . . . . . 130 46

Pitot tube cover care . . . . . 130 39

## Publications

DA Circulars 310-Series--Keep pubs current with . . . . . 128 49

Tool Set, Org Maint, Army Aircraft--See

SM 55-4-5180-A08 (28 Nov 62). . . . . 130 46

Up date with DA Form 2028 . . . . . 131 57

Use organizational maintenance pubs for assembly. . . . . 133 37

Ski maintenance . . . . . 133 38

Snap ring tools and use . . . . . 130 42

Spark Plugs--Cleaning practices . . . . . 129 40

## Supply

"X2" reqs for OV-1 pneumatic actuator . . . . . 129 39

Tankers--Check meter screen to prevent

fuel contamination . . . . . 130 46

Test flights don't affect PE scheduling . . . . . 129 41

Tow Tug--Stencil warning when used in

confined areas . . . . . 128 53

## AIR TANKS

Drain them each day . . . . . 131 14

## ANALYZERS

ZM-3/U--Replace 6C4W tube . . . . . 128 63

## ANTENNAS

AT-454A/ARC 44--Watch binding . . . . . 129 50

Insulators--Cold weather . . . . . 133 10

**ANTI-FREEZE**  
 Mixing, supply . . . . . 133 20

**B**

**BATTERY**  
 Metal die sets for stamping--How to get . . . . . 133 19  
 Nickel cadmium--BB-422/U charging and maintenance. . . 133 5  
 Signal  
     Remove cellophane cover from sockets . . . . . 129 53

**BORE CLEANER**  
 Keep it off your skin--It bites . . . . . 128 2

**BREATHING APPARATUS**  
 M20, Mind the timer . . . . . 128 65

**BREECHBLOCK**  
 Howitzers--Close it all the way . . . . . 129 5

**BULLDOZER**  
 Tournadozer lubrication . . . . . 133 61

**C**

**CABLE, FIRE CONTROL**  
 Connections--Don't use electrical insulating compound . . . 130 14

**CABLE, SLAVE (See TANK, M60 and M60A1)**

**CAMERA EQUIPMENT**  
 Cold weather fix . . . . . 133 11

**CARRIER, PERSONNEL, ARMORED, M59**  
 O-Ring figure correction . . . . . 129 25

**CARRIER, PERSONNEL, ARMORED M113**  
 Coat magnesium-alloy components . . . . . 128 18  
 Don't paint sight plugs . . . . . 132 65  
 FSN for litter kit . . . . . 128 65  
 How to order heater . . . . . 129 26  
 How to slave . . . . . 129 65  
 Replacing anchor screws . . . . . 129 26  
 Replacing bad starters. . . . . 130 28  
 Socket for sprocket . . . . . 129 65

**CBR**  
 M55 Gas Rocket--Loading . . . . . 128 4

	PS	Page
CHAIN, PORTABLE HOISTING, HERCULES		
Check rust on chain . . . . .	131	24
CHAINS, TIRE		
Authorization . . . . .	130	17
CHASSIS, TRAILER		
Take care of air filters . . . . .	130	23
CHEMICAL AGENT (See DETECTOR KIT)		
CHIEF OF STAFF		
Statement on Readiness . . . . .	130	1
CRANE, ROUGH, TERRAIN,		
Drill hole in boom to remove water . . . . .	130	65

## D

DETECTOR KIT		
Chemical Agent M15A1A & M18A1--Two new kits . . . . .	129	54
Chemical Agent M18A1--Can now order extra blue band tubes . . . . .	129	55
DRIVER TRAINING, SAFETY		
Points an M151 operator should know . . . . .	128	22
DECONTAMINATION		
Decon Unit, M3A3		
Attach chain to hopper cover . . . . .	133	63
Don't step on clutch hand lever . . . . .	130	64

## E

ENGINES, CONTINENTAL		
New oil drain intervals . . . . .	128	20

## F

FAN, COOLING (NIKE)		
Drive belt adjustment . . . . .	129	10
FIELD RANGE, M1937		
Field fix to use old generator cylinders . . . . .	129	59
FIRE EXTINGUISHERS		
Quick Aid CPS2--Hold down . . . . .	129	58

**FIRING MECHANISM, M34**

Close breechblock 'cause firing

mechanism lacks safety . . . . . 129 5

Don't strike the handle . . . . . 129 3

**FLASHLIGHT**

Infrared filter FSN for MX-991 . . . . . 133 62

**FORMS, DA, DD, SF, ETC.**

DA Form 2063R is obsolete for PLL use . . . . . 130 60

DA Form 2407, Not for correcting

TM errors, or TAER SOP . . . . . 128 48

DA Form 2407--Send to new address . . . . . 129 45

DA Form 2407--Use for ideas . . . . . 131 64

DA Form 2408-1--Send to new address . . . . . 129 45

DA Form 2408-7--Send to new address . . . . . 129 45

DA Form 2408-8--Send to new address . . . . . 129 45

DD Form 1397--Keep card until first service is done. . . . 129 64

**G****GAGE, TIRE PRESSURE**

How many authorized . . . . . 133 27

**GENERATOR**

Shutter lever check . . . . . 133 61

**GENERATOR SETS**

PU-294/G--Reposition extinguishers . . . . . 130 59

**GROUNDMAN'S EQUIPMENT (See TOOLS)****GUN, MACHINE, M60, 7.62-MM**

Kit to reinforce blank firing attachment . . . . . 128 65

**GUN, MACHINE, M73**

Be Your Own Inspector . . . . . 130 2

**GUN, SELF-PROPELLED, 155MM, M53**

Raising spade cable . . . . . 129 2

**GUN, SELF-PROPELLED, 175-MM, M107**

Elevation handwheel danger . . . . . 132 56

New idle rate . . . . . 132 59

Operating recoil spade locks . . . . . 133 18

Rammer chain . . . . . 132 58



## H

<b>HANDSET</b>		
Handset, headset cords--How to unkink them . . . . .	128	61
<b>HEADSETS</b>		
Handset, headset cords--How to unkink them . . . . .	128	61
<b>HARDWARE KIT (See PUBLICATIONS--SM 9-4-5180-A20)</b>		
<b>HAWK</b>		
Battery Control Center . . . . .	129	9
Ground BCC when running air conditioner		
Crew Chief Junction Box--Water can get in six ways . . . . .	130	15
General--Wash salt water from equipment . . . . .	128	6
Launcher--Use OGR in motor pump assembly's gear case . . . . .	133	49
Loader		
Drain water from loader arms . . . . .	128	7
Hydraulic lines can get caught on azimuth cylinder bracket . . . . .	129	9
Hydraulic pump drive belt listed . . . . .	130	65
Put circuit breakers ON when operating loader . . . . .	133	47
Missile		
Be careful with warhead support bolts . . . . .	128	5
Missile Handling Equipment--No procedures for user to load test equipment . . . . .	128	7
Missile Test Shop--File latch on access door . . . . .	128	6
Missile Test Stand		
Don't drag--and use leg locking knobs right way . . . . .	129	8
Pallet--Keep missile anchoring device stud tight . . . . .	130	14
Publications--TM lists repair parts and special tools for all-weather shelters . . . . .	131	65
Test Set, Receiver--Handle with care . . . . .	133	48
<b>HONEST JOHN</b>		
Rocket Motors--Use right ignition handles . . . . .	129	15
<b>HOW TO GET PS</b> . . . . .	133	65
<b>HOWITZER, 8-INCH SELF-PROPELLED, M55</b>		
Raising spade cable . . . . .	129	2
<b>HOWITZER, 105MM</b>		
Be your own inspector . . . . .	131	37
<b>HOWITZER, 105-MM, SELF-PROPELLED, M108</b>		
New idle rate . . . . .	132	59
<b>HOWITZER, 8" SELF-PROPELLED, M110</b>		
Elevation handwheel danger . . . . .	132	56
New idle rate . . . . .	132	59
Operating recoil spade locks . . . . .	133	18

HOWITZER, 155MM, SELF-PROPELLED, M44 SERIES		
7 Turret support lube fittings . . . . .	128	12
HOWITZER, 155-MM, SELF-PROPELLED, M109		
New idle rate . . . . .	132	59

I

INSPECTION

Be Your Own Inspector

M73 Machine Gun . . . . .	130	2
M5 Paint spray respirator . . . . .	131	58
105-mm Towed howitzer . . . . .	131	37

K

KIT

Tubeless tire, repair . . . . .	131	65
KIT, HARDWARE (See PUBLICATIONS--SM 9-4-5180-A20)		
KIT, M5A1		
Remove from M14 series mask carriers . . . . .	128	65
KIT, TENTAGE REPAIR (See TOOLS)		

L

LAUNCHER, ROCKET 3.5 INCH		
Keep contact latch group clean . . . . .	133	51
LAUNCHER, ROCKET M91		
Pull out safety plug . . . . .	129	6
LIGHT BULBS		
FSN for "Rough Service" bulbs . . . . .	130	50
LINEMAN'S TOOLS, TE-21 (See TOOLS, Signal)		
LITTLEJOHN		
Launcher		
Bent cam chatter . . . . .	128	9
Elevating Handwheel Warning . . . . .	128	8
Rocket, Training		
Check electrical connections . . . . .	128	9
LOADING		
Signal for overhanging loads . . . . .	133	62
LOUDSPEAKER		
LS-166/U--Don't stretch cable . . . . .	129	50

## LUBRICATION

Greasing wheel bearing hubs . . . . .	129	17
LO 9-2320-212-12 should be dated 14 Dec 62 . . . . .	129	45
LO and TM--Go by latest LO published separately . . . . .	133	65

## M

## MAINTENANCE

General Policy . . . . .	128	1
Keep Equipment Ready . . . . .	131	1
Maintenance goes streamlined . . . . .	132	1
Maintenance keeps equipment ready . . . . .	130	1
Men <u>and</u> equipment must be ready . . . . .	133	1

## MATERIALS HANDLING EQUIPMENT

10,000 lb. Rough Terrain--Use at missile site . . . . .	128	40
---	-----	----

## MISSILE, TRANSPORTING

M529 and M54 Combo--Turns vs street width. . . . .	133	22
--	-----	----

## MUD FLAPS (See TRUCK, TRACTOR, GENERAL AND TRAILER, SEMI, GENERAL)

## N

## NIKE, GENERAL (AJAX AND HERCULES)

Acq Antenna--Gear box venting . . . . .	129	13
Vans--Tighten cooling fan belts . . . . .	129	10

## NIKE HERCULES

"A" frame hand chain anti-rust PM . . . . .	131	24
---	-----	----

## Launcher

Don't put grease on pin shelf . . . . .	131	26
---	-----	----

## Extension shaft of cam operated equilibrator

by-pass valve needs maintaining. . . . .	131	27
--	-----	----

## Keep umbilical cable out of way of

skip release mechanism . . . . .	128	10
----------------------------------	-----	----

Keep water out of aiming circle mount tube. . . . .	131	28
---	-----	----

Table in TM 9-1440-250-12/1 lists wrong MWO. . . . .	133	65
--	-----	----

Tape or fill holes in trunnion caps with GAA . . . . .	131	28
--	-----	----

## Missile

Check blast tube nozzle closure for cracks . . . . .	130	13
--	-----	----

Check 9-1/4 second motor delay		
timer while in missile . . . . .	129	12

Don't paint ram pressure probes . . . . .	131	25
---	-----	----

RF Test Set--Anchor nuts can cause short. . . . .	131	25
---	-----	----

## Trailer, Guided Missile XM529--Exercise

snubber pumps . . . . .	128	10
-------------------------	-----	----

## NIKE-HERCULES (HIPAR)

Check oil in pump for electron tube		
liquid cooler every 10 days . . . . .	133	50
Stalo cabinet--Dirty screen filter		
can ruin electron tube . . . . .	130	16

## O

## OEM

Truck, 5-ton, Wrecker M543 . . . . .	128	11
OPERATION ARM . . . . .	129	1

## P

## PAINT

Enamel--For helmets . . . . .	131	61
-------------------------------	-----	----

POSTERS--HOW TO GET . . . . .	130	47
-------------------------------	-----	----

## PROTECTIVE MASK

Against carbon monoxide . . . . .	130	61
-----------------------------------	-----	----

## M17

Cleaning . . . . .	133	65
--------------------	-----	----

Cover snap fastener caps with tape		
in cold weather . . . . .	131	58

Wear your outserts . . . . .	131	59
------------------------------	-----	----

## PS MAGAZINE

How to get old issues . . . . .	131	65
---------------------------------	-----	----

## PUBLICATIONS

AR 735-35--Stock allowances, CEI's . . . . .	133	60
--	-----	----

Commercial--How to get . . . . .	129	60
----------------------------------	-----	----

MWO's remaining on URGENT list . . . . .	131	62
--	-----	----

New . . . . .	128	11
---------------	-----	----

	129	45
--	-----	----

	130	47
--	-----	----

	131	10
--	-----	----

	132	55
--	-----	----

	133	28
--	-----	----

SB 9-150--For MWO kit items . . . . .	132	60
---------------------------------------	-----	----

SM 9-4-5180-A20--Hardware for		
installing tools on truck . . . . .	130	65

TM 9-500--Reference TM for ORD type equip. . . . .	128	11
--	-----	----

TM 9-2320-211-10 (Mar 63) . . . . .	129	65
-------------------------------------	-----	----

## PUBLICATIONS, SUPPLY

AR 711-5, on selected items . . . . .	131	63
---------------------------------------	-----	----

## R

## RADAR SET

AN/MPS-23--New tube as per SB 11-552 . . . . .	130	54
AN/PPS-4--General maintenance . . . . .	133	2
AN/TPS-1--Cover antenna air vent . . . . .	130	48
AN/TPS-21-33, snap fasteners . . . . .	130	57

## RADIAC

AN/PDR-27J--Turn in spare JAN type tubes 5962, 5979, 5980 . . . . .	129	51
--	-----	----

## RADIAC SETS

AN/PDR-39A--Correcting selector switch binding . . . . .	128	62
--	-----	----

## RADIO ACCESSORIES

No repair parts for some small items . . . . .	130	49
--	-----	----

## RADIO BEACON SET

New AB-155/U masts . . . . .	130	53
------------------------------	-----	----

## RADIO MOUNTINGS

Correct FSN's for MT-327/GR . . . . .	128	63
---------------------------------------	-----	----

## RADIO RECEIVERS

AN/GRR-5--Paint panel markings white . . . . .	128	59
R-174/GRR-5--Don't turn screw . . . . .	131	10

## RADIO SETS

AN/ARC-44--Keep eye on antenna . . . . .	128	54
AN/GRC-3 Mounts, MT-297, -298, -299 Replace damaged bushings . . . . .	130	55
AN/GRC-19--Match fixed antenna wires . . . . .	128	58
AN/GRR-5--Receiver-Power Supply Cable . . . . .	133	13

## AN/PRC-6

Cracked corners mean leaks . . . . .	128	60
Dust cover spring replacement . . . . .	133	10
FSN for battery retainer . . . . .	130	52
P-T-T microswitch PM . . . . .	130	52
Removing broken tube pins . . . . .	129	53

## AN/PRC-6, AN/PRC-8-10

V2 Tube Socket Fix . . . . .	128	64
AN/PRC-8-10--Release dial lock . . . . .	128	59
AN/PRC-25 series--PM on all components . . . . .	132	40
AN/TRC-24--Stow H-90/U handset . . . . .	132	65
AN/TRC-80--Care in raising antenna . . . . .	129	52
AN/VRC-12 series--PM on all components . . . . .	132	2

## RADIO SETS (Cont'd)

ARC-55--Check blower motor brushes . . . . .	129	52
M151 gas can crowds antenna mount . . . . .	130	53
RT-66-68/GRC		
Adjust transmitter antenna coupling shaft . . . . .	128	60
Don't adjust C-65 capacitor . . . . .	130	56
Don't force control knobs . . . . .	129	49
Peak for maximum reading . . . . .	129	46
RADIO TRANSMITTER		
AN/FRT-51--New Air Duct Hose . . . . .	130	50
T-195/GRC-19		
FSN for instant-blow fuse . . . . .	130	54
Replace worn switches . . . . .	128	58
RADIO-WIRE INTEGRATION		
RWI using EE-8 and SB-86/P . . . . .	129	48
RANGE FINDER, M-13 SERIES		
Shellac holds setscrews on knobs . . . . .	129	4
READINESS STATEMENT BY CHIEF OF STAFF . . . . .		
. . . . .	130	1
REEL UNITS		
RL-26E--Lock handle . . . . .	131	7
RL-39--Fix for braces . . . . .	130	53
RESPIRATOR, PAINT SPRAY M5		
Be your own inspector . . . . .	131	58
RIFLE, M14, 7.62-MM		
Keep gas system dry . . . . .	128	2
RIFLE GRENADE LAUNCHER M76		
Keep it loose when using with M14 rifle . . . . .	129	7
Stake plunger retaining pin . . . . .	130	65
ROCKET		
Gas, M55, proper loading . . . . .	128	4
ROCKET LAUNCHER, MULTIPLE, M91		
Use handle on thermo-cell . . . . .	128	65

## S

## SAFETY

Highway warnings--Placement . . . . .	129	61
Light signal for extending loads . . . . .	133	62
SHELTERS, RADIO		
Use 4x4-inch timber to stop shifting in trucks . . . . .	132	65
SLEEPING BAG		
PM--Supply . . . . .	129	60

**SMALL ARMS**

Accessories Chart . . . . .	128	2
Cleaning rod spacer--What it's for . . . . .	133	57
Cold weather care . . . . .	133	52
Storage rack space for M1, M2 carbines . . . . .	130	65

**STARTER (see TANK M60)****SUPPLY**

Cannibalize--nix on some Ord-type items, SB 9-182 . . . . .	130	60
DA Form 2063R is obsolete for PLL use . . . . .	130	60
Ordering MWO kit items . . . . .	132	60
Stock combat essential items . . . . .	133	60

**SWITCHBOARD****SB-22**

Reversed terminations . . . . .	131	9
Secure phenolic pin . . . . .	131	8

**T****TANK, GENERAL**

Avoid slaving fatalities . . . . .	129	28
Center guide wear limits . . . . .	128	17
Effects of lightning . . . . .	129	27
Generator, how to flash it . . . . .	133	14
Recoil exercise standards . . . . .	133	58
Recoil leak standards . . . . .	133	59
Torque value guide . . . . .	130	27

**TANK, M48**

Torsion Bar--Don't drive in replacement . . . . .	131	65
---	-----	----

**TANK, M48A3**

Data specifications . . . . .	133	19
-------------------------------	-----	----

**TANK, M60**

Avoid slaving fatalities . . . . .	129	28
Do not bump start . . . . .	131	13
Slave cable added to set . . . . .	130	26
Some Delco-Remy starters need cleaning before use . . . . .	131	12
Starter--Get the new and better one . . . . .	130	26

**TANK, M60A1**

Slave cable added to set . . . . .	130	26
------------------------------------	-----	----

**TANK, M88 MRV**

Use of hoisting winch cable . . . . .	128	16
---------------------------------------	-----	----

**TELEPHONE****TA-1/PT**

Don't abuse belt clip or P-T-T switch . . . . .	130	58
---	-----	----

**TELETYPEWRITER**

Fuse facts on TT-98/FG & TT-76/GGC . . . . . 133 7

**TENTAGE REPAIR KIT (See TOOLS)****TIRE CHAINS**

Authorization . . . . . 130 17

**TIRES**

Air pressure--Variations . . . . . 131 16

Spare tire valve position . . . . . 133 25

Tubeless tire repair kit . . . . . 131 65

**TOOLS**

Adapter Set . . . . . 133 64

Bag checkout for TE-21 Lineman's Kit . . . . . 133 12

Gage, Tire pressure . . . . . 133 27

**Hand**

Marking . . . . . 129 63

**Sets-Kits**

Army Aircraft--New SM . . . . . 131 57

Change to TK-100/G . . . . . 129 65

Screwdriver set--Breakdown of . . . . . 129 14

Welding--Publications . . . . . 131 60

**Signal**

Conversion of TE-49 . . . . . 130 50

TE-21 Lineman's Equipment . . . . . 128 56

TE-23--Groundman's equipment . . . . . 130 51

Tentage Repair Kit . . . . . 130 62

**TOWING**

Vehicle combinations . . . . . 128 26

**TRACKED VEHICLES**

New oil drain intervals . . . . . 128 20

**TRAILER**

Dispose of M15A1 wheel skid guards . . . . . 133 24

Insert carriage bolts right way to save wear on canvas . . . . . 129 20

**TRAILER, CARGO 1-1/2 TON**

Changing XM105E3 to M105A1 . . . . . 128 38

**TRAILER, MODEL 4D-T**

Landing jack screws . . . . . 128 39

**TRAILER, 3/4-TON, M101**

Reflectors--Position . . . . . 131 23

**TRAILER, SEMI, GENERAL**

Mud Flaps--No over-all directive requirement . . . . . 133 26

**TRANSMISSIONS, ALLISON**

New oil drain intervals . . . . . 128 20

**TRIPOD M24**

Attach loop properly . . . . . 129 4

**TRUCK, 1/4-TON, M38A1**

Requisitioning vehicle data plates . . . . . 130 25



<b>TRUCK, 1/4-TON M151</b>		
Adjusting turn-radius stop-screw is a support job . . . . .	128	24
Before using a new arrival check the log book . . . . .	131	18
Check generator bolts . . . . .	133	27
Driving tips . . . . .	133	24
Gas can strap too loose, crowds antenna mount . . . . .	130	53
Jack and handle, OEM item . . . . .	131	19
Lower gas cap ears . . . . .	130	22
Peculiar operational characteristics each		
operator "must" know . . . . .	128	22
Power cable for radio . . . . .	131	6
U-Bolts and capscrews . . . . .	128	24
Windshield--Don't use as luggage rack . . . . .	132	65
Windshield lockpin removal . . . . .	129	24
<b>TRUCK, 2 1/2-TON, G742 SERIES</b>		
Carburetor--Empties when filter screen retainer spring is missing . . . . .	131	22
Distributor mix-up . . . . .	131	21
Rear wheel outer bearing seal . . . . .	130	22
Transfer case howling . . . . .	130	20
<b>TRUCK, 2 1/2-TON, G749 SERIES</b>		
Front wheel backing plate lock straps . . . . .	129	22
Instruction plate fix for cuff grabber . . . . .	130	24
Mechanical parking brake adjustment . . . . .	131	20
Rear wheel outer bearing seal . . . . .	130	22
Removing fuel pump and filter . . . . .	130	19
<b>TRUCK, 2-1/2-TON M35A1</b>		
Crankcase oil level . . . . .	132	26
Solenoid relay . . . . .	132	28
Starter switch . . . . .	132	28
<b>TRUCK, 2-1/2 TON, M109A1 (SHOP)</b>		
Defective circuit breakers . . . . .	130	21
<b>TRUCK, 3/4-TON, M37</b>		
Correct tire pressure . . . . .	133	19
Insert carriage bolts right way to save wear on canvas . . . . .	129	20
<b>TRUCK, 3/4-TON, M37B1</b>		
Correct tire pressure . . . . .	133	19
<b>TRUCK, 5-TON, G744 SERIES</b>		
Clutch, improved . . . . .	128	37
Distributor mix-up . . . . .	131	21
Front axle shafts --End play adjustment . . . . .	128	27
Hood side panel latch--FSN's . . . . .	132	65
New operators TM (-10) . . . . .	129	65
Transfer case howling . . . . .	130	20
<b>TRUCK, 10-TON, M125</b>		
New chain hoist . . . . .	130	18

<b>TRUCK 10-TON G792 SERIES</b>		
Hole in boom's "V" removes rain water . . . . .	130	65
Rear view mirrors--Large type . . . . .	131	23
10,000-lb with fork attachment		
Clamp to protect hydraulic hoses . . . . .	132	63
Rubber pads protect M-409 containers . . . . .	132	64
<b>TRUCK, FUEL SERVICING</b>		
New filter element . . . . .	129	65
<b>TRUCKS, GENERAL</b>		
Crankcase oil level . . . . .	132	26
Drain air tanks daily . . . . .	131	14
<b>TRUCK, TANK</b>		
M131--Fix to provide static grounding . . . . .	129	23
<b>TRUCK, TRACTOR, 5-TON, M52</b>		
Fuel tank handle . . . . .	129	20
Spark arrester muffler . . . . .	132	65
<b>TRUCK, TRACTOR, GENERAL</b>		
Mud flaps--No over-all directive requirement . . . . .	133	26
<b>TRUCK, TRACTOR-WRECKER, 5-TON, M246</b>		
Spark arrester muffler . . . . .	132	65
<b>TRUCK-TRAILER COMBOS</b>		
Turns vs street widths . . . . .	133	22
<b>TUBES, ELECTRON</b>		
Discarded too soon . . . . .	131	2

## V

<b>VAN, EXPANSIBLE M292</b>		
Publications for M4 body . . . . .	129	19
<b>VEHICLE TANK RECOVERY M88</b>		
Caution decals for drain valves . . . . .	128	14
C3, TM 9-2320-222-20 . . . . .	129	65
Fittings on idler housings . . . . .	128	15
<b>VEHICLES, TACTICAL, GENERAL</b>		
Lubing of generator . . . . .	129	16
Spare tire valve position . . . . .	133	25

## W

<b>WATER PURIFIERS (MET-PRO)</b>		
Install drain cocks . . . . .	129	56
Valve, flow control, drain . . . . .	129	56
<b>WATER SPRAYER (MacLEOD)</b>		
Spray bar brace . . . . .	129	57
<b>WELDING</b>		
Adapter needed for old style gas cylinders . . . . .	129	59
Tips no longer available for Smith torch . . . . .	129	63
<b>WHEELED VEHICLE, GENERAL</b>		
Greasing wheel bearing hubs . . . . .	129	17
Personnel heater assembly FSN . . . . .	129	18
Towing . . . . .	128	26
<b>WIND MEASURING SET</b>		
AN/MMQ-1--No detergent oil . . . . .	130	54
AN/PMQ-6--Transmission cable PM . . . . .	131	6
<b>WIRING, AIRCRAFT</b>		
Watch out for kinks . . . . .	130	37
<b>WRECKER, M543</b>		
OEM Publication . . . . .	128	11





*when you get  
the sign to*

*will you?*

**THE CONDITION OF YOUR  
EQUIPMENT WILL DECIDE!**