

University of Groningen

Correction to Online Hydrogen-Isotope Measurements of Organic Samples Using Elemental Chromium

Gehre, Matthias; Renpenning, Julian; Gilevska, Tetyana; Qi, Haiping; Coplen, Tyler B.; Meijer, Harro A.J.; Brand, Willi A.; Schimmelmann, Arndt

Published in:
Analytical Chemistry

DOI:
[10.1021/acs.analchem.5b03098](https://doi.org/10.1021/acs.analchem.5b03098)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2015

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Gehre, M., Renpenning, J., Gilevska, T., Qi, H., Coplen, T. B., Meijer, H. A. J., Brand, W. A., & Schimmelmann, A. (2015). Correction to Online Hydrogen-Isotope Measurements of Organic Samples Using Elemental Chromium: An Extension for High-Temperature Elemental-Analyzer Techniques. *Analytical Chemistry*, 87(17), 9108. <https://doi.org/10.1021/acs.analchem.5b03098>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Correction to Online Hydrogen-Isotope Measurements of Organic Samples Using Elemental Chromium: An Extension for High-Temperature Elemental-Analyzer Techniques

Matthias Gehre,* Julian Renpenning, Tetyana Gilevska, Haiping Qi, Tyler B. Coplen, Harro A. J. Meijer, Willi A. Brand, and Arndt Schimmelmann

Anal. Chem. **2015**, *87*, 5198–5205. DOI: [10.1021/acs.analchem.5b00085](https://doi.org/10.1021/acs.analchem.5b00085)

We have failed to cite an important reference in our manuscript. The following addition to the original article should correct our oversight:

On page 5199 of the original manuscript, item (8):

(8) reduction by chromium in an elemental analyzer and analysis by CF-IRMS,^{15,15a,16}...

As a new reference (reference number 15a) we propose to cite

(15a) Morrison, J.; Brockwell, T.; Merren, T.; Fourel, F.; Phillips, A. M. *Anal. Chem.* **2001**, *73*, 3570–3575.