

RESEARCH ARTICLE | FEBRUARY 07 2023

# High-throughput amplicon sequencing of gut microbiome sea cucumber in Pahang, Malaysia

Mei-Yen Choo; Muhammad Fitri Yusof; Shamrulazhar Shamzir Kamal;  
Dennis Sandris Nielsen; Hajar Fauzan Ahmad 



Check for updates

+ Author & Article Information

AIP Conf. Proc. 2682, 050009 (2023)

<https://doi.org/10.1063/5.0114373>

Sea cucumbers are soft-bodied marine organisms found in the benthic environment which are known as trepang, gamat or timun laut by locals. Sea cucumbers are commercially exploited for their body extracts due to their therapeutic properties and as culinary demands. Moreover, sea cucumbers are host to complex community of microbes. However, less efforts were documented on the identification of these microbial communities using high-throughput sequencing approach. The purpose of this study is to identify the gut microbiome of the sea cucumber from *Stichopus ocellatus* species. For this study, the sea cucumbers were collected from a coastal area in Pahang, Malaysia. The gut contents were sampled and processed fresh upon collection and maintained on ice prior delivery to the storage facility. The DNA was extracted prior two steps Polymerase Chain Reaction (PCR) for amplicon library preparation by targeting the V4 region of 16S rRNA. The prepared libraries were sequenced using the Illumina iSeq 100 system. The raw data were analysed using QIIME2 and other bioinformatics software. Here, we observed that the gut of *Stichopus ocellatus* is home for the genera of *Vibrio*, *Tropicibacter*, *Desulfopila* and *Halioglobus*. Remarkably, the bacteria from the genus *Vibrio* are the most abundant bacteria colonising the gut microenvironment. This study suggests baseline microbial community that inhibit the gut of sea cucumber that may confer biotechnological important bacteria for pharmaceutical applications and drug development.

## Topics

[Libraries](#), [Ecology](#), [Polymerase chain reactions](#),  
[Microorganisms](#), [Amplicons](#), [Bacteria](#), [Bioinformatics](#),  
[Therapeutics](#)

## REFERENCES

1. S. Purcell, C. Conand, S. Uthicke, and M. Byrne, "Ecological Roles of Exploited Sea Cucumbers," pp. 367–386, Dec. 2016.
2. A. L. Lukman, N. F. H. Nordin, and K. R. Kamarudin, *Sains Malaysiana*, vol. 43, no. 7, pp. 1013–1021, 2014, Accessed: Mar. 09, 2021.
3. F. Gao, F. Li, J. Tan, J. Yan, and H. Sun, *PLoS ONE*, vol. 9, no. 6, p. e100092, Jun. 2014.  
<https://doi.org/10.1371/journal.pone.0100092>  
[Crossref](#)      [PubMed](#)
4. J. E. Clarridge III, *Clinical Microbiology Reviews*, vol. 17, no. 4, pp. 840–862, 2004.  
<https://doi.org/10.1128/CMR.17.4.840-862.2004>  
[Crossref](#)      [PubMed](#)
5. D. D. Tay, S. Shing Wei, H. F. Ahmad, and M. N. Razali, *Current Science and Technology*, vol. 1, no. 1, May 2021.
6. W. Walters et al, *mSystems*, vol. 1, no. 1, Feb. 2016.  
<https://doi.org/10.1128/mSystems.00009-15>
7. B. J. Callahan, P. J. McMurdie, M. J. Rosen, A. W. *Nature Methods*, vol. 13, no. 7, pp. 581–583, Jun. 2016.  
<https://doi.org/10.1038/nmeth.3869>  
[Crossref](#)      [PubMed](#)
8. E. Bolyen et al, *Nature Biotechnology*, vol. 37, no. 8. Nature Publishing Group, pp. 852–857, Aug. 01, 2019.  
<https://doi.org/10.1038/s41587-019-0209-9>  
[Crossref](#)      [PubMed](#)
9. N. A. Bokulich et al, *Microbiome*, vol. 6, no. 1, pp. 1–17, May 2018, doi: <https://doi.org/10.1186/s40168-018-0470-z>.  
[Crossref](#)      [PubMed](#)

10. T. Z. DeSantis et al, *Applied and Environmental Microbiology*, vol. 72, no. 7, pp. 5069–5072, Jul. 2006.  
<https://doi.org/10.1128/AEM.03006-05>  
[Crossref](#)      [PubMed](#)
11. J. Chong, P. Liu, G. Zhou, and J. Xia, *Nature Protocols*, vol. 15, no. 3, pp. 799–821, Mar. 2020.  
<https://doi.org/10.1038/s41596-019-0264-1>  
[Crossref](#)      [PubMed](#)
12. T. Mactavish, J. Stenton-Dozey, K. Vopel, and C. Savage, *PLoS ONE*, vol. 7, no. 11, p. e50031, 2012.  
<https://doi.org/10.1371/journal.pone.0050031>  
[Crossref](#)      [PubMed](#)
13. Z. An et al, *Science of The Total Environment*, vol. 797, p. 149176, Nov. 2021.  
<https://doi.org/10.1016/j.scitotenv.2021.149176>  
[Crossref](#)      [PubMed](#)
14. Z. Adámek and B. Maršálek, *Aquaculture International*, 2012 21:1, vol. 21, no. 1, pp. 1–17, Apr. 2012.
15. E. S. O. Junior et al, *Freshwater Biology*, vol. 64, no. 1, pp. 197–207, Jan. 2019. <https://doi.org/10.1111/fwb.13209>  
[Crossref](#)
16. M. Pagán-Jiménez, J. F. Ruiz-Calderón, M. G. Dominguez-Bello, and J. E. García-Arrarás, *PLoS ONE*, vol. 14, no. 1, Jan. 2019.  
<https://doi.org/10.1371/journal.pone.0208011>
17. H. Xu et al, *Aquaculture Research*, vol. 50, no. 4, pp. 1257–1268, Apr. 2019. <https://doi.org/10.1111/are.14002>  
[Crossref](#)
18. G. M. L.; Hou; Zhang, G. L.; Liu, and Y.; Sun, *Iranian Journal of Fisheries Sciences*, vol. 16, no. 1, pp. 318–325, 2017.
19. S. Peng et al, *Frontiers in Microbiology*, vol. 12, p. 1104, May 2021.
20. S. Brugman et al, *Gut Microbes*, vol. 5, no. 6, pp. 737–747, Jan. 2015.  
<https://doi.org/10.4161/19490976.2014.972228>  
[Crossref](#)

21. V. Letchumanan, K.-G. Chan, L.-H. Lee, and A. Canizalez-Roman, "Vibrio parahaemolyticus: a review on the pathogenesis, prevalence, and advance molecular identification techniques," 2014.

[Google Scholar](#)

22. Y. Jiang, L. Yao, F. Li, Z. Tan, Y. Zhai, and L. Wang, "Characterization of antimicrobial resistance of Vibrio parahaemolyticus from cultured sea cucumbers (Apostichopus japonicas)," 2014.

[Google Scholar](#)

23. S. Jeamsripong, W. Khant, and R. Chuanchuen, *FEMS Microbiology Ecology*, vol. 96, no. 8, Aug. 2020.

<https://doi.org/10.1093/femsec/fiaa081>

This content is only available via PDF.

© 2023 Author(s).

You do not currently have access to this content.

## Sign in

Don't already have an account? [Register](#)

### Sign In

Username

[Sign in via your Institution](#)

[Sign in via your Institution](#)

Password

[Register](#)

[Reset password](#)

**Pay-Per-View Access**

\$40.00

**BUY THIS ARTICLE**