Mental Health in LGBTIQ+ Population in School Contexts: An Analysis from the Systematic Literature Review

¹Nubia Hernández-Flórez, ²Pamela Álvarez-Morales, ³Olena Klimenko, ⁴María José Orozco-Santander, ⁵Francia Moncada-Navas, ⁶Alvaro Lhoeste-Charris

¹University of the Caribbean Corporation. Colombia and Anahuac University. México.
nubia.hernandezf@cecar.edu.co; nubia.hernandez@anahuac.mx Orcid: https://orcid.org/0000-0001-8756-1895

²Iberoamerican University and National Autonomous University of Mexico. México.
cecilia.alvarez@ibero.mx.& ceciliaalvarez@filos.unam.mx Orcid: https://orcid.org/0000-0002-0849-8793

³University Institution of Envigado. Colombia. eklimenko@iue.edu.co Orcid: https://orcid.org/0000-0002-84111263

⁴Metropolitan University of Barranquilla. morozcos@unimetro.edu.co Orcid: https://orcid.org/0000-0001-9007-7113

⁵University of the Caribbean Corporation. Colombia. francia.moncadan@cecar.edu.co. Orcid: https://orcid.org/0000-0002-2428-7750

⁶University of the Caribbean Corporation. Colombia. alvaro.lhoeste@cecar.edu.co Orcid: https://orcid.org/0000-0002-4393-6621

Abstract

This study focuses on the investigation of the mental health of LGBTIQ+ people in school settings, through a systematic review of the literature, using the PRISMA methodology. In the methodological process, both inclusion and exclusion criteria were applied, which are detailed in the flow chart, along with a word map summarizing the findings. From this, an analysis matrix was elaborated that included a total of 25 studies, which revealed three categories of analysis: Suicide risk, School exclusion due to gender diversity and sexual orientation, and Mental health interventions aimed at the LGBTI population. It is concluded that aspects linked to the recognition and expression of gender and diverse sexual orientation should be closely related to the promotion of rights, access to justice, and equity. These aspects should be incorporated mainly in school environments to promote research that is integrated into curricula and focused on peacebuilding. This integration can break the chains of discrimination and contribute to the development of knowledge through a discursive perspective based on a multicultural approach centered on gender, with the objective of strengthening the experience of LGBTIQ+ people.

Keywords: Mental health, LGBTIQ+, suicide, vulnerability, sexogenerational diversity.

INTRODUCTION

The LGBTIQ+ population is a group in a situation of vulnerability in terms of mental health, and in general in other sectors; due to the discrimination, harassment, and social exclusion they face in daily life, being in a heteronormative context as indicated by Fraser

et al. (2019). These problems can be further intensified within school contexts, where LGBTIQ+ populations studying can experience stigmatization and marginalization by their peers, teachers, and collaborators. This situation negatively influences integral development within the educational context, resulting in both physical and mental problems

that increase the levels of exclusion (Gilbey et al., 2020).

Ignorance of the conditions leads to the attack and exclusion of people with sexual and gender diversity. However, the Constitutional Court of Colombia (2007) under the guidelines of the sentence (C-075/07) in 2007 ruled a protection regime for homosexual couples, achieving significant advances for the population. Similarly, in Mexico, the Congress of the United States of Mexico (2003) expressly prohibits discrimination on grounds of sexual orientation or gender, and since then there have jurisprudential actions related employment, education, and health, among others in favor of the protection of minorities and sexual diversity; however, there are still several legislative instruments to align and guarantee the human rights of sexual and gender diversities. The situation is condensed from the perspective of the universal declaration of human rights in article 7 (United Nations Organization, 2014).

Thus, mental health in the LGBTIQ+ population in school contexts is a critical issue that has been the subject of growing interest in recent years due to the concern for the welfare of children and youth in the educational environment, as mentioned by Fish (2020). Discrimination based on perceived gender, sexual orientation, gender identity, and gender expression can trigger negative effects on the mental and emotional health of this population, which generates higher rates of rejection, violence, and hindrance towards inter- and intrapersonal growth based on social, cultural religious beliefs and associated with homophobic and transphobic gender norms, policies and laws (Pachankis et al., 2020).

The concern for mental health in the population studied has mainly derived from psychological problems where symptomatologies linked to depression, anxiety, and the tendency of suicide risks are presented, clinical criteria included in other psychological disorders as indicated by Lothwell et al. (2020). Gender identity refers to the individual's perception of his or her own identity about gender and how a person relates to himself or herself and others. LGBTIQ+

people who do not identify with their assigned gender may develop gender identity disorders, which can lead to emotional distress (Hernández-Flórez et al., 2022).

On the other hand, those working in educational institutions and health professionals should be aware of mental health issues in LGBTIQ+ populations. It is important to take measures to ensure inclusive education that promotes equality and respect for diversity. Prevention and treatment programs for those facing mental health challenges in the school context are also required to prevent self-injurious actions that lead to constitutive pathologies (Ryan et al., 2020).

The needs of youth and external situations associated with social, political, environmental phenomena increase the risk of vulnerability, and complexify the emotional that constitute conditions each belonging to the LGTBIO+ population as stated by Pollitt et al. (2021). Increasing the levels associated with risk factors lead to the development of clinical and social determinants, which alter the development of the person and thus the free development of the personality (Elliott et al., 2022).

In this systematic review, the research question was oriented under the PRISMA methodology by examining the evidence of the research results products, through a thorough, explicit, and broad search in the specific area of study in line with the contributions of Page et al. (2022). Thus constituting the relevant issues at the methodological level and contributions of the studies included in this review, pointing out the importance of addressing mental health problems in the LGBTIQ+ population in school contexts, to identify the needs of youth for optimal academic life and to achieve a healthy development (Walls et al., 2019).

The systematic review method allows relating determinant aspects such as suicidal risk, as well as the various factors related to exclusion and social discrimination experienced to increase the likelihood of developing mental health problems associated with mental disorders as referred to by Huijun et al. (2023).

Taking into account that, according to the classification criteria of the Diagnostic and Statistical Manual of Mental Illnesses and the International Classification of Diseases, pathologies such as depression and anxiety include suicidal risk within their diagnostic criteria (Ceatha et al., 2023).

The systematic search evidenced important results related to school exclusion due to gender diversity, scientific studies show that many LGTBIQ+ students are victims of all types of violence which interferes negatively with their integral development, this in turn, triggers difficulties in social interaction and academic performance as indicated by Ross & Setchell (2019). Similarly, little visibility and participation of LGTBIQ+ populations are identified in academic curricula, which reinforces exclusion and makes inclusion impossible for the adequate representation of the population in the school environment (Bonvicini, 2017).

The detection of the needs of the LGTBIQ+ population in the educational system simultaneously leads to the identification of another reality around support in mental health intervention programs in line with that described by Marraccini et al. (2022). The limitations of access to services within the health systems of each country present in their constitution inflexible policies that violate the rights of people in the study population which inevitably leads to little preventive actions that increase the risk of developing mental pathologies (Hayden et al., 2021).

Materials and methods

PRISMA methodology was used, taking into account that it allows the documentation of the scientific advances contributed by the research and those who investigate, thus reflecting a rigorous process through a guide that facilitates the analysis of critical aspects through the processes of identification, selection, evaluation, and synthesis of the same, extracting the main contributions that have been generated in the state of knowledge in a specific area. As indicated by Urrútia & Bonfill

(2010), research questions are generated to which answers are given from the primary research problems, which allows for generating or making assessments on theories (Snyder, 2019).

In line with Haddaway et al. (2022), the analyses generated through the evidence-based systematic review have the purpose of identifying and analyzing the current empirical research related to the integration of information and communication and responding to the research question: What are the mental health affectations in the schooled LGBTIQ+ population?

Inclusion criteria


For the review conducted, a window of observation of the last five (5) years was taken into account, taking as reference the scientific articles that are submitted to peer review and are published in the databases of Pubmed, Scopus, and web of Science. Additionally, special care was taken to include only those reported in the English language that included the study variables as indicated in the processes of the criteria of the systematic reviews Carrizo & Moller (2018). Likewise, a categorization of the reported products was performed taking into account the school context of the LGBTIQ+ population, thus studying in this way in the same population, performing an analysis of variables from the results reported by researchers from the co-occurrence analysis of words.

Exclusion criteria

Gray literature articles, informative or not peerreviewed, were excluded. Likewise, books, research results, reports from governmental and non-governmental institutions, clinical analyses, randomized trials, reviews, editorials, and research results published outside the date range of the last five years were discarded. In the same way, the results were excluded due to exposure of interest that focused their sample in non-school contexts such as clinics (Torres-Fonseca & López-Hernández, 2015).

Process of identification, elimination, and selection of items extraction data (flowchart)

Figure 1. Extraction data flowchart



Source: the authors (2023)

The aspects related to the research process from the literature allow selecting the research advances through the systematic review as a method that takes into account the studies carried out in English that have been published in specialized journals indexed in Web of Science and Scopus. Carried out in the period from 2019 to 2023 as a window of observation that facilitates the selection processes. The combination used in the homogeneous combination of keywords [Mental health AND LGBTIQ+ OR Schooled OR Empirical]. The databases were ordered by contributions and relevance in the contributions according to the studies analyzed.


The evaluation process of the studies followed the PRISMA guide which, as indicated by Page et al. (2021), is carried out by selecting the research that presented aspects of relevance in terms of contributions to the mental health of LGBTIQ+ youth who are in the process of schooling.

Search terms

health"[MeSH ("mental Terms1 OR ("mental"[All Fields] **AND** "health"[All Fields]) OR "mental health"[All Fields]) AND **LGBTIQ** [All Fields] **AND** ("population"[MeSH Termsl OR "population"[All Fields] OR "population groups"[MeSH Terms] OR ("population"[All Fields] AND "groups"[All Fields]) OR "population groups"[All Fields])

Data analysis process

Word map in VOSviewer



The table below shows the results obtained:

				The table below shows the results obtained.				
No	Autores	DOI	Sample	Gender Identity	Country/ City	Methodological Techniques	Contributions	
1	(Price et al., 2019)	https://doi.o rg/10.1016/j .adolescence .2019.09.00	N = 946; ages 14-20, 44% cisgender boys, 53% cisgender girls, 3% gender expansive youth.	Cisgender men Cisgender women Men expansive gender Women expansive gender	Boston USA	Quantitative by descriptive cluster analysis - nuanced description of intersectionality	In school contexts it is identified that mental health is affected mainly by traumatic events of discrimination that are stigmatized and this leads to a detriment of school performance.	
2	(Smith- Millman et	https://doi.o rg/10.1080/	157	Lesbians	Southeaster	Quantitative descriptive	LGBTQ Youth present socio- emotional needs centered on	

	al., 2019)	19361653.2 019.158065 9		Gay Bisexual Transgender Queer	n USA	statistical analysis, linear and multiple regression models	the harassment they are victims of through discriminatory bias, a situation that requires intervention by health professionals.
3	(Leung et al., 2022)	https://doi.o rg/10.1007/s 44217-022- 00016-9.	94	Lesbians Gay Bisexual Transgender Queer	Montreal Cánada	Quantitative descriptive	Positive protective factors were identified as being associated with support networks for LGTQ youth. This support is perceived from the family, school and social system which leads to socioemotional and behavioral benefits.
4	(Baams & Russell, 2021b)	https://doi.o rg/10.1177/ 0044118X2 0951045	Males 49.5 Females 50.5	Gay-Straight	Groningen Netherlands	Quantitative of descriptive type and contrast of measures type.	LGBTQ youth have better school performance associated with lower consumption of psychoactive substances, which is directly linked to better mental health. However, it is identified that in the population with higher consumption there is greater deterioration of cognitive functions.
5	(Gnan et al., 2019)	https://doi.o rg/10.1080/ 13676261.2 019.158136	1948	Lesbians Gay Bisexual Transgender Queer Non-binary Transgender	London United Kingdon	Quantitative through descriptive statistics. Univariate and multivariate analysis and snowball sampling	The risk factors are linked to the deterioration of mental health, since they present a higher risk of suicide and self- harm. It is specified that in school contexts intervention is required.
6	(Albaladejo- Blázquez et al., 2019)	doi:10.3390/ ijerph16142 622	1.727 49% Women and 51% Men	Gay-Straight	Alicante España	Quantitative using Chi-square statistics using the ANCOVA technique and post-hoc comparison.	It is evident that the impact of bullying on mental health increases the risk of suffering health deterioration. From the educational point of view, the need for promotion based on acceptance and inclusion is highlighted, eradicating any form of discrimination.
7	(Rees et al., 2021)	https://doi.o rg/10.1111/j pm.12720	27	Lesbians Gay Bisexual Transgender Queer Non-binary Transgender	Otago New Zealand's	Qualitative from an integrative review through checklists	The LGBTIQ+ community reports problems of access and discrimination in health systems, which leads to unmet needs, resulting in exclusion and inequity.

8	(Henriquez & Ahmad, 2021)	DOI: 10.1177/237 7960821105 1174	12	LGTBQ	Manitoba Canadá	Qualitative literature review	Stigma and discrimination, judgments and assumptions, associated with gender identities, are identified as generating systemic changes to ameliorate gaps in health services and barriers to access.
9	(King & Fazel, 2019)	https://doi.o rg/10.1186/s 13643-019- 1027-3	n= 11	LGTBQ	Oxford, United Kingdom	Qualitative documentary review type	It is synthesized that the global evidence on mental health require peer-led interventions in the school setting for children and adolescents through the promotion and development of public and health policies
10	(Johns et al., 2019)	DOI: 10.1089/lgbt .2018.0109	n=40 29.4% LGB 6.4% Heterosexual 35% Transgender 29.2% Non- binary	Lesbian, gay, bisexual, transgender, and queer/questioning (LGBTQ)	Atlanta Georgia USA	Qualitative, critical-reflexive through analysis category	The LGTBIQ population has a higher risk of suicide, psychoactive substance use and sexual health risk, generating stressors that are linked to violence, discrimination and harassment. It is necessary to intervene and prevent from protective factors to improve the integral health of this population.
11	(Clark & Kosciw, 2022)	DOI: 10.1002/pits .22500	n=15,813	lesbian, gay, bisex- ual, transgender, and queer (LGBTQ)	Columbia USA	Quantitative binary logistic regression and covariance analysis (ANCOVAs).	Schooled young people who play sports tend to have higher self-esteem, lower rates of depression and a greater tendency to take care of themselves.
12	(Mendoza- Pérez & Ortiz- Hernandez, 2021)	DOI: 10.1177/088 6260519898 423	4829 men	Gays, homosexuals and bisexuals	México	Quantitative linear and logistic regression linear regression	Both direct and subtle forms of discrimination and violence on the basis of sexual orientation (SOV-O) are associated with negative mental health outcomes
13	(Chan et al., 2020)	https://doi.o rg/10.1016/j .jad.2019.09 .020	931	Gays Lesbian Bisexual	Hong Kong	Quantitative self-report questionnaire on sexual identity, stress and mental health.	Lesbians, gay men and bisexuals have a higher tendency to present psychiatric symptoms. bisexuals were found to have greater depressive and anxiety symptoms compared to lesbians and gays.
14	(Gómez et al., 2022)	https://doi.o rg/10.1080/ 00918369.2 021.192327 8	467	Gays Lesbians	Santiago Valparaíso Antofagasta Concepción Chile	Quantitative of descriptive type by means of statistical techniques using questionnaires.	The schooled community of LGBTIQ youth, present two significant stressors, internalized homophobia and perceived sexual stigma, which derives in anxious depressive symptomatology.
15	(Atteberry-Ash et al.,	https://doi.o rg/10.1080/ 19361653.2	15.606	Lesbian, Gay, Bisexual.	Colorado USA	Quantitative, with descriptive statistics and	LGBQ, transgender and non-binary youth.

	2020)	019.161413 1		Transgender Queer Cisgenéro		binary logistic regression models.	LGBQ, transgender and non- binary youth often experience periods of sexual violence, which has a negative impact on mental health, especially victimization, bullying and harassment
16	(Chongzhen g & Wenli, 2019)	https://doi.o rg/10.1080/ 19361653.2 019.156579 5	732	LGBTQ	China Continental	Quantitative method, descriptive type with ANOVAS and confirmatory regression analysis.	LGBTQ youth feel safe at school. however, this population mostly remains in the closet, leading to greater bouts of psychological distress.
17	(Nowaskie, 2020)	https://doi.o rg/10.1080/ 19359705.2 020.177484 8	273	Lesbian, gay, bisexual and transgender. heterosexual Cisgender	EEUU	Quantitative by means of statistical analyses that included bivariate statistics and regression analysis.	There is currently a lack of standardized of standardized education and increased exposure to mental health care for the LGBT population.
18	(Poland & Ferguson, 2022)	https://doi.o rg/10.1016/j .avb.2021.1 01579	1	Lesbian, gay, bisexual and transgender. Queer	Fort Lauderdale, USA	Qualitative case study analysis from a narrative and descriptive perspective.	In the LGBTIQ population it was identified that there is a higher prevalence of suicide risk, associated with the fear of the expression of emotions and the rejection that they may experience by their family and close friends. Where Bullying is most prevalent
19	(Horton, 2023)	DOI: 10.1111/bje p.12540	30	Transsexuals	United Kingdom	Qualitative thematic analysis, by means of semi- structured interviews.	It is identified that the population of trans children who are in the process of gender transition present cisnormative attitudes and experience attitudes of injustice, causing the minors to present traumas at school.
20	(Ramirez & Galupo, 2019)	https://doi.o rg/10.1080/ 19359705.2 019.156894 6	88	Lesbians, gays and bisexuals of color Plurisexuals pansexuals gender fluid Queer	EEUU	Quantitative by means of statistical analysis and regression analysis.	The association between sexual and racial minorities, especially those of color, experience higher risks of psychological disturbances leading to mental health disorders, with anxiety, depression and suicide risks occurring more frequently.
21	(De Vries et al., 2020)	https://doi.o rg/10.1186/s 12909-020- 1963-6	1	Diverse gender	South Africa	Qualitative of theoretical analysis and contributions through debate	Trans and gender-diverse people require greater attention from health services, because they experience greater clinical indicators associated with traumatic events and rejection

due

violence

and

							discrimination experienced
22	(Seehuus et al., 2021)	https://doi.o rg/10.1080/ 07448481.2 019.165621 7	2280	LGBTQ	EEUU	Quantitative by means of hypothesis testing and one-way anovas with measurement contrast.	It was identified that the LGBTIQ population experiences more symptoms associated with the onset of mental disorders such as depression, anxiety and stress, which requires a professional intervention aimed at reducing clinical symptomatology.
23	(Tan, 2022)	DOI: 10.1177/263 1831821106 0484	1	Lesbian, gay, bisexual, transgender, transsexual and queer	Malasia	Qualitative reflective analysis and theoretical inputs	There are mental health inequalities that affect lesbian, gay, bisexual, transgender and queer (LGBTQ) people, implying mental health issues, due to the existing marginalization and delegitimization present in school environments.
24	(Lisboa- Alves et al., 2022)	https://doi.o rg/10.51338 /rppsm.329	310	LGBTI+	Brasil	Quantitative cross-sectional and analytical by means of simple frequency measures	the LGBT population has a higher prevalence of depression due to exclusion and discrimination and insufficient discussion of sexuality and mental health issues.
25	(Higgins et al., 2021)	doi:10.1111/ JONM.1318 6	1064	LGBTI+	Ireland	Quantitative statistical analysis with interrelationship technique	Irish youth face barriers in accessing mental health services due to inequitable conditions. This implies that there must be a relevant approach to mental health care and an approach from a social and cultural perspective.

Analysis Categories

1 Suicide risk

Scientific evidence has shown that the populations under study face an increased risk of suicide due to various factors related to the discrimination and social exclusion they experience. Studies and statistics as indicated by Gnan et al. (2019) have revealed that LGBTIQ+ people usually face high levels of stigmatization and rejection, both in their close environment and in society in general, and school spaces are no exception and in this same research it is stated by Mendoza-Perez & Ortiz-Hernandez (2021). This constant confrontation with discrimination and prejudice can generate a significant emotional burden, which increases

the chances of experiencing mental health problems such as depression and anxiety, which in turn are linked to the risk of suicide. It is of notable importance also, the consideration of the intersection of sexual minorities with racial minorities, since according to Ramirez & Galupo (2019) the association of these, potentiates psychological alterations that can derive in greater frequency in mental health disorders.

In addition, the lack of safe and supportive spaces to express their feelings and emotional experiences can lead to social isolation that further aggravates the vulnerability of LGBTIQ+ people. Denial or concealment of their feelings due to fear of discrimination can hurt their psychological well-being. Poor

emotional expression and lack of adequate support in their school environments can make them feel neglected or misunderstood, thus increasing the risk of mental health problems and, in extreme cases, the occurrence of self-injurious behaviors associated with suicide risk (Williams et al., 2019).

It is necessary to consider that the LGBTIQ+ population cannot be looked at as a whole and generalize actions, in this sense, the findings of Chan et al. (2020) are relevant to mention that bisexual people have greater depressive and anxiety symptoms compared to gay and lesbian people. Due to the context of rejection, internalization denotes a greater tendency to present self-destructive behaviors associated with risk behaviors due to exposure to rejection against homophobia, lesbophobia, biphobia, and transphobia, among others, that they may experience. Decreasing levels of self-esteem that are associated with psychological and emotional discomfort, to the detriment of mental health, due to prejudice, stereotypes, and negative meanings associated with the negative linkage of bisexuality (McLoughlin et al., 2022).

2 School exclusion due to sex and gender diversity.

Scientific evidence, especially that noted by Price et al. (2019) supports that LGBTIQ+ populations continue to face high levels of exclusion in school spaces. They are often rendered invisible and marginalized, which affects their well-being and academic performance. Studies such as those noted by Smith-Millman et al. (2019) show that many students belonging to the populations under study are victims of harassment, discrimination, and verbal or physical violence in schools, which creates a hostile and unsafe environment for their comprehensive development.

In addition, the lack of visibility of LGBTIQ+ identities in school programs and curricula contributes to the perpetuation of stereotypes and prejudices creating an unsafe environment that causes people of sex-gender diversities to remain in the closet, leading to their presenting greater psychological crises, associated with

the detriment of mental health as indicated by Chongzheng & Wenli (2019). Education does not adequately address diverse gender identities and sexual orientations, which limits understanding and empathy toward the experiences of people with sexual diversity. This lack of representation in education reinforces the invisibility of the population studied and perpetuates their exclusion in the school environment.

The mental health of LGBTIQ+ people is rarely addressed with a diversity approach in school spaces. Most educational institutions do not offer sufficient and specific support for the emotional and psychological needs of the population analyzed, which can have negative consequences on their comprehensive well-being over time. Trans children who are in transition processes experience attitudes of injustice in the school environment according to Horton (2023) intensifying emotional issues and conflicts around their self-perception, acceptance, and the ability to integrate into psychosocial contexts that foster their personal skills in a comprehensive manner.

It is crucial that school environments adopt inclusive policies and programs that promote the mental health of all gender identities, thus ensuring a safe and respectful learning environment for all students. Education with a diverse approach can play a fundamental role in the construction of a more inclusive society, where LGBTIQ+ people feel valued and accepted in educational spaces since education is a human right for all people equally (Gelpi, 2021).

In countries such as Mexico and Colombia, education in diversity is a fundamental right declared by UNESCO where the inclusion of sexually diverse populations has spaces in the classroom under the normative iurisprudential protections that, Colombian case, are framed in the law of childhood and adolescence, the national constitution as indicated by Saldarriaga (2021). In the case of Mexico, as mentioned by Heras-Sevilla et al. (2021) the normative regulations protect sex-diverse educational agents that are articulated with the identification and focus on the discovery of sexual orientation under a perspective that moves away from heteronormativity and points toward a normalization of behaviors in the different scenarios of life.

3 Mental Health Intervention for the LGBTI Population

It is of vital importance to pay special attention to the mental health intervention of the LGBTIQ+ population, because it is a community with a high risk of perceived and externalized psychosocial vulnerability, which is manifested in gender stereotypes and frequent rejection behaviors as mentioned by Zapata-Ospina et al. (2021). Studies have evidenced that people with sexogeneric diversity face higher risks of suffering mental health problems, including a higher prevalence of anxiety, depression, and suicidal thoughts. In addition, Baams & Russell (2021) have observed that a portion of this same population has increased substance use as a way of coping with the stress and discrimination experienced in their daily lives. It is essential to provide an approach to care that is inclusive and sensitive to the specific needs of the population under study, in the mental health setting.

the school context, mental health intervention for studied the populations presents a greater relevance of comprehensive care according to the findings of Gnan et al. (2019). The educational stage is crucial for the personal and emotional development of the student body and the discrimination or bullying faced by LGBTIQ+ people in the school environment can have short-, medium- and long-term effects that depend on the intensity and duration of the elements associated with psychological alterations that are related to personality variables, which have an impact on their well-being. It is essential to implement school intervention programs that specifically address the mental health needs of the LGBTIQ+ population, providing a safe and supportive environment where inclusion and acceptance are fostered (Galaz et al., 2021).

As mentioned above, each group of sex-gender diversities may present specific and diverse

singularities. According to De Vries et al. (2020), the trans and gender-diverse population is in a situation of greater vulnerability in terms of mental health, as they often experience greater indicators and symptomatologies related to traumatic events of rejection and violence due to their gender identity. Lack of acceptance and social stigma have a significant impact on the deterioration of mental health; therefore, a differentiated intervention that addresses their specific needs and promotes resilience and emotional well-being is required.

In summary and highlighting the contributions of Tan (2022) and Higgins et al. (2021) there is inequity in mental health for LGBTIQ+ populations, which highlights the need to implement inclusive policies and programs that address inequalities and provide adequate attention to the needs of this population and each of its subgroups. Taking into account that the aforementioned has generated a higher prevalence of suicide risk, development of symptomatologies associated with mood disorders, and anxiogenic pictures that arise as forms of responses in the determinants of mental health, as expressed by Barrientos et al. (2019) due to the persistent presence of these problems that require attention comprehensive approach because of the high conditions of vulnerability situations.

Discussion

According to the results obtained, LGBTIQ+ populations present conditions discrimination, rejection, and exclusion that are associated with situations of vulnerability evidenced in violent acts that include the diverse relational typologies that have an impact on the emotional destabilization of this specific community that historically, has presented conditions of oppression, lack of guarantees and moderate and psychological discomfort, which subsequently trigger pathological configurations detrimental to mental health and increase the risk and appearance of suicidal thoughts and behaviors (Mcdermott et al., 2021).

A relational element that is presented towards the LGBTIQ+ community is the waves of violence perpetrated against the collective as mentioned by Aguilar et al. (2022) because the same social stigmatization has led to the generation of processes of denial, selfabsorption, and self-involved behaviors that occur because of states and cycles of anxiety and depression, a product of the fear aroused to their integrality. In this sense, sexually diverse populations have been victims of events with highly violent content that generates relational aspects of discrimination under conditions that lead to affect the processes of identity and expression of sexual orientation (Román-Lazart & Álvarez, 2022).

Likewise, the determinants of mental health that have been affected by the promotion of stigmas, stereotypes, and behaviors of rejection towards communities with diverse sexual orientations, show that they have been victims from the family nucleus by behaviors of harassment, mockery, and repression that increase situations of violence and present a greater lack of protection evidenced in the continuous risk of significant psychological discomfort as pointed out by Badaan & Jost (2020). In this sense, the approach to health and well-being from the psychological intervention should be directed towards the reduction of signs and symptoms associated with the diagnostic criteria of psychopathological disorders resulting from the conditions of victimization and discrimination that have been experienced by being threatened, beaten, or attacked as victims of all types of violence (Kiss et al., 2020).

Acts of hate promote violent actions triggered through the experience of victimization increasing the number of victims against sexual integrity; social actions of discrimination, abusive and belligerent behaviors by social groups that oppose sexual freedom under the slogan of imposition of heteronormative moral aspects linked to gender roles that historically have been called traditional as indicated by Maine (2022). This is why the conditions of social exclusion experienced by LGBTIQ+ people lead to determinants of social exclusion, increased harassment behaviors. public humiliation, and public humiliation that increase the levels of violence because they are not reported; a situation that occurs especially in women, men, and transgender people who register higher rates of discrimination (Concannon, 2022).

From the mental health intervention in the LGBTIQ+ population with a differential approach perspective, as stated by Fowler et al. (2023), it is specifically proposed equalization and recognition regarding the linkages of the conditions of social, cultural, economic, and psychological inequalities; since this population group requires a process of inclusion, given that historically they have presented high levels of lack of protection, exclusion, and marginalization that have violated the recognition and guarantee of fundamental rights. Thus, mental health, from a sexual diversity approach, requires attention from biopsychosocial factors in the framework of an inclusive reference that allows relating the particular characteristics of health care from the exposure of psychosocial vulnerability of which they have been victims (Marín-Urrego et al., 2023).

It is of crucial importance to carry out a comprehensive intervention approach that focuses on the aspects of self-care at the cognitive, emotional, and mental levels, increasing the processes of care for LGBTIQ+ persons in line with social, cultural, and economic development that makes human dignity visible and recognized, with special emphasis on the interrelation linked to the right to health and education according to WHO guidelines in the planning and implementation of public policies as mentioned by Whitaker et al. (2021). Emphasizing that subjective experiences allow the promotion, the right, and the guarantee of the effective enjoyment of mental health. Therefore, it requires, in turn, an approach to the support nuclei (family, friends, peer group) ensuring the guarantee and constitutionally consolidated benefits for all people (Mclaren & Castillo, 2021).

In this order of ideas, it is necessary to analyze the existing paradoxes of social positions, which incite violence and discrimination generating greater stigmatization in the population, through passive-aggressive actions that are equally significant for mental health and from the contexts of the intervention require individual and collective actions that guarantee comprehensive health care and as Rodriguez et al, (2015) betting on nonexclusionary salutogenic systems that allow addressing the existing risks in the population such as suicidal thoughts and the risk of structuring the suicidal act, which is linked to the exacerbation of the appearance of psychological disorders such as depression, anxiety and post-traumatic stress, which in health institutions requires intervention from biological and psychological aspects with a differential approach (Schmitz et al., 2020).

On the other hand, the conditions of school exclusion due to sexual diversity require an adjustment to the curricula and teaching and learning methodologies within the educational systems that, although they have achieved significant progress in the mainstreaming of components associated with mental health, these have been insufficient; This merits the development of school care programs focused on inclusion, where respect for differences, gender diversity and contributions in mental health are promoted, including a process of awareness and psychoeducation based on empathy and resilience in school contexts, thus reducing rates of violence, closing exclusion gaps and improving well-being significantly under a model of orientation and acceptance of a positive identity towards an inclusive educational context (Clark & Kosciw, 2022).

Finally, the contributions from the academic actors in the educational contexts must be supported by comprehensive training, which allows for addressing the emotional responses that are generated as a result of the phobias raised against the LG BTIQ+ population as indicated by Moagi et al. (2021). This requires processes of adaptation and transformation toward the real needs of the student body, which allows addressing psychosocial vulnerabilities by responding to the needs immediately and thus strengthening the development of competencies and skills that generate a transformation of the stereotypical models and structures of the diversogenic community.

Conclusions

Aspects related to the recognition and expression of diverse gender and sexual orientation should be linked mainly to the promotion of rights, access to justice, and conditions of equity that allow, from school contexts, to formulate research advances that are transversality in curricular aspects, energized towards the construction of peace in the framework of the tacit exercise that allows breaking the chains of discrimination and contributes to the foundation of knowledge from a discursive perspective through a multicultural approach focused on gender that strengthening the trajectory LGBTIQ+ people in line with the exercise of the use of fundamental rights, taking into account that school contexts are places of protection and security for the sex-gender populations (Taruvinga et al., 2018).

Society presents a high tendency to restrict the expressions of sexual diversity on the particular conditions related to society, culture, and the establishment of cognitive patterns, which determine the normative behavioral aspects, affecting the gradients presented in relation to the achievement and development of people as indicated by Gabb et al. (2020). Currently, there are movements and struggles to achieve greater acceptance of sexual diversity; with the aim of achieving recognition and having the freedom to identify oneself in a more spontaneous way for the individual, in relation to the developmental aspects that favor the linking of identity, the strengthening of the elements of personal development and collective incidence that facilitate individuality and the development of personality variables.

The development of the human being in school contexts intervenes in a proactive way through the co-construction of networks and academic actors that favor the expertise of the linking of aspects related to the strengthening of skills and competencies that are based on the principles of integral formation in the educational systems as

indicated by Fox et al. (2020). Therefore, students should experience a sense of well-being and security that is received in the school context, which allows for strengthening the sexual identity, taking into account that school experiences determine to a great extent the conditions of emotionality that are articulated to the personal resources used as instruments for the resolution of problems throughout their lives and in all stages of their development since school spaces should not only promote the academic contents, but also those related to the socioemotional life of people to have comprehensive training.

One of the formative entities is the family which articulates with the patterns of upbringing, and forms of the constitution of the subject that many times develop a number of social prejudices, these that directly affect the LGTBIQ+ population in school contexts, leaving as consequences difficulties in their mental health, although there are some who manage to endure many times this type of problems of daily life.

Reference

- [1] Aguilar, R. T., Ramírez-Jaramillo, J., Alcántara_olvera, I., Vallecilos_banda, M., Peña-Juárez, L., & Barreto-Arias, M. (2022). Mental health in young LGBTI+ people. Social involvement approach. Verano de Ciencia, 21, 5–10.
- [2] Albaladejo-Blázquez, N., Ferrer-Cascales, Ruiz-Robledillo, N., Sánchez-Sansegundo, M., Fernández-Alcántara, M., Delvecchio, E., & Arango-Lasprilla, J. C. (2019). Health-related quality of life and mental health of adolescents involved in school bullying and homophobic verbal content bullying. International Journal of Environmental Research and Public Health, 16(14). https://doi.org/10.3390/ijerph16142622
- [3] Atteberry-Ash, B., Walls, N. E., Kattari, S. K., Peitzmeier, S. M., Kattari, L., & Langenderfer-Magruder, L. (2020). Forced sex among youth: accrual of risk by gender identity, sexual orientation, mental

- health and bullying. Journal of LGBT Youth, 17(2), 193–213. https://doi.org/10.1080/19361653.2019.16 14131
- [4] Baams, L., & Russell, S. (2021a). Gay-Straight Alliances, School Functioning, and Mental Health: Associations for Students of Color and LGBTQ Students. Youth and Society, 53(2), 211–229. https://doi.org/10.1177/0044118X2095104
- [5] Baams, L., & Russell, S. T. (2021b). Gay-Straight Alliances, School Functioning, and Mental Health: Associations for Students of Color and LGBTQ Students. Youth and Society, 53(2), 211–229. https://doi.org/10.1177/0044118X2095104
- [6] Badaan, V., & Jost, J. T. (2020). Conceptual, empirical, and practical problems with the claim that intolerance, prejudice, and discrimination are equivalent on the political left and right. Current Opinion in Behavioral Sciences, 34, 229–238. https://doi.org/10.1016/j.cobeha.2020.07.0 07
- [7] Barrientos, J., Saiz, J., Gómez, F., Guzmán-González, M., Espinoza-Tapia, R., Cárdenas, M., & Bahamondes, J. (2019). Current psychosocial research on transgender individuals' mental health: A Chilean perspective. Psykhe, 28(2), 1–13. https://doi.org/10.7764/psykhe.28.2.1482
- [8] Bonvicini, K. A. (2017). LGBT healthcare disparities: What progress have we made? Patient Education and Counseling, 100(12), 2357–2361. https://doi.org/10.1016/j.pec.2017.06.003
- [9] Carrizo, D., & Moller, C. (2018). Estructuras metodológicas de revisiones sistemáticas de literatura en Ingeniería de Software: un estudio de mapeo sistemático. Revista Chilena de Ingeniería, 26, 45–54.
- [10] Ceatha, N., Gates, G. J., & Crowley, D.
 (2023). LGBT + Self identification
 Among youth in Ireland aged 17 18
 Years: a research brief. Population
 Research and Policy Review, 42(64), 1-

- 15. https://doi.org/10.1007/s11113-023-09807-w
- [11] Chan, R., Operario, D., & Mak, W. (2020). Bisexual individuals are at greater risk of poor mental health than lesbians and gay men: The mediating role of sexual identity stress at multiple levels. Journal of Affective Disorders, 260(September 2019), 292–301. https://doi.org/10.1016/j.jad.2019.09.020
- [12] Chongzheng, W., & Wenli, L. (2019). Coming out in Mainland China: A national survey of LGBTQ students. Journal of LGBT Youth, 16(2), 192–219. https://doi.org/10.1080/19361653.2019.15 65795
- [13] Clark, C. M., & Kosciw, J. G. (2022). Engaged or excluded: LGBTQ youth's participation in school sports and their relationship to psychological well-being. Psychology in the Schools, 59(1), 95–114. https://doi.org/10.1002/pits.22500
- [14] Concannon, L. (2022). Protecting difference: A discussion on transphobic and homophobic hate crime in the Irish context. Critical Social Policy, 42(3), 490–509. https://doi.org/10.1177/02610183211063402
- [15] Congreso de los Estados Unidos Méxicanos. (2003). Ley federal para prevenir y eliminar la discriminación. Gaceta Parlamemntaria, 1–47.
- [16] Corte Constiucional República de Colombia. (2007). Sentencia C-075/07. 07.
- [17] De Vries, E., Kathard, H., & Müller, A. (2020). Debate: Why should gender-affirming health care be included in health science curricula? BMC Medical Education, 20(1), 1–10. https://doi.org/10.1186/s12909-020-1963-6
- [18] Elliott, K. J., Stacciarini, J. R., Jimenez, I. A., & Rangel, A. P. (2022). A review of psychosocial protective and risk factors for the mental Well-Being of rural LGBTQ + adolescents. Journal Young & Society, 54(2), 312–341. https://doi.org/10.1177/0044118X2110359 44

- [19] Fish, J. N. (2020). Future directions in understanding and addressing mental health among LGBTQ youth. Journal of Clinical Child & Adolescent Psychology, 00(00), 1–14. https://doi.org/10.1080/15374416.2020.18 15207
- [20] Fowler, J. A., Buckley, L., Muir, M., Viskovich, S., Paradisis, C., Zanganeh, P., & Dean, J. A. (2023). Digital mental health interventions: A narrative review of what is important from the perspective of LGBTQIA+ people. Journal of Clinical Psychology, April. https://doi.org/10.1002/jclp.23571
- [21] Fox, S., Griffin, R., & Pachankis, J. (2020). Minority stress, social integration, and the mental health needs of LGBTQ asylum seekers in North America. Social Science and Medicine, 246(March 2019). https://doi.org/10.1016/j.socscimed.2019.1 12727
- [22] Fraser, B., Pierse, N., Chisholm, E., & Cook, H. (2019). LGBTIQ+ homelessness: A review of the literature. International Journal of Environmental Research and Public Health, 16(15). https://doi.org/10.3390/ijerph16152677
- [23] Gabb, J., McDermott, E., Eastham, R., & Hanbury, A. (2020). Paradoxical family practices: LGBTQ+ young people, mental health and wellbeing. Journal of Sociology, 56(4), 535–553. https://doi.org/10.1177/144078331988828 6
- [24] Galaz, C., Martínez-Conde, C., & Morrison, R. (2021). Health and LGBTI+ people in Chile: From invisibility to an identity-based approach. Ex Aequo, 43, 149–164. https://doi.org/10.22355/EXAEQUO.2021.43.10
- [25] Gelpi, G. (2021). Middle-school and highschool life for LGBT+ students: An including and excluding scenario in uruguay. Education Policy Analysis Archives, 29, 1–9. https://doi.org/10.14507/EPAA.29.6115
- [26] Gilbey, D., Morgan, H., Lin, A., & Perry, Y. (2020). Effectiveness, acceptability, and feasibility of digital health

interventions for LGBTIQ+ young people: Systematic review. Journal of Medical Internet Research, 22(12). https://doi.org/10.2196/20158

- [27] Gnan, G., Rahman, Q., Ussher, G., Baker, D., West, E., & Rimes, K. (2019). General and LGBTQ-specific factors associated with mental health and suicide risk among LGBTQ students. Journal of Youth Studies, 22(10), 1393–1408. https://doi.org/10.1080/13676261.2019.15 81361
- [28] Gómez, F., Cumsille, P., & Barrientos, J. (2022). Mental Health and Life Satisfaction on Chilean Gay Men and Lesbian Women: The Role of Perceived Sexual Stigma, Internalized Homophobia, and Community Connectedness. Journal of Homosexuality, 69(10), 1777–1799. https://doi.org/10.1080/00918369.2021.19 23278
- [29] Haddaway, N. R., Page, M. J., Pritchard, C. C., & Mcguinness, L. A. (2022). PRISMA2020: An R package and Shiny app for producing PRISMA 2020 compliant flow diagrams with interactivity for optimised digital transparency and Open Synthesis. Campbell Wiley, 1-12.https://doi.org/10.1002/cl2.1230
- [30] Hayden, J. A., Ellis, J., Ogilvie, R., Stewart, S. A., Bagg, M. K., Stanojevic, S., Yamato, T. P., & Saragiotto, B. T. (2021). Some types of exercise are more effective than others in people with chronic low back pain: a network metaanalysis. Journal of Physiotherapy, 67(4), 252–262.
 - https://doi.org/10.1016/j.jphys.2021.09.00
- [31] Henriquez, N. R., & Ahmad, N. (2021).

 "The Message Is You Don't Exist":
 Exploring Lived Experiences of Rural
 Lesbian, Gay, Bisexual, Transgender,
 Queer/Questioning (LGBTQ) People
 Utilizing Health care Services. SAGE
 Open Nursing, 7.
 https://doi.org/10.1177/237796082110511
 74
- [32] Heras-Sevilla, D., Ortega-Sánchez, D., & Rubia-Avi, M. (2021). Conceptualización

- y reflexión sobre el género y la diversidad sexual. Perfiles Educativos, 43(173), 148–165.
- https://doi.org/10.22201/IISUE.24486167 E.2021.173.59808
- [33] Hernández-Flórez, N., Lhoeste-Charris, A., Martínez-Gómez, I., González-Martelo, V., Orozco-Santander, M., & Arguello-rueda, J. (2022). Psychological factors of gender dysphoria in adolescents: A systematic review. Gac Méd Caracas, 130(Supl 3), 743–755. https://doi.org/10.47307/GMC.2022.130.s 3.28
- [34] Higgins, A., Downes, C., Murphy, R., Sharek, D., Begley, T., McCann, E., Sheerin, F., Smyth, S., De Vries, J., & Doyle, L. (2021). LGBT + young people's perceptions of barriers to accessing mental health services in Ireland. Journal of Nursing Management, 29(1), 58–67. https://doi.org/10.1111/jonm.13186
- [35] Horton, C. (2023). Institutional cisnormativity and educational injustice: Trans children's experiences in primary and early secondary education in the UK. British Journal of Educational Psychology, 93(1), 73–90. https://doi.org/10.1111/bjep.12540
- [36] Huijun, L., Xiaoling, L., Qingyong, Z., Siyuan, Z., & Xiaofeng, L. (2023). The impact of minority stress on mental health among lesbian, gay, and bisexual college students in China: results from a National Internet Survey. Research Square, 30, 1–16.
- [37] Johns, M. M., Poteat, V. P., Horn, S. S., & Kosciw, J. (2019). Strengthening Our Schools to Promote Resilience and Health among LGBTQ Youth: Emerging Evidence and Research Priorities from the State of LGBTQ Youth Health and Wellbeing Symposium. LGBT Health, 6(4), 146–155. https://doi.org/10.1089/lgbt.2018.0109
- [38] King, T., & Fazel, M. (2019). Examining the mental health outcomes of peer-led school-based interventions on young people aged between 4 and 18 years old: A systematic review protocol. Systematic Reviews, 8(1), 4–9.

- https://doi.org/10.1186/s13643-019-1027-3
- [39] Kiss, L., Quinlan-Davidson, M., Pasquero, L., Tejero, P., Hogg, C., Theis, J., Park, A., Zimmerman, C., & Hossain, M. (2020). Male and LGBT survivors of sexual violence in conflict situations: A realist review of health interventions in low-and middle-income countries. Conflict and Health, 14(1), 1–26. https://doi.org/10.1186/s13031-020-0254-5
- [40] Leung, E., Kassel-Gómez, G., Sullivan, S., Murahara, F., & Flanagan, T. (2022). Social support in schools and related outcomes for LGBTQ youth: a scoping review. Discover Education, 1(1). https://doi.org/10.1007/s44217-022-00016-9
- [41] Lisboa-Alves, M., Alves-Costa, R.. Gonçalves-Lopes, G., De Azevedo-Setton, L., Machado-Pimentel Rebello Mattos, R., Machado-Pimentel. D. Reflections on the Impact of Sexuality in Mental Health of Medical Students: A Quantitative Study in a Brazilian University. Revista Portuguesa Psiquiatria e Saúde Mental, 8(3), 89-95. https://doi.org/10.51338/rppsm.329
- [42] Lothwell, L. E., Libby, N., & Adelson, S. L. (2020). Mental health care for LGBT youths. Focus, 18(3), 268–276. https://doi.org/10.1176/appi.focus.202000 18
- [43] Maine, A. (2022). Perceptions of Violence and the Self-Regulation of Identity for LGBTQ People in the UK. Journal of Criminal Law, 86(2), 60–74. https://doi.org/10.1177/00220183221086384
- [44] Marín-Urrego, J., Moreno-Luna, S., Peña-Torres, E., Mariño, J., Martínez-Álvarez, E., Duque-Yara, N., & Cadena-Camargo, Y. (2023). Defining differential approach and intersectional perspective: a multimethod study. Universitas Médica, 64(1). https://doi.org/DOI: https://doi.org/10.11144/Javeriana.umed64-1.edpi
- [45] Marraccini, M. E., Ingram, K. M., Naser, S. C., Grapin, S. L., Toole, E. N., Neill, J.

- C. O., Chin, A. J., Jr, R. R. M., & Griffin, D. (2022). The roles of school in supporting LGBTQ + youth: A systematic review and ecological framework for understanding risk for suicide-related thoughts and behaviors. Journal of School Psychology, 91, 27–49.
- [46] Mcdermott, E., Eastham, R., Hughes, E., Pattinson, E., Johnson, K., Davis, S., Pryjmachuk, S., Mateus, C., & Jenzen, O. (2021). SSM Mental Health Explaining effective mental health support for LGBTQ þ youth: A meta-narrative review. SSM Mental Health, 1(January), 100004. https://doi.org/10.1016/j.ssmmh.2021.100
 - https://doi.org/10.1016/j.ssmmh.2021.100 004
- [47] Mclaren, S., & Castillo, P. (2021). The Relationship between a Sense Belonging to the LGBTIQ + Community, Internalized Heterosexism Depressive Symptoms among Bisexual Lesbian Women. Journal of 1-23.Bisexuality, 21(1),https://doi.org/10.1080/15299716.2020.18 62726
- [48] McLoughlin, A., Sadath, A., McMahon, E., Kavalidou, K., & Malone, K. (2022). Associations between humiliation, shame, self-harm and suicidal behaviours among adolescents and young adults: A systematic review protocol. PLoS ONE, 17(11 November), 1–10. https://doi.org/10.1371/journal.pone.02781 22
- [49] Mendoza-Perez, J., & Ortiz-Hernandez, L. (2021). Association Between Overt and Subtle Experiences of Discrimination and Violence and Mental Health in Homosexual and Bisexual Men in Mexico. Journal of Interpersonal Violence, 36(23–24), NP12686–NP12707. https://doi.org/10.1177/088626051989842
- [50] Mendoza-Pérez, J., & Ortiz-Hernandez, L. (2021). Association Between Overt and Subtle Experiences of Discrimination and Violence and Mental Health in Homosexual and Bisexual Men in Mexico. Journal of Interpersonal Violence, 36(23– 24), NP12686–NP12707.

- https://doi.org/10.1177/088626051989842
- [51] Moagi, M. M., van Der Wath, A. E., Jiyane, P. M., & Rikhotso, R. S. (2021). Mental health challenges of Lesbian, gay, bisexual and transgender people: An integrated literature review. Health SA Gesondheid, 26, 1–12. https://doi.org/10.4102/hsag.v26i0.1487
- [52] Nowaskie, D. (2020). A national survey of U.S. psychiatry residents' LGBT cultural competency: The importance of LGBT patient exposure and formal education. Journal of Gay and Lesbian Mental Health, 24(4), 375–391. https://doi.org/10.1080/19359705.2020.17 74848
- [53] Organización de las Naciones Unidas. (2014). La protección internacional de las personas LGBTI. ACNUR, 1–47.
- [54] Pachankis, J., Williams, S., Behari, K., Job, S., McConocha, E., & Chaudoir, S. (2020). Brief online interventions for voung LGBTO adult mental behavioral health: Α randomized controlled trial in a high-stigma. Journal of Consulting and Clinical Psychology, 88(5), 429-444. https://doi.org/10.1037/ccp0000497
- [55] Page, M., McKenzie, J., & Bossuyt, P. (2021). Declaración PRISMA 2020: Una guía actualizada para la publicación de las revisiones sistemáticas. Revista Espanola de Cardiologia, 74(9), 790–799. https://doi.org/10.1016/j.recesp.2021.06.0 16
- [56] Page, M., McKenzie, J., Bossuyt, P., & Boutron, I. (2022). Declaración PRISMA 2020: una guía actualizada para la publicación de revisiones sistemáticas. Revista Espanola de Cardiologia, 75(2), 192. https://doi.org/10.1016/j.recesp.2021.10.0
- [57] Poland, S., & Ferguson, S. (2022). Youth suicide in the school context. Aggression and Violent Behavior, 64(July 2020), 101579.
 - https://doi.org/10.1016/j.avb.2021.101579
- [58] Pollitt, A. M., Ioverno, S., Russell, S. T., Li, G., & Grossman, A. H. (2021).

- Predictors and mental health benefits of chosen name use among transgender youth. Journals Sage Pub, 53(2), 320–340. https://doi.org/10.1177/0044118X1985589
- [59] Price, M., Polk, W., Hill, N. E., Liang, B., & Perella, J. (2019). The intersectionality identity-based victimization Adolescence: A person-centered examination of health mental academic achievement in a U.S. high school. Journal of Adolescence, 76(September), 185-196. https://doi.org/10.1016/j.adolescence.2019 .09.002
- [60] Ramirez, J., & Galupo, P. (2019). Multiple minority stress: The role of proximal and distal stress on mental health outcomes among lesbian, gay, and bisexual people of color. Journal of Gay and Lesbian Mental Health, 23(2), 145–167. https://doi.org/10.1080/19359705.2019.15 68946
- [61] Rees, S. N., Crowe, M., & Harris, S. (2021). The lesbian, gay, bisexual and transgender communities' mental health care needs and experiences of mental health services: An integrative review of qualitative studies. Journal of Psychiatric and Mental Health Nursing, 28(4), 578–589. https://doi.org/10.1111/jpm.12720
- [62] Rodriguez, M., Couto, M., & Díaz, N. (2015). Modelo salutogénico: enfoque positivo de la salud. Una revisión de la literatura. Acta Odontológica Venezolana, 53(3), 37–39. https://dialnet.unirioja.es/servlet/articulo?c odigo=6839522
- [63] Román-Lazart, V., & Álvarez, C. R. M. (2022). Association between the perception of violence according to the sex of birth and the context in which the LGBTI population lives, Peru. Gaceta Medica de Caracas, 130(3), 473–480. https://doi.org/10.47307/GMC.2022.130.3.
- [64] Ross, M. H., & Setchell, J. (2019). People who identify as LGBTIQ+ can experience assumptions, discomfort, some discrimination, and a lack of knowledge while attending physiotherapy: a survey.

- Journal of Physiotherapy, 65(2), 99–105. https://doi.org/10.1016/j.jphys.2019.02.00
- [65] Ryan, C., Toomey, R., Diaz, R., & Russell, S. (2020). Parent-Initiated sexual orientation change efforts with LGBT adolescents: implications for young adult mental health and adjustment. Journal of Homosexuality, 67(2), 159–173. https://doi.org/10.1080/00918369.2018.15 38407
- [66] Saldarriaga, J. (2021). La exclusión y discriminación de adolescentes con identidades de género en tránsito no heteronormativas en los contextos educativos: Otra forma de desprecio de género: Vol. I (Editorial, Issue October 2019). https://www.researchgate.net/publication/3 57884743
- [67] Schmitz, R. M., Robinson, B. A., Tabler, J., Welch, B., & Rafaqut, S. (2020). LGBTQ+ Latino/a Young People's Interpretations of Stigma and Mental Health: An Intersectional Minority Stress Perspective. Society and Mental Health, 10(2), 163–179. https://doi.org/10.1177/215686931984724 8
- [68] Seehuus, M., Moeller, R. W., & Peisch, V. (2021). Gender effects on mental health symptoms and treatment in college students. Journal of American College Health, 69(1), 95–102. https://doi.org/10.1080/07448481.2019.16 56217
- [69] Smith-Millman, M., Harrison, S., Pierce, L., & Flaspohler, P. (2019). "Ready, willing, and able": Predictors of school mental health providers' competency in working with LGBTQ youth. Journal of LGBT Youth, 16(4), 380–402. https://doi.org/10.1080/19361653.2019.15 80659
- [70] Snyder, H. (2019). Literature review as a research methodology: An overview and guidelines. Journal of Business Research, 104(March), 333–339. https://doi.org/10.1016/j.jbusres.2019.07.0 39

- [71] Tan, K. K. H. (2022). It's Time to Consider LGBTQ-Affirmative Psychology in Malaysia. Journal of Psychosexual Health, 4(1), 43–48. https://doi.org/10.1177/263183182110604
- [72] Taruvinga, Z.----M., Mushayamunda, M., & Taruvinga, M. (2018). Homosexuality as a silent insider: a call for social work discourse among Lesbians, Gays and Bisexuals (LGB) in Zimbabwe. Journal of African Studies, 7(2), 23–38.
- [73] Torres-Fonseca, A., & López-Hernández, D. (2015). Criterios para publicar artículos de revisión sistemática. Revista de Especialidades Médico-Quirúrgicas, 19(3), 393–399.
- [74] Urrútia, G., & Bonfill, X. (2010). Declaración PRISMA: una propuesta para mejorar la publicaicón de resiviones sistemáticas y metaanálisis. In Medicina Clínica (pp. 507–511).
- [75] Walls, N. E., Atteberry-Ash, B., Kattari, S. K., Peitzmeier, S., Kattari, L., & Langenderfer-Magruder, L. (2019). Gender identity, sexual orientation, mental health, and bullying as predictors of partner violence in a representative sample of youth. Journal of Adolescent Health, 64(1), 86–92. https://doi.org/10.1016/j.jadohealth.2018.0 8.011
- [76] Whitaker, L., Smith, F. L., Brasier, C., & Petrakis, M. (2021). Engaging with transformative paradigms in mental health. International Journal Environmental Research and Public Health, 18. https://doi.org/https://doi.org/10.3390/ijerph18189504
- [77] Williams, J., Arcelus, J., Townsend, E., & Michail, M. (2019). Examining risk factors for self-harm and suicide in LGBTQ+ young people: A systematic review protocol. BMJ Open, 9(11), 1–6. https://doi.org/10.1136/bmjopen-2019-031541
- [78] Zapata-Ospina, J., Patiño-Lugo, D., Vélez, C. M., Campos-Ortiz, S., Madrid-Martínez, P., Pemberthy-Quintero, S., Pérez-Gutiérrez, A., Ramírez-Pérez, P., & Vélez-Marín, V. (2021). Mental health

interventions for college and university students during the COVID-19 pandemic: a critical synthesis of the literature. Revista Colombiana de Psiquiatria, 50(3), 199–213.

https://doi.org/10.1016/j.rcp.2021.04.007