


Neotropical Helminthology, 2017, 11(1), jan-jun: 187-282.



REVIEW ARTICLE/ ARTÍCULO DE REVISIÓN

CHECKLIST OF BRAZILIAN CESTODA

LISTA DE CESTODA DO BRASIL

Marcia C. N. Justo¹, Berenice M.M. Fernandes¹, Marcelo Knoff², Melissa Q. Cárdenes¹ & Simone C. Cohen¹

¹Laboratório de Helmintos Parasitos de Peixes, Instituto Oswaldo Cruz, FIOCRUZ,
Avenida Brasil, 4365, Rio de Janeiro, RJ, Brazil, 21040-900

²Laboratório de Helmintos Parasitos de Vertebrados, Instituto Oswaldo Cruz, FIOCRUZ,
Avenida Brasil, 4365, Rio de Janeiro, RJ, Brazil, 21040-900

ABSTRACT

A complete list of 432 species of Cestoda that have been described and/or reported in Brazil is presented. They are distributed across 15 orders and 36 families; 50 species are unidentified and 9 are considered to be *species inquirenda*. Among fish, *Zungaro zungaro* (Humbolt in Hymbolt & Valenciennes, 1821) was the most parasitized host (with 18 species of cestodes); among amphibians, it was *Rhinella icterica* Spix, 1824, with 3 species; and on reptiles, it was *Bothrops jararaca* (Wied-Neuwied, 1824), with 7 species. Among birds, *Gallus gallus* (Linnaeus, 1758) presented the largest number of associations with cestodes including 13 species reported in Brazil; and considering mammals, *Homo sapiens* presented 13 different species. Few representatives of cestode species were reported from invertebrates. The small number of parasitic helminths described is probably due to under-sampling of potential hosts, along with the small number of experts on the taxonomy of parasites.

Key words: Brazil – Cestoda – checklist – invertebrates – vertebrates

RESUMEN

Se presenta una lista completa de las 432 especies de Cestoda que se han descrito y / o registrados en Brasil. Se distribuyen a través de 15 órdenes y 36 familias; 50 especies no fueron identificadas y 9 se consideran *species inquirenda*. Entre los peces, *Zungaro zungaro* (Humboldt in Humboldt & Valenciennes, 1821) fue el hospedador que fue más parasitadas (con 18 especies de cestodos); entre los anfibios, fue *Rhinella icterica* Spix, 1824, con 3 especies; y entre los reptiles, fue *Bothrops jararaca* (Wied-Neuwied, 1824), con 7 especies. Entre las aves, *Gallus gallus* (Linnaeus, 1758) presentó el mayor numero de asociaciones con cestodos, de tal manera que 13 especies se han registrado en Brasil y teniendo en cuenta los mamíferos, *Homo sapiens* (Linnaeus, 1758) presentan 13 especies diferentes. Pocos representantes de estas especies de cestode se reportaran de invertebrados. El pequeño número de los helmintos parásitos descritos es probablemente debido al submuestreo de hospedadores potenciales, junto con el pequeño número de expertos en la taxonomía de los parásitos.

Palabras clave: Brazil – Cestoda – invertebrates – lista – vertebrates

INTRODUCTION

The class Cestoda are endoparasitic platyhelminths that spend their adult phase in the digestive system of their definitive hosts. Larval stages can be found in different microhabitats within their intermediate hosts (musculature, visceral cavity and internal organs). The main character of the class is the absence of a digestive system (Pavanelli *et al.*, 2013).

The name Cestoda was put forward by Rudolphi (1819), who also assigned other groups of worms: Nematoda, Acanthocephala and Trematoda. Subsequently, the name Platyhelminthes was recognized, consisting of four classes: Turbellaria, Trematoda, Cestoda and Monogenoidea.

Studies on cestodes in Brazil began with Rudolphi (1819), who described the material collected by Olfers and Natterer. Subsequently, Diesing and Fuhrmann also described many new species based on this material, which had been deposited in European museums.

Travassos (1965) published a list of cestodes parasitizing domestic and wild hosts in Brazil, which included 271 species. Rêgo (1973) published a monograph complementing the work of Travassos (1965) and providing a list of species,

diagnoses of taxa and figures of Brazilian cestodes that are parasites of fishes, amphibians and reptiles.

Costa *et al.* (1986) published a list of helminth parasites of domestic animals in Brazil, with their geographical distribution in different states and references.

Several studies have been published over the last few years concerning the distribution of helminths, including cestodes, in different host groups, comprising the following checklists: helminth parasites of threatened vertebrate species in Brazil (Muniz-Pereira *et al.*, 2009); helminth parasites of freshwater fish in the Neotropical region (Thatcher, 2006; Eiras *et al.*, 2010); helminths of amphibia (Campião *et al.*, 2014a); helminth parasites of South American bats (Santos & Gibson, 2015), and cestodes parasites of South American fishes (Alves *et al.*, 2017), among others.

Several authors have been studied cestodes since the publication of Travassos (1965), describing and reporting on new and known species from wild, domestic and human hosts, such as Amilcar A. Rêgo, Alain de Chambrier, Daniel R. Brooks, Delir C. Gomes, Fernando L. Marques, Gilberto C. Pavanelli, Joaber Pereira Junior, Marcelo Knoff, Reinalda M. Lanfredi, Ricardo M. Takemoto, Roberto M. Pinto and Sérgio C. São Clemente.

The systematics of the Cestoda has undergone remarkable changes since the paper by Brooks in the 1990s. This study was the first to apply cladistics in order to develop a preliminary phylogenetic analysis on the major lineages and orders of the Eucestoda (Brooks *et al.*, 1991), based on morphological characters. Khalil *et al.* (1994) recognized 12 orders of Eucestoda, what was confirmed by Hoberg *et al.* (1997), who proposed phylogeny based on morphology and ontogenetic evidence, with a review of all previous concepts of phylogenetic relationships. Molecular phylogenetic studies started with papers of Mariaux (1998) and Hoberg *et al.* (1999) and are still being developed today, with the aim of clarifying this fascinating and enigmatic group of parasites (e.g. Caira *et al.*, 2014, de Chambrier *et al.*, 2015).

Most of the researchers working on cestodes have been meeting at international symposia since 1993 (such as the International Workshops for Tapeworm Systematics), with the aim of creating a broad and cooperative international research program addressing significant questions within systematics. As one of the main goals of the International PBI project (Planetary Biodiversity Inventory: a survey of Tapeworms from Vertebrate Bowels of the Earth, a Global Cestode Database (2012) was discussed at the 8th International Workshop for Cestode Systematics and Phylogeny, held in Brazil in 2014, for use in studies on cestodes.

In the present paper, we have attempted to present a complete list of cestodes that have been described and/or reported in Brazil, taxonomically updated based on the Global Cestode Database (2012). The aim was to bring together in one paper all the published reports based on original records and some that were published in journals that are not easily available to scientists in other regions of the globe.

MATERIAL AND METHODS

The order, family, genus and parasite species are presented in alphabetical order. For each parasite species listed, the following information is provided: current scientific name, including

author(s) and date(s), followed by updated scientific name of host species, with original host record name in parentheses (when changed), site and locality in Brazil (when available), records and remarks. Species described or reported in Brazil with different names are noted in the remarks. No attempt has been made to systematically evaluate the validity of the published records.

The classification of the Cestoda used in this study was based mainly on the Global Cestode Database (2012) and on specific papers. The valid names adopted for host species follow Marshall & Gofas (2015), Sartori & Rosenberg (2014) and Gofas (2010) for Mollusca, Cruz *et al.* (2016) for Coleoptera and Pape & Thompson (2013) for Diptera, Froese & Pauly (2016) for fish, Frost (2016) for amphibians, Uetz & Hosek (1995) for reptiles, Lepage & Warnier (2014) for birds and Wilson & Reeder (2005) for mammals. Sometimes the names of the host do not correspond to the author's reference, which is cited in parentheses.

A host-parasite list is presented. The hosts are listed within the phylum and subclasses in the families and species in alphabetical order, followed by their cestode parasites. Host names not found at web.org are cited as in the original reference.

Parasite species referred in theses and scientific meetings do not constitute formal publications and are, consequently, not taken into consideration here, unless they have been cited in published checklists or catalogues. Some papers were not available and, consequently, were not included here. The terminology for larval cestodes was based on Chervy (2002).

RESULTS

CLASS CESTODA

ORDER AMPHILINIDEA Poche, 1922

SCHIZOCHOERIDAE Poche, 1922

Schizoochoerus Poche, 1922

Schizoochoerus janickii (Poche, 1922) Bandoni & Brooks, 1987

Host: *Arapaima gigas*.

Site: General cavity.

Locality: Pará.

Record: Poche (1922), Rêgo *et al.* (1974).
 Remarks: Referred as *Nesolecithus janicki* by Rêgo *et al.* (1974).
Schizochoerus liguloides (Diesing, 1850) Poche, 1922
 Host: *Arapaima gigas*.
 Site: General cavity.
 Locality: Amazonas, Pará.
 Records: Diesing (1850), Poche (1922), Rêgo *et al.* (1974).
 Remarks: Referred as *Monostomum liguloideum* by Diesing (1850).

ORDER BOTHRIOCEPHALIDEA Kuchta, Scholz, Brabec & Bray, 2008

BOTHRIOCEPHALIDAE Blanchard, 1849

Bothriocephalus Rudolphi, 1808

Bothriocephalus cuspidatus Cooper, 1917
 Host: *Cichla monoculus*.
 Site: Intestine.
 Locality: São Paulo.
 Record: Müller *et al.* (2008).

Senga Dollfus, 1934

Senga sp.

Host: *Astyanax scabripinnis*.
 Site: Not cited.
 Locality: São Paulo.
 Record: Rêgo (1997).

TRIAENOPHORIDAE Lönnberg, 1889

Anchistrocephalus microcephalus (Rudolphi, 1819) Monticelli, 1890
 Host: *Mola mola*.
 Site: Intestine.
 Locality: São Paulo.
 Record: Mendes (1944).
 Remarks: Reported as *Amphigonophorus carvalhoi* by Mendes (1944).
Anonchocephalus chilensis (Riggenbach, 1896) Lühe, 1902
 Host: *Genypterus brasiliensis*.
 Site: Intestine.
 Locality: Rio Grande do Sul.
 Record: Pereira Jr. (2000).

ORDER CARYOPHYLLIDEA van Beneden, 1893

Caryophyllidea gen. sp.
 Host: *Geophagus brasiliensis*.
 Site: Intestine.
 Locality: Paraná.

Record: Bellay *et al.* (2012).

ORDER CYCLOPHYLLIDEA Braun, 1900

AMABILIIDAE Braun, 1900

Laterorchites Fuhrmann, 1932

Laterorchites bilateralis (Fuhrmann, 1908)

Fuhrmann, 1932

Host: *Tachybaptus dominicus* (= *Podiceps dominicus*).
 Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Remarks: Referred as *Choanotaenia bilateralis* by Fuhrmann (1908a).

Tatria Kowalewski, 1904

Tatria appendiculata Fuhrmann, 1908

Host: *Tachybaptus dominicus* (= *Podiceps dominicus*).
 Site: Not cited.

Locality: Brazil.

Records: Fuhrmann (1908a), Vasileva *et al.* (2003).

ANOPLOCEPHALIDAE Blanchard, 1891

Anoplocephala Blanchard, 1848

Anoplocephala magna (Abildgaard in Müller, 1789) Sprengel, 1905

Host: *Equus caballus*.

Sites: Faeces, intestine.

Localities: Minas Gerais, Paraná, Rio Grande do Sul, Rio de Janeiro, São Paulo.

Records: Gandra (1943), Almeida & Moussatche (1946) *apud* Costa *et al.* (1986), Giovannoni & Kubiak (1947), Gloss (1956), Freire (1958, 1967b), Dacorso Filho *et al.* (1961), Dupont (1961) *apud* Costa *et al.* (1986), Amaral & Macruz (1967), Vasconcelos & Macruz (1973), Duarte (1981), Faleiros *et al.* (2000), Martins *et al.* (2002), Sangioni *et al.* (2009), Teixeira *et al.* (2014).

Anoplocephala perfoliata (Goeze, 1782)

Blanchard, 1848

Hosts: *Equus asinus*, *E. caballus*, mules.

Sites: Caecum, colon, faeces, small intestine.

Localities: Bahia, Ceará, Mato Grosso, Minas Gerais, Pará, Paraná, Pernambuco, Rio Grande do Sul, Rio de Janeiro, São Paulo.

Records: Horta (1916, 1918), Pinto & Almeida (1935), Carvalho (1940), Freire (1943) *apud* Freitas & Costa (1959), Pinto & Almeida (1945) *apud* Freitas & Costa (1959), Corrêa (1947, 1952), Giovannoni & Kubiak (1947), Freire & Di Primo

(1948), Freitas (1957), Freire (1958), Dacorso Filho *et al.* (1961), Fernandes (1961) *apud* Costa *et al.* (1986), Silva (1961) *apud* Costa *et al.* (1986), Costa & Freitas (1963), Vasconcelos & Macruz (1973), Fernandes & Travassos (1976), Melo & Ribeiro (1977), Costa *et al.* (1979b), Duarte (1981), Cabral *et al.* (1997), Martins *et al.* (2002), Sangioni *et al.* (2009), Teixeira *et al.* (2014).

Bertiella Stiles & Hassall, 1902

Bertiella mucronata (Meyner, 1895) Stiles & Hassall, 1902

Hosts: *Alouatta guariba clamitans*, *Homo sapiens*. Site: Faeces.

Locality: Santa Catarina.

Records: Costa *et al.* (1967), Souza Junior *et al.* (2008).

Bertiella studeri (Blanchard, 1891) Stiles & Hassall, 1902

Host: *Homo sapiens*.

Site: Stool sample.

Locality: Minas Gerais.

Reference: Lopes *et al.* (2015).

Bertiella sp.

Host: *Homo sapiens*.

Site: Faeces.

Localities: Ceará, Goiás, Minas Gerais, Pará.

Records: Paçô *et al.* (2003), Silva *et al.* (2011b), Furtado *et al.* (2012).

Equinia Haukisalmi, 2009

Equinia mamillana (Mehlis in Gurlt, 1831)

Haukisalmi, 2009

Hosts: Equines, *Equus caballus*, mules, *Tapirus terrestris*.

Site: Intestine.

Localities: Minas Gerais, Pará, Pernambuco, Rio Grande do Sul, Rio de Janeiro, São Paulo.

Records: Freitas (1945) *apud* Freitas & Costa (1959), Freitas (1946, 1957), Corrêa (1947), Dacorso Filho *et al.* (1961), Fernandes (1961) *apud* Costa *et al.* (1986), Costa & Freitas (1963), Travassos (1965), Costa *et al.* (1979b), Duarte (1981), Martins *et al.* (2002), Muniz-Pereira *et al.* (2009).

Remarks: Referred as *Anoplocephala mamillana* by Travassos (1965) and Muniz-Pereira *et al.* (2009), as *Anoplocephaloidea mamillana* by Martins *et al.* (2002) and as *Paranoplocephala mamillana* by Freitas (1945) *apud* Freitas & Costa (1959), Freitas (1946, 1957), Corrêa (1947), Dacorso Filho *et al.* (1961), Fernandes (1961) *apud* Costa *et al.* (1986), Costa & Freitas (1963), Duarte (1981).

Flabellloskrjabinia Spassky, 1951

Flabellloskrjabinia globiceps (Diesing, 1856)

Spassky, 1951 (*species inquirenda*)

Host: *Tapirus terrestris*.

Site: Not cited.

Record: Diesing (1856).

Remarks: Referred as *Taenia globiceps* by Diesing (1856).

Mathevotaenia Akhumyan, 1946

Mathevotaenia bivittata (Janicki, 1904) Yamaguti, 1959

Hosts: *Didelphis albiventris*, *D. marsupialis*, *D. marsupialis marsupialis*, *Marmosa murina*, *Metachirus nudicaudatus*, *Philander opossum*.

Site: Small intestine.

Localities: Espírito Santo, Mato Grosso do Sul, Pará, Rio de Janeiro.

Records: Travassos (1965), Pereira & Machado-Filho (1968), Santos (1968), Pinto & Gomes (1976), Gomes (1979).

Mathevotaenia immatura Rêgo, 1963

Host: *Glossophaga soricina*.

Site: Small intestine.

Locality: Pará.

Record: Rêgo (1963).

Mathevotaenia marmosae (Beddard, 1914)

Spassky, 1951

Host: *Thylamys elegans* (=*Marmosa elegans*).

Site: Not cited.

Locality: Not cited.

Record: Beddard (1914).

Remarks: Referred as *Ochoristica marmosae* by Beddard (1914).

Mathevotaenia megastoma (Diesing, 1850)

Spasskii, 1951.

Hosts: *Alouatta belzebul*, *A. caraya*, *Brachyteles arachnoides*, *Callicebus (Callicebus) caligatus*, *C. (C.) personatus*, *C. (Torquatus) torquatus*, *Cebus paella*, *C. nigritus*, *Callichthrix (Mico) melanura* (=*Mico melanurus*), *Saguinus bicolor*, *S. midas*.

Site: Small intestine.

Localities: Amazonas, Paraná, Rio de Janeiro.

Records: Diesing (1850, 1856), Muniz-Pereira *et al.* (2009), Stiles *et al.* (1929), Travassos (1965).

Mathevotaenia tetragonocephala (Bremser in Diesing, 1856) Spassky, 1951

Host: *Myrmecophaga tridactyla*.

Site: Not cited.

Locality: Minas Gerais.

Record: Frank *et al.* (2012).

Remarks: Referred as *Oochoristica tetragonocephala* by Frank et al. (2012).

***Mathevotaenia* sp.**

Hosts: *Dasyurus novemcinctus*, *Holochilus brasiliensis nanus* (=*H. nanus*).

Site: Small intestine.

Localities: Pará, Rio Grande do Sul.

Records: Rêgo (1967a), Gomes et al. (2012b).

***Moniezia* Blanchard, 1891**

***Moniezia benedeni* (Moniez, 1879) Blanchard, 1891**

Hosts: *Bos taurus*, *B. taurus indicus* (=*B. indicus*), *Bubalus bubalis*, Calves, *Capra hircus*, *Ovis aries*, *Pecari tajacu* (=*Tayassu tajacu*).

Site: Small intestine.

Localities: Bahia, Goiás, Maranhão, Mato Grosso, Minas Gerais, Paraná, Piauí, Rio Grande do Sul, Rio de Janeiro, São Paulo.

Records: Travassos et al. (1927), Pinto & Almeida (1935), Carvalho (1940), Pinto & Almeida (1945) apud Freitas & Costa (1959), Giovannoni & Kubiak (1947), Freire & Di Primo (1948), Freitas (1957), Freire (1958, 1967b), Birgel et al. (1965), Costa et al. (1970, 1971, 1973, 1978), Freitas & Costa (1970), Brust (1974), Guimarães et al. (1976), Melo & Ribeiro (1977), Carneiro et al. (1979b), Costa et al. (1979a), Marques Junior (1980) apud Costa et al. (1986), Duarte (1981), Duarte et al. (1982), Busetti et al. (1983a,b), Neto & Thatcher (1986), Silva-Santos et al. (1994), Borges et al. (2001), Neto & Fonseca (2002).

***Moniezia expansa* (Rudolphi, 1810)**

Blanchard, 1891

Hosts: *Bos taurus*, *B. taurus indicus* (=*B. indicus*), *Bubalus bubalis*, *Capra hircus*, *Ovis aries*.

Sites: Small intestine, stomach.

Localities: Bahia, Ceará, Goiás, Maranhão, Mato Grosso, Minas Gerais, Paraná, Pernambuco, Piauí, Rio Grande do Norte, Rio Grande do Sul, Rio de Janeiro, São Paulo.

Records: Travassos et al. (1927), Pinto & Almeida (1935), Carvalho (1940), Freire (1943) apud Freitas & Costa (1959), Pinto (1944), Pinto & Almeida (1945) apud Freitas & Costa (1959), Giovannoni & Kubiak (1947), Freire & Di Primo (1948), Freitas (1957), Freire (1958, 1967a), Freitas & Costa (1969), Costa et al. (1971), Grisi (1975), Lopes et al. (1975), Martins Junior & Freitas (1975), Fernandes & Travassos (1976), Santiago et al. (1976), Melo & Ribeiro (1977), Carneiro et al. (1980), Lima & Cardoso (1980),

Duarte (1981), Busetti et al. (1983a), Fagonde Costa et al. (1985) apud Costa et al. (1986), Fonseca et al. (2013), Silva et al. (2014).

***Moniezia rugosa* (Diesing, 1850) Lühe, 1895**

Hosts: *Alouatta caraya*, *Brachyteles arachnoides*, *B. hypoxanthus*

Site: Small intestine

Records: Diesing (1850), Travassos (1965), Muniz-Pereira et al. (2009).

***Moniezia* sp.**

Hosts: *Bos taurus*, *B. taurus indicus* (=*B. indicus*), *Bubalus bubalis*, *Capra hircus*, *Ovis aries*.

Site: Small intestine.

Localities: Bahia, Ceará, Espírito Santo, Maranhão, Pará, Pernambuco, Rio Grande do Norte, Rio Grande do Sul, Roraima, Santa Catarina, São Paulo.

Records: Corrêa (1952), Amaral (1962), Travassos & Freitas (1964), Batista Neto & Brust (1978) apud Costa et al. (1986), Costa et al. (1979b), Fagonde Costa et al. (1985) apud Costa et al. (1986), Braga & Girardi (1991), Martins Filho & Menezes (2001), Lima et al. (2003), Repossi-Junior et al. (2006), Brito et al. (2009).

***Monoeococestus* Beddard, 1914**

***Monoeococestus decrescens* (Diesing, 1856)**

Fuhrmann, 1932

Hosts: *Tayassu pecari albirostris* (=*Dicotyles albirostris*, *D. torquatus*, *Tayassus* (*Dicotyles*) *albirostris*).

Site: Not cited.

Locality: Mato Grosso.

Record: Diesing (1856).

Remarks: Referred as *Taenia decrescens* by Diesing (1856).

***Monoeococestus hagmanni* (Janicki, 1904) Freeman, 1949**

Host: *Hydrochoerus hydrochaeris* (=*H. hydrochoeris*).

Sites: Gastrointestinal segments, intestine.

Localities: Mato Grosso, Mato Grosso do Sul, Rio de Janeiro, Santa Catarina, São Paulo.

Records: Rêgo (1961), Fagonde & Batista (1994), Bonuti et al. (2002), Sinkoc et al. (2004).

***Monoeococestus hydrochoeri* (Baylis, 1928) Spassky, 1951**

Host: *Hydrochoerus hydrochaeris*.

Sites: Gastrointestinal segments, intestine.

Localities: Mato Grosso, Mato Grosso do Sul, Paraná, Rio Grande do Sul, Rio de Janeiro, São Paulo.

Records: Rêgo (1961), Fagonde & Batista (1994),

- Bonuti *et al.* (2002), Sinkoc *et al.* (2004, 2009), Souza *et al.* (2015).
- Monoecocestus jacobi*** Sinkoc, Brum & Müller, 1998
Host: *Hydrochoerus hydrochaeris*.
Site: Small intestine.
Locality: Rio Grande do Sul.
Records: Sinkoc *et al.* (1998, 2009).
- Monoecocestus machadoi*** (Rêgo, 1964)
Beveridge, 1994
Host: *Proechimys guyannensis oris*.
Site: Small intestine.
Locality: Pará.
Record: Rêgo (1964).
Remarks: Referred as *Lentiella machadoi* by Rêgo (1964).
- Monoecocestus macrobursatum*** Rêgo, 1961
Host: *Hydrochoerus hydrochaeris*.
Sites: Gastrointestinal segments, small intestine.
Localities: Mato Grosso, Mato Grosso do Sul, Paraná, Rio de Janeiro.
Records: Rêgo (1961), Bonuti *et al.* (2002), Souza *et al.* (2015).
- Monoecocestus minor*** Rêgo, 1960
Host: *Cavia aperea*.
Site: Small intestine.
Locality: Rio de Janeiro.
Records: Rêgo (1960, 1961).
- Monoecocestus parcitesticulatus*** Rêgo, 1960
Hosts: *Cavia aperea*, *C. porcellus*.
Site: Small intestine.
Locality: Rio de Janeiro.
Records: Rêgo (1960, 1961), Pinto *et al.* (2002).
- Monoecocestus* sp. (immature form)**
Host: *Hydrochoerus hydrochaeris*.
Site: Gastrointestinal segments.
Localities: Mato Grosso do Sul, Paraná.
Records: Bonuti *et al.* (2002), Souza *et al.* (2015).
- Oochoristica*** Lühe, 1898
- Oochoristica ameivae*** (Beddard, 1914) Baer, 1924
Hosts: *Ameiva ameiva*, *Ameivula nativo* (= *Cnemidophorus nativo*), *Brasiliscincus agilis* (= *Mabuya agilis*), *Psychosaura macrohyncha* (= *Mabuya macrorhyncha*).
Sites: Small intestine, stomach.
Localities: Amapá, Amazonas, Bahia, Espírito Santo, Mato Grosso, Pará, Rio de Janeiro.
Records: Vicente & Santos (1971), Vicente (1978), Vrcibradic *et al.* (2001, 2002), Menezes *et al.* (2004), Ávila & Silva (2013).
- Oochoristica bresslaui*** Fuhrmann, 1927
Host: *Tropidurus hispidus* (= *Tropidurus torquatus hispidus*).
Site: Small intestine.
Localities: Bahia, Pará, Paraná, Rio de Janeiro.
Records: Fuhrmann (1927), Rêgo & Rodrigues (1965), Kleemann (1981).
- Oochoristica freitasi*** Rêgo & Ibáñez, 1965
Host: *Cnemidophorus gramivagus*.
Site: Small intestine.
Locality: Pará.
Record: Goldberg *et al.* (2013).
- Oochoristica fuhrmanni*** Hughes, 1940
Host: *Ameiva ameiva*.
Site: Small intestine.
Localities: Amapá, Amazonas, Pará.
Records: Fuhrmann (1927), Vicente & Santos (1971), Pinto & Gomes (1976).
Remarks: Referred as *Oochoristica brasiliensis* by Fuhrmann (1927).
- Oochoristica noronhae*** Bursey, Rocha, Menezes, Ariani & Vrcibradic, 2010
Hosts: Noronha skink, *Trachylepis atlantica*.
Site: Small intestine.
Locality: Pernambuco.
Record: Bursey *et al.* (2010).
- Oochoristica travassosi*** Rêgo & Ibáñez, 1965
Hosts: *Amphisbaena ridleyi*, *Copeoglossum nigropunctatum* (= *Mabuya nigropunctata*), *Trachylepis atlantica*.
Site: Small intestine.
Localities: Pernambuco, Mato Grosso.
Records: Ramalho *et al.* (2009), Ávila & Silva (2011).
- Oochoristica vanzolinii*** Rêgo & Rodrigues, 1965
Hosts: *Eurolophosaurus nanuzae*, *Hemidactylus mabouia*, *Tropidurus hispidus* (= *T. torquatus*).
Site: Small intestine.
Localities: Mato Grosso, Minas Gerais, Rio de Janeiro.
Records: Rêgo & Rodrigues (1965), Fabio & Rolas (1974), Fontes *et al.* (2003), Ávila & Silva (2011).
- Oochoristica* sp.**
Hosts: *Hemidactylus mabouia*, *Phyllopezus pollicaris*, *Salvator merianae* (= *Tupinambis merianae*), *Tropidurus oreadicus*.
Site: Small intestine.
Localities: Goiás, Pernambuco.
Records: Ramalho *et al.* (2009), Ávila *et al.* (2011), Sousa *et al.* (2014).
- Paralinstowia*** Baer, 1927
- Paralinstowia iheringi*** (Zschokke, 1904) Baer, 1927
Hosts: *Didelphis albiventris*, *D. (Peramys)*

americana (=*Peramys americana*), *Didelphis tristriata*, *Monodelphis domestica*, *Philander opossum* (=*Metachirus opossum*, *Metachirops quica*), *Thylamys elegans* (=*Marmosa elegans*).

Site: Small intestine.

Localities: Pernambuco, Rio de Janeiro.

Records: Zschokke (1904), Gomes (1979).

Remarks: Referred as *Linstowia jheringi* by Zschokke (1904) and as *Linstowia (Paralinstowia) jheringi* by Gomes (1979). According to Gardner & Campbell (1992), the specific name was mistyped to "jheringi" by some authors.

Paronia Diamare, 1900

Paronia ambigua (Fuhrmann, 1902) Fuhrmann, 1918

Host: *Amazona amazonica* (=*Chrysotis amazonica*).

Site: Not cited.

Record: Fuhrmann (1902).

Remarks: Referred as *Moniezia ambigua* by Fuhrmann (1902).

Paronia variabilis (Fuhrmann, 1904) Fuhrmann, 1921

Host: *Ramphastos tucanus*.

Site: Small intestine.

Localities: Amazonas, Mato Grosso.

Records: Fuhrmann (1904), Pinto & Gomes (1976).

Remarks: Referred as *Moniezia variabilis* by Fuhrmann (1904).

Semenoviella Spassky, 1951

Semenoviella amphisbaenae (Rudolphi, 1819)

Spassky 1951

Hosts: *Amphisbaena alba*, *A. caiari* (=*A. fuliginosa alba*).

Site: Not cited.

Localities: Pará, São Paulo.

Record: Rêgo (1967c).

Thysanosoma Diesing, 1834

Thysanosoma actinoides Diesing, 1834

Host: *Ovis aries*.

Sites: Bile ducts, small intestine.

Locality: Rio Grande do Sul.

Records: Freire (1951, 1955, 1967a).

Thysanotaenia Beddard, 1911

Thysanotaenia congoensis Dronen, Simcik, Scharninghausen & Pitts, 1999

Host: *Kerodon rupestris*.

Site: Not cited.

Locality: Rio Grande do Norte.

Record: Almeida et al. (2008).

CATENOTAENIIDAE Spassky, 1950

Quentinia Spassky, 1969

Quentinia mesovitellinica (Rêgo, 1967) Quentin, 1994

Host: *Galea spixii*.

Site: Small intestine.

Locality: Ceará.

Record: Rêgo (1967a).

Remarks: Referred as *Catenotaenia mesovitellinica* by Rêgo (1967a).

DAVAINEIDAE Braun, 1900

Chapmania Monticelli, 1893

Chapmania brachyrhyncha (Creplin, 1854) Monticelli, 1893

Host: *Chrysopilus auratus* (=*Dolicholophus cristatus*).

Site: Not cited.

Locality: Brazil.

Record: Creplin (1854).

Remarks: Referred as *Taenia brachyrhyncha* by Creplin (1854).

Chapmania tauricollis (Chapman, 1876)

Monticelli, 1893

Host: *Rhea americana*.

Site: Intestine.

Locality: Mato Grosso do Sul.

Record: Zettermann et al. (2005).

Davainea Blanchard 1891

Davainea proglottina (Davaine, 1860) Blanchard, 1891

Host: *Gallus gallus* (=*G. domesticus*).

Site: Small intestine.

Localities: Bahia, Maranhão, Minas Gerais, Pará, Pernambuco, Rio de Janeiro, São Paulo.

Records: Reis et al. (1934), Carvalho (1940), Freitas & Hipólito (1943) apud Freitas & Costa (1959), Freitas (1957), Costa & Freitas (1962), Martins Junior & Freitas (1975), Fernandes & Travassos (1976), Costa et al. (1979b), Bavia et al. (1980), Carneiro et al. (1980), Machado et al. (1980).

Davaineoides Fuhrmann, 1920

Davaineoides vigintivasus (Skrjabin, 1914)

Fuhrmann, 1920

Host: *Gallus gallus* (=*G. domesticus*).

Site: Small intestine.

Locality: Minas Gerais.

Records: Pinto & Almeida (1935), Carvalho (1940), Freitas & Hipólito (1943) apud Freitas & Costa (1959), Freitas (1957).

Fuhrmannetta Stiles & Orleman, 1926

Fuhrmannetta crassula (Rudolphi, 1819) Stiles & Orleman, 1926

Host: *Columba livia*.

Site: Small intestine.

Locality: Rio de Janeiro.

Record: Rolas (1976).

Remarks: Referred as *Raillietina* (*Fuhrmannetta*) *crassula* by Rolas (1976).

Fuhrmannetta elongata (Fuhrmann, 1908) Stiles & Orleman, 1926

Hosts: *Nothura maculosa*, *Rhynchotus rufescens*, *Taoniscus nanus* (= *Nothura media*), *Tinamus* sp.

Site: Not cited.

Locality: Rio de Janeiro.

Records: Fuhrmann (1908b), Pinto *et al.* (2006a).

Remarks: Referred as *Davainea* *elongata* by Fuhrmann (1908b).

Fuhrmannetta laticanalis (Skrjabin, 1914)

Fuhrmann, 1920

Hosts: *Dermestes ater*, *Gallus gallus* (= *G. gallus domesticus*), hyline birds.

Site: Small intestine.

Locality: São Paulo.

Records: Pinto & Almeida (1945) *apud* Freitas & Costa (1959), Avancini & Ueta (1990).

Houttuynia Fuhrmann, 1920

Houttuynia struthionis (Houttuyn, 1773)

Fuhrmann, 1920

Host: *Rhea americana*.

Site: Intestine.

Locality: Mato Grosso do Sul.

Record: Zettermann *et al.* (2005).

Idiogenes Krabbe, 1868

Idiogenes horridus Fuhrmann, 1908

Host: *Cariama cristata*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908b).

Multicotugnia López-Neyra, 1943

Multicotugnia brotogeriana (Meggitt, 1915) López-Neyra, 1943

Host: *Brotogeris tirica* (= *Brotogeris tirica*).

Site: Not cited.

Locality: Brazil.

Record: Meggitt (1915).

Ophryocotyloides Fuhrmann, 1920

Ophryocotyloides uniuterina (Fuhrmann, 1908)

Fuhrmann, 1920

Host: *Rupicola rupicola*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908b).

Remarks: Referred as *Davainea uniuterina* by Fuhrmann (1908b).

Paroniella Fuhrmann, 1920

Paroniella cruciata (Rudolphi, 1819) Fuhrmann, 1920

Hosts: *Dryocopus lineatus* (= *Picus lineatus*), *Picus canus* (= *Gecinus canus*).

Site: Not cited.

Locality: Brazil.

Record: Rudolphi (1819).

Remarks: Referred as *Taenia cruciata* by Rudolphi (1819).

Paroniella magninumida Jones, 1930

Host: *Numida meleagris*.

Site: Small intestine.

Locality: Rio de Janeiro.

Records: Menezes *et al.* (2001), Silva *et al.* (2005).

Remarks: Referred as *Raillietina* (*Paroniella*) *magninumida* by Menezes *et al.* (2001) and Silva *et al.* (2005).

Raillietina Fuhrmann, 1920

Raillietina* (*Raillietina*) *allomyodes (Kotlan, 1921) Fuhrmann, 1924

Hosts: *Columba livia*, *Zenaida auriculata*.

Site: Small intestine.

Localities: Paraná, Rio de Janeiro.

Records: Rolas (1976), Taroda *et al.* (2013).

Raillietina* (*Raillietina*) *alouattae Baylis, 1947

Hosts: *Alouatta macconnelli* (= *A. senicola straminea*), *A. seniculus*.

Site: Not cited.

Locality: Amapá.

Records: Pinto & Gomes (1976), Travassos (1965).

Raillietina* (*Raillietina*) *capillaris (Fuhrmann, 1909) Fuhrmann, 1924

Host: *Crypturellus* sp. (= *Crypturus* sp.).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908b).

Raillietina* (*Raillietina*) *crypturi (Fuhrmann, 1909) Fuhrmann, 1924

Host: *Crypturellus noctivagus* (= *Crypturus noctivagus*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908b).

Raillietina* (*Raillietina*) *demerariensis (Daniels, 1895) López-Neyra, 1931

Host: *Cuniculus paca*.

Site: Small intestine.

Locality: Espírito Santo.

Record: Rêgo (1967a).

- Raillietina (Raillietina) echinobothrida** (Mégnin, 1881) Fuhrmann, 1920
 Host: *Gallus gallus* (=*G. gallus domesticus*).
 Site: Small intestine.
 Localities: Bahia, Goiás, Maranhão, Mato Grosso, Minas Gerais, Pernambuco, São Paulo.
 Records: Pinto & Almeida (1935), Carvalho (1940), Freitas & Hipólito (1943) *apud* Freitas & Costa (1959), Freitas (1957), Freitas & Costa (1969), Grisi & Carvalho (1974), Fernandes & Travassos (1976), Melo & Ribeiro (1977), Carneiro et al. (1979a, 1980), Costa et al. (1979b), Bavia et al. (1980), Machado et al. (1980), Duarte (1981), Costa et al. (1986).
- Raillietina (Raillietina) frontina** (Dujardin, 1845) Fuhrmann, 1924
 Host: *Colaptes campestris*.
 Site: Cloaca.
 Localities: Espírito Santo, Minas Gerais.
 Records: Pinto & Noronha (1972), Aguiar et al. (2011).
- Raillietina (Raillietina) guaricanae** Cézar & Luz, 1993
 Host: *Oryzomys ratticeps*.
 Site: Small intestine.
 Locality: Paraná.
 Record: César & Luz (1993).
- Raillietina (Raillietina) leptacantha** (Fuhrmann, 1908) Fuhrmann, 1924
 Hosts: *Crax alector*, *C. fasciolata*.
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908b).
 Remarks: Referred as *Davainea leptacantha* by Fuhrmann (1908b).
- Raillietina (Raillietina) leptosoma** (Diesing, 1850) Fuhrmann, 1924
 Host: *Amazona aestiva* (=*Psittacus aestivus*).
 Site: Not cited.
 Locality: Brazil.
 Record: Diesing (1850).
 Remarks: Referred as *Taenia leptosoma* by Diesing (1850).
- Raillietina (Raillietina) lutzi** (Parona, 1901) Fuhrmann, 1924
 Hosts: *Celeus elegans*, *Dryocopus* sp. (=*Picus* sp.)
 Site: Not cited.
 Locality: Brazil.
 Record: Parona (1901).
 Remarks: Referred as *Davainea lutzi* by Parona (1901).
- Raillietina (Raillietina) macroscolecina** (Fuhrmann, 1908) Fuhrmann, 1924
 Hosts: *Butorides virescens*, *Lorius garrulus*, *Pionopsitta pileata* (=*Pionospittacus pileatus* (sic)).
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908b).
 Remarks: Referred as *Davainea macroscolecina* by Fuhrmann (1908b).
- Raillietina (Raillietina) penelopina** (Fuhrmann, 1908) Fuhrmann, 1924
 Host: *Penelope obscura*.
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908b).
 Remarks: Referred as *Davainea penelopina* by Fuhrmann (1908b).
- Raillietina (Raillietina) tetragona** (Molin, 1858) Fuhrmann, 1920
 Hosts: *Colaptes campestris*, *Gallus gallus* (=*G. gallus domesticus*), *Meleagris gallopavo domestica*.
 Sites: Cloaca, small intestine.
 Localities: Bahia, Espírito Santo, Goiás, Maranhão, Mato Grosso, Minas Gerais, Santa Catarina, São Paulo.
 Records: Reis et al. (1934), Pinto & Almeida (1935), Carvalho (1940), Freitas (1957), Freire (1958, 1967c), Freitas & Hipólito (1943) *apud* Freitas & Costa (1959), Freitas & Costa (1969), Grisi & Carvalho (1974), Martins Junior & Freitas (1975), Fernandes & Travassos (1976), Melo & Ribeiro (1977), Carneiro et al. (1979a, 1980), Costa et al. (1979b), Bavia et al. (1980), Machado et al. (1980), Duarte (1981), Viero (1984), Pinto et al. (2008), Aguiar et al. (2011), Melotti et al. (2012).
- Raillietina (Raillietina) trinitatae** (Cameron & Reesal, 1951) Baer & Sandars, 1956
 Hosts: *Cuniculus paca* (=*Agouti paca*), *Dasyprocta fuliginosa*, *Proechimys* sp.
 Site: Small intestine.
 Localities: Amazonas, Pará.
 Records: Rêgo (1964), Gonçalves et al. (2006).
- Raillietina (Raillietina) sp.**
 Hosts: *Dasyprocta azarae*, *Thrichomys apereoides* (=*Cercomys cunicularius*), *Thrichomys apereoides laurentius* (=*Cercomys laurentius*).
 Site: Small intestine.
 Localities: Mato Grosso, Pernambuco.
 Record: Rêgo (1967a).

Raillietina (Skrjabinia) bonini (Mégnin, 1899)
Fuhrmann, 1932

Host: *Columba livia*.

Site: Small intestine.

Localities: Goiás, Minas Gerais, Paraná, Rio de Janeiro, São Paulo.

Records: Freitas (1945) *apud* Freitas & Costa (1959), Giovannoni (1946), Giovannoni & Kubiak (1947), Giovannoni & Malheiro (1952), Freitas (1957), Martins Junior & Freitas (1975), Carneiro *et al.* (1980), Silva *et al.* (1990).

Raillietina (Skrjabinia) cesticillus (Molin, 1858)

Fuhrmann, 1920

Host: *Gallus gallus* (=*G. gallus domesticus*).

Site: Small intestine.

Localities: Bahia, Goiás, Maranhão, Mato Grosso, Minas Gerais, Santa Catarina, São Paulo.

Records: Freitas (1957), Costa & Freitas (1962), Martins Junior & Freitas (1975), Melo & Ribeiro (1977), Carneiro *et al.* (1979a, 1980), Bavia *et al.* (1980), Machado *et al.* (1980), Viero (1984).

Raillietina (Skrjabinia) magnicoronata

(Fuhrmann, 1908) Fuhrmann, 1920

Host: *Chordeiles nacunda* (=*Podager nacunda*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908b).

Remarks: Referred as *Davainea magnicoronata* by Fuhrmann (1908b).

Raillietina sp.

Hosts: *Amazona aestiva*, *Columba livia*, *Dasyprocta azarae*, *Gallus gallus* (=*G. domesticus*), *Mesomys hispidus* (=*Mesomys hispidus hispidus*), *Neacomys spinosus amoenus*, *Nectomys squamipes*, *Proechimys semispinosus amphichoricus*, *Thrichomys pachyurus*.

Sites: Gastrointestinal tract, small intestine.

Localities: Maranhão, Mato Grosso, Mato Grosso do Sul, Minas Gerais, Paraíba, Piauí, Rio de Janeiro, São Paulo.

Records: Costa & Freitas (1962), Pereira & Machado-Filho (1968), Carneiro *et al.* (1975), Costa *et al.* (1979b), Gomes & Vicente (1984), Oliveira *et al.* (2000), Maldonado *et al.* (2006), Simões *et al.* (2010), Melo *et al.* (2013).

DILEPIDIDAE Fuhrmann, 1907

Amoebotaenia Cohn, 1899

Amoebotaenia cuneata (von Linstow, 1872)

Cohn, 1899

Host: *Gallus gallus* (=*G. domesticus*).

Site: Small intestine.

Localities: Bahia, Goiás, Maranhão, Minas Gerais, Piauí, Rio de Janeiro, Santa Catarina, São Paulo.

Records: Reis *et al.* (1934), Pinto & Almeida (1935), Carvalho (1940), Freitas & Hipolito (1943) *apud* Freitas & Costa (1959), Freitas (1957), Costa & Freitas (1962), Martins Junior & Freitas (1975), Carneiro *et al.* (1979a, 1980), Bavia *et al.* (1980), Machado *et al.* (1980), Duarte (1981), Viero (1984).

Remarks: Referred as *Amoebotaenia sphenoides* by Reis *et al.* (1934), Pinto & Almeida (1935), Carvalho (1940), Freitas & Hipolito (1943) *apud* Freitas & Costa (1959) and Freitas (1957).

Anomotaenia Cohn, 1900

Anomotaenia aurita (Rudolphi, 1819)

Fuhrmann, 1908

Host: *Egretta caerulea* (=*Ardea caerulea*).

Site: Not cited.

Locality: Brazil.

Records: Rudolphi (1819), Fuhrmann (1908b).

Remarks: Referred as *Taenia aurita* by Rudolphi (1819).

Anomotaenia bacilligera (Krabbe, 1869)

Fuhrmann, 1908

Host: *Scolopax* sp.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908b).

Anomotaenia brasiliensis Fuhrmann, 1907

Hosts: *Trogon melanurus melanurus*, *T. surrucura*.

Site: Small intestine.

Locality: Amapá.

Records: Fuhrmann (1907), Pinto & Gomes (1976).

Anomotaenia cyathiformoides Fuhrmann, 1908

Host: *Cypseloides senex*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Anomotaenia isacantha Fuhrmann, 1908

Host: *Emberiza* sp.

Site: Not cited.

Locality: Brazil.

Records: Fuhrmann (1908a,b).

Anomotaenia paucitesticulata Fuhrmann, 1908

Host: *Cypseloides senex*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Anomotaenia penicillata Fuhrmann, 1908

Hosts: *Psarocolius viridis* (=*Ostinops viridis*), *P. yuracares* (=*Gymnostinops yuracarium*).

- Site: Not cited.
 Locality: Brazil.
 Records: Fuhrmann (1908a,b).
Anomotaenia secunda (Fuhrmann, 1907)
 Matevosyan, 1963
 Host: *Vanellus chilensis cayennensis*
 (= *Belenopterus cayennensis*).
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1907).
 Remarks: Referred as *Monopylidium secunda* by Fuhrmann (1907).
***Anomotaenia* sp.**
 Host: *Ardea cocoi*.
 Site: Intestine.
 Locality: Pará.
 Record: Arruda et al. (2001).
Choanotaenia Raillet, 1896
Choanotaenia asymmetrica Fuhrmann, 1908
 Host: *Antrostomus* sp. (= *Caprimulgus* sp.).
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908a).
Choanotaenia campanulata Fuhrmann, 1908
 Host: *Opisthocomus hoazin*.
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908a).
Choanotaenia cayennensis (Fuhrmann, 1907)
 Fuhrmann, 1932
 Host: *Vanellus chilensis cayennensis*
 (= *Belenopterus cayennensis*).
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1907).
Choanotaenia crassitestata Fuhrmann, 1908
 Host: *Pteroglossus inscriptus*.
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908a).
Choanotaenia infundibulum (Bloch, 1779)
 Railliet, 1896
 Hosts: *Dermestes ater*, *Gallus gallus* (= *G. domesticus*), hyline birds.
 Site: Small intestine.
 Localities: Goiás, Minas Gerais, Rio Grande do Sul, São Paulo.
 Records: Reis et al. (1934), Carvalho (1940), Freire (1943) apud Freitas & Costa (1959), Freitas & Hipólito (1943) apud Freitas & Costa (1959), Freire & Di Primo (1948), Freitas (1957), Freire (1958, 1967c), Martins Junior & Freitas (1975), Carneiro et al. (1979a, 1980), Costa et al. (1979b).
Choanotaenia passerina (Fuhrmann, 1907)
 Fuhrmann, 1932
 Host: *Passer domesticus*.
 Site: Small intestine.
 Localities: Rio Grande do Sul, Rio de Janeiro.
 Records: Brasil & Amato (1992), Calegaro-Marques & Amato (2010).
Choanotaenia pauciannulata Fuhrmann, 1908
 Host: *Chordeiles nacunda* (= *Podager nacunda*).
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908b).
Choanotaenia rhynchospis Fuhrmann, 1908
 Host: *Rynchops niger intercedens* (= *R. intercedens*).
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908b).
Choanotaenia trapezoides (Fuhrmann, 1906)
 Spasskaya & Spassky, 1971
 Host: *Buteogallus urubitinga* (= *Urubutinga zonura*).
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1906).
 Remarks: Referred as *Anomotaenia trapezoides* by Fuhrmann (1906).
***Choanotaenia* sp.**
 Host: *Passer domesticus*.
 Site: Small intestine.
 Locality: Rio de Janeiro.
 Record: Rodrigues et al. (1990).
Cuculincola Bona, 1994
Cuculincola acollum (Fuhrmann, 1907) Bona, 1994
 Host: *Crotophaga ani*.
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1907).
 Remarks: Referred as *Anomotaenia acollum* by Fuhrmann (1907).
Cuculincola mutabilis (Rudolphi, 1819) Bona, 1994
 Hosts: *Crotophaga ani* (= *C. minor*), *C. major*, *Guira guira*.
 Site: Intestine.
 Locality: Minas Gerais.
 Records: Rudolphi (1819), Fuhrmann (1908b), Pinto & Noronha (1972), Rodrigues & Rodrigues (1981).

Remarks: Referred as *Taenia mutabilis* by Rudolphi (1819) and as *Anomotaenia mutabilis* by Fuhrmann (1908b), Pinto & Noronha (1972) and Rodrigues & Rodrigues (1981).

Dilepis Weinland, 1858

Dilepis bicoronata Fuhrmann, 1908

Host: *Mesembrinibes cayennensis* (= *Harpiprion cayennensis*), *Tantalus* sp.

Site: Not cited.

Locality: Brazil.

Records: Fuhrmann (1908a,b).

Dilepis fuhrmanni Railliet & Henry, 1909

Hosts: *Egretta thula*, *Vanellus cayanus* (= *Hoploxypterus cayanus*).

Site: Intestine.

Locality: Rio de Janeiro.

Records: Fuhrmann (1908a), Arruda *et al.* (2001).

Remarks: Referred as *Dilepis unilateralis* by Fuhrmann (1908a). Railliet & Henry (1909) described this species as nom. nov. to *Dilepis unilateralis* Fuhrmann, 1908 preoccupied.

Dilepis macrocephala Fuhrmann, 1908

Host: *Psophia crepitans*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Dilepis oligorchida Fuhrmann, 1906

Host: *Busarellus nigricollis*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1906).

Lateriporus Fuhrmann, 1907

Lateriporus biuterinus Fuhrmann, 1908

Hosts: *Amazonetta brasiliensis* (= *Nettium brasiliense*), *Chenopla jubatus* [sic], *Cairina moschata*, *Dendrocygna autumnalis*, *Sarkidiornis sylvicola* (*carunculata*) (= *Sarcidiornis carunculata*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Remarks: Probably the name *Chenopla jubatus* given by Fuhrmann (1908) might be misspelling of *Chenalopex*.

Lateriporus propeteres Fuhrmann, 1907

Host: *Amazonetta brasiliensis* (= *Nettium brasiliense*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1907).

Lateriporus sp.

Host: *Cairina moschata*.

Site: Jejunum.

Locality: Rio de Janeiro.

Record: Mattos Junior (2008).

Laterotaenia Fuhrmann, 1906

Laterotaenia natteri Fuhrmann, 1906

Host: *Sarcoramphus papa* (= *Gypagus* (= *Cathartes*) *papa*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1906).

Monopylidium Fuhrmann, 1899

Monopylidium rostellata Fuhrmann, 1908

Host: *Himantopus mexicanus*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Eugonodaeum Beddard, 1913

Eugonodaeum nasuta (Fuhrmann, 1908) Bona, 1994

Host: *Theristicus melanopis*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Remarks: Referred as *Dilepis nasuta* by Fuhrmann (1908a).

Megalacanthus Moghe, 1926

Megalacanthus macracanthus (Fuhrmann, 1908) Bona, 1994

Hosts: *Vanellus chilensis cayennensis* (= *Belonopterus cayennensis*, *B. chilensis cayennensis*), *V. chilensis lampronotus* (= *B. chilensis lampronotus*).

Site: Intestine.

Localities: Mato Grosso, Pará.

Records: Fuhrmann (1908a), Rêgo (1967b, 1968).

Remarks: Referred as *Anomotaenia macracantha* by Fuhrmann (1908a) and as *Parachoanotaenia macracantha* by Rêgo (1967b, 1968).

Paricterotaenia Fuhrmann, 1932

Paricterotaenia intermedia (Fuhrmann, 1908) Fuhrmann, 1932

Hosts: *Gallinago gigantea*, *G. undulata*, *Scolopax* sp.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908b).

Proorchida Fuhrmann, 1908

Proorchida lobata Fuhrmann, 1908

Host: *Cochlearius cochlearius* (= *Canchchroma cochlearia*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Sobolevitaenia Spasskaya & Makarenko, 1965

Sobolevitaenia korochirei (Voser & Vaucher, 1988) Bona, 1994

Host: *Turdus rufiventris*.

Site: Not cited.

Locality: Brazil.

Record: Voser & Vaucher (1988).

Remarks: Referred as *Anomotaenia korochirei* by Voser & Vaucher (1988).

Tetracisidicotyla Fuhrmann, 1907

Tetracisidicotyla macroscolecina Fuhrmann, 1907

Host: *Butorides virescens*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1907).

Remarks: After Yamaguti (1959) the genus is considered *incertae sedis*. According to Bona (1994) the genus is regarded as “genus inquirenda”.

Unciunia Skrjabin, 1914

Unciunia trichocirrosa Skrjabin, 1914

Host: *Buteogallus meridionalis* (=Heterospizias meridionalis).

Site: Intestine.

Locality: Minas Gerais.

Record: Pinto & Noronha (1972).

Vitta Burt, 1938

Vitta undulatoides (Fuhrmann, 1908) Baer, 1959

Host: *Atticora fasciata*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Remarks: Referred to as *Anomotaenia undulatoides* by Fuhrmann (1908a).

DIOICOESTIDAE Southwell, 1930

Dioicoestus Fuhrmann, 1900

Dioicoestus acotylus Fuhrmann, 1904

Host: *Tachybaptus dominicus* (=Podiceps dominicus).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1904).

Gyrocoelia Fuhrmann, 1899

Gyrocoelia crassa (Fuhrmann, 1900) Baer, 1940

Hosts: *Vanellus chilensis* (=Belonopterus chilensis), *V. chilensis cayennensis* (=B. chilenses cayannensis), *V. chilensis lampronotus* (=B. chilenses lampronotus).

Site: Intestine.

Localities: Acre, Mato Grosso, Minas Gerais, Pará.

Records: Rêgo (1968), Pinto & Noronha (1972).

Gyrocoelia leuce Fuhrmann, 1900

Host: *Charadrius collaris*.

Site: Intestine.

Locality: Pará.

Record: Rêgo (1968).

Remarks: Referred as *Gyrocoelia fuhrmanni* by Rêgo (1968).

Shipleya Fuhrmann, 1908

Shipleya inermis Fuhrmann, 1908

Host: *Gallinago gigantea*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

DIPYLIDIIDAE Railliet, 1896

Dipylidium Leuckart, 1863

Dipylidium caninum (Linnaeus, 1758) Leuckart, 1863

Hosts: *Canis lupus familiaris* (=C. familiaris), *Cerdocyon thous*, *Felis catus* (=F. silvestris catus), *F. catus domesticus*, *Homo sapiens*.

Sites: Faeces, intestinal content, small intestine.

Localities: Ceará, Espírito Santo, Goiás, Manaus, Mato Grosso, Minas Gerais, Pará, Pernambuco, Rio Grande do Norte, Rio Grande do Sul, Rio de Janeiro, São Paulo, Segipe.

Records: Pinto & Almeida (1935), Unti (1939), Carvalho (1940), Freire (1943) *apud* Freitas Costa (1959), Pinto (1944), Giovannoni & Kubiak (1947), Freire & Di Primo (1948), Freitas (1957), Zago-Filho & Barreto (1957), Freire (1958, 1967b), Netto & Gonçalves (1959), Langenegger & Lanzieri (1963/1965), Corrêa (1967), Carneiro *et al.* (1973, 1980), Federman *et al.* (1973), Martins Junior & Freitas (1975), Fernandes & Travassos (1976), Ferreira *et al.* (1976), Costa *et al.* (1962, 1966, 1979b, 1990), Marinho & Neves (1979), Duarte (1981), Lara *et al.* (1981), Silva *et al.* (2001a), Mundim *et al.* (2004), Ferreira *et al.* (1982, 2010), Klimpel *et al.* (2010), Heukelbach *et al.* (2012), Santos *et al.* (2012), Ramos *et al.* (2013, 2015), Paiva *et al.* (2014), Souza *et al.* (2016).

Dipylidium columbae Fuhrmann, 1908

Host: *Columba* sp.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Dipylidium sp.

Hosts: *Canis lupus familiaris* (=C. familiaris),

Felis catus domesticus.

Site: Faeces.

Locality: Rio Grande do Sul.

Records: Pinto *et al.* (2007), Dall'Agnol *et al.* (2010).

GRYPORHYNCHIDAE Spassky & Spasskaya, 1973

Cycluslera Fuhrmann, 1901

Cycluslera capito (Rudolphi, 1819) Fuhrmann, 1901

Hosts: *Platalea ajaja*, *P. leucorodia*.

Site: Not cited.

Locality: Brazil.

Record: Rudolphi (1819).

Remarks: Referred as *Taenia capito* by Rudolphi (1819). According to Coil (1955), *P. leucorodia* does not occur in Brazil, thus the type host probably is *Platalea ajaja* (= *Ajaia ajaja*).

Dendrouterina Fuhrmann, 1912

Dendrouterina crassirostrata (Fuhrmann, 1908)

Baer & Bona, 1960

Host: *Tigrisoma fasciatum* (= *T. brasiliense*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Remarks: Referred to as *Dilepis crassirostrata* by Fuhrmann (1908a).

Dendrouterina papillifera (Fuhrmann, 1908)

Baer & Bona, 1960

Host: *Egretta caerulea* (= *Florida caerulea*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Remarks: Referred as *Dilepis papillifera* by Fuhrmann (1908a).

Dendrouterina pilhoridae Mahon, 1956

Hosts: *Ardea alba egretta* (= *Casmerodius alba*, *C. alba egretta*), *Pilherodius pileatus*.

Site: Small intestine.

Locality: Minas Gerais.

Records: Mahon (1956), Pinto & Noronha (1972), Arruda *et al.* (2001).

Dendrouterina sp.

Host: *Ardea cocoi*.

Site: Intestine.

Locality: Mato Grosso do Sul.

Record: Arruda *et al.* (2001).

Glossocercus Chandler, 1935

Glossocercus auritus (Rudolphi, 1818) Bona, 1994

Host: *Poecilia reticulata*.

Site: Mesentery.

Locality: Minas Gerais.

Record: Pinto & Melo (2011a).

Paradilepis Hsü, 1935

Paradilepis caballeroi Rysavy & Macko, 1973

Host: *Phalacrocorax brasilianus*.

Sites: Anterior and posterior jejunio-ileo, duodenum.

Locality: Rio Grande do Sul.

Record: Monteiro *et al.* (2011).

Parvitaenia Burt, 1940

Parvitaenia macropeos (Wedl, 1855) Baer & Bona, 1960

Host: *Australoheros facetus*.

Site: Intestinal wall.

Locality: Minas Gerais.

Record: Pinto & Melo (2011b).

Valipora Linton, 1927

Valipora campylancristrota (Wedl, 1855) Baer & Bona, 1960

Hosts: *Geophagus brasiliensis*, *Hoplosternum littorale*, *Prochilodus lineatus*.

Site: Gall bladder.

Locality: Paraná.

Records: Lizama *et al.* (2005, 2006), Takemoto *et al.* (2009), Bellay *et al.* (2012)

Valipora minuta (Coil, 1950) Baer & Bona, 1960

Host: *Butorides striata*.

Site: Small intestine.

Locality: Minas Gerais.

Record: Pinto *et al.* (2012).

Valipora mutabilis Linton, 1927

Host: *Nycticorax nycticorax*.

Site: Small intestine.

Localities: Mato Grosso, São Paulo.

Record: Pinto *et al.* (2004a).

Valipora spinosa (Fuhrmann, 1908) Baer & Bona, 1960

Host: *Cochlearius cochlearius* (= *Canchromia cochlearia*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Remarks: Referred as *Lateriporus spinosus* by Fuhrmann (1908a).

Valipora sp.

Hosts: *Crenicichla britskii*, *Pilherodius pileatus*, *Pimelodus maculatus*, *Prochilodus argenteus*.

Sites: Gall bladder, intestine.

Localities: Mato Grosso do Sul, Minas Gerais.

Records: Arruda *et al.* (2001), Monteiro *et al.* (2009b), Takemoto *et al.* (2009).

HYMENOLEPIDIDAE Perrier, 1897***Cloacotaenia*** Wolffhügel 1938***Cloacotaenia megalops*** (Nitzsch in Creplin, 1829)

Wolffhügel, 1938

Host: *Amazonetta brasiliensis*.

Site: Cloaca.

Localities: Rio Grande do Sul, Rio de Janeiro.

Records: Muniz-Pereira & Amato (1998), Gomes et al. (2012a).

Confluaria Ablasov in Spasskaya, 1966***Confluaria capillaris*** (Rudolphi, 1810)

Spasskaya, 1966

Host: *Tachybaptus dominicus* (=*Podiceps dominicus*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1906).

Remarks: Referred as *Hymenolepis capillaroides* by Fuhrmann (1906). *Confluaria capillaroides* (Fuhrmann, 1906) Spasskaya, 1966 was considered synonym of *C. capillaris* by Vasileva et al. (1999).***Diplopisthe*** Jacobi, 1896***Diplopisthe bifaria*** Siebold, 1946Host: *Butorides striata* (=*B. striatus*).

Site: Intestine.

Locality: Mato Grosso do Sul.

Record: Arruda et al. (2001).

Diplopisthe laevis (Bloch, 1782) Jacobi, 1896Host: *Netta peposaca*.

Site: Intestine.

Locality: Rio Grande do Sul.

Record: Silveira & Amato (2008).

Drepanidotaenia Railliet, 1892***Drepanidotaenia elongata*** (Fuhrmann, 1906)

López-Neyra, 1942

Host: *Theristicus coerulescens* (=*Molybdophanes coerulescens*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1906).

Remarks: Referred as *Hymenolepis elongata* by Fuhrmann (1906).***Drepanidotaenia* sp.**Hosts: *Ardea cocoi*, *Butorides striata* (=*B. striatus*), *Butorides* sp., *Ixobrychus exillis*.

Site: Intestine.

Localities: Mato Grosso do Sul, Rio de Janeiro.

Record: Arruda et al. (2001).

Echinolepis Spassky & Spasskaya, 1954***Echinolepis carioca*** (Magalhães, 1898) Spassky & Spasskaya, 1954Host: *Gallus gallus* (=*G. domesticus*).

Site: Small intestine.

Localities: Maranhão, Minas Gerais, Piauí, Rio de Janeiro, Santa Catarina, São Paulo.

Records: Reis et al. (1934), Pinto & Almeida (1935), Freitas & Hipólito (1943) apud Freitas & Costa (1959), Freitas (1957), Freitas & Costa (1959), Costa & Freitas (1962), Martins Jr & Freitas (1975), Carneiro et al. (1980), Viero (1984).

Fimbriaria Froelich, 1802***Fimbriaria fasciolaris*** (Pallas, 1781) Froelich, 1802Hosts: *Amazonetta brasiliensis*, *Anas bahamensis*, *Cairina moschata*.

Sites: Intestine, jejunum.

Locality: Rio de Janeiro.

Records: Muniz-Pereira & Amato (1998), Mattos Junior et al. (2008).

***Fimbriaria* sp.**Host: *Cairina moschata domestica*.

Site: Small intestine.

Locality: Not cited.

Record: Pinto & Almeida (1935).

***Hymenolepididae* gen. sp.**Host: *Chrysocyon brachyurus*.

Locality: Minas Gerais.

Records: Curi et al. (2010, 2012), Santos et al. (2012), Massara et al. (2015).

Hymenolepis Weinland, 1858***Hymenolepis armata*** Fuhrmann, 1906Host: *Columba gymnophthalma*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1906).

Hymenolepis brevianulata Fuhrmann, 1906Host: *Theristicus coerulescens* (=*Molybdophanes coerulescens*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1906).

Hymenolepis cebidarum Baer, 1927Host: *Callicebus* (*Callicebus*) *nigrifrons* (=*Callithrix nigrifrons*).

Site: Not cited.

Locality: Brazil.

Record: Baer (1927).

Hymenolepis diminuta (Rudolphi, 1819) Weinland, 1858Hosts: *Canis lupus familiaris* (=*C. familiaris*), *Chaetomys subspinosus*, *Homo sapiens*, *Mus* (*Mus*) *musculus* (=*Mus musculus*), *Rattus rattus*.

Sites: Faeces, small intestine.

Localities: Bahia, Maranhão, Minas Gerais, Paraná, Rio Grande do Sul, São Paulo, Sergipe.
 Records: Santos *et al.* (1972), Chieffi *et al.* (1980), Kuniy & Brasileiro (2006), Monteiro *et al.* (2009a), Silva *et al.* (2010), Araujo *et al.* (2014), Guimarães *et al.* (2014), Porta *et al.* (2014).

Hymenolepis lobata Fuhrmann, 1906

Host: *Anas bahamensis galapagensis* (=*Poecilonetta bahamensis*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1906).

***Hymenolepis* sp.**

Hosts: *Gallus gallus* (=*G. domesticus*), *Numida meleagris*, *Struthio camelus*.

Site: Small intestine.

Locality: Rio Grande do Sul.

Records: Freire & Di Primo (1948), Freire (1958, 1967c), Mattos *et al.* (2011).

Jardugia Southwell & Hilmy, 1929

***Jardugia* sp.**

Host: Ardeidae sp.

Site: Intestine.

Locality: Pernambuco.

Record: Arruda *et al.* (2001).

Microsomacanthus López-Neyra, 1942

Microsomacanthus hopkinsi (Schiller, 1951)

Spasskaya, 1966

Host: *Netta peposaca*.

Site: Anterior portion of caeca.

Locality: Rio Grande do Sul.

Record: Silveira & Amato (2010).

Nadejdolepis Spasskii & Spasskaya, 1954

Nadejdolepis smithi Deblock & Canaris, 2001

Host: *Calidris fuscicollis*.

Site: Small Intestine.

Locality: Rio Grande do Sul.

Record: Gomes *et al.* (2016).

***Nadejdolepis* sp.**

Host: *Calidris fuscicollis*.

Site: Small Intestine.

Locality: Rio Grande do Sul.

Record: Gomes *et al.* (2016).

Oligorchis Fuhrmann, 1906

Oligorchis strangulatus Fuhrmann, 1906

Host: *Elanoides forficatus* (=*E. furcatus*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1906).

Parvibursa Yamaguti, 1959

Parvibursa chrysolampidis (Clapham, 1936)

Yamaguti, 1959

Host: *Chrysolampis mosquitos*.

Site: Not cited.

Locality: Brazil.

Record: Clapham (1936).

Remarks: Referred as *Hymenolepis chrysolampidis* by Clapham (1936).

Retinometra Spassky, 1955

Retinometra pauciovata (Fuhrmann, 1906)

Schmidt, 1986

Host: *Crypturellus erythropus* (=*Crypturus erythropus*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1906).

Remarks: Referred as *Hymenolepis pauciovatus* by Fuhrmann (1906).

Rodentolepis Spassky, 1954

Rodentolepis akodontis Rêgo, 1967

Hosts: *Akodon (Akodon) cursor* (=*A. arviculoides*, *A. cursor*), *A. (A.) montensis* (=*A. montensis*), *Oligoryzomys nigripes*.

Site: Small intestine.

Localities: Espírito Santo, Rio de Janeiro.

Records: Rêgo (1967a), Simões *et al.* (2012).

Rodentolepis nana (Siebold, 1852) Spassky, 1954

Hosts: *Homo sapiens*, *Mesocricetus auratus*.

Sites: Faeces, intestine.

Localities: Amazonas, Bahia, Goiás, Maranhão, Mato Grosso do Sul, Minas Gerais, Paraná, Piauí, Rio Grande do Sul, Rio de Janeiro, São Paulo.

Records: Andrade & Campos (1968), Chieffi *et al.* (1980), Coimbra & Santos (1991), Santos *et al.* (1993), Pinto *et al.* (1994, 2001), Kobayashi *et al.* (1995), Luchetti *et al.* (1996), Rezende *et al.* (1997), Gonçalves *et al.* (1998), Moitinho *et al.* (2000), Prado *et al.* (2001), Uchôa *et al.* (2001), Alves *et al.* (2003), Bencke *et al.* (2006), Monteiro *et al.* (2009a), Silva *et al.* (2010), Borges *et al.* (2011), Assis *et al.* (2013), Fernandes *et al.* (2014), Neres-Norberg *et al.* (2014).

Remarks: Referred as *Vampirolepis nana* by Andrade & Campos (1968) and as *Hymenolepis nana* by Chieffi *et al.* (1980), Coimbra & Santos (1991), Santos *et al.* (1993), Pinto *et al.* (1994, 2001), Kobayashi *et al.* (1995), Luchetti *et al.* (1996), Rezende *et al.* (1997), Gonçalves *et al.* (1998), Moitinho *et al.* (2000), Prado *et al.* (2001), Uchôa *et al.* (2001), Alves *et al.* (2003), Bencke *et al.* (2006), Monteiro *et al.* (2009a), Borges *et al.* (2011), Assis *et al.* (2013), Fernandes *et al.* (2014), Neres-Norberg *et al.* (2014).

***Rodentolepis* sp.**

Host: *Thrichomys pachyurus*.

Site: Small intestine.

Locality: Mato Grosso.

Record: Simões *et al.* (2010).

Sobolevianthus Spassky & Spasskaya, 1954

Sobolevianthus bisaccata (Fuhrmann, 1906)

Czaplinski, 1956

Host: Duck.

Site: Small intestine.

Locality: Not cited.

Record: Pinto & Almeida (1935).

Remarks: Referred to as *Hymenolepis bisaccata* by Pinto & Almeida (1935).

Sobolevianthus flagellatus (Fuhrmann, 1906)

Spassky & Spasskaya, 1954

Host: *Anas bahamensis galapagensis* (= *Poecilonetta bahamensis*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1906).

Remarks: Refererred as *Hymenolepis flagellata* by Fuhrmann (1906).

Sobolevianthus papillatus (Fuhrmann, 1906)

Spassky & Spasskaya, 1954

Host: *Cairina moschata domestica*.

Site: Small intestine.

Locality: Minas Gerais.

Records: Fuhrmann (1906), Pinto & Almeida (1935), Carvalho (1940), Freitas (1957).

Remarks: Referred to as *Hymenolepis papillata* by Fuhrmann (1906), Pinto & Almeida (1935), Carvalho (1940) and Freitas (1957).

Staphylepis Spassky & Oshmarin 1954

Staphylepis cantaniana (Polonio, 1860) Spassky & Oshmarin, 1954

Host: *Gallus gallus* (= *G. domesticus*).

Site: Small intestine.

Localities: Minas Gerais, Rio de Janeiro, São Paulo.

Records: Reis *et al.* (1934), Pinto & Almeida (1935), Carvalho (1940), Freitas & Hipolito (1943) *apud* Freitas & Costa (1959), Freitas (1957), Martins Jr & Freitas (1975), Carneiro *et al.* (1980), Pinto *et al.* (2008).

Remarks: Referred as *Hymenolepis cantaniana* by Reis *et al.* (1934), Pinto & Almeida (1935), Carvalho (1940), Freitas & Hipolito (1943) *apud* Freitas & Costa (1959), Freitas (1957) and Pinto *et al.* (2008).

Staphylepis inhamata (Rietschel, 1934) Yamaguti, 1959

Host: *Eupetomena macroura*.

Site: Not cited.

Locality: Brazil.

Record: Rietschel (1934).

Remarks: Referred as *Hymenolepis inhamata* by Rietschel (1934).

Vampirolepis Spassky, 1954

Vampirolepis decipiens (Diesing, 1850) Spassky, 1954

Hosts: *Nyctinomops laticaudatus* (= *Tadarida laticaudata*), *Tadarida brasiliensis*.

Site: Small intestine.

Locality: Rio Grande do Sul.

Records: Diesing (1850), Presenti *et al.* (2015).

Remarks: Referred as *Hymenolepis decipiens* by Diesing (1850).

Vampirolepis elongatus Rêgo, 1962

Hosts: *Glossophaga soricina soricina*, *Molossus rufus*, *Phyllostomus hastatus*, *Platyrrhinus helleri*, “Stenodermatine fruit-eating bats”.

Site: Small intestine.

Localities: Acre, Espírito Santo, Rio de Janeiro.

Records: Rêgo (1962, 1964), Nogueira *et al.* (2004).

Variolepis Spassky & Spasskaya, 1954

Variolepis brasiliensis (Fuhrmann, 1906) Spassky & Spasskaya, 1954

Hosts: *Antrostomus carolinensis* (= *Caprimulgus carolinensis*), *Nyctiprogne leucopyga*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1906).

Remarks: Referred as *Hymenolepis brasiliensis* by Fuhrmann (1906).

Variolepis microscolecina (Fuhrmann, 1906)

Spassky & Spasskaya, 1954

Host: *Rupicola rupicola*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1906).

Remarks: Referred as *Hymenolepis microscolecina* by Fuhrmann (1906).

Variolepis pyramidata (Rudolphi, 1819) Pinto & Noronha, 1972

Host: *Turdus amaurochalinus*.

Site: Small intestine.

Locality: Minas Gerais.

Records: Rudolphi (1819), Pinto & Noronha (1972).

Remarks: Referred as *Taenia pyramidata* by Rudolphi (1819).

MESOCESTOIDIDAE Perrier, 1897*Mesocestoides* Vaillant, 1863*Mesocestoides michaelseni* Lonnberg, 1896Host: *Cerdocyon thous azarae* (=*Canis azarae*).

Site: Not cited.

Locality: Brazil.

Record: Lonnberg (1896).

Mesocestoides sp.Hosts: *Anolis transversalis*, *Felis catus domesticus*, *Leopardus colocolo*, *L. geoffroyi*, *L. tigrinus*, *Puma yagouaroundi*.

Site: Small intestine.

Localities: Minas Gerais, Rio Grande do Sul, Rondônia.

Records: Federman *et al.* (1973), Goldberg *et al.* (2006b), Gallas & Silveira (2011).**METADILEPIDIDAE** Spassky, 1959*Hamatofuhrmania* Spassky, 1969*Hamatofuhrmania macracantha* (Fuhrmann,

1908) Spassky, 1969

Host: *Myoothera* sp.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Remarks: Referred to as *Choanotaenia macracantha* by Fuhrmann (1908a).*Metadilepis* Spassky, 1949*Metadilepis caprimulgorum* (Fuhrmann, 1908)

Spassky, 1949

Hosts: *Chordeiles minor* (=*C. virginianus*), *Hydropsalis climacocerca*.

Site: Not cited.

Locality: Brazil.

Records: Fuhrmann (1908a,b), Georgiev & Vaucher (2003).

Remarks: Referred to as *Dilepis caprimulgorum* by Fuhrmann (1908a,b).**NEMATOTAENIIDAE** Lühe 1910*Cylindrotaenia* Jewell, 1916*Cylindrotaenia americana* Jewell, 1916Hosts: *Hypsiboas prasinus*, *Leptodactylus podicipinus*, *Rhinella fernandezae*, *R. icterica* (=*Bufo ictericus*).

Site: Small intestine.

Localities: Mato Grosso, Paraná, Rio Grande do Sul, São Paulo.

Records: Stumpf (1981), Santos & Amato (2010), Madelaire *et al.* (2012), Campião *et al.* (2014b).*Cylindrotaenia* sp.Hosts: *Rhinella icterica* (=*Chaunus ictericus*), *R. schneideri* (=*Chaunus schneideri*).

Site: Intestine.

Locality: Santa Catarina.

Record: Lux Hoppe *et al.* (2008).*Lanfrediella* Melo, Giese, Furtado, Soares,

Gonçalves, Vallinoto & Santos, 2011

Lanfrediella amphicirrus Melo, Giese, Furtado, Soares, Gonçalves, Vallinoto & Santos, 2011Host: *Rhinella marina*.

Site: Small intestine.

Locality: Pará.

Record: Melo *et al.* (2011).**PARUTERINIDAE** Fuhrmann, 1907*Anonchotaenia* Cohn, 1900*Anonchotaenia brasiliensis* Fuhrmann, 1908Hosts: *Cacus haemorrhouss*, *Tachyphonus coronatus*, *Tangara cyanoptera* (=*Thraupis cyanoptera*).

Site: Not cited.

Locality: São Paulo.

Records: Fuhrmann (1908c), Phillips *et al.* (2014).*Anonchotaenia macrocephala* Fuhrmann, 1908Hosts: *Hirondelle* (=*Hirondella* sp. [sic]), *Hirundo* sp, *Progne chalybea*, *P. subis* (=*P. purpurea*), *P. tapera*, *Tachycineta leucorrhoa*.

Locality: São Paulo.

Records: Fuhrmann (1908c), Phillips *et al.* (2014).*Anonchotaenia trochili* Fuhrmann, 1908Host: *Eupetomena macroura*.

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908c).

Anonchotaenia sp.Host: *Tyrannus melancholicus*.

Site: Intestine.

Locality: Minas Gerais.

Record: Pinto & Noronha (1972).

Biuterina Fuhrmann, 1902*Biuterina campanulata* (Rudolphi, 1819)

Fuhrmann, 1908

Hosts: *Geothlypis velata* (=*Taenioptera velata*), *Megarhynchus pitangua*, *Muscicapa audax*, *Pitangus sulphuratus*, *Thamnophilus torquatus* (=*Thamnophilus sulfuratus*).

Site: Intestine.

Localities: Minas Gerais, Pernambuco, São Paulo.

Records: Rudolphi (1819), Pinto & Noronha (1972), Vicente *et al.* (1983).Remarks: Referred as *Taenia campanulata* by Rudolphi (1819).

- Biuterina cylindrica*** Fuhrmann, 1908
 Hosts: *Lamprospiza melanoleuca* (=*Tachyphonus melanoleucus*), *Tachyphonus cristatus*.
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908c).
- Biuterina distincta*** Fuhrmann, 1908
 Host: *Gracula* sp.
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908c).
- Biuterina globosa*** Fuhrmann, 1908
 Host: *Tityra semifasciata*.
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908c).
- Biuterina motacillabrasiliensis*** (Rudolphi, 1819)
 Fuhrmann, 1932
 Host: *Motassila* sp.
 Site: Not cited.
 Locality: Brazil.
 Record: Rudolphi (1819).
 Remarks: Referred as *Taenia motacillabrasiliensis* by Rudolphi (1819).
- Biuterina motillacayanae*** (Rudolphi, 1819)
 Fuhrmann, 1908
 Host: *Dacnis cayana*.
 Site: Not cited.
 Locality: Brazil.
 Records: Rudolphi (1819), Fuhrmann (1908c).
 Remarks: Referred as *Taenia motillacayanae* by Rudolphi (1819).
- Biuterina trapezoides*** Fuhrmann, 1908
 Hosts: *Antrostomus* sp. (=*Caprimulgus* sp.), *Emberiza* sp., *Molothrus ater* (=*Molothrus pecoris*).
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908c).
- Biuterina trigonacantha*** Fuhrmann, 1908
 Host: *Synallaxis rutilans* (=*Synallaxis phryganophila*).
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908c).
- Culcitella*** Fuhrmann, 1906
- Culcitella bresslaui*** Fuhrmann, 1927
 Host: *Buteo leucorrhoea* (=*Rupornis leucorrhoea*).
 Site: Not cited.
 Locality: Brazil.
- Record: Fuhrmann (1927).
- Culcitella crassa*** Fuhrmann, 1906
 Host: *Spizaetus ornatus*.
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1906).
- Culcitella rapacicola*** Fuhrmann, 1906
 Host: *Buteo nitidus*, *Geranospiza caerulescens*, *Ictinia plumbea*.
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1906).
- Metroliasthes*** Ransom, 1900
- Metroliasthes lucida*** Ransom, 1900
 Host: *Gallus gallus* (=*G. domesticus*).
 Site: Small intestine.
 Locality: São Paulo.
 Record: Reis *et al.* (1934).
- Paruterina*** Fuhrmann, 1906
- Paruterina angustata*** Fuhrmann, 1906
 Host: *Scops brasilianus*.
 Site: Not cited.
 Locality: Brazil.
 Records: Fuhrmann (1906), Yamaguti (1959).
- Paruterina otidis*** Baczynska, 1914
 Host: *Asio flammeus*.
 Site: Not cited.
 Locality: Brazil.
 Record: Baczynska (1914).
- Parvirostrum*** Fuhrmann, 1908
- Parvirostrum reticulatum*** Fuhrmann, 1908
 Hosts: *Lepidocolaptes fuscicapillus* (=*Picolaptes fuscicapillus*), *Xiphorhynchus elegans* (=*Dendroornis elegans*), *X. guttatus* (=*Dendroornis rostriplallens*).
 Site: Not cited.
 Locality: Brazil.
 Record: Fuhrmann (1908a).
- Parvirostrum synallaxis*** (Mahon, 1957)
 Georgiev & Vaucher, 2001
 Host: *Synallaxis rutilans*.
 Site: Not cited.
 Locality: Brazil.
 Record: Mahon (1957).
 Remarks: Referred as *Deltokeras synallaxis* by Mahon (1957).
- Sphaeruterina*** Johnston, 1914
- Sphaeruterina fuhrmannii*** (Baczynska, 1914)
 Fuhrmann, 1932
 Host: *Bucco* sp.
 Site: Not cited.
 Locality: Brazil.

Record: Baczynska (1914).

Remarks: Referred as *Paruterina fuhrmannii* by Baczynska (1914).

Sphaeruterina longiceps (Rudolphi, 1819)

Fuhrmann, 1932

Hosts: *Cacicus haemorrhouss*, *Oriolus cristatus*, *Psarocolius decumanus*.

Site: Not cited.

Locality: Brazil.

Record: Rudolphi (1819).

Remarks: Referred as *Taenia longiceps* by Rudolphi (1819).

TAENIIDAE Ludwig, 1886

Echinococcus Rudolphi, 1801

Echinococcus canadensis (Cameron, 1960)

(hydatic cyst).

Hosts: Cattle, swine.

Site: Viscera.

Locality: Rio Grande do Sul.

Records: Badaraco *et al.* (2008), Monteiro *et al.* (2014).

Remarks: Records based on molecular evidence.

Echinococcus granulosus (Batsch, 1786)

Rudolphi, 1801 (hydatic cyst).

Hosts: *Bos taurus*, *Ovis aries*, *Sus scrofa domesticus*.

Sites: Liver, lungs.

Locality: Paraná.

Record: Giovanonni & Kubiak (1947).

Echinococcus granulosus (Batsch, 1786)

Rudolphi, 1801 (adult)

Host: *Canis lupus familiaris* (=*C. familiaris*).

Site: Small intestine.

Localities: Bahia, Rio Grande do Sul.

Records: Pinto & Almeida (1935), Freire (1943) *apud* Freitas & Costa (1959), Giovanonni & Kubiak (1947), Freire & Di Primo (1948), Freire (1958, 1967b), Hoffmann *et al.* (2001).

Echinococcus oligarthrus (Diesing, 1863)

Cameron, 1926 (hydatic cyst and adults)

Hosts: *Dasyprocta leporina*, *Homo sapiens*, *Leopardus pardalis* (=*Felis pardalis*).

Sites: Digestive tube, liver, spleen.

Localities: Pará, Paraná, São Paulo.

Records: Diesing (1863), Brumpt & Joyeux (1924), Mendes & Vasconcellos (1987), Soares *et al.* (2013).

Remarks: Referred as *Taenia oligochartha* by Diesing (1863) and as *Echinococcus cruzi* by Brumpt & Joyeux (1924).

Echinococcus ortleppi López-Neyra & Soler

Planas, 1943 (hydatic cyst)

Host: Cattle.

Sites: Liver, lung.

Locality: Rio Grande do Sul.

Records: de la Rue *et al.* (2006, 2011), Balbinotti *et al.* (2012).

Echinococcus vogeli Rausch & Bernstein, 1972

(hydatic cyst).

Hosts: *Cuniculus paca* (=*Agouti paca*), *Homo sapiens*, *Speothos venaticus*.

Sites: Liver, mesentery.

Localities: Acre, Amazonas, Maranhão, Pará, Rondônia.

Records: Meneghelli *et al.* (1990), Rodrigues-Silva *et al.* (2002), Soares *et al.* (2004, 2014), Almeida *et al.* (2013, 2015).

Taenia Linnaeus, 1758

Taenia caracina Parona, 1901

Host: *Pyroderus scutatus scutatus* (=*Caracina scutata*).

Site: Not cited.

Locality: Brazil.

Record: Parona (1901).

Remarks: After Yamaguti (1959), this species is considered *incertae sedis*. This species was not cited in the revisions of Verster (1969) and Loos-Frank (2000).

Taenia crassipora Rudolphi, 1819

Hosts: *Mephitis* sp., *Nasua narica* (=*Viverra narica*), *Nasua* sp.

Site: Not cited.

Locality: Brazil.

Record: Rudolphi (1819).

Remarks: This species was not cited in the revisions of Verster (1969) and Loos-Frank (2000).

Taenia diaphana Fuhrmann, 1908

Host: *Rynchops niger intercedens* (=*R. intercedens*).

Site: Not cited.

Locality: Brazil.

Record: Fuhrmann (1908a).

Remarks: This species was not cited in the revisions of Verster (1969) and Loos-Frank (2000).

Taenia diaphoracantha Fuhrmann, 1908

Host: *Eudyptes chrysocome* (=*Catarrachtes chrysocome*).

Site: Not cited.

Locality: "South coast of South America".

Record: Fuhrmann (1908a).

Remarks: This species was not cited in the revisions of Verster (1969) and Loos-Frank (2000).

Taenia hydatigena Pallas, 1766 (cysticercus)

Hosts: *Capra hircus*, *Ovis aries*.

Site: Peritoneum.

Locality: Paraná.

Record: Giovannoni & Kubiak (1947).

Remarks: Referred as *Cysticercus temuicollis* by Giovannoni & Kubiak (1947).

Taenia hydatigena Pallas, 1766 (adult)

Host: *Canis lupus familiaris* (=*C. familiaris*).

Site: Small intestine.

Localities: Paraná, Rio Grande do Sul.

Records: Pinto & Almeida (1935), Freire (1943) apud Freitas & Costa (1959), Freire & Di Primo (1948), Freire (1958, 1967b).

Taenia macrocystis (Diesing, 1850) Lühe, 1910

Hosts: *Galactis* sp., *Genetta tigrina* (=*Felis tigrina*), *Puma yagouaroundi* (=*F. jaguarundi*).

Site: Not cited.

Locality: Brazil.

Records: Diesing (1850), Verster (1969).

Remarks: This species was described as *Cysticercus macrocystis* from *Sylvilagus brasiliensis* by Diesing (1850) before the adult was known. Lühe (1910) redescribed specimens from felines which Diesing (1850) had identified as *Taenia crassicollis* and amongst these there were specimens which appeared to be this species.

Taenia multiceps Leske, 1780 (cysticercus)

Hosts: *Ovis aries*, Sheep.

Sites: Brain, spinal cord.

Localities: Mato Grosso do Sul, Rio Grande do Sul, São Paulo.

Records: Pinto & Almeida (1935), Freire (1943) apud Freitas & Costa (1959), Freire & Di Primo (1948), Freire (1958, 1967a), Rissi et al. (2008), Batista et al. (2010).

Remarks: Referred as *Coenurus cerebralis* by Pinto & Almeida (1935), Freire (1943) apud Freitas & Costa (1959), Freire & Di Primo (1948), Freire (1958, 1967a), Rissi et al. (2008).

Taenia multiceps Leske, 1780 (adult)

Host: *Canis lupus familiaris* (=*C. familiaris*).

Site: Small intestine.

Localities: Rio Grande do Sul, São Paulo.

Records: Pinto & Almeida (1935), Freire (1943) apud Freitas & Costa (1959), Freire & Di Primo (1948), Freire (1958, 1967b).

Remarks: Referred as *Multiceps multiceps* by Pinto & Almeida (1935), Freire (1943) apud Freitas & Costa (1959), Freire & Di Primo (1948) and Freire (1958, 1967b).

Taenia mustelae Gmelin, 1790

Host: *Bassaricyon gabbii*.

Site: Instestine.

Locality: Amazonas

Record: Pinto et al. (2009).

Taenia pisiformis (Bloch, 1780) Gmelin, 1790 (cysticercus)

Hosts: *Dasyprocta azarae*, *Oryctolagus cuniculus*, *Sylvilagus brasiliensis*.

Sites: Liver, pericardium, peritoneal cavity.

Localities: Mato Grosso, Minas Gerais, Rio de Janeiro, São Paulo.

Records: Freitas (1957), Rêgo (1967a), Fenerich et al. (1973), Pinto et al. (2004b).

Remarks: Referred as *Cysticercus pisiformis* by Freitas (1957), Rêgo (1967a) and Fenerich et al. (1973).

Taenia saginata Goeze, 1782 (cysticercus)

Hosts: *Bos taurus indicus* (=*B. indicus*), *B. taurus*, *Ovis aries*.

Sites: Liver, miocardium, muscles, viscera.

Localities: Goiás, Mato Grosso, Mato Grosso do Sul, Minas Gerais, Paraná, Pernambuco, Piauí, Rio Grande do Sul, Rio de Janeiro, Santa Catarina, São Paulo.

Records: Pecego (1925) apud Costa et al. (1986), Campos (1930) apud Freitas & Costa (1959), Pinto & Almeida (1935), Silva (1936) apud Freitas & Costa (1959), Giovannoni & Kubiak (1947), Freire & Di Primo (1948), Ribeiro (1949), Pardi et al. (1952), Freitas (1957), Freire (1958, 1967b), Brant (1962), Brant & Costa (1963), Corrêa (1965), Martins Jr. & Freitas (1975), Fernandes & Travassos (1976), Costa et al. (1977) apud Costa et al. (1986), Melo & Ribeiro (1977), Carneiro et al. (1980), Duarte (1981), Ungar & Germano (1992), Borba et al. (2004), Souza et al. (2007), Silveira Neto et al. (2011).

Remarks: Referred as *Cysticercus bovis* by all authors.

Taenia saginata Goeze, 1782 (adult)

Host: *Homo sapiens*.

Site: Faeces.

Remarks: Considering that in several states of Brazil reports of adults of *Taenia saginata* in humans have been published, those reports are not specified herein.

Taenia solium Linnaeus, 1758 (cysticercus)

Hosts: *Canis lupus familiaris* (=*C. familiaris*), *Homo sapiens*, *Sus scrofa domesticus*.

Sites: Musculature, nervous system, visceral organs.

Localities: Bahia, Ceará, Espírito Santo, Goiás, Maranhão, Mato Grosso, Mato Grosso do Sul, Minas Gerais, Paraíba, Paraná, Pernambuco, Piauí, Rio Grande do Sul, Rio de Janeiro, Santa Catarina, São Paulo.

Records: Travassos (1917) *apud* Freitas & Costa (1959), Campos (1930) *apud* Freitas & Costa (1959), Pereira (1933) *apud* Freitas & Costa (1959), Picollo (1933), Mello (1934) *apud* Freitas & Costa (1959), Melo & Melo (1934) *apud* Costa *et al.* (1986), Pinto & Almeida (1935), Valle (1935) *apud* Costa *et al.* (1986), Carvalho (1940), Barcelos (1941) *apud* Costa *et al.* (1986), Albuquerque *et al.* (1942) *apud* Freitas & Costa (1959), Freire (1943, 1949) *apud* Freitas & Costa (1959), Silva & Carvalho (1943) *apud* Freitas & Costa (1959), Freitas (1945) *apud* Freitas & Costa (1959), Giovannoni & Kubiak (1947), Freire & Di Primo (1948), Dahne & Snell (1949) *apud* Costa *et al.* (1986), Ribeiro (1949, 1951), Azevedo (1950) *apud* Costa *et al.* (1986), Pardi *et al.* (1952), Vogel & Silva (1954) *apud* Freitas & Costa (1959), Freitas (1957), Freitas & Silva (1958) *apud* Freitas & Costa (1959), Freire (1958, 1967b), Giovannoni (1958) *apud* Freitas & Costa (1959), Hardman (1958) *apud* Freitas & Costa (1959), Rey (1958), Costa & Freitas (1962), Corrêa (1965), Costa (1965), Giovannoni *et al.* (1965, 1972) *apud* Costa *et al.* (1986), Almeida (1973) *apud* Costa *et al.* (1986), Figueiredo *et al.* (1973), Barros (1975), Martins Junior & Freitas (1975), Fernandes & Travassos (1976), Melo & Ribeiro (1977), Teixeira *et al.* (1977), Francis *et al.* (1979), Carneiro *et al.* (1980), Duarte (1981).

Remarks: Referred as *Cysticercus cellulosae* by all authors.

Taenia solium Linnaeus, 1758 (adult)

Host: *Homo sapiens*.

Remarks: Considering that in several states of Brazil reports of adults of *T. solium* in humans have been published, those reports are not specified herein.

Taenia serialis (Gervais, 1847) Bailliet, 1863 (cysticercus)

Host: *Oryctolagus cuniculus*.

Sites: Connective tissue, serous.

Locality: Rio de Janeiro.

Records: Pinto & Almeida (1935), Duarte (1981).

Remarks: Referred as *Coenurus serialis* by Pinto & Almeida (1935) and Duarte (1981).

Taenia taeniaeformis (Batsch, 1786) Wolffügel, 1863 (cysticercus)

Host: *Rattus norvegicus*.

Site: Liver.

Locality: Rio de Janeiro.

Record: Bonfim (2001).

Remarks: Referred as *Cysticercus fasciolaris* by Bonfim (2001).

Taenia taeniaeformis (Batsch, 1786) Wolffügel, 1911 (adult)

Hosts: *Canis lupus familiaris* (=*C. familiaris*), *Felis catus* (=*F. silvestris catus*), *F. catus domesticus*.

Sites: Faeces, small intestine.

Localities: Goiás, Mato Grosso, Minas Gerais, Paraná, Rio Grande do Sul, Rio de Janeiro, São Paulo.

Records: Travassos (1926), Pinto & Almeida (1935), Pinto (1936), Carvalho (1940), Giovannoni & Kubiak (1947), Freitas (1957), Zago-Filho & Barreto (1957), Freire (1958, 1967b), Netto & Gonçalves (1959), Langenegger & Lanzieri (1963/1965), Costa *et al.* (1966, 1979b), Federman *et al.* (1973), Campos *et al.* (1974), Carneiro *et al.* (1980), Duarte (1981), Silva *et al.* (2001a), Scaini *et al.* (2003), Ramos *et al.* (2013).

Remarks: Referred as *Hydatigera taeniformis* by Travassos (1926), Pinto & Almeida (1935), Pinto (1936), Carvalho (1940), Freitas (1957), Zago-Filho & Barreto (1957), Freire (1958, 1967b), Netto & Gonçalves (1959), Langenegger & Lanzieri (1963/1965), Costa *et al.* (1966, 1979b), Federman *et al.* (1973), Campos *et al.* (1974), Carneiro *et al.* (1980), Duarte (1981), Silva *et al.* (2001a), Scaini *et al.* (2003).

Taenia tenuicollis Rudolphi, 1819 (cysticercus)

Hosts: *Bos taurus*, *B. taurus indicus* (=*Bos indicus*), *Capra hircus*, *Ovis aries*, Sheep, *Sus scrofa domesticus*.

Sites: Liver, mesentery, peritoneum, viscera.

Localities: Bahia, Ceará, Maranhão, Minas Gerais, Paraná, Pernambuco, Piauí, Rio Grande do Sul, Rio de Janeiro, São Paulo.

Records: Lutz (1908) *apud* Freitas & Costa (1959), Travassos (1917) *apud* Freitas & Costa (1959), Pereira & Vaz (1930) *apud* Freitas & Costa (1959), Pereira (1933) *apud* Freitas & Costa (1959), Mello (1934) *apud* Freitas & Costa (1959), Pinto & Almeida (1935), Pinto & Almeida (1937) *apud* Freitas & Costa (1959), Carvalho (1940), Freire (1943, 1949) *apud* Freitas & Costa (1959), Pinto (1944), Freitas (1945) *apud* Freitas & Costa (1959), Pinto & Almeida (1945) *apud* Freitas & Costa (1959), Giovannoni & Kubiak (1947),

Freire & Di Primo (1948), Ribeiro (1949, 1951), Freitas (1957), Costa & Freitas (1962), Corrêa (1965), Costa (1965), Freire (1958, 1967b), Freitas & Costa (1969), Grisi (1975), Fernandes & Travassos (1976), Melo & Ribeiro (1977), Lima & Cardoso (1980), Duarte (1981), Fagonde-Costa et al. (1985) *apud* Costa et al. (1986), Guimarães & Lima (1987), Cardoso & Oliveira (1994), Soares et al. (2012).

Remarks: Referred as *Cysticercus tenuicollis* by all authors.

Taenia sp. (ontogenetic stage not cited)

Hosts: *Canis lupus familiaris*, *Homo sapiens*.

Site: Faeces.

Localities: Espírito Santo, Minas Gerais, São Paulo, Sergipe, Vitória.

Records: Costa et al. (1990), Dias et al. (1991), Rezende et al. (1997), Ferreira et al. (2009).

ORDER DIPHYLLIDEA van Beneden in Carus, 1863

ECHINOBOTHRIIDAE Perrier, 1897

Ahamulina Marques, Jensen & Caira, 2012

Ahamulina catarina Marques, Jensen & Caira, 2012

Host: *Scylorhinus besnardi*.

Site: Spiral intestine.

Locality: Santa Catarina.

Record: Marques et al. (2012).

ORDER DIPHYLLOBOTHRIIDEA Kuchta, Scholz, Brabec & Bray, 2008

DIPHYLLOBOTHRIIDAE Lühe, 1910

Diphyllobothrium Cobbold, 1858

Diphyllobothrium didelphydis (Ariola, 1900)

Host: *Didelphis azarae*.

Site: Not cited.

Locality: Brazil.

Record: Ariola (1900).

Diphyllobothrium latum (Linnaeus, 1758) Lühe, 1910 (eggs and adults)

Hosts: *Canis lupus familiaris* (=*C. familiaris*), *Homo sapiens*.

Sites: Faeces, small intestine.

Localities: Bahia, Brasília, Paraíba, Rio Grande do Sul, Rio de Janeiro, São Paulo.

Records: Freire (1967b), Sampaio et al. (2005), Santos & Faro (2005), Emmel et al. (2006), Llaguno et al. (2008), Mezzari & Wiebelling (2008), Knoff et al. (2011a), Frank et al. (2012).

Diphyllobothrium mansoni Mueller, 1935

Host: *Cerdocyon thous*.

Site: Small intestine.

Locality: São Paulo.

Record: Santos et al. (2004).

Diphyllobothrium sp. (eggs and adults)

Hosts: *Cerdocyon thous*, *Felis catus domesticus*, *Genypterus brasiliensis*, *Globicephala macrorhynchus*, *Homo sapiens*, *Kogia breviceps*, *Lophius gastrophysus*, *Lycalopex gymnocercus*, *Panthera onca*, *Paralichthys isosceles*.

Sites: Faeces, intestine.

Localities: Goiás, Rio Grande do Sul, Rio de Janeiro, São Paulo.

Records: Netto & Gonçalves (1959), Freire (1967b), Carneiro et al. (1972), Santos et al. (2004), Tavares et al. (2005b), Knoff et al. (2008, 2011a,b), Müller et al. (2009), Carvalho et al. (2010), Felizardo et al. (2010).

Spirometra Faust, Campbell & Kellogg, 1929

Spirometra bresslaui (Baer, 1927) Wardle, McLeod & Stewart, 1947

Host: *Didelphis aurita*.

Site: Not cited.

Locality: Brazil.

Record: Baer (1927).

Spirometra gracilis (Baer, 1927) Wardle, McLeod & Stewart, 1947

Host: *Leopardus wiedii* (=*Felis (Oncoides) macrura*).

Site: Not cited.

Locality: Brazil.

Record: Baer (1927).

Spirometra mansonioides (Muller, 1935) Wardle, McLeod & Stewart, 1947

Hosts: *Erythrolamprus poecilogyrus* (=*Leimadophis poecilogyrus pictostriatus*), *E. semiaureus* (=*Liophis miliaris semiaureus*), *Felis catus* (=*F. silvestris catus*).

Site: Small intestine.

Localities: Mato Grosso, Minas Gerais, Rio Grande do Sul, São Paulo.

Records: Mueller et al. (1975), Gutierrez et al. (1977), Ogassawara & Benassi (1980), Mundim et al. (2004), Ramos et al. (2013).

Spirometra sp. (eggs and adults)

Hosts: *Cerdocyon thous*, *Chrysocyon brachyurus*, *Felis catus domesticus*, *Leopardus colocolo*, *Leopardus pardalis*, *Lycalopex gymnocercus* (=*Pseudolapex gymnocercus*), *L. vetulus*, *Mastigodryas bifossatus* (=*Dryadophis bifossatus*), *Panthera onca*.

Sites: Faeces, feline coprolites, intestine.
 Localities: Minas Gerais, Pará, Piauí, Rio Grande do Sul, São Paulo.
 Records: Ruas *et al.* (2008), Moreira *et al.* (2009), Müller *et al.* (2009), Curi *et al.* (2010), Dall'Agnol *et al.* (2010), Sianto *et al.* (2014), Almeida *et al.* (2016), Gressler *et al.* (2016)

***Spirometra* sp. (plerocercoids)**

Hosts: *Ameiva ameiva*, *Bothrops* sp., *Chironius carinatus* (= *Herpetodryas carinatus*), *C. fuscus* (= *H. fuscus*), *Crotalus durissus*, *Dermatonotus muelleri*, *Drymarchon corais*, *Hypsiboas faber* (= *Hyla faber*), *Leptodactylus latrans* (= *L. ocellatus*), *Lycalopex gymnocercus* (= *Pseudalopex gymnocercus*), *Mastigodryas bifossatus* (= *Dryadophis bifossatus*), *Philander opossum* (= *Phylander opossum*), *Rhinella crucifer* (= *Bufo crucifer*), *Rhinella* sp. (= *Bufo* sp.).

Sites: General cavity, liver, peritoneum, striated muscle, subcutaneous tissue.
 Localities: Ceará, Mato Grosso, Minas Gerais, Rio de Janeiro, Rio Grande do Sul.

Records: Gomes (1984), Fortes & Hoffmann (1987/1988), Rêgo & Schäffer (1992), Bezerra *et al.* (2012), Almeida *et al.* (2016).

Remarks: Referred as sparganum of *Lueheella* (*Spirometra*) by Gomes (1984) and Rêgo & Schäffer (1992).

***Diphyllobotriidae* gen. sp. (adults and plerocercoids)**

Host: *Didelphis albiventris*.

Sites: Oesophagus serosum, intestine.

Locality: Rio Grande do Sul.

Record: Müller *et al.* (2009).

ORDER GYROCOTYLIDEA Poche, 1926

GYROCOTYLIDAE Benham, 1901

***Gyrocotyle* Diesing, 1850**

***Gyrocotyle maxima* MacDonagh, 1927**

Host: *Callorhinchus callorhinchus*.

Site: Spiral valve.

Locality: Rio Grande do Sul.

Record: Rêgo *et al.* (1974).

Remarks: Referred as *Gyrocotyle meandrica* by Rêgo *et al.* (1974).

ORDER LECANICEPHALIDEA Baylis, 1920
TETRAGONOCEPHALIDAE Yamaguti, 1959

***Tylocephalum* Linton, 1890**

***Tylocephalum* sp.**

Hosts: *Crassostrea gasar*, *C. gigas*, *C. rhizophorae*.

Site: Digestive-gland.

Localities: Bahia, Paraíba, Santa Catarina.

Records: Sabry & Magalhães (2005), Zeidan *et al.* (2012), Queiroga *et al.* (2015).

ORDER ONCHOPROTEOCEPHALIDEA

Caira, Jensen, Waeschenbach, Olson & Littlewood, 2014

ONCHOBOTHRIIDAE Braun, 1900

***Acanthobothrium* van Beneden, 1849**

***Acanthobothrium amazonensis* Mayes, Brooks & Thorson, 1978**

Host: *Potamotrygon motoro* (= *P. circularis*).

Site: Spiral valve.

Locality: Amazonas.

Record: Mayes *et al.* (1978).

***Acanthobothrium dasybatii* Yamaguti, 1934**

Host: Stingrays.

Site: Spiral valve.

Locality: Rio de Janeiro.

Record: Rêgo *et al.* (1974).

***Acanthobothrium regoi* Brooks, Mayes & Thorson, 1981**

Hosts: *Potamotrygon falkneri*, *P. motoro*.

Site: Spiral valve.

Locality: Mato Grosso do Sul.

Records: Brooks & Amato (1992), Lacerda *et al.* (2008).

***Acanthobothrium terezae* Rêgo & Dias, 1976**

Hosts: *Elipesurus* sp., *Potamotrygon motoro* (= *Paratrygon motoro*).

Site: Spiral valve.

Locality: Mato Grosso.

Record: Rêgo & Dias (1976).

***Platybothrium* Linton, 1890**

***Platybothrium auriculatum* Yamaguti, 1952**

Host: Shark.

Site: Spiral valve.

Locality: Pernambuco.

Record: Rêgo & Mayer (1976).

***Potamotrygonocestus* Brooks & Thorson, 1976**

***Potamotrygonocestus amazonensis* Brooks, Mayes & Thorson, 1981**

Hosts: *Potamotrygon constellata*, *P. falkneri*, *P. motoro* (= *P. circularis*), *P. orbignyi*, *P. scobina*, *Potamotrygon* sp.

Site: Anterior portion of the spiral valve.

Localities: Amazonas, Mato Grosso, Mato Grosso do Sul, Pará.

Records: Brooks *et al.* (1981), Marques *et al.* (2003).

***Potamotrygonocestus chaoi* Marques, Brooks & Araújo, 2003**

Host: *Plesiotrygon iwamae*.

Site: Anterior region of spiral valve.

Locality: Amazonas.

Records: Marques *et al.* (2003), Luchetti *et al.* (2008).

Potamotrygonocestus fitzgeraldae Marques, Brooks & Araújo, 2003

Hosts: *Paratrygon aiereba*, *Potamotrygon leopoldi*, *P. motoro*, *P. orbignyi*.

Site: Anterior portion of the spiral valve.

Localities: Amazonas, Mato Grosso, Pará.

Record: Marques *et al.* (2003).

Potamotrygonocestus marajoara Luchetti, Marques & Charvet-Almeida, 2008

Host: *Plesiotrygon iwamae*.

Site: Anterior portion of spiral valve.

Locality: Pará.

Record: Luchetti *et al.* (2008).

Potamotrygonocestus mauraee Marques, Brooks & Araújo, 2003

Host: *Potamotrygon orbignyi*.

Site: Anterior portion of the spiral valve.

Locality: Amazonas.

Record: Marques *et al.* (2003).

Potamotrygonocestus travassosi Rêgo, 1979

Hosts: *Paratrygon aiereba*, *Potamotrygon constellata*, *P. falkneri*, *P. hystrix*, *P. motoro*, *P. orbignyi*.

Site: Spiral valve.

Localities: Amazonas, Mato Grosso, Mato Grosso do Sul, Pará, Paraná.

Records: Rêgo (1979), Brooks & Amato (1992), Lacerda *et al.* (2008).

Remarks: Referred as *Potamotrygonocestus orinocoensis* by Brooks & Amato (1992).

Potamotrygonocestus sp. 7

Host: *Potamotrygon henlei*.

Site: Spiral valve

Locality: Pará.

Record: Marques *et al.* (2003).

Potamotrygonocestus sp. 8

Host: *Potamotrygon schroederi*.

Site: Spiral valve

Locality: Amazonas.

Record: Marques *et al.* (2003).

ORDER PHYLLOBOTHRIIDEA Caira, Jensen, Waeschenbach, Olson & Littlewood, 2014

Remarks: Caira *et al.* (2014) reallocated some genus of Tetraphyllidea, Phyllobothriidae pro parte to order Phyllobothriidea.

Monorygma Diesing, 1863

Monorygma grimaldi (Moniez, 1889) Baylis, 1919 (larvae) (*species inquirenda*)

Hosts: *Kogia breviceps*, *Lagenodelphis hosei*, *Peponocephala electra*, *Stenella clymene*, *S. coeruleoalba*, *S. longirostris*, *Stenella* sp.

Sites: Abdominal cavity, body musculature, blubber, epididymis, subcutaneous tissue.

Localities: Bahia, Ceará, São Paulo.

Records: Maia-Nogueira *et al.* (2001), Rosas *et al.* (2002), Carvalho *et al.* (2010).

Paraorygmatobothrium Ruhnke, 1994

Paraorygmatobothrium filiforme (Yamaguti, 1952) Ruhnke, 1996

Host: *Carcharhinus longimanus*.

Site: Spiral valve.

Locality: Pernambuco.

Record: Rêgo (1977).

Remarks: Referred as *Phyllobothrium filiforme* by Rêgo (1977).

Paraorygmatobothrium prionacis (Yamaguti, 1934) Ruhnke, 1994

Host: Shark.

Site: Spiral valve.

Locality: Pernambuco.

Record: Rêgo & Mayer (1976).

Remarks: Referred as *Phyllobothrium prionacis* by Rêgo & Mayer (1976).

Phyllobothrium Van Beneden, 1849

Phyllobothrium delphini (Bosc, 1802) van Beneden, 1868 (merocercoid) (*species inquirenda*)

Hosts: *Globicephala macrorhynchus*, *Kogia breviceps*, *K. sima*, *Lagenodelphis hosei*, *Peponocephala electra*, *Physeter catodon* (= *P. microcephalus*), *Stenella clymene*, *S. coeruleoalba*, *S. frontalis*, *S. longirostris*, *Steno bredanensis*.

Sites: Blubber, stomach.

Localities: Bahia, Ceará, Rio Grande do Sul.

Records: Ott & Danilewicz (1996), Carvalho *et al.* (2010).

ORDER PROTEOCEPHALIDEA Mola, 1928

Remarks: Caira *et al.* (2014) erected Onchoproteocephalidea containing part of Tetraphyllidea and the whole Proteocephalidea, which was not accepted by de Chambrier *et al.* (2015).

These authors split the genera into subfamilies, without mention the families Monticelliidae and Proteocephalidae. In the present checklist, these

families were maintained, following the Global Cestode Database (2012), until a better comprehension based on morphological and molecular studies be presented.

MONTICELLIIDAE La Rue, 1911

Amazotaenia de Chambrier, 2001

Amazotaenia yvettae de Chambrier, 2001

Hosts: *Brachyplatystoma filamentosum*, *B. vaillantii*.

Site: Intestine.

Locality: Amazonas.

Record: de Chambrier (2001).

Brooksiella Rêgo, Chubb & Pavanelli, 1999

Brooksiella praeputialis (Rêgo, Santos & Silva, 1974) Rêgo, Chubb & Pavanelli, 1999

Host: *Cetopsis coecutiens*.

Site: Small intestine.

Localities: Amazonas, Pará.

Records: Rêgo *et al.* (1974, 1999a), de Chambrier *et al.* (2004).

Remarks: Referred as *Amphoteromorphus praeputialis* by Rêgo *et al.* (1974).

Cangatiella Pavanelli & Santos, 1990

Cangatiella arandasi Pavanelli & Santos, 1990

Host: *Trachelophorus galatea* (=*Paracchenipterus galeatus*).

Site: Small intestine.

Locality: Paraná.

Records: Pavanelli & Santos (1990, 1991), Kohn *et al.* (2011).

Chambriella Rêgo, Chubb & Pavanelli, 1999

Chambriella megacephala (Woodland, 1934) Alves, de Chambrier, Scholz & Luque, 2017

Hosts: *Pimelodus maculatus*, *Platystomatichthys sturio*, *Sorubimichthys planiceps*, *Zungaro zungaro* (=*Paulicea luetkeni*).

Site: Intestine.

Localities: Amazonas, Paraná, Santa Catarina.

Records: Woodland (1934b), Pavanelli & Santos (1992), Bachmann *et al.* (2007), de Chambrier & Scholz (2008), Kohn *et al.* (2011).

Remarks: Referred as *Monticellia megacephala* by Woodland (1934b), as *Goezeella agostinhoi* by Pavanelli & Santos (1992), Bachmann *et al.* (2007) and Kohn *et al.* (2011) and as *Lenhataenia megacephala* by de Chambrier & Scholz (2008). Alves *et al.* (2017b) considered *Lenhataenia* as synonym of *Chambriella* and after examination of type material of *C. agostinhoi* and *L. megacephala*, stated that both species are indistinguishable.

Chambriella sp.

Host: *Phractocephalus hemioliopterus*.

Site: Intestine.

Locality: Amazonas.

Records: Ruedi & de Chambrier (2012).

Choanoscolex La Rue, 1911

Choanoscolex abscissus (Riggenbah, 1895) La Rue, 1911

Hosts: *Pseudoplatystoma corruscans*, *P. fasciatum*, *Rhaphiodon vulpinus*, *Zungaro zungaro* (=*Paulicea luetkeni*).

Site: Intestine.

Localities: Bahia, Mato Grosso, Mato Grosso do Sul, Minas Gerais, Paraná.

Records: Rêgo & Gibson (1989), Rêgo (1990), Rêgo & Pavanelli (1990), Pavanelli & Santos (1991), Machado *et al.* (1994), Rêgo *et al.* (1999a), Campos *et al.* (2008, 2009), Kohn *et al.* (2011), Jeronimo *et al.* (2013), Ribeiro *et al.* (2014b).

Choanoscolex sp.

Host: *Sorubimichthys planiceps*.

Site: Intestine.

Locality: Amazonas.

Record: de Chambrier & Scholz (2008).

Endorchis Woodland, 1934

Endorchis piraeeba Woodland, 1934

Hosts: *Brachyplatystoma filamentosum*, *B. rousseauxii*, *Zungaro zungaro* (=*Brachyplatystoma flavicans*).

Site: Intestine.

Locality: Amazonas.

Records: Woodland (1934b), Rêgo (1991), Hypsa *et al.* (2005).

Remarks: Referred as *Nomimoscolex piraeeba* by Rêgo (1991) and Hypsa *et al.* (2005).

Ephedrocephalus Diesing, 1850

Ephedrocephalus microcephalus Diesing, 1850

Host: *Phractocephalus hemioliopterus*.

Site: Intestine.

Localities: Amazonas, Mato Grosso.

Records: Diesing (1850), Woodland (1933a), Rêgo (1984b), Hypsa *et al.* (2005), Ruedi & de Chambrier (2012).

Gibsoniela Rêgo, 1984

Gibsoniela mandube (Woodland, 1935) Rêgo, 1984

Host: *Ageneiosus inermis* (=*A. brevifilis*).

Site: Intestine.

Localities: Amazonas, Mato Grosso, Paraná.

Records: Woodland (1935a), Rêgo (1984a, 1992).

Remarks: Referred as *Anthobothrium mandube* and *Endorchis mandube* by Woodland (1935a).

Gibsoniela meursaulti de Chambrier & Vaucher, 1999

Host: *Ageneiosus inermis*.

Site: Intestine.

Localities: Amazonas, Paraná.

Records: Woodland (1935a), Rego (1992); de Chambrier and Vaucher (1999).

Remarks: de Chambrier and Vaucher (1999) examined type material of *Gibsoniela mandube* and *Endrochis mandube* and assumed that they represent two distinct species of the genus *Gibsoniela*. These authors proposed a new name *G. meursaulti* to avoid the homonymy with the specimens tentatively identified as *E. mandube*.

Goezeella Fuhrmann, 1916

Goezeella siluri Fuhrmann, 1916

Hosts: *Cetopsis coecutiens*, *Pinirampus pirinampu*.

Site: Intestine.

Locality: Amazonas.

Records: Fuhrmann (1916), Woodland (1935b), Rêgo et al. (1974, 1999a), Zehnder & Mariaux (1999), de Chambrier et al. (2004), Hypsa et al. (2005).

Remarks: Referred as *Monticellia siluri* by Woodland (1935b).

Harriscolex Rêgo, 1987

Harriscolex kaparari (Woodland, 1935) Rêgo, 1987

Hosts: *Pseudoplatystoma corruscans*, *P. fasciatum*, *P. tigrinum*.

Site: Intestine.

Localities: Amazonas, Bahia, Mato Grosso, Mato Grosso do Sul, Minas Gerais, Paraná.

Records: Woodland (1935a), Rêgo (1987b, 1990), Pavanelli & Santos (1991), Machado et al. (1994), Campos et al. (2008, 2009), Kohn et al. (2011), Ribeiro et al. (2014b).

Remarks: Referred as *Nomimoscolex kaparari* by Woodland (1935a) and Pavanelli & Santos (1991).

Harriscolex piramutab (Woodland, 1933) de Chambrier, Kuchta & Scholz, 2015

Host: *Brachyplatystoma vaillantii*.

Site: Intestine.

Locality: Amazonas.

Records: Woodland (1933b), Rêgo (1984a).

Remarks: Referred as *Anthobothrium piramutab* by Woodland (1933b) and as *Proteocephalus piramutab* by Rêgo (1984a).

Jauella Rêgo & Pavanelli, 1985

Jauella glandicephalus Rêgo & Pavanelli, 1985

Host: *Zungaro zungaro* (= *Paulicea luetkeni*).

Site: Intestine.

Localities: Mato Grosso, Paraná.

Records: Rêgo & Pavanelli (1985), Pavanelli & Santos (1991).

Manaosia Woodland, 1935

Manaosia bracodemoca Woodland, 1935

Hosts: *Hemisorubim platyrhynchos*, *Platystoma* sp., *Sorubim lima*.

Site: Intestine.

Localities: Amazonas, Paraná.

Records: Woodland (1935a), Pavanelli & Rêgo (1991), Pavanelli & Santos (1991), Pavanelli & Takemoto (2000), Takemoto & Pavanelli (2000), de Chambrier (2003), Kohn et al. (2011).

Remarks: Referred as *Goezeella nupeliensis* by Pavanelli & Santos (1991) and as *Paramonticellia itaipuensis* by Pavanelli & Takemoto (2000) and Takemoto & Pavanelli (2000). *Goezeella nupeliensis* Pavanelli & Rêgo, 1991 was considered *species inquirenda* by Rêgo et al. (1999a). In the same year, de Chambrier & Vaucher (1999) considered *Goezeella nupeliensis* of Pavanelli & Rêgo (1991) a synonym of *Paramonticellia itaipuensis* Pavanelli & Rêgo, 1991. de Chambrier (2003) considered *Paramonticellia* a junior synonym of *Manaosia*, and *Paramonticellia itaipuensis* a junior synonym of *Manaosia bracodemoca*. According to de Chambrier (2003) the type host reported by Woodland (1935a) as *Platystoma* sp. is probably *Sorubim lima*, vernacular name “Braço-de-Moça”.

Mariauxiella Rêgo & Pavanelli 1992

Mariauxiella pimelodi de Chambrier & Rêgo, 1995

Hosts: *Pimelodus ornatus*, *Pimelodus* sp.

Site: Intestine.

Localities: Mato Grosso, Paraná.

Records: de Chambrier & Rêgo (1995), Rêgo et al. (1999a).

Mariauxiella piscatorum de Chambrier & Vaucher, 1999

Host: *Hemisorubim platyrhynchos*.

Sites: Intestine, stomach.

Locality: Mato Grosso do Sul.

Record: Guidelli et al. (2003).

Monticellia La Rue, 1911

Monticellia amazonica (Woodland, 1935) de Chambrier & Vaucher, 1997

Hosts: *Calophysus macropterus*, *Luciopimelodus pati* (= *Pimelodus pati*).

Site: Intestine.

Locality: Amazonas.

Records: Woodland (1935b), de Chambrier & Vaucher (1997), Scholz *et al.* (2008).

Remarks: Referred as *Nomimoscolex piracatinga* by Woodland (1935b).

Monticellia belavistensis Pavanelli, Machado, Takemoto & Santos, 1994

Host: *Pterodoras granulosus*.

Site: Intestine.

Locality: Paraná.

Records: Pavanelli *et al.* (1994), Kohn *et al.* (2011).

Monticellia coryphicephala (Monticelli, 1891) La Rue, 1911

Hosts: *Salminus brasiliensis* (=*S. maxillosus*), *S. franciscanus* (=*S. brevidens*).

Site: Intestine.

Localities: Minas Gerais, Paraná.

Records: Rêgo & Pavanelli (1990), Pavanelli & Santos (1991), Mesquita *et al.* (2012), Karling *et al.* (2013).

Monticellia diesingi (Monticelli, 1892) La Rue, 1911 (*species inquirenda*)

Host: *Salminus brasiliensis* (=*Silurus dargado*).

Site: Intestine.

Locality: Brazil.

Records: Rêgo (1975, 1987b).

Monticellia macrocotylea (Monticelli, 1892) La Rue, 1911 (*species inquirenda*)

Host: *Pimelodus ornatus* (= *Silurus megacephalus*).

Site: Intestine.

Locality: Brazil.

Records: Rêgo (1975, 1987b).

Monticellia magna (Rêgo, Santos & Silva, 1974) de Chambrier & Vaucher, 1997

Hosts: *Pimelodus maculatus*, *Synodontis clarias* (=*Pimelodus clarias*).

Site: Intestine.

Localities: Mato Grosso, Paraná.

Records: Rêgo *et al.* (1974), Pavanelli & Santos (1992), de Chambrier & Vaucher (1997), Kohn *et al.* (2011).

Remarks: Referred as *Nomimoscolex magna* by Rêgo *et al.* (1974) and as *Monticellia loyolai* by Pavanelli & Santos (1992).

Monticellia piramutab Woodland, 1933

Host: *Brachyplatystoma vaillantii*.

Site: Intestine.

Locality: Amazonas.

Record: Woodland (1933b).

Monticellia ventrei de Chambrier & Vaucher, 1999

Hosts: *Pinirampus pirinampu*, *Pinirampus* sp.

Site: Intestine.

Locality: Amazonas.

Records: Woodland (1934b), de Chambrier & Vaucher (1999).

Remarks: Referred as *Myzophorus admonticellia* Woodland, 1934 [partim] by Woodland (1934b).

Nomimoscolex Woodland, 1934

Nomimoscolex admonticellia (Woodland, 1934)

Rêgo & Pavanelli, 1992

Hosts: *Pinirampus pirinampu*, *Pinirampus* sp.

Site: Intestine.

Localities: Amazonas, Mato Grosso, Paraná.

Records: Woodland (1934b), Pavanelli & Santos (1991), Rêgo & Pavanelli (1992), de Chambrier & Vaucher (1999), Hypsa *et al.* (2005).

Remarks: Referred as *Myzophorus admonticellia* Woodland, 1934 [partim] by Woodland (1934b).

Nomimoscolex arandasregoi Fortes, 1981

(*species inquirenda*)

Hosts: *Genidens barbus* (=*Tachysurus upsulonophorus*, *Netuma barba*), *G. genidens*, *Tachysurus agassizii*.

Site: Intestine.

Locality: Rio Grande do Sul.

Records: Fortes (1981), Fortes & Hoffmann (1995).

Nomimoscolex chubbi (Pavanelli & Takemoto, 1995) de Chambrier & Vaucher, 1997

Hosts: *Gymnotus carapo*, *Gymnotus* sp.

Site: Anterior intestine diverticules.

Locality: Paraná.

Records: Pavanelli & Takemoto (1995), Isaac *et al.* (2004).

Remarks: Referred as *Proteocephalus chubbi* by Pavanelli & Takemoto (1995).

Nomimoscolex dorad (Woodland, 1935) Freze, 1965

Host: *Zungaro zungaro* (=*Brachyplatystoma flavicans*).

Site: Intestine.

Locality: Amazonas.

Records: Woodland (1935c), Rêgo (1991), Hypsa *et al.* (2005).

Remarks: Referred as *Myzophorus dorad* by Woodland (1935c).

Nomimoscolex lenha (Woodland, 1933)

Woodland, 1935

Hosts: *Platystomatichthys sturio* (=*Platystomatichthyes sturio*), *Sorubimichthys planiceps*.

Site: Intestine.

Locality: Amazonas.

Records: Woodland (1933c), Hypsa *et al.* (2005), de Chambrier & Scholz (2008).

Remarks: Referred as *Proteocephalus lenha* by Woodland (1933c).

***Nomimoscolex lopesi* Rêgo, 1989**

Host: *Pseudoplatystoma fasciatum* (=*P. fasciatus*).

Site: Intestine.

Locality: Mato Grosso.

Record: Rêgo (1989).

***Nomimoscolex matogrossensis* Rêgo & Pavanelli, 1990**

Hosts: *Hoplerythrinus unitaeniatus*, *Hoplias malabaricus*.

Site: Intestine.

Localities: Amapá, Amazonas, Mato Grosso.

Records: Rêgo & Pavanelli (1990), Alcântara & Tavares-Dias, (2015) (larvae), Gonçalves *et al.* (2016).

***Nomimoscolex piraeeba* Woodland, 1934**

Hosts: *Brachyplatystoma filamentosum*, *Zungaro zungaro* (=*Brachyplatystoma flavicans*).

Sites: Intestine, rectum

Localities: Amazonas, Pará.

Records: Woodland (1934c), Rêgo (1991), de Chambrier & Vaucher (1997), Hypsa *et al.* (2005).

***Nomimoscolex pertierrae* de Chambrier, Takemoto & Pavanelli, 2006**

Host: *Pseudoplatystoma corruscans*.

Site: Intestine.

Localities: Mato Grosso do Sul, Paraná.

Records: de Chambrier *et al.* (2006), Ribeiro & Takemoto (2014).

***Nomimoscolex sudobim* Woodland, 1935**

Hosts: *Pseudoplatystoma corruscans*, *P. fasciatum*, *P. reticulatum*.

Site: Intestine.

Localities: Amazonas, Mato Grosso do Sul, Paraná.

Records: Woodland (1935b), Pavanelli & Santos (1991), Pavanelli & Rêgo (1992), Machado *et al.* (1994), Hypsa *et al.* (2005), de Chambrier *et al.* (2006), Campos *et al.* (2008, 2009), Jeronimo *et al.* (2013).

***Nomimoscolex suspectus* Zehnder, de Chambrier, Vaucher & Mariaux, 2000**

Hosts: *Brachyplatystoma filamentosum*, *B. vaillantii*, *Zungaro zungaro* (=*Brachyplatystoma flavicans*).

Locality: Amazonas.

Site: Intestine.

Record: Zehnder *et al.* (2000), Hypsa *et al.* (2005).

***Nomimoscolex* sp.**

Host: *Brachyplatystoma rousseauxii*, *Pimelodus maculatus*, *Pseudoplatystoma corruscans*, *P. fasciatum*.

Site: Intestine.

Localities: Amazonas, Minas Gerais, Rio de Janeiro.

Records: Brasil-Sato (2003), Santos *et al.* (2007), Albuquerque *et al.* (2008), Lopes *et al.* (2009), Azevedo *et al.* (2010), Rocha *et al.* (2016).

***Nupelia* Pavanelli & Rêgo, 1991**

***Nupelia portoricensis* Pavanelli & Rêgo, 1991**

Host: *Sorubim lima*.

Site: Intestine.

Locality: Paraná.

Records: Pavanelli & Rêgo (1991), Pavanelli & Santos (1991), Pavanelli & Takemoto (2000), Takemoto & Pavanelli (2000).

***Peltidocotyle* Diesing, 1850**

***Peltidocotyle lenha* (Woodland, 1933) Woodland, 1934**

Hosts: *Platystomatichthys sturio* (=*Pseudoplatystoma sturio*), *Sorubimichthys planiceps*, *Zungaro zungaro* (=*Paulicea luetkeni*).

Site: Intestine.

Localities: Amazonas, Paraná.

Records: Woodland (1933c), Freze (1965), Zehnder & de Chambrier (2000), Hypsa *et al.* (2005), de Chambrier & Scholz (2008).

Remarks: Referred as *Othiniscolex lenha* by Woodland (1933c) and as *Woodlandiella myzofera* by Freze (1965).

***Peltidocotyle rugosa* Diesing, 1850**

Hosts: *Pseudoplatystoma corruscans*, *P. fasciatum*, *P. tigrinum* (=*P. tigrina*, *Platystoma tigrinum*), *Zungaro zungaro* (=*Paulicea luetkeni*).

Site: Intestine.

Localities: Amazonas, Mato Grosso do Sul, Paraná.

Records: Diesing (1850), Woodland (1933a), Rêgo & Pavanelli (1987), Rêgo (1989, 1990), Pavanelli & Santos (1991), Zehnder & de Chambrier (2000), Campos *et al.* (2008, 2009), Kohn *et al.* (2011).

***Pseudocrepidobothrium* Rêgo & Ivanov, 2001**

***Pseudocrepidobothrium eirasi* (Rêgo & de Chambrier, 1995) Rêgo & Ivanov, 2001**

Host: *Phractocephalus hemiolopterus*.

Site: Digestive tract.

Locality: Amazonas.

Records: Rêgo & de Chambrier (1995), Rêgo &

Ivanov (2001), Ruedi & de Chambrier (2012).
 Remarks: Referred as *Crepidobothrium eirasi* by Rêgo & de Chambrier (1995) and Hypsa *et al.* (2005).

Pseudocrepidobothrium ludovici Ruedi & de Chambrier, 2012

Host: *Phractocephalus hemioliopterus*.

Site: Intestine.

Locality: Amazonas.

Record: Ruedi & de Chambrier (2012)

Riggenbachiella Alves, de Chambrier, Scholz & Luque, 2017

Riggenbachiella amazonense Alves, de Chambrier, Scholz & Luque, 2017

Hosts: *Phractocephalus hemioliopterus*, *Sorubimichthys planiceps*, *Zungaro zungaro*.

Site: Anterior intestine.

Locality: Amazonas.

Remarks: *Chambriella* sp. of de Chambrier & Scholz (2008) is considered synonym of this species

Riggenbachiella paranaensis (Pavanelli & Rêgo, 1989) Rêgo, Chubb & Pavanelli, 1999

Host: *Hemisorubim platyrhynchos*.

Site: Intestine.

Localities: Mato Grosso do Sul, Paraná.

Records: Pavanelli & Rêgo (1989), Pavanelli & Santos (1991), Rêgo *et al.* (1999a), Guidelli *et al.* (2003).

Remarks: Referred as *Goezeella paranaensis* by Pavanelli & Rêgo (1989), Pavanelli & Santos (1991) and Guidelli *et al.* (2003). *Chambriella paranaensis* (Pavanelli & Rêgo, 1989) Rêgo, Chubb & Pavanelli, 1999 was considered synonym of this species by Alves *et al.* (2017).

Rudolphiella Fuhrmann, 1916

Rudolphiella myoides (Woodland, 1934)

Woodland, 1935

Host: *Pinirampus pirinampu*.

Site: Intestine.

Locality: Amazonas.

Records: Woodland (1934b, 1935b).

Remarks: Referred as *Amphilorchis myoides* by Woodland (1934b).

Rudolphiella piracatinga (Woodland, 1935) Gil de Pertier & de Chambrier, 2000

Hosts: *Calophysus macropterus*, *Luciopimelodus pati* (= *Pimelodus pati*).

Site: Intestine.

Localities: Amazonas, Pará.

Records: Woodland (1935b), Rêgo (1975), Gil de Pertier & de Chambrier (2000).

Remarks: Referred as *Monticellia piracatinga* by Woodland (1935b) and as *Monticellia rugata* by Rêgo (1975).

Rudolphiella piranabu (Woodland, 1934)

Woodland, 1935

Hosts: *Brachyplatystoma filamentosum* (= *Brachyplatystoma filamentosus*), *Pinirampus pirinampu*.

Site: Intestine.

Localities: Amazonas, Paraná.

Records: Woodland (1934b), Pavanelli & Rêgo (1989), Pavanelli & Santos (1991), Kohn *et al.* (2011).

Remarks: Referred as *Amphilaphorchis piranabu* by Woodland (1934b).

Sciadocephalus Diesing, 1850

Sciadocephalus megalodiscus Diesing, 1850

Hosts: *Cichla kelberi*, *C. monoculus*, *C. ocellaris*, *C. piquiti*.

Site: Intestine.

Localities: Mato Grosso, Paraná, Rio Grande do Norte.

Records: Diesing (1850), Woodland (1933a), Rêgo (1987b), Rêgo *et al.* (1999b), Machado *et al.* (2000), Franceschini *et al.* (2013), Yamada & Takemoto (2013).

Spasskyellina Freze, 1965

Spasskyellina lenha (Woodland, 1933) Freze, 1965

Hosts: *Platystomatichthys sturio*, *Sorubimichthys planiceps*.

Site: Intestine.

Locality: Amazonas.

Records: Woodland (1933c), Freze (1965), Rêgo (1975), de Chambrier & Scholz (2008).

Remarks: Referred as *Monticellia lenha* by Woodland (1933c) and de Chambrier & Scholz (2008).

Spasskyellina mandi Pavanelli & Takemoto, 1996

Host: *Pimelodus ornatus*.

Site: Intestine.

Locality: Paraná.

Record: Pavanelli & Takemoto (1996).

Spasskyellina spinulifera (Woodland, 1935) Freze, 1965

Hosts: *Pseudoplatystoma corruscans*, *P. fasciatum* (= *P. fasciatus*), *P. tigrinum* (= *P. tigrina*), *Sorubim lima*.

Site: Intestine.

Localities: Amazonas, Mato Grosso, Paraná.

Records: Woodland (1935b), Rêgo (1990), Pavanelli & Santos (1991), Machado *et al.* (1994),

Rêgo *et al.* (1999a), Pavanelli & Takemoto (2000), Takemoto & Pavanelli (2000), Ribeiro *et al.* (2014b).

Remarks: Referred as *Monticellia spinulifera* by Woodland (1935b).

***Spasskyllina* sp.**

Hosts: *Pimelodus ornatus*, *Pseudoplatystoma fasciatum*.

Site: intestine.

Locality: Paraná.

Records: Santos *et al.* (2003), Takemoto *et al.* (2009).

***Spatulifer* Woodland, 1934**

***Spatulifer maringaensis* Pavanelli & Rêgo, 1989**

Hosts: *Hemisorubim platyrhynchos*, *Sorubim lima*.

Site: Intestine.

Locality: Paraná.

Records: Pavanelli & Rêgo (1989), Pavanelli & Santos (1991), Pavanelli & Takemoto (2000), Takemoto & Pavanelli (2000).

***Spatulifer rugosa* (Woodland, 1935) Brooks & Deardorff, 1980**

Host: *Pseudoplatystoma fasciatum*.

Site: Intestine.

Localities: Amazonas, Mato Grosso, Mato Grosso do Sul.

Records: Woodland (1935a), Brooks & Deardorff (1980), Rêgo (1989), Campos *et al.* (2008, 2009).

Remarks: Referred as *Monticellia rugosa* by Woodland (1935a).

***Spatulifer surubim* Woodland, 1934**

Host: *Pseudoplatystoma trigrinum*.

Site: Intestine.

Locality: Amazonas.

Record: Woodland (1934b)

Remarks: Referred as *Peltidocotyle rugosa* by Woodland (1934b).

PROTEOCEPHALIDAE La Rue, 1911

***Amphoteromorphus* Diesing, 1850**

***Amphoteromorphus ninoi* Carfora, de Chambrier & Vaucher, 2003.**

Host: *Brachyplatystoma filamentosum*, *B. vaillanti*

Site: Intestine.

Locality: Amazonas.

Record: Carfora *et al.* (2003).

***Amphoteromorphus ovalis* Carfora, de Chambrier & Vaucher, 2003.**

Host: *Brachyplatystoma* sp.

Site: Intestine.

Locality: Amazonas.

Record: Carfora *et al.* (2003).

***Amphoteromorphus parkamoo* Woodland, 1935**
Host: *Zungaro zungaro* (=*Paulicea luetkeni*, *Pseudopimelodus zungaro*).

Site: Not cited.

Locality: Amazonas.

Records: Woodland (1935a), Rêgo (1987b), Zehnder *et al.* (2000), Carfora *et al.* (2003), Hypsa *et al.* (2005).

***Amphoteromorphus peniculus* Diesing, 1850**

Hosts: *Brachyplatystoma rousseauxii* (=*Bagrus goliath*, *Scilurus* sp.), *Zungaro zungaro* (=*B. flavigicans*).

Site: Not cited.

Locality: Amazonas.

Records: Diesing (1850), Woodland (1933c), de Chambrier & Vaucher (1997), Carfora *et al.* (2003).

***Amphoteromorphus piraeeba* Woodland, 1934**

Host: *Brachyplatystoma filamentosum*
(=*B. filamentosus*).

Site: Intestine.

Locality: Amazonas.

Records: Woodland (1934c), Rêgo (1987b), de Chambrier & Vaucher (1997), Hypsa *et al.* (2005).

***Amphoteromorphus piriformis* Carfora, de Chambrier & Vaucher, 2003.**

Host: *Zungaro zungaro* (=*Brachyplatystoma flavigicans*).

Site: Intestine.

Locality: Amazonas.

Records: Carfora *et al.* (2003).

***Brayela* Rêgo, 1984**

***Brayela karuatayi* (Woodland, 1934) Rêgo, 1984**

Host: *Glanidium* sp.

Site: Intestine.

Locality: Amazonas.

Records: Woodland (1934a), Rêgo (1984a, 1987b).

Remarks: Referred as *Anthobothrium karuatayi* by Woodland (1934a). de Chambrier *et al.* (2014) collected material of this species from *Platynematicichthys notatus* from Peru and stated that Woodland (1934a) was unable to identify the fish host to the species level and assumed it belonged to the genus *Glanidium* but he illustrated this fish which, according to them, presented body shape and other characteristics typical of the “coroatá”, *Platynematicichthys notatus*.

Crepidobothrium Monticelli, 1900***Crepidobothrium gerrardii*** (Baird, 1860)

Hosts: *Bothrops jararaca*, *Bothrops* sp., *Eunectes murinus*, *Ophidias* sp.

Site: Intestine.

Localities: Bahia, Pará, Rio Grande do Sul, Rio de Janeiro.

Records: Travassos (1965), Rêgo (1967c), Santos & Rolas (1973), Fortes & Hoffmann (1995).

Crepidobothrium lachesidis (MacCallum, 1921)

Yamaguti, 1959

Host: *Bothrops jararaca*.

Site: Intestine.

Locality: Espírito Santo.

Record: MacCallum (1921).

Remarks: Referred as *Tetrabothrius lachesidis* by MacCallum (1921).

Crepidobothrium sp.

Host: *Bothrops moojeni*.

Site: Intestine.

Locality: Mato Grosso do Sul.

Record: Silva et al. (2001b).

Euzetiella de Chambrier, Rêgo & Vaucher, 1999***Euzetiella tetraphylliformis*** de Chambrier, Rêgo & Vaucher, 1999

Host: *Zungaro zungaro* (=*Paulicea luetkeni*).

Site: Intestine.

Localities: Amazonas, Paraná.

Record: de Chambrier et al. (1999).

Frezella Alves, de Chambrier, Scholz & Luque, 2015

Frezella vaucheri Alves, de Chambrier, Scholz & Luque, 2015

Host: *Tocantinsia piresi*.

Locality: Pará.

Site: Intestine.

Record: Alves et al. (2015a).

Houssayela Rêgo, 1987***Houssayela sudobim*** (Woodland, 1935) Rêgo, 1987

Host: *Pseudoplatystoma fasciatum*.

Site: Intestine.

Locality: Amazonas.

Records: Woodland (1935c), Rêgo (1987b), de Chambrier & Scholz (2005).

Remarks: Referred as *Myzophorus sudobim* by Woodland (1935c).

Megathylacus Woodland, 1934***Megathylacus jandia*** Woodland, 1934

Hosts: *Rhamdia* sp., *Zungaro zungaro* (=*Paulicea luetkeni*).

Site: Intestine.

Localities: Amazonas, Mato Grosso, Paraná, São Paulo.

Records: Woodland (1934a), Rêgo & Pavanelli (1985), Konh & Fernandes (1987), Pavanelli & Santos (1991), Hypsa et al. (2005), Kohn et al. (2011), de Chambrier et al. (2014).

Remarks: Referred as *Megathylacus brooksi* by Rêgo & Pavanelli (1985), Kohn & Fernandes (1987), Pavanelli & Santos (1991), Hypsa et al. (2005) and Kohn et al. (2011). *M. jandia* was considered conspecific with *M. brooksi* by de Chambrier et al. (2014).

Megathylacus travassosi Pavanelli & Rêgo, 1992

Hosts: *Pseudoplatystoma corruscans*, *P. fasciatum*.

Site: Intestine.

Localities: Mato Grosso do Sul, Paraná.

Records: Pavanelli & Rêgo (1992), Machado et al. (1994), Campos et al. (2008, 2009), de Chambrier et al. (2014).

Megathylacus sp.

Host: *Pseudoplatystoma corruscans*.

Site: Intestine.

Locality: Mato Grosso.

Records: Rêgo (1990), Pavanelli & Rêgo (1992).

Ophiotaenia La Rue, 1911***Ophiotaenia arandasi*** (Santos & Rolas, 1973)

Ammann & de Chambrier, 2008

Host: *Erythrolamprus miliaris* (=*Liophis miliaris*).

Site: Intestine.

Locality: Rio de Janeiro.

Record: Santos & Rolas (1973).

Remarks: Referred as *Proteocephalus arandasi* by Santos & Rolas (1973).

Ophiotaenia azevedoi (de Chambrier, Vaucher & Renaud, 1992) Ammann & de Chambrier, 2008

Host: *Bothrops jararaca*.

Site: Digestive tube.

Locality: Espírito Santo.

Record: de Chambrier et al. (1992).

Remarks: Referred as *Proteocephalus azevedoi* by de Chambrier et al. (1992).

Ophiotaenia catzeplisi (de Chambrier, Vaucher & Renaud, 1992) Ammann & de Chambrier, 2008

Host: *Bothrops jararaca*.

Site: Digestive tube.

Locality: Espírito Santo.

- Record: de Chambrier *et al.* (1992).
 Remarks: Referred as *Proteocephalus catzefflisi* by de Chambrier *et al.* (1992).
- Ophiotaenia euzeti*** (de Chambrier, Vaucher & Renaud, 1992) Ammann & de Chambrier, 2008
 Host: *Bothrops jararaca*.
 Site: Digestive tube.
 Locality: Espírito Santo.
 Record: de Chambrier *et al.* (1992).
 Remarks: Referred as *Proteocephalus euzeti* by de Chambrier *et al.* (1992)
- Ophiotaenia bonariensis*** Szidat & Soria, 1954
 Host: *Leptodactylus latrans* (= *L. ocellatus*).
 Site: Small intestine.
 Locality: Rio de Janeiro.
 Record: Rodrigues *et al.* (1990).
Ophiotaenia calmetti (Barros, 1898) La Rue, 1911
 Hosts: *Bothrops atrox*, *B. jararaca*, *B. lanceolatus*.
 Site: Intestine.
 Localities: Bahia, Rio de Janeiro.
 Records: Santos & Rolas (1973).
- Ophiotaenia elongata*** Fuhrmann, 1927
 Host: *Ophidia* sp.
 Site: Probably intestine.
 Locality: Brazil.
 Record: Fuhrmann (1927).
- Ophiotaenia flava*** Rudin, 1917
 Host: *Coluber* sp.
 Site: Probably intestine.
 Locality: Brazil.
 Record: Rudin (1917).
- Ophiotaenia hyalina*** Rudin, 1917
 Host: *Ophidia* sp.
 Site: Probably intestine.
 Locality: Brazil.
 Record: Rudin (1917).
- Ophiotaenia jarara*** Fuhrmann, 1927
 Hosts: *Bothrops alternatus*, *B. jararaca*.
 Sites: Intestine, oesophagus, stomach.
 Localities: Espírito Santo, Rio de Janeiro.
 Records: Fuhrmann (1927), Santos & Rolas (1973), de Chambrier *et al.* (1991).
 Remarks: Referred as *Ophiotaenia* sp. by Santos & Rolas (1973) and as *Proteocephalus jarara* by de Chambrier *et al.* (1991). According to de Chambrier *et al.* (1991), the type host was erroneously assigned as *B. alternatus*.
- Ophiotaenia lopesi*** Rêgo, 1967
 Host: *Chelonoidis denticulatus* (= *Testudo denticulata*).
 Site: Small intestine.
- Locality: Pará.
 Record: Rêgo (1967c).
- Ophiotaenia macrobothria*** Rudin, 1917
 Host: *Micrurus corallinus*.
 Site: Probably intestine.
 Locality: Brazil
 Record: Rudin (1917).
- Ophiotaenia nattereri*** Parona, 1901
 Host: *Coluber* sp.
 Site: Not cited.
 Locality: Brazil.
 Record: Parona (1901).
- Ophiotaenia racemosa*** (Rudolphi, 1819) La Rue, 1911
 Hosts: *Coluber* sp., *Ophidia* sp., *Xenodon merremii*.
 Site: Probably intestine.
 Locality: Brazil.
 Record: Rudolphi (1819).
 Remarks: Referred as *Taenia racemosa* by Rudolphi (1819).
- Ophiotaenia* sp.**
 Hosts: *Anolis fuscoauratus* (= *Norops fuscoauratus*), *Brachycephalus pernix*, *Corallus caninus*.
 Sites: Abdominal cavity, small intestine.
 Localities: Goiás, Paraná.
 Records: Goldberg *et al.* (2006a), Silva *et al.* (2006), Ribeiro *et al.* (2014a).
- Proteocephalus*** Weinland, 1858
- Proteocephalus gibsoni*** Rêgo & Pavanelli, 1991
 Hosts: *Astronotus ocellatus*, *Astronotus* sp., *Geophagus brasiliensis*.
 Site: Intestine.
 Localities: Amazonas, Espírito Santo, Pará, Paraná.
 Records: Rêgo & Pavanelli (1990), Bellay *et al.* (2012).
 Remarks: Referred as *Proteocephalus ocellatus* by Rêgo & Pavanelli (1990). Rêgo & Pavanelli (1991) renamed this species due to the original name was preoccupied.
- Proteocephalus hemioliopteri*** (Rêgo, 1984) de Chambrier & Vaucher, 1997
 Host: *Phractocephalus hemioliopterus*.
 Site: Intestine.
 Locality: Amazonas.
 Records: Rêgo (1984b), Rêgo & Pavanelli (1992), de Chambrier *et al.* (2005), Hypsa *et al.* (2005), Ruedi & de Chambrier (2012).
 Remarks: Referred as *Myzophorus woodlani* by Rêgo (1984b) and *Nomimoscolex woodlani* by

Chambrier & Vaucher (1997), *N. woodlandi* becomes *P. hemioliopteri* nom. nov. to avoid homonymy with *P. woodlandi* Moghe, 1926.

Proteocephalus joanae Chambrier & Paulino, 1997

Host: *Xenodon neuwiedii*.

Site: Intestine.

Locality: São Paulo.

Record: de Chambrier & Paulino (1997).

Proteocephalus kuyukuyu Woodland, 1935

Hosts: *Acanthodoras spinosissimus* (= *Pseudocetopsis brunnescens*), *Oxydoras niger* (= *Rhinodoras niger*).

Site: Gastrointestinal tract.

Locality: Amazonas.

Records: Woodland (1935a), Rêgo (1987b), Rêgo et al. (1999a), Santos & Tavares-Dias (2010), Silva et al. (2011a).

Remarks: Considered as *species inquirenda* by Rêgo (1987b) and Rêgo et al. (1999a).

Proteocephalus macrophallus (Diesing, 1850) La Rue, 1914

Hosts: *Cichla kelberi*, *C. monoculus*, *C. ocellaris*, *C. piquiti*, *Cichla* sp.

Sites: Intestine, stomach.

Localities: Mato Grosso, Minas Gerais, Paraná, São Paulo.

Records: Diesing (1850), Woodland (1933a), Machado et al. (2000), Martins et al. (2009), Azevedo et al. (2010), Kohn et al. (2011), Santos et al. (2011), Franceschini et al. (2013), Lacerda et al. (2013), Yamada & Takemoto (2013), Santos-Clapp & Brasil-Sato (2014).

Remarks: Referred as *Taenia macrophalla* by Diesing (1850).

Proteocephalus microscopicus Woodland, 1935

Hosts: *Cichla kelberi*, *C. monoculus*, *C. ocellaris*, *C. piquiti*, *Cichla* sp.

Site: Intestine.

Localities: Amazonas, Minas Gerais, Paraná, São Paulo.

Records: Woodland (1935b), Machado et al. (2000), Müller et al. (2008), Martins et al. (2009), Kohn et al. (2011), Franceschini et al. (2013), Yamada & Takemoto (2013), Santos-Clapp & Brasil-Sato (2014).

Proteocephalus platystomi Lynsdale, 1959

Host: *Platystoma* sp.

Site: Probably intestine.

Locality: Amazonas.

Record: Lynsdale (1959).

Proteocephalus renaudi de Chambrier & Vaucher, 1994

Host: *Franciscodoras marmoratus*.

Site: Anterior and middle gut.

Locality: Minas Gerais.

Record: Santos & Brasil-Sato (2006).

Proteocephalus rhamdiae Holcman-Spector & Mañé-Garzón, 1988

Host: *Rhamdia quelen*.

Site: intestine.

Locality: Rio Grande do Sul.

Record: Gil de Perttierra (2002).

Proteocephalus serrasalmus Rêgo & Pavanelli, 1990

Hosts: *Pygocentrus nattereri* (= *Serrasalmus nattereri*), *Serrasalmus spilopleura*.

Site: Probably intestine.

Localities: Mato Grosso, Paraná.

Records: Rêgo & Pavanelli (1990), Pavanelli & Santos (1991).

Proteocephalus sophiae de Chambrier & Rêgo, 1994

Host: *Zungaro zungaro* (= *Paulicea luetkeni*).

Site: Anterior intestine diverticules.

Locality: Amazonas.

Record: de Chambrier & Rêgo (1994).

Proteocephalus vazzolerae Pavanelli & Takemoto, 1995

Hosts: *Leporinus friderici*, *L. lacustris*, *Piaractus mesopotamicus*.

Sites: Anterior intestine diverticules, caeca.

Locality: Paraná.

Records: Pavanelli & Takemoto (1995), Guidelli et al. (2011).

***Proteocephalus* sp.**

Hosts: *Bothrops jararacussu*, *Franciscodoras marmoratus*, *Gymnotus carapo*, *Rhinella icterica* (= *Chaunus ictericus*).

Site: Intestine.

Localities: Minas Gerais, Rio de Janeiro.

Records: Santos & Rolas (1973), Santos & Brasil-Sato (2004), Lux Hoppe et al. (2008), Azevedo et al. (2010).

Remarks: Referred as *Ophiotaenia jarara* by Santos & Rolas (1973).

Scholzia de Chambrier, Rêgo & Perttierra, 2005

Scholzia emarginata (Diesing, 1850) de Chambrier, Rêgo & Perttierra, 2005

Host: *Phractocephalus hemiolopterus*.

Site: Intestine.

Localities: Amazonas, Mato Grosso.

Records: Diesing (1850), Woodland (1935c), Rêgo & Pavanelli (1992), Rêgo *et al.* (1999a), de Chambrier *et al.* (2005), Ruedi & de Chambrier (2012).

Remarks: Referred as *Tetrabothrium emarginatum* by Diesing (1850), as *Myzophorus pirarara* by Woodland (1935c), as *Nomimoscolex pirarara* by Rêgo & Pavanelli (1992) and as *Nomimoscolex emarginatus* by Rêgo *et al.* (1999a).

Tejidotaenia Freze, 1965

Tejidotaenia appendiculata (Baylis, 1947) Freze, 1965

Host: *Tupinambis teguixin* (=*T. nigropunctatus*).

Site: Intestine.

Localities: Amapá, Espírito Santo.

Record: Rêgo & de Chambrier (2000).

Travassielia Rêgo & Pavanelli, 1987

Travassielia jandia (Woodland, 1934) de Chambrier, Scholz & Kuchta, 2014

Hosts: *Rhamdia* sp., *Zungaro zungaro* (=*Paulicea luetkeni*).

Site: Intestine.

Localities: Amazonas, Mato Grosso, Paraná, São Paulo.

Records: Woodland (1934a), Rêgo *et al.* (1974), Rêgo (1987b), Pavanelli & Santos (1991), de Chambrier & Gil de Pertierra (2002), Kohn *et al.* (2011), de Chambrier *et al.* (2014).

Remarks: Referred as *Proteocephalus jandia* by Rêgo *et al.* (1974), as *Travassielia avitellina* by Pavanelli & Santos (1991), de Chambrier & Gil de Pertierra (2002) and Kohn *et al.* (2011). De Chambrier *et al.* (2014) stated that the definitive host of the *Proteocephalus jandia*, is not a species of *Rhamdia*, but *Zungaro zungaro*.

Zygodothrium Diesing, 1850

Zygodothrium megacephalum Diesing, 1850

Host: *Phractocephalus hemiolopterus* (=*Pirarara bicolor*).

Site: Middle intestine.

Locality: Amazonas.

Records: Diesing (1850), Woodland (1933a), Rêgo (1984b), Hypsa *et al.* (2005), Ruedi & de Chambrier (2012).

ORDER RHINEBOTHRIIDEA Healy, Caira, Jensen, Webster & Littlewood, 2009

RHINEBOTHRIIDAE Euzet, 1953

Anindobothrium Marques, Brooks & Lasso, 2001

Anindobothrium lisae Marques, Brooks & Lasso,

2001

Host: *Potamotrygon orbignyi*.

Site: Spiral valve.

Locality: Amazonas.

Record: Marques *et al.* (2001).

Rhinebothroides Mayes, Brooks & Thorson, 1981

Rhinebothroides freitasi (Rêgo, 1979) Brooks, Mayes & Thorson, 1981

Hosts: *Potamotrygon falkneri*, *P. henlei*, *P. leopoldi*, *P. motoro* (=*P. circularis*), *P. orbignyi*, *P. schroederi*, *P. scobina*.

Site: Spiral valve.

Localities: Amazonas, Mato Grosso do Sul, Pará.

Records: Rêgo (1979), Brooks *et al.* (1981), Mayes *et al.* (1981), Brooks & Amato (1992), Marques & Brooks (2003).

Remarks: Referred as *Rhinebothrium freitasi* by Rêgo (1979), and as *Rhinebothroides circularisi* by Mayes *et al.* (1981).

Rhinebothroides glandularis Brooks, Mayes & Thorson, 1981

Hosts: *Potamotrygon henlei*, *P. motoro*, *P. scobina*, *P. signata*, *Potamotrygon* sp.l.

Site: Spiral valve.

Localities: Amazonas, Pará, Piaui.

Record: Marques & Brooks (2003).

Rhinebothrioides maclellanae Brooks & Amato, 1982

Host: *Potamotrygon motoro*.

Site: Spiral valve.

Locality: Mato Grosso do Sul.

Record: Brooks & Amato (1982).

Remarks: Mayes & Brooks (2003) synonymized this species with *R. glandularis*, but Ivanov (2004) considered it as valid species.

Rhinebothrioides moralarai (Brooks and Thorson, 1976) Brooks, Mayes & Thorson, 1981

Host: *Potamotrygon* sp.

Site: Spiral valve.

Locality: Amazonas.

Record: Brooks *et al.* (1981), Marques & Brooks (2003).

Rhinebothrioides scorzai (López-Neyra & Diaz-Ungria, 1958) Brooks, Mayes & Thorson, 1981

Hosts: *Potamotrygon motoro*, *P. orbignyi*.

Site: Spiral valve.

Localities: Amazonas, Mato Grosso.

Records: Rêgo & Dias (1976), Brooks *et al.* (1981).

Remarks: Referred as *Rhinebothrium scorzai* by Rêgo & Dias (1976).

Rhinebothrioides venezuelensis Brooks, Mayes & Thorson, 1981

Host: *Potamotrygon motoro*.

Site: Spiral valve.

Locality: Mato Grosso do Sul.

Record: Brooks & Amato (1992).

Rhinebothrium Linton, 1889

Rhinebothrium brooksi Reyda & Marques, 2011

Hosts: *Paratrygon aiereba*, *Potamotrygon orbignyi*.

Site: Spiral intestine.

Localities: Amazonas, Pará

Record: Reyda & Marques (2011).

Rhinebothrium copianullum Reyda, 2008.

Hosts: *Paratrygon aiereba*, *Potamotrygon henlei*, *P. leopoldi*, *P. motoro*, *P. orbignyi*, *P. schroederi*, *P. tatianae*, *Potamotrygon* sp. (cururu), *Potamotrygon* sp. (tap1), *Potamotrygon* sp. (tap2).

Site: Spiral intestine.

Localities: Acre, Amazonas, Goiás, Mato Grosso, Pará, Tocantins.

Record: Reyda & Marques (2011).

Remarks: Reyda & Marques (2011) found immature specimens in *P. motoro*, *P. tatianae* and *P. schroederi*.

Rhinebothrium fulbrighti Reyda & Marques, 2011

Hosts: *Potamotrygon orbignyi*, *Potamotrygon* sp.

Site: Spiral intestine.

Locality: Pará

Record: Reyda & Marques (2011).

Rhinebothrium jaimei Marques & Reyda, 2015

Hosts: *Potamotrygon orbignyi*, *P. scobina*.

Site: Spiral intestine.

Locality: Pará.

Record: Marques & Reyda (2015).

Rhinebothrium paratrygoni Rêgo & Dias, 1976

Hosts: *Elipesurus* sp., *Paratrygon aiereba*, *Potamotrygon brachyura*, *P. falkneri*, *P. motoro*.

Site: Spiral valve.

Localities: Mato Grosso, Paraná.

Records: Rego & Dias (1976), Brooks & Amato (1992), Lacerda *et al.* (2008, 2009), Reyda & Marques (2011).

Rhinebothrium sp.

Host: *Scomber japonicus*.

Sites: Intestine, pyloric caecum.

Locality: Rio de Janeiro.

Record: Rêgo & Santos (1983).

ORDER TETRABOTHRIIDEA Baer, 1954

TETRABOTHRIIDAE Linton, 1891

Strobicephalus Baer, 1932

Strobicephalus triangularis (Diesing, 1850)

Hosts: *Peponocephala electra*, *Stenella clymene*, *S. frontalis*, *S. longirostris*.

Site: Rectum.

Localities: Bahia, Ceará.

Record: Carvalho *et al.* (2010).

Prosthecocotyle Monticelli, 1892

Prosthecocotyle pelecani aquilae (Rudolphi, 1819) Fuhrmann, 1899

Hosts: *Pelecanus* spp., *Sula* spp.

Site: Not cited

Record: Rudolphi (1819).

Remarks: Referred as *Tetrabothrius pelecani aquilae* by Rudolphi (1819).

Tetrabothrius Rudolphi, 1819

Tetrabothrius forsteri (Krefft, 1871) Fuhrmann, 1904

Hosts: *Stenella clymene*, *S. longirostris*.

Site: Intestine.

Localities: Bahia, Ceará.

Record: Carvalho *et al.* (2010).

Tetrabothrius lutzii Parona, 1901

Host: *Spheniscus magellanicus*.

Site: Small intestine.

Localities: Rio de Janeiro, São Paulo.

Records: Parona (1901), Prado *et al.* (2011), Rezende *et al.* (2013).

Tetrabothrius sp.

Hosts: *Puffinus puffinus*, *Stenella clymene*, *S. longirostris*.

Sites: Proventriculus, intestine.

Locality: Paraíba.

Records: Carvalho *et al.* (2010), Melo *et al.* (2012).

ORDER TETRAPHYLLIDEA Carus, 1863
incertae sedis

PHYLLOBOTRIIDAE Braun, 1900

Remarks: Considering that Caira *et al.* (2014) did not reallocated part of this family to order Phyllobothriidea, it was kept the classification of Khalil *et al.* (1994).

Anthobothrium van Beneden, 1850

Anthobothrium laciniatum Linton, 1890

Host: *Carcharhinus longimanus*.

Site: Not cited

Locality: Pernambuco.

Record: Rêgo (1977).

Anthobothrium pristis Woolland, 1934

Host: *Pristis pristis* (= *Pristis perotteti*).

Site: Not cited.

Locality: Amazonas.

Record: Woodland (1934a)

Remarks: Ruhnke & Caira (2009) did not include this species among *Anthobothrium* species. Thus, this species is considered *incertae sedis*, according to Global cestode database.

Scolex Müller, 1787

Scolex pleuronectis Müller, 1788 (*Scolex polymorphus* Rudolphi, 1819 and *Scolex* sp.)
Hosts: *Anchoa tricolor*, *Aspistor luniscutis* (= *Sciadeichthys luniscutis*), *Balistes capriscus*, *B. vetula*, *Brachyplatystoma* sp., *Caranx latus*, *Dactylopterus volitans*, *Euthynnus alletteratus*, *Genidens barbus* (= *Netuma barba*), *Genypterus brasiliensis*, *Gymnothorax moringa*, *Haemulon steindachneri*, *Hyporhamphus unifasciatus*, *Katsuwonus pelamis*, *Menticirrhus americanus*, *Micropogonias furnieri*, *Mugil liza* (= *M. platanus*), *Oligoplites palometa*, *O. saliens*, *O. saurus*, *Orthopristis ruber*, *Pagrus pagrus*, *Paralichthys isosceles*, *Paralonchurus brasiliensis*, *Pinguipes brasilianus*, *Pomatomus saltatrix* (= *P. saltator*), *Priacanthus arenatus*, *Pseudopercis numida*, *P. semifasciata*, *Sarda sarda*, *Sardinella brasiliensis*, *Scomber japonicus*, *Scomberomorus brasiliensis*, *Stenella clymene*, *S. longirostris*, *Trachurus lathami*, *Trichiurus lepturus*, *Tylosurus acus acus* (= *Tylosurus acus*), *Urophycis brasiliensis*, *U. mystaceus*.

Sites: Body cavity, intestine, stomach.

Localities: Bahia, Ceará, Rio de Janeiro.

Records: Rêgo & Santos (1983), Luque et al. (1995, 1996a,b), Takemoto et al. (1996a,b) Knoff et al. (1997), Palm (1997), Luque & Chaves (1999), Silva et al. (2000a,b), Alves & Luque (2001, 2006), Luque & Alves (2001), Tavares et al. (2001, 2004), Alves et al. (2002a, 2004), Paraguassú et al. (2002), Ribeiro et al. (2002), Luque et al. (2003, 2008), Luque & Poulin (2004), Alves et al. (2005), Cordeiro & Luque (2005), Tavares et al. (2005a), Tavares & Luque (2008), Timi et al. (2009), Carvalho et al. (2010), Felizardo et al. (2010), Carvalho & Luque (2011), Bueno et al. (2014).

ORDER TRY PANORHYNCHA Diesing, 1863

EUTETRARHYNCHIDAE Guiart, 1927

Dollfusiella Campbell & Beveridge, 1994

Dollfusiella vooremi (São Clemente & Gomes, 1989) Beveridge, Neifar & Euzet, 2004

Hosts: *Mustelus canis*, *M. schmitti*.

Site: Spiral valve.

Locality: Rio Grande do Sul.

Record: São Clemente & Gomes (1989b).

Remarks: Referred as *Eutetrarhynchus vooremi* by São Clemente & Gomes (1989b).

Dollfusiella sp. (plerocercoids)

Host: *Micropogonias furnieri*.

Site: Coelomic cavity.

Locality: Rio Grande do Sul.

Record: Pereira Jr & Boeger (2005).

Paroncomegas Campbell, Marques & Ivanov, 1999

Paroncomegas araya (Woodland, 1934)

Campbell, Marques & Ivanov, 1999

Hosts: *Elipesurus* sp., *Potamotrygon falkneri*, *P. motoro* (= *Paratrygon motoro*)

Sites: Intestine, spiral valve.

Localities: Amazonas, Mato Grosso, Paraná.

Records: Woodland (1934a), Rêgo & Dias (1976), Campbell et al. (1999), Lacerda et al. (2008).

Remarks: Referred as *Tentacularia araya* by Woodland (1934a) and as *Eutetrarhynchus araya* by Rêgo & Dias (1976).

GYMNORHYNCHIDAE Dollfus, 1935

Gymnorhynchus Rudolphi, 1819

Gymnorhynchus isuri Robinson, 1959

Host: *Isurus oxyrinchus*.

Site: Visceral cavity.

Localities: Paraná, Santa Catarina.

Records: Knoff et al. (2002, 2007).

Molicola Dollfus, 1935

Molicola horridus (Goodsir, 1841) Dollfus, 1942

Hosts: *Isurus oxyrinchus*, *Prionace glauca*.

Sites: Spiral valve, visceral cavity.

Localities: Paraná, Santa Catarina.

Records: Knoff et al. (2002, 2004c), Palm (2004).

Molicola sp.

Host: *Mola mola*.

Site: not cited.

Locality: Rio de Janeiro.

Record: Palm (2004).

LACISTORHYNCHIDAE Guiart, 1927

Callitetrarhynchus Pintner, 1931

Callitetrarhynchus gracilis (Rudolphi, 1819)

Pintner, 1931 (plerocerci)

Hosts: *Aspistor luniscutis* (= *Sciadeichthys luniscutis*), *Balistes capriscus*, *B. vetula*, *Caranx cryos*, *C. hippos*, *C. latus*, *Centropomus undecimalis*, *Chloroscombrus chrysurus*, *Cynoscion acoupa*, *C. guatucupa*, *Euthynnus alletteratus*, *Genidens barbus* (= *Netuma barba*), *Genypterus brasiliensis*, *Haemulon aurolineatum*, *Harengula clupeola*, *Hyporthodus niveatus*,

Larimus breviceps, *Lutjanus synagris*, *Macrodon ancylodon*, *Micropogonias furnieri*, *Mustelus canis*, *Oligoplites palometa*, *O. saurus*, *Opisthonema oglinum*, *Paralichthys isosceles*, *P. patagonicus*, *Pinguipes brasilianus*, *Plagioscion squamosissimus*, *Pomatomus saltatrix*, *Prionace glauca*, *Pseudopercis numida*, *P. semifasciata*, *Sardinella brasiliensis*, *Scomberomorus cavalla*, *S. brasiliensis* (as *S. maculatus*), *Selene setapinnis*, *S. vomer*, *Sphyraena guachancho*, *Trichiurus lepturus*, *Umbrina canosai*.

Sites: Abdominal serosa, body cavity, coelomic cavity, kidney, liver, mesentery, musculature, spiral valve, visceral serosa.

Localities: Amapá, Pernambuco, Rio Grande do Sul, Rio de Janeiro, Santa Catarina.

Records: Dollfus (1942), Carvajal & Rêgo (1985), São Clemente (1987), São Clemente & Gomes (1989b), Pereira (1993), São Clemente et al. (1991, 1995, 1997, 2004, 2007), Takemoto et al. (1996), Palm (1997), Luque et al. (2000, 2008), Silva et al. (2000a,b), Silva & São Clemente (2001), Alves & Luque (2001, 2006), Luque & Alves (2001), Knoff et al. (2002), Cordeiro & Luque (2004), Luque & Poulin (2004), Palm (2004), Pereira Jr & Boeger (2005), Ferreira et al. (2006), Pinto et al. (2006b), Dias et al. (2009, 2011a,b), Timi et al. (2009), Felizardo et al. (2010), Silva Junior (2010), Carvalho & Luque (2011), Fonseca et al. (2012), Monteiro et al. (2015).

Callitetrarhynchus speciosus (Linton, 1897)
Carvajal & Rêgo, 1985 (plerocercus and adults)
Hosts: *Aluterus monoceros*, *Balistes capriscus*, *B. vetula*, *Cynoscion guatucupa*, *Genidens barbus* (=Netuma barba), *Micropogonias furnieri*, *Priacanthus arenatus*, *Pomatomus saltatrix*, *Scomberomorus cavalla*, *Sphyraena zygaena*, *Stephanolepis hispidus*.

Sites: Abdominal serosa, liver, mesentery, musculature, ovary serosa, visceral cavity, visceral serosa.

Localities: Paraná, Rio de Janeiro, Santa Catarina.
Records: Carvajal & Rêgo (1985), São Clemente et al. (1991, 1995, 1997), Knoff et al. (2002), Luque & Poulin (2004), Palm (2004), Pereira & Boeger (2005), Ferreira et al. (2006), Pinto et al. (2006b), Dias et al. (2009, 2010, 2011a,b), Kuraiem et al. (2016).

***Callitetrarhynchus* sp.** (plerocerci)

Hosts: *Balistes capriscus*, *B. vetula*, *Conodon nobilis*.

Site: Body cavity.

Locality: Rio de Janeiro.

Records: Alves et al. (2005), Paschoal et al. (2015)
Dasyrhynchus Pintner, 1928

Dasyrhynchus giganteus (Diesing, 1850) Pintner, 1928 (plerocerci)

Hosts: *Caranx hippos*, *Oligoplites saliens*.

Site: Brain.

Locality: Pernambuco.

Records: Diesing (1850), Palm (1997).

Remarks: Referred as *Anthocephalus giganteus* by Diesing (1850).

Dasyrhynchus pacificus Robinson, 1965

Hosts: *Carcharhinus brachyurus*, *C. limbatus*, *Cynoscion guatucupa*, *C. jamaicensis*, *Macrodon ancylodon*, *Menticirrhus americanus*, *Scyliorhinus haekeli*, *Sphyraena* sp.

Sites: Coelomic cavity, kidneys, peritoneal cavity, spiral valve.

Localities: Rio Grande do Sul, Rio de Janeiro.

Records: São Clemente & Gomes (1989a), São Clemente et al. (1991), Beveridge & Campbell (1993), Pereira Jr & Boeger (2005).

Grillotia Guiart, 1927

Grillotia carvajalregorum (Carvajal & Rêgo, 1983) Menoret & Ivanov, 2009 (plerocerci and adults)

Hosts: *Carcharhinus signatus*, *Ctenosciaena gracilicirrhus*, *Cynoscion guatucupa*, *C. jamaicensis*, *C. striatus*, *Genypterus brasiliensis*, *Heptranchias perlo*, *Lophius gastrophysus*, *Macrodon ancylodon*, *Menticirrhus americanus* (=M. americanus), *M. littoralis*, *Micropogonias furnieri*, *Paralichthys isosceles*, *P. patagonicus*, *Paralonchurus brasiliensis*, *Prionotus punctatus*, *Squalus* sp., *Trachurus lathami*, *Umbrina canosai*, *Xystreurus rasile*.

Sites: Mesentery, visceral cavity.

Localities: Paraná, Rio Grande do Sul, Rio de Janeiro, Santa Catarina.

Records: Carvajal & Rêgo (1983), Alves et al. (2002a,b), Knoff et al. (2002, 2004c), Sabas & Luque (2003), Luque & Poulin (2004), São Clemente et al. (2004, 2007), Bicudo et al. (2005), Pereira & Boeger (2005), Felizardo et al. (2010), Braicovich et al. (2012), Fonseca et al. (2012).

Remarks: Referred as *Progrillotia dollfusi* by Carvajal & Rêgo (1983), Knoff et al. (2002, 2004c), Sabas & Luque (2003), Luque & Poulin (2004), São Clemente et al. (2004, 2007), Bicudo et al. (2005), Pereira Jr & Boeger (2005) and Fonseca et al. (2012), as *Lacistorhynchus* sp. by Alves et al.

(2002a,b).

***Grillotia* sp.**

Hosts: *Lutjanus analis*, *Percophis brasiliensis*, *Pinguipes brasilianus*.

Sites: Body cavity, intestine.

Localities: Pernambuco, Rio de Janeiro.

Records: Palm (1997), Luque & Poulin (2004), Palm (2004), Timi et al. (2010).

Remarks: Palm (2004) suggested that the specimens collected from *Lutjanus analis* may belong to *Pseudolacistorhynchus* Palm, 1995.

***Floriceps* Cuvier, 1817**

Floriceps saccatus Cuvier, 1817 (adults and plerocerci)

Hosts: *Aluterus monoceros*, *Carcharhinus signatus*, *Coryphaena hippurus*, *Prionace glauca*.

Sites: Liver, mesentery, visceral cavity.

Localities: Paraná, Rio de Janeiro, Santa Catarina.

Records: Silva & São Clemente (2001), Knoff et al. (2002), Pinto et al. (2006b), Dias et al. (2010).

***Lacistorhynchus* Pintner, 1913**

***Lacvistorhynchus* sp. (plerocerci)**

Host: *Urophycis mystaceus*.

Rio de Janeiro.

Site: not cited.

Record: Luque & Poulin (2004)

***Pseudogrillotia* Dollfus, 1969**

***Pseudogrillotia* sp. (plerocerci)**

Host: *Pomatomus saltatrix* (= *Pomatomus saltator*)

Site: Intestino

Locality: Rio de Janeiro

Record: Palm (2004)

***Pseudolacistorhynchus* Palm, 1995**

***Pseudolacistorhynchus noordti* Palm, 1995** (plerocerci)

Hosts: *Pseudopeneus maculatus*, *Scomberomorus maculatus*.

Site: Body cavity.

Locality: Pernambuco.

Record: Palm (1997).

OTOBOTHRIIDAE Dollfus, 1942

***Otobothrium* Linton, 1900**

***Otobothrium cysticum* (Mayer, 1842) Dollfus, 1942** (plerocerci) (*species inquirenda*)

Hosts: *Genypterus brasiliensis*, *Scomberomorus maculatus*, *Sphyraena guachancho*.

Sites: Celomatic cavity, mesentery.

Localities: Pernambuco, Rio de Janeiro.

Records: Palm (1997), São Clemente et al. (2004).

***Otobothrium* sp. (plerocerci)**

Hosts: *Balistes vetula*, *B. capriscus*, *Paralichthys isosceles*.

Site: Musculature.

Locality: Rio de Janeiro.

Record: São Clemente et al. (1995, 2004), Alves et al. (2005), Felizardo et al. (2010).

***Poecilancistrium* Dollfus, 1929**

***Poecilancistrium caryophyllum* (Diesing, 1850)** Dollfus, 1929 (plerocerci)

Hosts: *Carcharhinus leucas* (= *Prionodon leucas*), *Cynoscion acoupa*, *Macrodon ancylodon*, *Micropogonias furnieri*, *Plagioscion squamosissimus* (= *Plagioscion squanosissimus* [sic]), *Pomatomus saltatrix*, *Rhizoprionodon lalandii* (= *Scoliodon lalandii*), *R. terraenovae* (= *S. terraenovae*).

Site: Musculature.

Localities: Amapá, Pará, Rio Grande do Sul, Rio de Janeiro.

Records: Diesing (1850), São Clemente (1987), Pereira Jr (1993), São Clemente et al. (1997), Pereira Jr & Boeger (2005), Oliveira et al. (2009), Silva Junior et al. (2010), Dias et al. (2011b).

Remarks: Referred as *Rhynchobothrium caryophyllum* by Diesing (1850).

PSEUDOTOBOTHRIIDAE Ward, 1954

***Pseudotobothrium* Dollfus, 1942**

***Pseudotobothrium dipsacum* (Linton, 1897)** Dollfus, 1942 (plerocerci)

Hosts: *Hyporthodus niveatus* (= *Epinephelus niveatus*), *Haemulon plumieri*, *Pseudopeneus maculatus*.

Site: Body cavity.

Locality: Pernambuco.

Records: Linton (1897), Palm (1997, 2004).

Remarks: Referred as *Otobothrium dipsacum* by Linton (1897)

PTEROBOTHRIIDAE Pintner, 1931

***Pterobothrium* Diesing, 1850**

***Pterobothrium acanthotruncatum* Escalante & Carvajal, 1984** (plerocerci)

Host: *Micropogonias furnieri*.

Locality: Rio de Janeiro.

Site: not given.

Record: Palm (2004).

***Pterobothrium crassicolle* Diesing, 1850** (plerocerci)

Hosts: *Aspistor luniscutis*, *Bagre marinus* (= *Bagrus marinus*), *Brachyplatystoma vaillantii*, *Citharichthys spilopterus*, *Cynoscion acoupa*, *C. leiarchus*, *Cynoscion* sp., *Genidens barbus* (= *Netuma barba*), *Gobioides broussonnetii*,

Hoplerythrinus unitaeniatus (=*Erythrinus unitaeniatus*), *Micropogonias furnieri*, *M. undulatus* *Oligoplites palometa*, *Paralichthys isosceles*, *P. patagonicus*, *Pimelodus* sp., *Plagioscion squamosissimus*, *Pogonias cromis*, *Pomatomus saltatrix*, *Sciaena* sp., *Scomberomorus cavalla*, *Scorpaena* sp., *Zungaro zungaro* (=*Brachyplatystoma flavicans*).

Sites: Abdominal serosa, coelomic cavity, liver, mesentery, musculature, visceral serosa.

Localities: Amapá, Pará, Rio Grande do Sul, Rio de Janeiro.

Records: Diesing (1850, 1856), Rêgo et al. (1974), São Clemente (1986, 1987), Rêgo (1987a), Pereira Jr. (1983), Takemoto et al. (1996), São Clemente et al. (1991, 1997), Palm (2004), Pereira Jr & Boeger (2005), Ferreira et al. (2006), Porto et al. (2009), Felizardo et al. (2010), Silva Junior (2010), Dias et al. (2011a,b), Fonseca et al. (2012), Videira et al. (2013).

Remarks: Referred as *Pterobothrium* sp. by Rêgo et al. (1974) and São Clemente (1986, 1987).

Pterobothrium fragile (Diesing, 1850) Dollfus, 1942 (*species inquirenda*)

Host: *Pristis pristis* (=*P. perotteti*).

Site: Not cited.

Locality: Brazil.

Record: Diesing (1850).

Remarks: Referred as *Synbothrium fragile* by Diesing (1850).

Pterobothrium heteracanthum Diesing, 1850 (plerocerci)

Hosts: Clupeidae gen.sp., *Cynoscion acoupa*, *C. guatucupa*, *Gobiodes broussonnetii*, *Micropogonias furnieri*, *M. undulatus*, *Paralichthys isosceles*, *Plagioscion squamosissimus*, *Pogonias cromis*, *Pomadasys crocros*, *Umbrina canosai*.

Sites: Coelomic cavity, musculature.

Localities: Amapá, Rio Grande do Sul, Rio de Janeiro.

Records: Diesing (1850, 1856), São Clemente (1986, 1987), Pereira Jr (1993), Alves & Luque (2001), Palm (2004) Pereira Jr & Boeger (2005), Felizardo et al. (2010), Silva Júnior (2010), Dias et al. (2011b).

Pterobothrium interruptum (Rudolphi, 1819) Diesing, 1850 (plerocerci) (*species inquirenda*)

Host: *Trichiurus lepturus*.

Site: Not cited.

Locality: Brazil.

Records: Rudolphi (1819), Diesing (1850).

Remarks: Referred as *Anthocephalus interruptum* by Rudolphi (1819).

Pterobothrium kingstoni Campbell & Beveridge, 1996 (plerocerci)

Hosts: *Citharichthys spilopterus*, *Haemulon aurolineatum*.

Sites: Body cavity and musculature.

Locality: Pernambuco.

Record: Campbell and Beveridge (1996), Palm (1997, 2004).

Pterobothrium macrourum (Rudolphi, 1819)

Diesing, 1850 (*nomen nudum*)

Host: *Sparus* sp.

Site: Not cited.

Locality: Brazil.

Record: Rudolphi (1819).

Remarks: Referred as *Anthocephalus macrourus* by Rudolphi (1819).

***Pterobothrium* sp.** (plerocerci)

Hosts: *Chilomycterus* spp., *Conodon nobilis*, *Cynoscion acoupa*, *C. striatus*, *Macrodon ancylodon*, *Micropogonias furnieri*, *M. undulatus* (= *Micropogon opercularis*), *Menticirrhus americanus*, *Mycteroperca bonaci*, *Pagrus pagrus*, *Paralichthys isosceles*, *Paralichthys* spp., *Pomatomus saltatrix* (=*P. saltator*), *Prionotus* sp., *Tachysurus* spp., *Trachycorystes porosus*, *Umbrina canosai* (=*U. canossi* [sic]).

Sites: Body cavity, intestine, musculature.

Localities: Rio de Janeiro, Rio Grande do Sul.

Records: Santos & Zogbi (1971), São Clemente (1987), Luque and Poulin (2004), Palm (2004), Paschoal et al. (2015).

Remarks: Santos and Zogbi (1971) reported the larva *Pterobothrium* sp. as *Tetrarhynchus fragilis* (*nomen nudum*). Palm (2004) studied specimens collected from *Menticirrhus americanus* by Travassos in 1921 that are deposited in CHIOC.

***Pterobothrium* sp.** (Adult)

Host: *Gymnura* sp., Unidentified ray.

Site: spiral valve

Locality: Rio de Janeiro

Records: Rêgo et al. (1974), Palm (2004).

Remarks: The cestodes from the unidentified ray was named as *Pterobothriidae* gen. sp. by Rêgo et al. (1974) and were assigned to *Pterobothrium* sp. by Palm (2004).

RHINOPTERICOLIDAE Carvajal &

Campbell, 1975

Rhinoptericola Carvajal & Campbell, 1975

Rhinoptericola megacantha Carvajal & Campbell, 1975

Host: *Rhinoptera brasiliensis*.

Site: Intestine.

Locality: Not specified (southern and southeastern of Brazil).

Record: Napoleão et al. (2015).

SPHYRIOCEPHALIDAE Pintner, 1913

Hepatoxylon Bosc, 1811

Hepatoxylon trichiuri (Holten, 1802) Dollfus, 1942 (plerocercoids)

Hosts: *Coryphaena hippurus*, *Genypterus brasiliensis*, *Prionace glauca*.

Sites: Intestinal serosa, liver, mesentery, musculature.

Localities: Paraná, Rio Grande do Sul, Rio de Janeiro, Santa Catarina.

Records: São Clemente et al. (2001, 2004), Knoff et al. (2002, 2004b).

TENTACULARIIDAE Poche, 1926

Heteronybelinia Palm, 1999

Heteronybelinia annakohnae Pereira Jr. & Boeger, 2005 (plerocercoids)

Hosts: *Ctenosciaena gracilicirrhus*, *Cynoscion guatucupa*, *C. jamaicensis*, *Menticirrhus americanus*.

Site: Coelomic cavity.

Locality: Rio Grande do Sul.

Record: Pereira Jr & Boeger (2005).

Heteronybelinia estigmene (Dollfus, 1960) Palm, 1999 (plerocercoids)

Hosts: *Cynoscion jamaicensis*, *Haemulon plumieri*, *Sphyraena guachancho*.

Sites: Coelomic cavity, stomach wall.

Localities: Pernambuco, Rio Grande do Sul.

Records: Palm (1997), Pereira Jr & Boeger (2005).

Remarks: Referred as *Nybelinia senegalensis* by Palm (1997).

Heteronybelinia nipponica (Yamaguti, 1952)

Palm, 1999 (adults and pleroceccoids)

Hosts: *Carcharhinus signatus*, *Genypterus brasiliensis*, *Menticirrhus americanus*, *Mullus argentinae*, *Paralichthys isosceles*, *P. patagonicus*, *Sphyraena lewini*, *S. zygaena*, *Umbrina conosai*, *Xystreurus rasile*.

Sites: Coelomic cavity, mesentery spiral valve, stomach.

Localities: Paraná, Rio Grande do Sul, Rio de Janeiro, Santa Catarina.

Records: São Clemente & Gomes (1992), Knoff et al. (2002, 2004a), Luque et al. (2002), Luque & Poulin (2004), São Clemente et al. (2004), Gomes et al. (2005), Pereira Jr & Boeger (2005), Felizardo

et al. (2010), Fonseca et al. (2012).

Remarks: Referred as *Nybelinia rougetcampanae* by São Clemente & Gomes (1992) and as *Heteronybelinia rougetcampanae* by Luque et al. (2002), Luque & Poulin (2004) and Gomes et al. (2005). Knoff et al. (2002) referred some specimens as *H. rougetcampanae*.

Heteronybelinia overstreeti Palm, 2004 (plerocercoids)

Host: *Pseudupeneus maculatus*.

Site: Body cavity.

Locality: Pernambuco.

Record: Palm (1997).

Remarks: Palm (1997) reported plerocercoids of *Nybelinia cf. lingualis* Cuvier, 1817 from this host, but later (Palm, 2004) reassigned these larvae to *H. overstreeti*.

Heteronybelinia perideraeus (Shipley & Hornell, 1906) Palm, 1999 (adults and plerocercus)

Hosts: *Notorhynchus cepedianus* (= *N. pectorosus*), *Umbrina canosai*.

Sites: Coelomic cavity, spiral valve.

Locality: Rio Grande do Sul.

Records: São Clemente & Gomes (1992), Pereira Jr & Boeger (2005).

Remarks: Referred as *Nybelinia bisulcata* (Linton, 1889) Dollfus, 1929 by São Clemente & Gomes (1992), Pereira Jr & Boeger (2005).

Heteronybelinia yamagutii (Dollfus, 1960) Palm, 1999 (plerocercoids)

Host: *Carcharhinus signatus*.

Site: Spiral valve.

Localities: Paraná, Santa Catarina.

Records: Knoff et al. (2002, 2004a).

Myxonybelinia Palm, 1999

Myxonybelinia beveridgei (Palm, Walter, Schwerdtfeger & Reimer, 1997) Palm, 1999 (plerocercoids)

Hosts: *Dipturus trachydermus*, *Genypterus brasiliensis*.

Site: Liver, mesentery, stomach serosa, visceral cavity.

Localities: Paraná, Rio de Janeiro, Santa Catarina.

Records: Knoff et al. (2002, 2004a), São Clemente et al. (2004).

Myxonybelinia edwinlintoni (Dollfus, 1960) Palm & Walter, 2000 (plerocercoids)

Host: *Pseudopeneus maculatus*.

Site: Body cavity.

Locality: Pernambuco.

Record: Palm (1997).

Remarks: Referred as *Nybelinia edwinlintoni* by

Palm (1997).

Myxonybelinia sp. (plerocercoids)

Host: *Lophius gastrophysus*.

Site: Musculature.

Locality: Rio de Janeiro.

Record: São Clemente *et al.* (2007).

Nybelinia Poche, 1926

Nybelinia erythraea Dollfus, 1960 (plerocercoids)

Hosts: *Paralichthys patagonicus*, *Xystreurus rasile*.

Site: Stomach.

Locality: Rio de Janeiro.

Record: Fonseca *et al.* (2012).

Nybelinia indica Chandra, 1986 (plerocercoids)

Host: *Pseudopeneus maculatus*.

Site: Body cavity.

Locality: Pernambuco.

Record: Palm (1997).

Nybelinia lingualis (Cuvier, 1817) Dollfus, 1929
(adults and plerocercoids)

Hosts: *Cynoscion* sp., *Haemulon plumieri*, *Isurus oxyrinchus*, *Mustelus canis*, *M. schmitti*, *Paralichthys isosceles*, *P. patagonicus*, *Pseudopeneus maculatus*, *Selene vomer*, *Xystreurus rasile*.

Sites: Abdominal and dorsal musculature, body cavity, intestine, spleen serosa, stomach, spiral valves.

Localities: Paraná, Pernambuco, Santa Catarina, Rio Grande do Sul, Rio de Janeiro.

Records: São Clemente & Gomes (1989b), Palm (1997), Knoff *et al.* (2002), Gomes *et al.* (2005), Felizardo *et al.* (2010), Fonseca *et al.* (2012).

Remarks: Referred as *Nybelinia* c.f. *lingualis* by Palm (1997).

Nybelinia sp. (plerocercoids)

Hosts: *Balistes capriscus*, *Caramx hippos*, *C. latus*, *Cynoscion guatucupa*, *Dactylopterus volitans*, *Diapterus rhombeus*, *Genypterus brasiliensis*, *Lophius gastrophysus*, *Macrodon ancylodon*, *Micropogonias furnieri*, *Mullus argentinae*, *Paralonchurus brasiliensis*, *Percophis brasiliensis*, *Pomatomus saltatrix* (=*P. saltator*), *Prionotus punctatus*, *Pseudopercis numida*, *P. semifasciata*, *Sardinella brasiliensis*, *Selene setapinnis*, *Scomberomorus brasiliensis*, *Umbrina canosai*, *Urophycis brasiliensis*, *U. mystaceus*.

Sites: Coelomic cavity, intestine, mesentery, serosa of the stomach.

Localities: Rio de Janeiro, Bahia.

Records: Luque & Chaves (1999), Luque & Alves (2001, 2006), Alves *et al.* (2002a,b, 2005), Ribeiro

et al. (2002), Luque *et al.* (2002, 2003, 2008, 2010), Sabas & Luque (2003), Cordeiro & Luque (2004, 2005), Luque & Poulin (2004), São Clemente *et al.* (2004), Bicudo *et al.* (2005), Timi *et al.* (2005), Alves & Luque (2006), Braicovich *et al.* (2012), São Clemente *et al.* (2007), Moreira *et al.* (2015).

Tentacularia Bosc, 1797

Tentacularia coryphaenae Bosc, 1802 (adults and plerocercoids)

Hosts: *Carcharhinus longimanus*, *C. obscurus*, *C. signatus*, *Coryphaena hippurus*, *Genypterus brasiliensis*, *Katsuwonus pelamis*, *Lophius gastrophysus*, *Prionace glauca*, *Scomberomorus brasiliensis*, *S. cavalla*.

Sites: Mesentery, musculature, visceral cavity.

Localities: Pernambuco, Rio de Janeiro.

Records: Rêgo (1977), Amato *et al.* (1990), Silva & São Clemente (2001), Knoff *et al.* (2002, 2004b), São Clemente *et al.* (2004), Alves & Luque (2006), São Clemente *et al.* (2007), Dias *et al.* (2011b).

HOST PARASITE LIST MOLLUSCA

OSTREIDAE

Crassostrea gasar (Adanson, 1757)

Tylocephalum sp.

Crassostrea gigas Thunberg, 1793

Tylocephalum sp.

Crassostrea rhizophorae (Guilding, 1828)

Tylocephalum sp.

ARTHROPODA

COLEOPTERA

DERMESTIDAE

Dermestes ater De Geer, 1774

Choanotaenia infundibulum

Fuhrmannetta laticanallis

PLATYSTOMATIDAE

Platystoma sp.

Manaosia bracodemoca

Proteocephalus platystomi

RHAGIONIDAE

Chrysopilus auratus Fabricius, 1781

(=*Dolicholophus cristatus*)

Chapmania brachyrhyncha

CHORDATA

ACTINOPTERYGII

ANOSTOMIDAE

Leporinus friderici (Bloch, 1794)

Proteocephalus vazzolerae

Leporinus lacustris Amaral Campos, 1945

Proteocephalus vazzolerae
ARAPAIMIDAE

***Arapaima gigas* (Schinz, 1822)**

Schizochoerus janickii
Schizochoerus liguloides

ARIIDAE

***Aspistor luniscutis* (Valenciennes, 1840)**

(= *Sciadeichthys luniscutis*)

Scolex pleuronectis
Pterobothrium crassicolle (plerocerci)

***Bagre marinus* (Mitchill, 1815) (= *Bagrus marinus*)**

Pterobothrium crassicolle
(Plerocerci)

***Genidens genidens* (Cuvier, 1829)**

Nomimoscolex arandasregoi

***Genidens barbus* (Lacépède, 1803) (= *Netuma barba*)**

Callitetrarhynchus gracilis (plerocercous)
Callitetrarhynchus speciosus
Nomimoscolex arandasregoi
Pterobothrium crassicolle (plerocerci)

AUCHENIPTERIDAE

***Ageneiosus inermis* (Linnaeus, 1766)**
(= *Ageneiosus brevifilis*)

Gibsoniela mandube
Gibsoniela meursaulti

***Glanidium* sp.**

Brayela karuatayi

***Tocantinsia piresi* (Miranda-Ribeiro, 1920)**

Frezella vaucheri

***Trachelyopterus galetaus* (Linnaeus, 1766)**

(= *Parauchenipterus galeatus*)

Cangatiella arandas

***Trachycorystes porosus* Eigenmann & Eigenmann, 1888**

Pterobothrium sp.

BAGRIDAE

***Tachysurus agassizii* Miranda-Ribeiro, 1911**

Nomimoscolex arandasregoi

***Tachysurus* sp.**

Pterobothrium sp.

BALISTIDAE

***Balistes capriscus* Gmelin, 1789**

Callitetrarhynchus gracilis (plerocercous)

Callitetrarhynchus speciosus

Callitetrarhynchus sp.

Otobothrium sp.

Scolex pleuronectis

***Balistes vetula* Linnaeus, 1758**

Callitetrarhynchus gracilis (plerocercous)

Callitetrarhynchus speciosus

Callitetrarhynchus sp.

Otobothrium sp. (plerocerci)

Scolex pleuronectis

BELONIDAE

***Tylosurus acus* (Lacepède, 1803)**

Scolex pleuronectis

BRYCONIDAE

***Salminus brasiliensis* (Cuvier, 1816) (= *Salminus maxillosus*)**

Monticella coryphicephala

Monticella diesingi

***Salminus franciscanus* Lima & Britski, 2007**
(= *Salminus brevidens*)

Monticella coryphicephala

CALLICHTHYIDAE

***Hoplosternum littorale* (Hancock, 1828)**

Valipora campylancristrota

CARANGIDAE

***Caranx cryos* (Mitchill, 1815)**

Callitetrarhynchus gracilis (plerocercous)

***Caranx hippos* (Linnaeus, 1766)**

Callitetrarhynchus gracilis (plerocercous)

Dasyrhynchus giganteus (plerocercous)

Nybelinia sp. (plerocercoids)

***Caranx latus* Agassiz, 1831**

Callitetrarhynchus gracilis (plerocercous)

Nybelinia sp. (plerocercoids)

Scolex pleuronectis (metacetode)

***Chloroscombrus chrysurus* (Linnaeus, 1766)**

Callitetrarhynchus gracilis (plerocercous)

***Oligoplites palometra* (Cuvier, 1832)**

Callitetrarhynchus gracilis (plerocercous)

Pterobothrium crassicolle (plerocerci)

Scolex pleuronectis

***Oligoplites saimensis* (Bloch, 1793)**

Dasyrhynchus giganteus

Scolex pleuronectis (plerocercous)

***Oligoplites saurus* (Bloch & Schneider, 1801)**

Callitetrarhynchus gracilis (plerocercous)

Scolex pleuronectis (pleurocercous)

***Selene setapinnis* (Mitchill, 1815)**

Callitetrarhynchus gracilis

Nybelinia sp.

***Selene vomer* (Linnaeus, 1758)**

Callitetrarhynchus gracilis (plerocercous)

Nybelinia lingualis (adults and plerocercoids)

***Trachurus lathami* Nichols, 1920**

Grillotia carvajalregorum

Nybelinia sp.

Scolex pleuronectis

CETOPSIDAE*Cetopsis coecutiens* (Lichtenstein, 1819)*Brooksiella praeputialis**Goezeella siluri***CHARACIDAE***Astyanax scabripinnis* (Jenyns, 1842)*Senga* sp.**CICHLIDAE***Astronotus ocellatus* (Agassiz, 1831)*Proteocephalus gibsoni**Astronotus* sp.*Proteocephalus gibsoni**Australoheros facetus* (Jenyns, 1842)*Parvitaenia macropeos**Cichla kelberi* Kullander & Ferreira, 2006*Proteocephalus macrophallus**Proteocephalus microscopicus**Sciadocephalus megalodiscus**Cichla monoculus* Agassiz, 1831*Bothriocephalus cuspidatus**Proteocephalus macrophallus**Proteocephalus microscopicus**Sciadocephalus megalodiscus**Cichla ocellaris* Bloch & Schneider, 1801*Proteocephalus macrophallus**Proteocephalus microscopicus**Sciadocephalus megalodiscus**Cichla piquiti* Kullander & Ferreira, 2006*Proteocephalus macrophallus**Proteocephalus microscopicus**Sciadocephalus megalodiscus**Cichla* sp.*Proteocephalus macrophallus**Proteocephalus microscopicus**Crenicichla britskii* Kullander, 1982*Valipora* sp.*Geophagus brasiliensis* (Quoy & Gaimard, 1824)*Caryophyllidea* gen. sp.*Proteocephalus gibsoni**Valipora campylancristrota***CLUPEIDAE***Clupeidae* gen. sp.*Pterobothrium heteracanthum**Harengula clupeola* (Cuvier, 1829)*Callitetrarhynchus gracilis* (plerocercous)*Opisthonema oglinum* (Lesueur, 1818)*Callitetrarhynchus gracilis* (plerocercous)*Sardinella brasiliensis* (Steindachner, 1879)*Callitetrarhynchus gracilis* (plerocercous)*Nybelinia* sp.*Scolex pleuronectis***CORYPHAEINIDAE***Coryphaena hippurus* Linnaeus, 1758*Floriceps saccatus**Hepatoxylon trichiuri* (adult and plerocercoids)*Tentacularia coryphaenae* (adults and plerocercoids)**CYNODONTIDAE***Rhaphiodon vulpinus* Spix & Agassiz, 1829*Choanoscolex abscissus***DACTYLOPTERIDAE***Dactylopterus volitans* (Linnaeus, 1758)*Nybelinia* sp. (plerocercoids)*Scolex pleuronectis***DIODONTIDAE***Chilomycterus* spp.*Pterobothrium* sp.**DORADIDAE***Acanthodoras spinosissimus* (Eigenmann &*Eigenmann, 1888) (=Pseudocetopsis brunneascens)**Proteocephalus kuyukuyu**Franciscodoras marmoratus* (Lütken, 1874)*Proteocephalus renaudi**Proteocephalus* sp.*Oxydoras niger* (Valenciennes, 1821)*(=Rhinodoras niger)**Proteocephalus kuyukuyu**Pterodoras granulosus* (Valenciennes, 1821)*Monticellia belavistensis***ENGRAULIDAE***Anchoa tricolor* (Spix & Agassiz, 1829)*Scolex pleuronectis***ERYTHRINIDAE***Hoplerythrinus unitaeniatus* (Spix & Agassiz,*1829) (=Erythrinus unitaeniatus)**Nomimoscolex matogrossensis**Pterobothrium crassicolle**Hoplias malabaricus* (Bloch, 1794)*Nomimoscolex matogrossensis***GERREIDAE***Diapterus rhombaeus* (Cuvier, 1829)*Nybelinia* sp.**GOBIIDAE***Gobioides broussonnetii* Lacepède, 1800*Pterobothrium crassicolle* (plerocerci)*Pterobothrium heteracanthum* (plerocerci)**GYMNOTIDAE***Gymnotus carapo* Linnaeus, 1758*Nomimoscolex chubbi**Proteocephalus* sp.*Gymnotus* sp.*Nomimoscolex chubbi*

HAEMULIDAE*Conodon nobilis* (Linnaeus, 1758)*Callitetrarhynchus* sp.*Pterobothrium* sp.*Haemulon aurolineatum* Cuvier, 1830*Callitetrarhynchus gracilis* (larval)*Pterobothrium kingstoni* (plerocerci)*Haemulon plumieri* (Lacepède, 1801)*Heteronybelinia estigmene* (plerocercoids)*Nybelinia lingualis* (adults and plerocercoids)*Pseudotobothrium dipsacum* (plerocerci)*Haemulon steindachneri* (Jordan & Gilbert, 1882)*Scolex pleuronectis**Orthopristis ruber* (Cuvier, 1830)*Scolex pleuronectis**Pomadasys crocro* (Cuvier, 1830)*Pterobothrium heteracanthum***HEMIRAMPHIDAE***Hyporhamphus unifasciatus* (Ranzani, 1841)*Scolex pleuronectis***HEPTAPTERIDAE***Rhamdia* sp.*Megathylacus jandia**Travassielia jandia***LOPHIIDAE***Lophius gastrophysus* Miranda Ribeiro, 1915*Diphyllobothrium* sp. (eggs and adults)*Grillotia carvajalregorum**Myxonybelinia* sp. (plerocercoids)*Nybelinia* sp. (plerocercoids)*Tentacularia coryphaenae* (adults and plerocercoids)**LUTJANIDAE***Lutjanus analis* (Cuvier, 1828)*Grillotia* sp. (plerocercous)*Lutjanus synagris* (Linnaeus, 1758)*Callitetrarhynchus gracilis***MOCHOKIDAE***Synodontis clarias* (Linnaeus, 1758) (=*Pimelodus clarias*)*Monticellia magna***MOLIDAE***Mola mola* (Linnaeus, 1758)*Anchistrocephalus microcephalus**Molicola* sp.**MONACANTHIDAE***Aluterus monoceros* (Linnaeus, 1758)*Callitetrarhynchus speciosus**Floriceps saccatus**Stephanolepis hispidus* (Linnaeus, 1766)*Callitetrarhynchus speciosus***MUGILIDAE***Mugil liza* Valenciennes, 1836 (= *M. platanus*)*Scolex pleuronectis***MULLIDAE***Mullus argentinae* Hubbs & Marini, 1933*Heteronybelinia nipponica**Nybelinia* sp.*Pseudopeneus maculatus* (Bloch, 1793)*Heteronybelinia nipponica**Heteronybelinia overstreeti**Nybelinia edwinlintoni* (plerocercoids)*Nybelinia indica* (plerocercoids)*Nybelinia lingualis* (adults and plerocercoids)*Pseudolacistorhynchus noordti* (plerocerci)*Pseudotobothrium dipsacum* (plerocerci)**MURAENIDAE***Gymnothorax moringa* (Cuvier, 1829)*Scolex pleuronectis***OPHIDIIDAE***Genypterus brasiliensis* Regan, 1903*Anonchocephalus chilensis**Callitetrarhynchus gracilis* (plerocercous)*Diphyllobothrium* sp. (eggs and adults)*Grillotia carvajalregorum**Hepatoxylon trichiuri* (adult and plerocercoids)*Heteronybelinia nipponica* (adults and plerocecdoids)*Myxonybelinia beveridgei* (plerocercoids)*Nybelinia* sp. (plerocercoids)*Otobothrium cysticum* (plerocerci)*Scolex pleuronectis**Tentacularia coryphaenae* (adults and plerocercoids)**PARALICHTHYIDAE***Citharichthys pilopterus* Günther, 1862*Pterobothrium crassicolle* (plerocerci)*Pterobothrium kingstoni* (plerocerci)*Paralichthys isosceles* Jordan, 1891*Callitetrarhynchus gracilis* (plerocercous)*Diphyllobothrium* sp. (eggs and adults)*Grillotia carvajalregorum**Heteronybelinia nipponica* (adults and plerocecdoids)*Nybelinia lingualis* (adults and plerocercoids)*Otobothrium* sp. (plerocerci)*Pterobothrium crassicolle* (plerocerci)*Pterobothrium heteracanthum* (plerocerci)*Pterobothrium* sp.*Scolex pleuronectis**Paralichthys patagonicus* Jordan, 1889*Callitetrarhynchus gracilis* (plerocercous)*Grillotia carvajalregorum**Heteronybelinia nipponica*

Nybelinia erythraea (plerocercoids)
Nybelinia lingualis (adults and plerocercoids)
Pterobothrium crassicolle (plerocerci)
Xystreurus rasile (Jordan, 1891)
Grillotia carvajalregorum
Heteronybelinia nipponica
Nybelinia erythraea (plerocercoids)
Nybelinia lingualis (adults and plerocercoids)

PERCOPHIDAE
Percophis brasiliensis Quoy & Gaimard, 1825
Nybelinia sp.
Grillotia sp. (plerocerci)

PHYCIDAE
Urophycis brasiliensis (Kaup, 1858)
Nybelinia sp. (plerocercoids)
Scolex pleuronectis
Urophycis mystaceus Miranda-Ribeiro, 1903
Grillotia carvajalregorum (plerocerci)
Lacistorhyncus sp. (plerocerci)
Nybelinia sp. (plerocercoids)
Scolex pleuronectis

PIMELODIDAE
Brachyplatystoma filamentosum (Lichtenstein, 1819) (=*Brachyplatystoma filamentosus*)
Amazotaenia yvettae
Amphoteromorphus ninoi
Amphoteromorphus piraeeba
Endorchis piraeeba
Lacistohryncus sp.
Nomimoscolex piraeeba
Nomimoscolex suspectus
Rudolphiella piranabu
Brachyplatystoma rousseauxii (Castelnau, 1855)
(= *Bagrus goliath*, *Scilurus* sp.)
Amphoteromorphus peniculus
Endorchis piraeeba
Nomimoscolex sp.
Brachyplatystoma vaillantii (Valenciennes, 1840)
Amazotaenia yvettae
Amphoteromorphus ninoi
Harriscolex piramutab
Monticellia piramutab
Nomimoscolex suspectus
Pterobothrium crassicolle (plerocerci)
Brachyplatystoma sp.
Amphoteromorphus ovalis
Scolex pleuronectis
Calophysus macropterus (Lichtenstein, 1819)
Monticellia amazonica
Rudolphiella piracatinga
Hemisorubim platyrhynchos (Valenciennes, 1840)

Manaosia bracodemoca
Mariauxiella piscatorum
Riggenbachiella paranaensis
Spatulifer maringaensis
Luciopimelodus pati (Valenciennes, 1835)
(= *Pimelodus pati*)
Monticellia amazonica
Rudolphiella piracatinga
Phractocephalus hemiolopterus (Bloch & Schneider, 1801) (= *Pirarara bicolor*)
Chamibriella sp.
Ephedocephalus microcephalus
Proteocephalus hemiolopteri
Pseudocrepidobothrium eirasi
Pseudocrepidobothrium ludovici
Riggenbachiella amazonense
Scholzia emarginata
Zygobothrium megacephalum
Pimelodus maculatus Lacepède, 1803
Chamibriella megacephala
Monticellia magna
Nomimoscolex sp.
Valipora sp.
Pimelodus ornatus Kner, 1858 (= *Silurus megacephalus*)
Mariauxiella pimelodi
Monticellia macrocotylea
Spasskyellina mandi
Spasskyellina sp.
Pimelodus sp.
Mariauxiella pimelodi
Pinirampus pirinampu (Spix & Agassiz, 1829)
(= *Pinirampus pinirampu* [sic])
Goezeella siluri
Monticellia ventrei
Nomimoscolex admonticellia
Pterobothrium crassicolle (plerocerci)
Rudolphiella myoides
Rudolphiella piranabu
Pinirampus sp.
Monticellia ventrei
Nomimoscolex admonticellia
Platystomatichthys sturio (Kner, 1858)
(= *Platystomatichthyes sturio*, *Pseudoplatystoma sturio*)
Chamibriella megacephala
Nomimoscolex lenha
Peltidocotyle lenha
Spasskyellina lenha
Pseudoplatystoma corruscans (Spix & Agassiz, 1829)
Choanoscolex abscissus

- Harriscolex kaparari*
Megathylacus travassosi
Megathylacus sp.
Nomimoscolex pertierrae
Nomimoscolex sudobim
Nomimoscolex sp.
Peltidocotyle rugosa
Spasskyellina spinulifera
- Pseudoplatystoma fasciatum*** (Linnaeus, 1766)
[=*Pseudoplatystoma fasciatus*]
Choanoscolex abscissus
Harriscolex kaparari
Houssayela sudobim
Megathylacus travassosi
Nomimoscolex lopesi
Nomimoscolex sudobim
Nomimoscolex sp.
Peltidocotyle rugosa
Spatulifer rugosa
Spasskyellina spinulifera
Spasskyellina sp.]
- Pseudoplatystoma reticulatum*** Eigenmann & Eigenmann, 1889
Nomimoscolex sudobim
- Pseudoplatystoma tigrinum*** (Valenciennes, 1840)
(=*Platystoma tigrinum*, *Pseudoplatystoma tigrina*)
Harriscolex kaparari
Peltidocotyle rugosa
Spasskyellina spinulifera
Spatulifer surubim
- Sorubim lima*** (Bloch & Schneider, 1801)
Manaosia bracodemoca
Nupelia portoricensis
Spasskyellina spinulifera
Spatulifer maringensis
- Sorubimichthys planiceps*** (Spix & Agassiz, 1829)
Chambriella megacephala
Choanoscolex sp.
Nomimoscolex lenha
Peltidocotyle lenha
Riggenbachiella amazonense
Spasskyellina lenha
- Zungaro zungaro*** (Humboldt, 1821)
(=*Brachyplatystoma flavicans*, *Paulicea luetkeni*,
Pseudopimelodus zungaro)
Amphoteromorphus parkamoo
Amphoteromorphus peniculus
Amphoteromorphus piriformis
Chambriella megacephala
Choanoscolex abscissus
- Endorchis piraeeba*
Euzetiella tetraphylliformis
Jauella glandicephalus
Megathylacus jandia
Nomimoscolex dorad
Nomimoscolex piraeeba
Nomimoscolex suspectus
Peltidocotyle lenha
Peltidocotyle rugosa
Proteocephalus sophiae
Pterobothrium crassicolle (plerocerci)
Riggenbachiella amazonense
Travassiella jandia
- PINGUIPIDAE**
Pinguiipes brasiliianus Cuvier, 1829
Callitetrarhynchus gracilis
Grillotia sp. (plerocercous)
Scolex pleuronectis
- Pseudoperca numida*** Miranda Ribeiro, 1903
Callitetrarhynchus gracilis (plerocercous)
Nybelinia sp. (plerocercoids)
Scolex pleuronectis
- Pseudoperca semifasciata*** (Cuvier, 1829)
Callitetrarhynchus gracilis (plerocercous)
Nybelinia sp. (plerocercoids)
Scolex pleuronectis
- POECILIIDAE**
Poecilia reticulata Peters, 1859
Glossocercus aurita
- POMATOMIDAE**
Pomatomus saltatrix (Linnaeus, 1766)
(=*Pomatomus saltator*)
Callitetrarhynchus gracilis (plerocercous)
Callitetrarhynchus speciosus
Nybelinia sp. (plerocercoids)
Poecilancistrum caryophyllum
Pseudogrillotia sp. (plerocercous)
Pterobothrium crassicolle (plerocerci)
Pterobothrium sp.
Scolex pleuronectis
- PRIACANTHIDAE**
Priacanthus arenatus Cuvier, 1829
Callitetrarhynchus speciosus
Scolex pleuronectis
- PROCHILODONTIDAE**
Prochilodus argenteus Spix & Agassiz, 1829
Valipora sp.
Prochilodus maculatus Lacepède, 1803
Valipora campylancristrota
- SCARIDAE**
Sparus sp.

- Pterobothrium macrourum*
- SCIACENIDAE**
- Ctenosciaena gracilicirrus* (Metzelaar, 1919)
- Grillotia carvajalregorum*
 - Heteronybelinia annakohnae*
- Cynoscion acoupa* Lacepede, 1801
- Callitetrarhynchus gracilis* (plerocercous)
 - Poecilancistrium caryophyllum*
 - Pterobothrium crassicolle* (plerocerci)
 - Pterobothrium heteracanthum* (plerocerci)
 - Pterobothrium* sp.
- Cynoscion guatucupa* Cousseau & Perrotta, 1998
- Callitetrarhynchus gracilis* (plerocercous)
 - Callitetrarhynchus speciosus*
 - Dasyrhynchus pacificus*
 - Grillotia carvajalregorum*
 - Heteronybelinia annakohnae*
 - Nybelinia* sp. (plerocercoids)
 - Pterobothrium heteracanthum* (plerocerci)
- Cynoscion jamaicensis* (Vaillant & Bocourt, 1883)
- Dasyrhynchus pacificus*
 - Grillotia carvajalregorum*
 - Heteronybelinia annakohnae*
 - Heteronybelinia estigmene* (plerocercoids)
- Cyanoscion leiarchus* (Cuvier, 1830)
- Pterobothrium crassicolle* (plerocerci)
- Cynoscion striatus* (Cuvier, 1829)
- Grillotia carvajalregorum*
 - Pterobothrium* sp.
- Cynoscion* sp.
- Nybelinia lingualis* (adults and plerocercoids)
 - Pterobothrium crassicolle* (plerocerci)
- Larimus breviceps* Cuvier, 1830
- Callitetrarhynchus gracilis* (plerocercous)
- Macrodon ancylodon* (Bloch & Schneider, 1801)
- Callitetrarhynchus gracilis* (plerocercous)
 - Dasyrhynchus pacificus*
 - Grillotia carvajalregorum*
 - Nybelinia* sp.
 - Poecilancistrium caryophyllum*
 - Pterobothrium* sp.
- Menticirrhus americanus* (Linnaeus, 1758) (=*M. americanus*)
- Dasyrhynchus pacificus*
 - Grillotia carvajalregorum*
 - Heteronybelinia annakohnae*
 - Heteronybelinia nipponica* (adults and plerocecooids)
 - Pterobothrium* sp.
 - Scolex pleuronectis*
- Menticirrhus littoralis* (Holbrook, 1847)
- Grillotia carvajalregorum*
- Micropogonias furnieri* (Desmarest, 1823)
- Callitetrarhynchus gracilis* (plerocercous)
 - Callitetrarhynchus speciosus*
 - Dolfusiella* sp. (plerocercoids)
 - Grillotia carvajalregorum*
 - Nybelinia* sp.
 - Poecilancistrium caryophyllum*
 - Pterobothrium acanthotruncatum* (plerocerci)
 - Pterobothrium crassicolle* (plerocerci)
 - Pterobothrium heteracanthum* (plerocerci)
 - Pterobothrium* sp.
 - Scolex pleuronectis*
- Micropogonias undulatus* (Linnaeus, 1766)
- Pterobothrium crassicolle* (plerocerci)
 - Pterobothrium heteracanthum*
 - Pterobothrium* sp.
- Paralonchurus brasiliensis* (Steindachner, 1875)
- Grillotia carvajalregorum*
 - Nybelinia* sp. (plerocercoids)
 - Scolex pleuronectis*
- Plagioscion squamosissimus* (Heckel, 1840) (= *Plagioscion squanosissimus* [sic])
- Callitetrarhynchus gracilis* (larval)
 - Poecilancistrium caryophyllum*
 - Pterobothrium crassicolle* (plerocerci)
 - Pterobothrium heteracanthum*
- Pogonias cromis* (Linnaeus, 1766)
- Pterobothrium crassicolle* (plerocerci)
 - Pterobothrium heteracanthum* (plerocerci)
- Sciaena* sp.
- Pterobothrium crassicolle* (plerocerci)
- Umbrina canosai* Berg, 1895
- Callitetrarhynchus gracilis* (larvae)
 - Grillotia carvajalregorum*
 - Heteronybelinia nipponica* (adults and plerocecooids)
 - Heteronybelinia perideraeus* (adults and plerocercoids)
 - Nybelinia* sp.
 - Pterobothrium heteracanthum*
 - Pterobothrium* sp.
- SCOMBRIDAE**
- Euthynnus alletteratus* (Rafinesque, 1810)
- Callitetrarhynchus gracilis* (larval)
 - Scolex pleuronectis*
- Katsuwonus pelamis* (Linnaeus, 1758)
- Scolex pleuronectis*
 - Tentacularia coryphaenae* (adults and plerocercoids)
- Sarda sarda* (Bloch, 1793)
- Scolex pleuronectis*
- Scomber japonicus* Houttuyn, 1782

- Rhinebothrium* sp.
Scolex pleuronectis
- Scomberomorus brasiliensis*** Collette, Russo & Zavaia-Camin, 1978
Nybelinia sp. (plerocercoids)
Scolex pleuronectis
Tentacularia coryphaenae (adults and plerocercoids)
- Scomberomorus cavalla*** (Cuvier, 1829)
Callitetrarhynchus gracilis (plerocercous)
Callitetrarhynchus speciosus
Pterobothrium crassicolle (plerocerci)
Tentacularia coryphaenae (adults and plerocercoids)
- Scomberomorus maculatus*** (Mitchill, 1815)
Callitetrarhynchus gracilis (plerocercous)
Otobothrium cysticum (plerocerci)
Pseudolacistorhynchus noodi (plerocerci)
- SCORPAENIDAE**
Scorpaena sp.
Pterobothrium crassicolle (plerocerci)
- SERRASALMIDAE**
Piaractus mesopotamicus (Holmberg, 1887)
Proteocephalus vazzolerae
Pygocentrus nattereri Kner, 1858 (=*Serrasalmus nattereri*)
Proteocephalus serrasalmus
Serrasalmus spilopleura Kner, 1858
Proteocephalus serrasalmus
- SERRANIDAE**
Hyporthodus niveatus (Valenciennes, 1828)
(=*Epinephelus niveatus*)
Callitetrarhynchus gracilis (plerocercous)
Pseudobothrium dipsacum (plerocerci)
- Mycteroperca bonaci*** (Poey, 1860)
Pterobothrium sp.
- SPARIDAE**
Pagrus pagrus (Linnaeus, 1758)
Pterobothrium sp.
Scolex pleuronectis
- SPHYRAENIDAE**
Sphyraena guachancho Cuvier, 1829
Callitetrarhynchus gracilis (plerocercous)
Heteronybelinia estigmene (plerocercoids)
Otobothrium cysticum (plerocerci)
- Sphyraena lewini*** (Griffith & Smith, 1834)
Heteronybelinia nipponica (adults and plerocecodoids)
- Sphyraena zygaena*** (Linnaeus, 1758)
Callitetrarhynchus speciosus
Heteronybelinia nipponica (adults and plerocecodoids)
- plerocercoids)
Sphyraena sp.
Dasyrhynchus pacificus
- TRICHIURIDAE**
Trichiurus lepturus Linnaeus, 1758
Callitetrarhynchus gracilis (plerocercous)
Pterobothrium interruptum (plerocerci)
Scolex pleuronectis
Scolex polymorphus (metacestode)
- TRIGLIDAE**
Prionotus punctatus (Bloch, 1793)
Grillotia carvajalregorum
Nybelinia sp. (plerocercoids)
- Prionotus*** sp.
Pterobothrium sp.
- CHONDRICHTHYES**
- CALLORHINCHIDAE**
Callorhinchus callorhinchus (Linnaeus, 1758)
Gyrocoyle maxima
- CARCHARHINIDAE**
Carcharhinus brachyurus (Günther, 1870)
Dasyrhynchus pacificus
Carcharhinus leucas (Müller & Henle, 1839)
(=*Prionodon leucas*)
Poecilancistrum caryophyllum
Carcharhinus limbatus (Müller & Henle, 1839)
Dasyrhynchus pacificus
Carcharinus longimanus (Poey, 1861)
Anthobothrium laciniatum
Paraorygmatobothrium filiforme
Tentacularia coryphaenae (adults and plerocercoids)
- Carcharhinus obscurus*** (Lesueur, 1818)
Tentacularia coryphaenae (adults and plerocercoids)
- Carcharhinus signatus*** (Poey, 1868)
Floriceps saccatus
Grillotia carvajalregorum
Heteronybelinia nipponica
Heteronybelinia yamagutii (plerocercoids)
Tentacularia coryphaenae (adults and plerocercoids)
- Prionace glauca*** (Linnaeus, 1758)
Callitetrarhynchus gracilis (plerocercous)
(larval)
Floriceps saccatus
Hepatoxylon trichiuri (adult and plerocercoids)
Molicola horridus
Tentacularia coryphaenae (adults and plerocercoids)
- Rhizoprionodon lalandii*** (Müller & Henle, 1839)

- (=*Scoliodon lalandii*)
Poecilancistrium caryophyllum
Rhizopriodon terraenovae (Richardson, 1836)
(=*Scoliodon terrae-novae*)
Poecilancistrium caryophyllum
- HEXANCHIDAE**
Heptranchias perlo (Bonnaterre, 1788)
Grillotia carvajalregorum
Notorhynchus cepedianus (Péron, 1807) (= *N. pectorosus*)
Heteronybelinia perideraeus
- LAMNIDAE**
Isurus oxyrinchus Rafinesque, 1810
Gymnorhynchus isuri
Molicola horridus
Nybelinia lingualis (adults and plerocercoids)
- MYLIOBATIDAE**
Rhinoptera brasiliensis (Müller, 1836)
Rhinoptericola megacantha
- POTAMOTRYGONIDAE**
Elipesurus sp.
Acanthobothrium terezae
Paroncomegas araya
Rhinebothrium paratrygoni
Paratrygon aiereba (Müller & Henle, 1841)
Potamotrygonocestus fitzgeraldae
Potamotrygonocestus travassosi
Rhinebothrium brooksi
Rhinebothrium copianulum
Rhinebothrium paratrygoni
Plesiotrygon iwamae Rosa, Castello & Thorson, 1987
Potamotrygonocestus chaoi
Potamotrygonocestus marajoara
Potamotrygon brachyura (Günther, 1880)
Rhinebothrium paratrygoni
Potamotrygon constellata (Vaillant, 1880)
Potamotrygonocestus amazonensis
Potamotrygonocestus travassosi
Potamotrygon falkneri Castex & Maciel, 1963
Acanthobothrium regoi
Paroncomegas araya
Potamotrygonocestus amazonensis
Potamotrygonocestus travassosi
Rhinebothroides freitasi
Rhinebothrium paratrygoni
Potamotrygon henlei (Castelnau, 1855)
Potamotrygonocestus sp. 7
Rhinebothrioides glandularis
Rhinebothroides freitasi
Rhinebothrium copianulum
Potamotrygon hystrix (Müller & Henle, 1841)
- Potamotrygonocestus travassosi*
Potamotrygon leopoldi Castex & Castello, 1970
Potamotrygonocestus fitzgeraldae
Rhinebothroides freitasi
Rhinebothrium copianulum
Potamotrygon motoro (Müller & Henle, 1841)
(=*Paratrygon motoro*, *Potamotrygon circularis*)
Acanthobothrium amazonensis
Acanthobothrium regoi
Acanthobothrium terezae
Paroncomegas araya
Potamotrygonocestus amazonensis
Potamotrygonocestus fitzgeraldae
Potamotrygonocestus travassosi
Rhinebothroides freitasi
Rhinebothroides maclennanae
Rhinebothroides scorzai
Rhinebothroides venezuelensis
Rhinebothrium copianulum
Rhinebothrium paratrygoni
Potamotrygon orbignyi (Castelnau, 1855)
Anindobothrium lisae
Potamotrygonocestus amazonensis
Potamotrygonocestus fitzgeraldae
Potamotrygonocestus maura
Potamotrygonocestus travassosi
Rhinebothroides freitasi
Rhinebothroides scorzai
Rhinebothrium brooksi
Rhinebothrium copianulum
Rhinebothrium fulbrighti
Rhinebothrium jaimei
Potamotrygon schroederi Fernández-Yépez, 1958
Potamotrygonocestus sp. 8
Rhinebothroides freitasi
Rhinebothrium copianulum
Potamotrygon scobina Garman, 1913
Potamotrygonocestus amazonensis
Rhinebothroides freitasi
Rhinebothrioides glandularis
Rhinebothrium jaimei
Potamotrygon signata Garman, 1913
Rhinebothrioides glandularis
Potamotrygon tatianae Silva & Carvalho, 2011
Rhinebothrium copianulum
Potamotrygon spp.
Potamotrygonocestus amazonensis
Rhinebothrioides glandularis
Rhinebothroides moralarai
Rhinebothrium copianulum
Rhinebothrium fulbrighti
- PRISTIDAE**

Pristis pristis (Linnaeus, 1758) (= *Pristis perotteti*)

Anthobothrium pristis

Pterobothrium fragile

RAJIDAE

Dipturus trachydermus (Krefft & Stehmann, 1975)

Myxonybelinia beveridgei (plerocercoids)

SCYLIORHINIDAE

Scyliorhinus besnardi Springer & Sadowsky, 1970

Ahamulina catarina

Scyliorhinus haekeli (Miranda-Ribeiro, 1907)

Dasyrhynchus pacificus

SQUALIDAE

Squalus sp.

Grillotia carvajalregorum

TRIAKIDAE

Mustelus canis (Mitchill, 1815)

Callitetrarhynchus gracilis (plerocercous)

Dollfusiella vooremi

Nybelinia lingualis (adults and plerocercoids)

Mustelus schmitti Springer, 1939

Dollfusiella vooremi

Nybelinia lingualis (adults and plerocercoids)

AMPHIBIA

BRACHYCEPHALIDAE

Brachycephalus pernix Pombal, Wistuba & Bomschein, 1998

Ophiotaenia sp.

BUFONIDAE

Rhinella crucifer (Wied-Neuwied, 1821) (= *Bufo crucifer*)

Spirometra sp. (plerocercoids)

Rhinella fernandezae (Gallardo, 1957)

Cylindrotaenia americana

Rhinella icterica (Spix, 1824) (= *Bufo ictericus*, *Chaunus ictericus*)

Cylindrotaenia americana

Cylindrotaenia sp.

Proteocephalus sp.

Rhinella marina (Linnaeus, 1758)

Lanfrediella amphicirrus

Rhinella schneideri (Werner, 1894) (= *Chaunus schneideri*)

Cylindrotaenia sp.

Rhinella sp. (= *Bufo* sp.)

Spirometra sp. (plerocercoids)

HYLIDAE

Hypsiboas faber (Wied-Neuwied, 1821) (= *Hyla faber*)

Spirometra sp. (plerocercoids)

Hypsiboas prasinus (Burmeister, 1856)

Cylindrotaenia americana

LEPTODACTYLIDAE

Leptodactylus latrans (Steffen, 1815) (= *L. ocellatus*)

Ophiotaenia bonariensis

Spirometra sp. (plerocercoids)

Leptodactylus podicipinus (Cope, 1862)

Cylindrotaenia americana

MICROHYLIDAE

Dermatonotus muelleri Boettger, 1885

Spirometra sp. (plerocercoids)

REPTILIA

AGAMIDAE

Chenoplax jubatus [sic]

Lateriporus biuterinus

AMPHISBAENIDAE

Amphisbaena alba Linnaeus, 1758

Semenoviella amphisbaenae

Amphisbaena caiali Teixeira Jr, Da Vechio, Neto & Rodrigues, 2014 (= *Amphisbaena fuliginosa alba*)

Semenoviella amphisbaenae

Amphisbaena ridleyi Boulenger, 1890

Oochoristica travassosi

BOIDAE

Corallus caninus (Linnaeus, 1758)

Ophiotaenia sp.

Eunectes murinus (Linnaeus, 1758)

Crepidobothrium gerrardii

COLUBRIDAE

Chironius carinatus (Linnaeus, 1758)

(= *Herpetodryas carinatus*)

Spirometra sp. (plerocercoids)

Chironius fuscus (Linnaeus, 1758)

(= *Herpetodryas fuscus*)

Spirometra sp. (plerocercoids)

Coluber sp.

Ophiotaenia flava

Ophiotaenia racemosa

Ophiotaenia nattereri

Drymarchon corais Boie, 1827

Spirometra sp. (plerocercoids)

Mastigodryas bifossatus (Raddi, 1820)

(= *Dryadophis bifossatus*)

Spirometra sp. (adults and plerocercoids)

DACTYLOIDAE

Anolis fuscoauratus d'Orbigny, 1837 (= *Norops fuscoauratus*)

- Ophiotaenia* sp.
Anolis transversalis Duméril, 1851
Mesocestoides sp.
- DIPSADIDAE**
- Erythrolamprus poecilogyrus** (Wied-Neuwied, 1825) (=*Leimadophis poecilogyrus pictostriatus*)
Spirometra mansonioides
Erythrolamprus miliaris (Linnaeus, 1758)
(=*Liophis miliaris*)
Ophiotaenia arandasi
Erythrolamprus semiaureus (Cope, 1862)
(=*Liophis miliaris semiaureus*)
Spirometra mansonioides
Xenodon merremii (Wagler, 1824)
Ophiotaenia racemosa
Xenodon neuwiedii Günther, 1863
Proteocephalus joanae
- ELAPIDAE**
- Micrurus corallinus** (Merrem, 1820)
Ophiotaenia macrobothria
- GEKKONIDAE**
- Hemidactylus mabouia** (Moreau de Jonnès, 1818)
Oochoristica vanzolinii
Oochoristica sp.
- PHYLLODOCATYLIDAE**
- Phyllopezus pollicaris** (Spix, 1825)
Oochoristica sp.
- SCINCIDAE**
- Brasiliscincus agilis** (Raddi, 1823) (=*Mabuya agilis*)
Oochoristica ameivae
Copeoglossum nigropunctatum (Spix, 1825)
(=*Mabuya nigropunctata*)
Oochoristica travassosi
Psychosaura macrohyncha (Hoge, 1946)
(=*Mabuya macrorhyncha*)
Oochoristica ameivae
Trachylepis atlantica (Schmidt, 1945)
Oochoristica noronhae
Oochoristica travassosi
- TEIIDAE**
- Ameiva ameiva** (Linnaeus, 1758)
Oochoristica ameivae
Oochoristica fuhrmanni
Spirometra sp. (plerocercoids)
Ameivula nativo (Rocha, Bergallo & Peccinini-Seale, 1997) (=*Cnemidophorus nativo*)
Oochoristica ameivae
Cnemidophorus gramivagus Mccrystal & Dixon,
- 1987
Oochoristica freitasi
Salvator merianae (Duméril & Bibron, 1839)
(=*Tupinambis merianae*)
Oochoristica sp.
Tupinambis teguixin Linnaeus, 1758
(=*Tupinambis nigropunctatus*)
Tejiodaenia appendiculata
- TESTUDINIDAE**
- Chelonoidis denticulatus** (Linnaeus, 1766)
(=*Testudo denticulata*)
Ophiotaenia lopesi
- TROPIDURIDAE**
- Eurolophosaurus nanuzae** (Rodrigues, 1981)
Oochoristica vanzolinii
Tropidurus hispidus (Spix, 1825) (=*Tropidurus torquatus hispidus*)
Oochoristica bresslauri
Oochoristica vanzolinii
Tropidurus oreadicus Rodrigues, 1987
Oochoristica sp.
- VIPERIDAE**
- Bothrops alternatus** Dumeril, Bibron & Dumeril, 1854
Ophiotaenia jarara
Bothrops atrox (Linnaeus, 1758)
Ophiotaenia calmetti
Bothrops jararaca (Wied-Neuwied, 1824)
Crepidobothrium gerrardii
Crepidobothrium lachesidis
Ophiotaenia azevedoi
Ophiotaenia calmetti
Ophiotaenia catzeflisi
Ophiotaenia euzeti
Ophiotaenia jarara
Bothrops jararacussu Lacerda, 1884
Proteocephalus sp.
Bothrops lanceolatus (Bonnaterre, 1790)
Ophiotaenia calmetti
Bothrops moojeni Hoge, 1966
Crepidobothrium sp.
Bothrops sp.
Spirometra sp. (plerocercoids)
Crepidobothrium gerrardii
Crotalus durissus (Linnaeus, 1758)
Spirometra sp. (plerocercoids)
- AVES
- ACCIPITRIDAE**
- Busarellus nigricollis** (Latham, 1790)
Dilepis oligorchida

- Buteo leucorrhoea** (Quoy et Gaimard, 1824)
 (=Rupornis leucorrhoea)
Culcitella bresslaui
- Buteo nitidus** (Latham, 1790)
Culcitella rapacicola
- Buteogallus meridionalis** (Latham, 1790)
 (=Heterospizias meridionalis)
Uncinaria trichocirrosa
- Buteogallus urubitinga** (Gmelin, 1788)
 (=Urubutingazonura)
Chanotaenia trapezoides
- Elanoides forficatus** (Linnaeus, 1758)
 (=Elanoides furcatus)
Oligorchis strangulatus
- Geranospiza caerulescens** (Vieillot, 1817)
Culcitella rapacicola
- Ictinia plumbea** (Gmelin, 1788)
Culcitella rapacicola
- Spizaetus ornatus** (Daudin, 1800)
Culcitella crassa
- ALCEDINIDAE**
- Gracula** sp.
Biuterina distincta
- ANATIDAE**
- Amazonetta brasiliensis** (Gmelin, 1789)
 (=Nettium brasiliense, N. brasiliense)
Cloacotaenia megalops
Fimbriaria fasciolaris
Lateriporus biuterinus
Lateriporus propeteres
- Anas bahamensis** Linnaeus, 1758
Fimbriaria fasciolaris
- Anas bahamensis galapagensis** (Ridgway, 1890)
 (=Poecilonetta bahamensis)
Hymenolepis lobata
Sobolevianthus flagellatus
- Cairina moschata** (Linnaeus, 1758)
Fimbriaria fasciolaris
Lateriporus biuterinus
Lateriporus sp.
- Cairina moschata domestica** (Linnaeus, 1758)
Fimbriaria sp.
Sobolevianthus papillatus
- Dendrocygna autumnalis** (Linnaeus, 1758)
Lateriporus biuterinus
- Netta peposaca** (Vieillot, 1816)
Diplopisthe laevis
Microsomacanthus hopkinsi
- Sarkidiornis sylvicola (carunculata)** Lichtenstein, 1819 (*Sarkidiornis carunculata* [sic], *Sarkidiornis sylvicola*)
- Lateriporus biuterinus**
- APODIDAE**
- Cypseloides senex** (Temminck, 1826)
Anomotaenia cyathiformoides
Anomotaenia paucitesticulata
- ARDEIDAE**
- Ardea alba egretta** Linnaeus, 1758 (=Casmerodius alba, Casmerodius alba egretta)
Dendrouterina pilhoridae
- Ardea cocoi** Linnaeus, 1766
Anomotaenia sp.
Dendrouterina sp.
Drepanidotaenia sp.
- Butorides striata** (Linnaeus, 1758) (=Butorides striatus)
Diplopisthe bifaria
Drepanidotaenia sp.
Valipora minuta
- Butorides virescens** (Linnaeus, 1758)
Raillietina (Raillietina) macroscolecina
Tetracisdicotyla macroscolecina
- Butorides** sp.
Drepanidotaenia sp.
- Cochlearius cochlearius** (Linnaeus, 1766)
 (=Canchroma cochlearia)
Proorchida lobata
Valipora spinosa
- Egretta caerulea** (Linnaeus, 1758) (=Florida caerulea, Ardea caerulea)
Anomotaenia aurita
Dendrouterina papillifera
- Egretta thula** (Molina, 1782)
Dilepis fuhrmanni
- Ixobrychus exillis** (Gmelin, 1789)
Drepanidotaenia sp.
- Nycticorax nycticorax** (Linnaeus, 1758)
Valipora mutabilis
- Pilherodius pileatus** (Boddaert, 1783)
Dendrouterina pilhoridae
Valipora sp.
- Tigrisoma fasciatum** (Such, 1825) (=Tigrisoma brasiliense)
Dendrouterina crassirostrata
- Ardeidae gen. sp.**
Jardugia sp.
- BUCCONIDAE**
- Bucco** sp.
Sphaeruterina fuhrmannii
- CAPRIMULGIDAE**
- Antrostomus carolinensis** Gmelin, 1789
 (=Caprimulgus carolinensis)

- Variolepis brasiliensis*
Antrostomus sp. (*Caprimulgus* sp.)
Biuterina trapezoides
Choanotaenia asymetrica
Chordeiles minor (Forster, 1771) (=*C. virginianus*)
Metadilepis caprimulgorum
Chordeiles nacunda (Vieillot, 1817) (=*Podager nacunda*)
Choanotaenia paucianulata
Raillietina (Skrjabinia) magnicoronata
Hydropsalis climacocerca (von Tschudi, 1844)
Metadilepis caprimulgorum
Nyctiprogne leucopyga (Spix, 1825)
Variolepis brasiliensis
CARIAMIDAE
Cariama cristata (Linnaeus, 1766)
Idiogenes horridus
CATHARTIDAE
Sarcoramphus papa (=*Gypagus* (=*Cathartes*) *papa*) (Linton, 1758)
Laterotaenia natteri
CHARADRIIDAE
Charadrius collaris Vieillot, 1818
Gyrocoelia leuce
Vanellus cayanus (Latham, 1790)
(=*Hoploxypterus cayanus*)
Dilepis fuhrmannii
Vanellus chilensis (Molina, 1782)
(=*Belonopterus chilensis*)
Gyrocoelia crassa
Vanellus chilensis cayennensis (Gmelin, 1789)
(=*Belenopterus cayennensis*, *Belopterus cayennensis*, *B. chilenses cayannesis*)
Anomotaenia secunda
Choanotaenia cayennensis
Gyrocoelia crassa
Megalacanthus macracantha
Vanellus chilensis lampronotus (Wagler, 1827)
(=*Belonopterus chilenses lampronotus*)
Gyrocoelia crassa
Megalacanthus macracantha
CICONIIDAE
Tantalus sp.
Dilepis bicoronata
COLUMBIDAE
Columba gymnophthalmus May 1837 (=*Columba gymnophthalma*)
Hymenolepis armata
Columba livia Gmelin, 1789
Fuhrmannetta crassula
Raillietina (Raillietina) allomyodes
- Raillietina (Skrjabinia) bonini*
Raillietina sp.
Columba sp.
Dipylidium columbae
Zenaida auriculata (Des Murs, 1847)
Raillietina (Raillietina) allomyodes
COTINGIDAE
Pyroderus scutatus *scutatus* (Shaw, 1792)
(=*Caracina scutata*)
Taenia caracina
Rupicola rupicola (Linnaeus, 1766)
Ophryocotyloides uniuterina
Variolepis microscolecina
CRACIDAE
Crax alector Linnaeus, 1766
Raillietina (Raillietina) leptacantha
Crax fasciolata Spix, 1825
Raillietina (Raillietina) leptacantha
Penelope obscura Temminck, 1815
Raillietina (Raillietina) penelopina
CUCULIDAE
Crotophaga ani Linnaeus, 1758 (=*Crotophaga minor*)
Cuculincola acollum
Cuculincola mutabilis
Crotophaga major Gmelin, 1788
Cuculincola mutabilis
Guira guira (Gmelin, 1788)
Cuculincola mutabilis
DENDROCALAPTIDAE
Lepidocolaptes fuscicapillus (von Pelzeln, 1868)
(=*Picolaptes fuscicapillus*)
Parvirostrum reticulatum
Xiphorhynchus elegans (von Pelzeln, 1868)
(=*Dendrornis elegans*)
Parvirostrum reticulatum
Xiphorhynchus guttatus (Lichtenstein, 1820)
(=*Dendrornis rostripallens*)
Parvirostrum reticulatum
EMBERIZIDAE
Emberiza sp.
Anomotaenia isacantha
Biuterina trapezoides
FURNARIIDAE
Synallaxis rutilans Temminck, 1823 (=*Synallaxis phryganophila*)
Biuterina trigonacantha
Parvirostrum synallaxis
HIRUNDINIDAE
Atticora fasciata (Gmelin, 1789)
Vitta undulatoides
Hirondelle sp. (=*Hirondella* sp.)

- Anonchotaenia macrocephala*
Hirundo sp.
Anonchotaenia macrocephala
Progne chalybea Gmelin, 1789
Anonchotaenia macrocephala
Progne subis (Linnaeus, 1758) (=*Progne purpurea*)
Anonchotaenia macrocephala
Progne tapera (Linnaeus, 1766)
Anonchotaenia macrocephala
Tachycineta leucorrhoa (Vieillot, 1817)
Anonchotaenia macrocephala
- ICTERIDAE**
Cacicus haemorrhous (Linnaeus, 1766)
Anonchotaenia brasiliensis
Sphaeruterina longiceps
Molothrus ater Boddaert, 1783 (=*Molothrus pecoris*)
Biuterina trapezoides
Psarocolius decumanus (Pallas, 1769)
Sphaeruterina longiceps
Psarocolius viridis (Muller, 1776) (=*Ostinpops viridis*)
Anomotaenia penicillata
Psarocolius yuracares (d'Orbigny & Lafresnaye, 1838) (=*Gymnostinops yuracarium*)
Anomotaenia penicillata
- LARIDAE**
Rynchops niger intercedens Saunders, 1895
(=*Rynchops intercedens*)
Choanotaenia rhynchospis
Taenia diaphana
- MITROSPINGIDAE**
Lamprospiza melanoleuca Vieillot, 1817
(=*Tachyphonus melanoleucus*)
Biuterina cylindrica
- MOTACILLIDAE**
Motassila sp.
Biuterina motacillabrasiliensis
- MUSCICAPIDAE**
Muscicapa audax Lichtenstein, 1820
Biuterina campanulata
- NUMIDIDAE**
Numida meleagris (Linnaeus, 1758)
Hymenolepis sp.
Paroniella magninumida
- OPISTHOCOMIDAE**
Opisthocomus hoazin (Statius Muller, 1776)
Choanotaenia campanulata
- ORIOLIDAE**
Oriolus cristatus Pennant, 1781
Sphaeruterina longiceps
- PARULIDAE**
Geothlypis velata (Vieillot, 1809) (=*Taenioptera velata*)
Biuterina campanulata
- PASSERIDAE**
Passer domesticus (Linnaeus, 1758)
Choanotaenia passerina
Choanotaenia sp.
- PELECANIDAE**
Pelecanus spp.
Prosthecocotyle pelecani aquilae
- PHALACROCORACIDAE**
Phalacrocorax brasilianus (Gmelin, 1789)
(=*Scotopelia brasiliiana*)
Paradilepis caballeroi
- PHASIANIDAE**
Gallus gallus (Linnaeus, 1758) (=*Gallus domesticus*, *G. gallus domesticus*)
Amoebotaenia cuneata
Choanotaenia infundibulum
Davainea proglottina
Davaineoides vigintivasus
Echinolepis carioca
Fuhrmannetta laticanallis
Hymenolepis sp.
Metroliasthes lucida
Raillietina (*Raillietina*) *echinobothrida*
Raillietina (*Raillietina*) *tetragona*
Raillietina (*Skrjabinia*) *cesticillus*
Raillietina sp.
Staphylepis cantaniana
Meleagris gallopavo domestica Linnaeus, 1758
Raillietina (*Raillietina*) *tetragona*
- PICIDAE**
Celeus elegans (Statius Muller, 1776)
Raillietina (*Raillietina*) *lutzi*
Colaptes campestris (Vieillot, 1818)
Raillietina (*Raillietina*) *frontina*
Raillietina (*Raillietina*) *tetragona*
Dryocopus lineatus (Linnaeus, 1766) (=*Picus lineatus*)
Paroniella cruciata
Dryocopus sp. (=*Picus* sp.)
Raillietina (*Raillietina*) *lutzi*
Picus canus Gmelin, 1788 (=*Gecinus canus*)
Paroniella cruciata
- PODICIPEDIDAE**
Tachybaptus dominicus (Linnaeus, 1766)
(=*Podiceps dominicus*)
Confluaria capillaria
Dioecocestus acotylus
Laterorchites bilaterialis

- Tatria appendiculata*
- PROCELLARIDAE**
- Puffinus puffinus* (Brünnich, 1764)
Tetrabothrius sp.
- PSITTACIDAE**
- Amazona aestiva* (Linnaeus, 1758) (=*Chrysotis amazonica*, *Psittacus aestivus*)
Raillietina (*Raillietina*) *leptosoma*
Raillietina sp.
Amazona amazonica (Linnaeus, 1766)
(=*Chrysotis amazonica*)
Paronia ambigua
Brotogeris tirica Gmelin, 1788 (=*Brotogerys tirica*)
Multicotugnia brotogerys
Pionopsitta pileata (Sclater, 1875)
(=*Pionospittacus pileatus* [sic])
Raillietina (*Raillietina*) *macroscolecina*
- PSITTACULIDAE**
- Lorius garrulus* (Linnaeus, 1758)
Raillietina (*Raillietina*) *macroscolecina*
- PSOPHIIDAE**
- Psophia crepitans* Linnaeus, 1758
Dilepis macrocephala
- RAMPHASTIDAE**
- Pteroglossus inscriptus* Swainson, 1822
Choanotaenia crassitestata
Ramphastos tucanus Linnaeus, 1758
Paronia variabilis
- RECURVIROSTRIDAE**
- Himantopus mexicanus* (Statius Muller, 1776)
Monopylidium rostellata
- RHEIDAE**
- Rhea americana* (Linnaeus, 1758)
Chapmania tauricolis
Houttuynia struthionis
- SCOLOPACIDAE**
- Calidris fuscicollis* (Vieillot, 1819)
Nadejdolepis smithi
Nadejdolepis sp.
Gallinago gigantea (Temminck, 1826)
Paricterotaenia intermedia
Shipleya inermis
Gallinago undulata (Boddaert, 1783)
Paricterotaenia intermedia
Scolopax sp.
Anomotaenia bacilligera
Paricterotaenia intermedia
- SPHENISCIDAE**
- Eudyptes chrysocome* (Forster, 1781)
(=*Catarrachtes chrysosome*)
Taenia diaphoracantha
- Spheniscus magellanicus* Forster, 1781
Tetrabothrius lutzi
- STRIGIDAE**
- Asio flammeus* (Pontoppidan, 1763)
Paruterina otidis
- STRUTHIONIDAE**
- Struthio camelus* Linnaeus, 1758
Hymenolepis sp.
- SULIDAE**
- Sula* spp.
Prosthecocotyle pelecani aquilae
- THRESKIORNITHIDAE**
- Mesembrinibes cayennensis* (Gmelin, 1789)
(=*Harpiprion cayennensis*)
Dilepis bicoronata
Platalea ajaja (Linnaeus, 1758)
Cyclastera capito
Platalea leucorodia Linnaeus, 1758
Cyclastera capito
Theristicus melanopis Gmelin, 1789
Eugonodaeum nasuta
Theristicus caerulescens (Vieillot, 1817)
(=*Molybdophanes coeruleascens*, *Saltator coeruleascens*)
Drepanidotaenia elongata
Hymenolepis brevianulata
- TINAMIDAE**
- Crypturellus erythropus* (von Pelzeln, 1863)
(=*Crypturus erythropus*)
Retinometra pauciovatus
Crypturellus noctivagus Wied-Neuwied, 1820
(=*Crypturus noctivagus*)
Raillietina (*Raillietina*) *crypturi*
Crypturellus sp. (=*Crypturus* sp.)
Raillietina (*Raillietina*) *capillaris*
Nothura maculosa (Temminck, 1815)
Führmannetta elongata
Rhynchotus rufescens (Temminck, 1815)
Führmannetta elongata
- THAMNOPHILIDAE**
- Myothera* sp.
Hamatoführmania macracantha
Thamnophilus torquatus Swainson, 1825
(=*Thamnophilus sulfuratus*)
Biuterina campanulata
- THRAUPIDAE**
- Dacnis cayana* (Linnaeus, 1766)
Biuterina motacillacayanae
Tachyphonus coronatus (Vieillot, 1822)
Anonchotaenia brasiliensis
Tachyphonus cristatus (Linnaeus, 1766)
Biuterina cylindrica

<i>Tangara cyanoptera</i> (Vieillot, 1817) (= <i>Thraupis cyanoptera</i>)	<i>Moniezia rugosa</i>
<i>Anonchotaenia brasiliensis</i>	<i>Brachyteleles hypoxanthus</i> (Kuhl, 1820)
TINAMIDAE	<i>Moniezia rugosa</i>
<i>Taoniscus nanus</i> (Temminck, 1815) (= <i>Nothura media</i>)	BOVIDAE
<i>Fuhrmannetta elongata</i>	<i>Bos taurus</i> Linnaeus, 1758
<i>Tinamus</i> sp.	<i>Echinococcus granulosus</i> (hydatic cyst)
<i>Fuhrmannetta elongata</i>	<i>Moniezia benedeni</i>
TITYRIDAE	<i>Moniezia expansa</i>
<i>Tityra semifasciata</i> (Spix, 1825)	<i>Moniezia</i> sp.
<i>Biuterina globosa</i>	<i>Taenia saginata</i> (cysticercus)
TROCHILIDAE	<i>Taenia tenuicollis</i> (cysticercus)
<i>Chrysolampis mosquitus</i> (Linnaeus, 1758)	Bos taurus indicus (= <i>Bos indicus</i>) Linnaeus, 1758
<i>Parvibursa chrysolampidis</i>	<i>Moniezia benedeni</i>
<i>Eupetomena macroura</i> (Gmelin, 1788)	<i>Moniezia expansa</i>
<i>Anonchotaenia trochili</i>	<i>Moniezia</i> sp.
<i>Staphylepis inhamata</i>	<i>Taenia saginata</i> (cysticercus)
TROGONIDAE	<i>Taenia tenuicollis</i> (cysticercus)
<i>Trogon melanurus melanurus</i> Swainson, 1838	Bubalus bubalis Linnaeus, 1758
<i>Anomotaenia brasiliensis</i>	<i>Moniezia benedeni</i>
<i>Trogon surrucura</i> Vieillot, 1817	<i>Moniezia expansa</i>
<i>Anomotaenia brasiliensis</i>	<i>Moniezia</i> sp.
TURDIDAE	<i>Capra hircus</i> Linnaeus, 1758
<i>Turdus amaurochalinus</i> Cabanis, 1851	<i>Moniezia benedeni</i>
<i>Variolepis pyramidata</i>	<i>Moniezia expansa</i>
<i>Turdus rufiventris</i> Vieillot, 1818	<i>Moniezia</i> sp.
<i>Sobolevitaenia korochirei</i>	<i>Taenia hydatigena</i> (cysticercus)
TYRANNIDAE	<i>Taenia tenuicollis</i> (cysticercus)
<i>Megarhynchus pitangua</i> (Linnaeus, 1766)	Ovis aries Linnaeus, 1758
<i>Biuterina campanulata</i>	<i>Echinococcus granulosus</i> (hydatic cyst)
<i>Pitangus sulphuratus</i> (Linnaeus, 1766)	<i>Moniezia benedeni</i>
<i>Biuterina campanulata</i>	<i>Moniezia expansa</i>
<i>Tyrannus melancholicus</i> Vieillot, 1819	<i>Moniezia</i> sp.
<i>Anonchotaenia</i> sp.	<i>Taenia hydatigena</i> (cysticercus)
MAMMALIA	<i>Taenia multiceps</i> (cysticercus)
ATELIDAE	<i>Taenia saginata</i> (cysticercus)
<i>Alouatta belzebul</i> (Linnaeus, 1766)	<i>Taenia tenuicollis</i> (cysticercus)
<i>Mathevotaenia megastoma</i>	<i>Thysanosoma actinoides</i>
<i>Alouatta caraya</i> (Humboldt, 1812)	CALLITRICHIDAE
<i>Mathevotaenia megastoma</i>	<i>Callichthrix (Mico) melanura</i> (Geoffroy, 1812)
<i>Moniezia rugosa</i>	(= <i>Mico melanurus</i>)
<i>Alouatta seniculus</i> (Linnaeus, 1766)	<i>Mathevotaenia megastoma</i>
<i>Raillietina (Raillietina) alouattae</i>	CANIDAE
<i>Alouatta guariba clamitans</i> Cabrera, 1940	<i>Canis lupus familiaris</i> Linnaeus, 1758 (= <i>Canis familiaris</i>)
<i>Bertiella mucronata</i>	<i>Dipylidium caninum</i>
<i>Alouatta macconnelli</i> Elliot, 1910 (= <i>Alouatta senicola straminea</i>)	<i>Dipylidium</i> sp.
<i>Raillietina (Raillietina) alouattae</i>	<i>Diphyllobothrium latum</i> (eggs and adults)
<i>Brachyteleles arachnoides</i> (Geoffroy, 1806)	<i>Echinococcus granulosus</i> (adult)
<i>Mathevotaenia megastoma</i>	<i>Hymenolepis diminuta</i>
	<i>Taenia hydatigena</i> (adult)
	<i>Taenia multiceps</i> (adult)
	<i>Taenia solium</i> (cysticercus)

- Taenia taeniaeformis* (adult)
Taenia sp.
- Cerdocyon thous** Linnaeus, 1766
Dipylidium caninum
Diphyllobothrium mansoni
Diphyllobothrium sp. (eggs and adults)
Spirometra sp.
- Cerdocyon thous azarae** Wied-Neuwied, 1824
(= *Canis azarae*)
Mesocestoides michaelseni
- Lycalopex gymnocercus** Fischer, 1814
(= *Pseudalopex gymnocercus*, *Pseudolapex gymnocercus* [sic])
Diphyllobothrium sp. (eggs and adults)
Spirometra sp.
Spirometra sp. (plerocercoids)
- Lycalopex vetulus** (Lund, 1842)
Spirometra sp.
- Speothos venaticus** Lund, 1842
Echinococcus vogeli (hydatic cyst)
- CAVIIDAE**
Cavia aperea Erxleben, 1777
Monoecocestus minor
Monoecocestus parcitesticulatus
- Cavia porcellus*** Linnaeus, 1758
Monoecocestus parcitesticulatus
- Galea spixii*** Wagler, 1831
Quentinia mesovitellinica
- Hydrochoerus hydrochaeris*** (Linnaeus, 1766)
(= *Hydrochoerus hydrochoeris*)
Monoecocestus hagmanni
Monoecocestus hydrochoeri
Monoecocestus jacobi
Monoecocestus macrobursatum
Monoecocestus sp. (immature form)
- Kerodon rupestris*** Wied, 1820
Thysanotaenia congolensis
- CEBIDAE**
Cebus nigritus (Goldfuss, 1809)
Mathevotaenia megastoma
- Cebus apella*** (Linnaeus, 1758)
Mathevotaenia megastoma
- Saguinus bicolor*** (Spix, 1823)
Mathevotaenia megastoma
- Saguinus midas*** (Linnaeus, 1758)
Mathevotaenia megastoma
- CRICETIDAE**
Akodon (Akodon) cursor Winge, 1887 (= *Akodon arvicoloides*, *A. cursor*)
Rodentolepis akodontis
- Akodon (Akodon) montensis*** Thomas, 1913
- (= *Akodon montensis*)
Rodentolepis akodontis
- Holochilus brasiliensis nanus*** Thomas, 1897
(= *Holochilus nanus*)
Mathevotaenia sp.
- Mesocricetus auratus*** Waterhouse, 1839
Rodentolepis nana
- Nectomys squamipes*** Brants, 1827
Raillietina sp.
- Oligoryzomys nigripes*** Olfers, 1818
Rodentolepis akodontis
- Oryzomys ratticeps*** Hensel, 1873
Raillietina (Raillietina) guaricanae
- CUNICULIDAE**
Cuniculus paca Linnaeus, 1766 (= *Agouti paca*)
Echinococcus vogeli (hydatic cyst)
Raillietina (Raillietina) demerariensis
Raillietina (Raillietina) trinitatae
- DASYPODIDAE**
Dasypus novemcinctus Linnaeus, 1758
Mathevotaenia sp.
- DASYPROCTIDAE**
Dasyprocta azaræ Lichtenstein, 1823
Raillietina (R.) sp.
Raillietina sp.
Taenia pisiformis (cysticercus)
- Dasyprocta fuliginosa*** Wagler, 1832
Raillietina (Raillietina) trinitatae
- Dasyprocta leporina*** Linnaeus, 1758
Echinococcus oligarthrus (hydatic cyst and adults)
- DELPHINIDAE**
Globicephala macrorhynchus Gray, 1846
Diphyllobothrium sp. (eggs and adults)
Phyllobothrium delphini (merocercoid)
- Lagenodelphis hosei*** Fraser, 1956
Monorygma grimaldi (larvae)
Phyllobothrium delphini (merocercoid)
- Peponocephala electra*** Gray, 1846
Monorygma grimaldi (larvae)
Phyllobothrium delphini (merocercoid)
Strobicephalus triangularis
- Stenella clymene*** Gray, 1846
Monorygma grimaldi (larvae)
Phyllobothrium delphini (merocercoid)
Scolex pleuronectis
Strobicephalus triangularis
Tetrabothrius forsteri
Tetrabothrius sp.
- Stenella coeruleoalba*** Meyen, 1833
Monorygma grimaldi (larvae)
Phyllobothrium delphini (merocercoid)

- Stenella frontalis*** Cuvier, 1829
Phyllobothrium delphini (merocercoid)
Strobicephalus triangularis
- Stenella longirostris*** Gray, 1828
Monorygma grimaldi (larvae)
Phyllobothrium delphini (merocercoid)
Scolex pleuronectis
Strobicephalus triangularis
Tetrabothrius forsteri
Tetrabothrius sp.
- Stenella*** sp.
Monorygma grimaldi (larvae)
- Steno bredanensis*** Cuvier in Lesson, 1828
Phyllobothrium delphini (merocercoid)
- DIDELPHIDAE**
Didelphis albiventris Lund, 1840
Diphyllobothriidae gen. sp. (adults and plerocercoids)
Mathevotaenia bivittata
Paralinstowia iheringi
- Didelphis aurita*** Wied-Neuwied, 1826
Spirometra bresslaui
- Didelphis azarae*** Temminck, 1824
Diphyllobothrium didelphydis
- Didelphis marsupialis*** Linnaeus, 1758
Mathevotaenia bivittata
- Didelphis marsupialis marsupialis*** Linnaeus, 1758
Mathevotaenia bivittata
- Didelphis tristriata*** Kuhl, 1820
Paralinstowia iheringi
- Didelphis (Peramys) americana*** Trouessart, 1898
(= *Peramys americana*)
Paralinstowia iheringi
- Marmosa murina*** Linnaeus, 1758
Mathevotaenia bivittata
- Metachirus nudicaudatus*** (Geoffroy, 1803)
Mathevotaenia bivittata
- Monodelphis domestica*** Wagner, 1842
Paralinstowia iheringi
- Philander opossum*** Linnaeus, 1758 (= *Metachirus opossum*, *Metachirops quica*, *Phylander oposum* [sic])
Mathevotaenia bivittata
Paralinstowia iheringi
Spirometra sp. (plerocercoids)
- Thylamys elegans*** (Waterhouse, 1839)
(= *Marmosa elegans*)
Mathevotaenia marmosae
Paralinstowia iheringi
- ECHIMYIDAE**
- Mesomys hispidus*** Desmarest, 1817 (= *Mesomys hispidus hispidus*)
Raillietina sp.
- Proechimys guyannensis oris*** Geoffroy, 1803
Monoecocestus machadoi
- Proechimys semispinosus amphichoricus*** Moojen, 1948
Raillietina sp.
- Proechimys*** sp.
Raillietina (Raillietina) trinitatae
- Thrichomys apereoides*** Lund, 1839 (= *Cercomys cunicularius*)
Raillietina (R.) sp.
- Thrichomys apereoides laurentius*** Thomas, 1904
(= *Cercomys laurentius*)
Raillietina (R.) sp.
- Thrichomys pachyurus*** Wagner, 1845
Raillietina sp.
Rodentolepis sp.
- EQUIDAE**
Equus asinus Linnaeus, 1758
Anoplocephala perfoliata
- Equus caballus*** Linnaeus, 1758
Anoplocephala magna
Anoplocephala perfoliata
Equinia mamillana
- ERETHIZONTIDAE**
Chaetomys subspinosus Olfers, 1818
Hymenolepis diminuta
- FELIDAE**
Felis catus Linnaeus, 1758 (= *F. silvestris catus*)
Dipylidium caninum
Spirometra mansonioides
Taenia taeniaeformis (adult)
- Felis catus domesticus*** Linnaeus, 1758
Diphyllobothrium sp. (eggs and adults)
Dipylidium caninum
Dipylidium sp.
Mesocestoides sp.
Spirometra sp.
Taenia taeniaeformis (adult)
- Leopardus colocolo*** Molina, 1782
Mesocestoides sp.
Spirometra sp.
- Leopardus geoffroyi*** d'Orbigny & Gervais, 1844
Mesocestoides sp.
- Leopardus pardalis*** Linnaeus, 1758 (= *Felis pardalis*)
Echinococcus oligarthrus (hydatid cyst and adults)
Spirometra sp.
- Leopardus tigrinus*** Schreber, 1775

- Mesocestoides* sp.
- Leopardus wiedii*** Schinz, 1821 (=*Felis (Oncoides) macrura*)
- Spirometra gracilis*
- Panthera onca*** Linnaeus, 1758
- Diphyllobothrium* sp. (eggs and adults)
- Spirometra* sp.
- Puma yagouaroundi*** Geoffroy Saint-Hilaire, 1803
(=*Felis jaguarundi*)
- Mesocestoides* sp.
- Taenia macrocystis*
- HOMINIDAE**
- Homo sapiens*** Linnaeus, 1758
- Bertiella mucronata*
- Bertiella studeri*
- Bertiella* sp.
- Dipylidium caninum*
- Diphyllobothrium latum* (eggs and adults)
- Diphyllobothrium* sp. (eggs and adults)
- Echinococcus oligarthus* (hydatic cyst and adults)
- Echinococcus vogeli* (hydatic cyst)
- Hymenolepis diminuta*
- Rodentolepis nana*
- Taenia saginata* (adult)
- Taenia solium* (adult)
- Taenia* sp.
- LEPORIDAE**
- Oryctolagus cuniculus*** Linnaeus, 1758
- Taenia pisiformis* (cysticercus)
- Taenia serialis* (cysticercus)
- Sylvilagus brasiliensis*** (Linnaeus, 1758)
- Taenia pisiformis* (cysticercus)
- MEPHITIDAE**
- Mephitis*** sp.
- Taenia crassipora*
- MOLOSSIDAE**
- Molossus rufus*** Geoffroy, 1805
- Vampirolepis elongatus*
- Nyctinomops laticaudatus*** Geoffroy, 1805
(=*Tadarida laticaudata*)
- Vampirolepis decipiens*
- Tadarida brasiliensis*** Geoffroy, 1824
- Vampirolepis decipiens*
- MURIDAE**
- Mus (Mus) musculus*** (=*Mus musculus*)
- Hymenolepis diminuta*
- Neacomys spinosus amoenus*** Thomas, 1903
- Railletina* sp.
- Rattus norvegicus*** Berkenhout, 1769
- Taenia taeniaeformis* (cysticercus)
- Rattus rattus*** Linnaeus, 1758
- Hymenolepis diminuta*
- MUSTELIDAE**
- Galactis*** sp.
- Taenia macrocystis*
- MYRMECOPHAGIDAE**
- Myrmecophaga tridactyla*** Linnaeus, 1758
- Mathevotaenia tetragonocephala*
- PHYLLOSTOMIDAE**
- Glossophaga soricina*** Pallas, 1766
- Mathevotaenia immatura*
- Glossophaga soricina soricina*** Pallas, 1766
- Vampirolepis elongatus*
- Phyllostomus hastatus*** Pallas, 1767
- Vampirolepis elongatus*
- Platyrhinus helleri*** Peters, 1866
- Vampirolepis elongatus*
- PHYSETERIDAE**
- Kogia breviceps*** Blainville, 1838
- Diphyllobothrium* sp. (eggs and adults)
- Monorygma grimaldi* (larvae)
- Phyllobothrium delphini* (merocercoid)
- Kogia sima*** Owen, 1866
- Phyllobothrium delphini* (merocercoid)
- Physeter catodon*** Linnaeus, 1758 (=*P. macrocephalus*)
- Phyllobothrium delphini* (merocercoid)
- PITHECIIDAE**
- Callicebus (Callicebus) caligatus*** (Wagner, 1842)
- Mathevotaenia megastoma*
- Callicebus (Callicebus) nigrifrons*** (Spix, 1823)
(=*Callithrix nigrifrons*)
- Hymenolepis cebidarum*
- Callicebus (Callicebus) personatus*** (Geoffroy, 1812)
- Mathevotaenia megastoma*
- Callicebus (Torquatus) torquatus*** (Hoffmannsegg, 1807)
- Mathevotaenia megastoma*
- PROCYONIDAE**
- Bassaricyon gabbii*** Allen, 1876
- Taenia mustelae*
- Nasua narica*** Linnaeus, 1766 (=*Viverra narica*)
- Taenia crassipora*
- Nasua*** sp.
- Taenia crassipora*
- SUIDAE**
- Sus scrofa domesticus*** Linnaeus, 1758
- Echinococcus granulosus* (hydatic cyst)
- Taenia solium* (cysticercus)
- Taenia tenuicollis* (cysticercus)
- TAPIRIDAE**
- Tapirus terrestris*** Linnaeus, 1758 (=*Tapirus*

*americanus)**Equinina mamillana**Flabelliloskrjabinia globiceps***TAYASSUIDAE***Pecari tajacu* Linnaeus, 1758 (=*Tayassu tajacu*)*Moniezia benedeni**Tayassu pecari albirostris* Illiger, 1815
(=*Dicotyles albirostris*, *D. torquatus*, *Tayassus (Dicotyles) albirostris*).*Monoecocestus decrescens***VIVERRIDAE***Genetta tigrina* Schreber, 1776 (=*Felis tigrina*)*Taenia macrocystis***Host referred with common names:****CHONDROTHYSES****Shark***Paraorygmatobothrium prionacis**Platybothrium auriculatum***Stingrays***Acanthobothrium dasybati***REPTILIA****Noronha skink***Oochoristica noronhae***Ophidia sp.***Crepidobothrium gerrardii**Ophiotaenia elongata**Ophiotaenia hyalina**Ophiotaenia racemosa***AVES****Duck***Sobolevianthus bisaccata***Hyline birds***Choanotaenia infundibulum**Fuhrmannetta laticanallis***MAMMALIA****Calves***Moniezia benedeni***Cattle***Echinococcus canadensis* (hydatid cyst)*Echinococcus ortleppi* (hydatid cyst)**Equines***Equinina mamillana***Mules***Anoplocephala perfoliata**Equinina mamillana***Sheep***Taenia multiceps* (cysticercus)*Taenia tenuicollis* (cysticercus)**Sternodermatine fruit-eating bats***Vampirolepis elongatus***Swine***Echinococcus canadensis* (hydatid cyst)**DISCUSSION**

The checklist presents 432 species of Cestoda, distributed across 15 orders and 36 families; 50 species are unidentified and 9 are considered to be *species inquirenda*. Brazil is the fifth largest country in the world and has the highest species diversity of all of the megadiverse countries, accounting for roughly 14% of the world's biota (Lewinsohn & Prado 2002). Helminth species are the most diverse group of metazoan parasites of vertebrates and are recognized as an important component of global biodiversity (Poulin & Morand 2004).

Among fish, *Zungaro zungaro* was the host that was most parasitized (with 18 species), followed by *Potamotrygon motoro* (13), *Genypterus brasiliensis*, *Potamotrygon orbignyi* and *Pseudoplatystoma fasciatum* (11 each), *Paralichthys isosceles* (10) and *Phractocephalus hemiolopterus* (8). Among amphibians, the host that was most parasitized was *Rhinella icterica*, with 3 different cestode species. *Bothrops jararaca* was the most parasitized reptile species, with 7 species of cestodes. Among birds, *Gallus gallus* presented major associations with cestodes, such that 13 species have been reported in Brazil, followed by *Amazonetta brasiliensis*, *Vanellus chilensis cayennensis* and *Tachybaptus dominicus* (4 each). Among mammals, *Homo sapiens* presented the largest number of different species, with 13, followed by *Canis lupus familiaris* (10), *Ovis aries* (9), *Bos taurus*, *Stenella clymene* and *S. longirostris* (6 each), *Bos taurus indicus*, *Capra hircus* and *Hydrochoerus hydrochaeris* (5 each) and *Cerdocyon thous* (4).

Monticelliidae was the most representative family, with 55 species, followed by *Proteocephalidae*, with 43 species. The host specificity of cestodes is variable: some groups shows low specificity, such as larval specimens of *Callitetrarhynchus gracilis* and *Scolex pleuronectis*, which have been found in 40 different host species each, *Nybelinia* sp. and *Pterobothrium crassicolle* in 23 different species

each and *Grillotia carvajalregorum* in 20, while others, like *Taenia solium* (which has been widely studied), reduce the range of host to four.

The small number of parasitic helminths that have been described is probably due to undersampling of potential hosts, together with the small number of experts on the taxonomy of parasites (Alves *et al.*, 2015b). In this light, it can easily be seen that a great amount of research work remains to be done, comprising description of new species and reports in Brazil on species already known in other localities.

BIBLIOGRAPHIC REFERENCES

- Aguiar, GB, Dias, AS, Sobreira, RR, Melotti, VD & Debörtolli, JM. 2011. Relato de infecção natural por Raillietina tetragona em pica-pau-do-campo (*Colaptes campestris*) provenientes do município de Afonso Cláudio, Espírito Santo-Brasil. Ciência Veterinária nos Trópicos, vol. 14, pp. 49-53.
- Albuquerque, MC, Santos, MD, Monteiro, CM, Martins, AN, Ederli, NB & Brasil-Sato MC. 2008. The endoparasitic helminths of *Pimelodus maculatus* Lacépède, 1803 (Siluriformes, Pimelodidae) from the two localities (Lagoon and gutter of the River) of the Guandu River, State of Rio de Janeiro, Brazil. Revista Brasileira de Parasitologia Veterinária, vol. 17, pp. 113-119.
- Alcântara, NM & Tavares-Dias, M. 2015. Structure of the parasites communities in two Erythrinidae fish from Amazon river system (Brazil). Revista Brasileira de Parasitologia Veterinaria, vol. 24, pp. 183-190.
- Almeida, F, Caldas, R, Corrêa, R, Rodrigues-Silva, R, Siqueira, N & Machado-Silva, JR. 2013. Co-infections of the cestode *Echinococcus vogeli* and the nematode *Calodium hepaticum* in the hystricomorph rodent Agouti pacá from a forest reserve in Acre, Brazil. Journal of Helminthology, vol. 87, pp. 489-493.
- Almeida, GG, Coscarelli, D, Melo, MN, Melo, AL & Pinto, HA. 2006. Molecular identification of *Spirometra* spp. (Cestoda: *Diphyllobothriidae*) in some wild animals from Brazil. Parasitology International, vol. 65, pp. 428-431.
- Almeida, F, Oliveira, F, Neves, R, Siqueira, N, Rodrigues-Silva, R, Daipert-Garcia, D & Machado-Silva, JR. 2015. Morphometric characteristics of the metacestode *Echinococcus vogeli* Rausch & Bernstein, 1972 in human infections from the northern region of Brazil. Journal of Helminthology, vol. 89, pp. 480-486.
- Almeida, KA, Freitas, FLC, Tebaldi, JH & Nascimento, AA. 2008. Helminth parasites from free-ranging and captive rock cavies (*Kerodon rupestris* Rodentia: Caviidae) from the semi-arid region of Brazilian northeastern. Archives of Veterinary Science, vol. 13, pp. 133-139.
- Alves, DR & Luque, JL. 2001. Metazoan parasites of *Micropogonias furnieri* (Osteichthyes: Sciaenidae) from the coastal zone of the State of Rio Janeiro, Brazil. Parasitología al Día, vol. 24, pp. 40-45.
- Alves, DR & Luque, JL. 2006. Community ecology of the metazoan parasites in five scombrid species (Perciformes: Scombridae) from the coastal zone of the State of Rio de Janeiro, Brazil. Revista Brasileira de Parasitologia Veterinária, vol. 15, pp. 167-181.
- Alves, DR, Luque, JL & Paraguassú, AR. 2002a. Metazoan parasites of pink cusk-eel, *Genypterus brasiliensis* Regan, 1903 (Osteichthyes, Ophidiidae) from the coastal zone of the State of Rio de Janeiro, Brazil. Revista Brasileira de Zoociências, vol. 4, pp. 133-142.
- Alves, DR, Luque, JL, Paraguassú, AR, Jorge, DS & Viñas, RA. 2002b. Community ecology of metazoan parasites of the Gulf hake *Urophycis mystaceus* Ribeiro, 1903 (Osteichthyes, Phycidae) from the coastal zone of the State of Rio de Janeiro, Brazil. Revista Brasileira de Zoociências, vol. 4, pp. 19-30.
- Alves, DR, Paraguassú, AR & Luque, JL. 2004. Metazoan parasites of the Brazilian codling, *Urophycis brasiliensis* (Kaup, 1858) (Osteichthyes: Phycidae) from the coastal zone of the State of Rio de Janeiro, Brazil. Revista Brasileira de Parasitologia Veterinária, vol. 13, pp. 49-55.
- Alves, DR, Paraguassú, AR & Luque, JL. 2005.

- Community ecology of the metazoan parasites of the grey triggerfish, *Balistes capriscus* Gmelin, 1789 and queen triggerfish *Linnaeus*, 1758 (Osteichthyes: balistidae) from the state of Rio de Janeiro, Brazil. Revista Brasileira de Parasitologia Veterinária, vol. 14, pp. 71-77.*
- Alves, JR, Macedo, HW, Ramos Júnior, AN, Ferreira, LF, Gonçalves, MLC & Araújo A. 2003. *Intestinal parasite infections in a semiarid area of Northeast Brazil: preliminary findings differ from expected prevalence rates. Cadernos de Saúde Pública, vol. 9, pp. 667-670.*
- Alves, PV, de Chambrier, A, Scholz, T & Luque, JL. 2015a. *A new genus and species of proteocephalidean tapeworm (Cestoda), first parasite found in the driftwood catfish *Tocantinsia piresi* (Siluriformes: Auchenipteridae) from Brazil. Folia Parasitologica, vol. 62 pp. 6.*
- Alves, P. V., de Chambrier, A, Scholz, T. & Luque, JL. 2017. *Annotated checklist of fish cestodes from South America. Zookeys, vol. 650, pp. 1-205.*
- Alves, PV, Vieira, FM, Santos, CP, Scholz, T & Luque JL. 2015b. *A Checklist of the Aspidogastrea (Platyhelminthes: Trematoda) of the World. Zootaxa, vol. 3918, pp. 339-396.*
- Amaral, NK. 1962. *Notas sobre a incidência de helmintos em ovinos no Rio Grande do Sul. Revista da Faculdade de Agronomia e Veterinária, Porto Alegre, vol. 5, pp. 249-254.*
- Amaral, V & Macruz, R. 1967. *Anomalia triédrica em Anoplocephala magna (Abilgaard, 1789) (Cestoda – Anoplocephalidae). Revista de Medicina Veterinária, São Paulo, vol. 3, pp. 137-142.*
- Amato, JFR, São Clemente, SC & Oliveira, GA. 1990. *Tentacularia coryphaenae Bosc, 1801 (Eucestoda: Trypanorhyncha) in the inspection and technology of the skipjack tuna, *Katsuwonus pelamis* (L.) (Pisces: Scombridae). Atlântica, vol. 12, pp. 73-77.*
- Andrade, RM & Campos, LG. 1968. *Prevalence of *Vampirolepis nana* in Belo Horizonte, MG (Brazil) with special reference to an isolated focus (Cestoda, Hymenolepitidae). Revista Brasileira de Malariologia e Doenças Tropicais, vol. 20, pp. 83-108.*
- Araujo, EO, Mendes, MM, Langone, PQ & Müller, G. 2014. *The helminth parasites of *Rattus rattus* (Linnaeus, 1758) of urban, intermediate and rural environments in southern Brazil. Neotropical Helminthology, vol. 8, pp. 19-22.*
- Ariola, V. 1900. *Revisione della famiglia Bothriocephalidae. Archives of Parasitology, vol. 3, pp. 369-484.*
- Arruda, VS, Pinto, RM & Muniz-Pereira, LC. 2001. *New host and geographical records for helminths parasites of Ardeidae (Aves, Ciconiiformes) in Brazil. Revista Brasileira de Zoologia, vol. 18, pp. 225-232.*
- Assis, EM, Oliviera, RC, Moreira, LE, Pena, JL, Rodrigues, LC & Machado-Coelho, GLL. 2013. *Prevalence of intestinal parasites in the Maxakali indigenous community in Minas Gerais, Brazil, 2009. Cadernos de Saúde Pública, vol. 29, pp. 681-690.*
- Avancini, RMP & Ueta MT. 1990. *Manure breeding insects (Diptera and Coleoptera) responsible for cestoidosis in caged layer hens. Journal of Applied Entomology, vol. 110, pp. 307-312.*
- Ávila, RW, Cardoso, MW, Oda FH & Silva RJ. 2011. *Helminths from lizards of Cerrado of Goiás State, Brazil. Comparative Parasitology, vol. 78, pp. 120-128.*
- Ávila, RW & Silva, RJ. 2011. *Helminths of lizards (Reptilia: Squamata) from Mato Grosso State, Brazil. Comparative Parasitology, vol. 78, pp. 129-139.*
- Ávila, RW & Silva, RJ. 2013. *Helminths of lizards from the municipality of Aripuanã in the southern Amazon region of Brazil. Journal of Helminthology, vol. 87, pp. 12-16.*
- Azevedo, RK, Abdallah, VD & Luque, JL. 2010. *Acanthocephala, Annelida, Arthropoda, Myxozoa, Nematoda and Platyhelminthes parasites of fishes from the Guandu river, Rio de Janeiro, Brazil. Check List, vol. 6, pp. 659-667.*
- Bachmann, F, Greinert, J, Bertelli, P., Silva Filho, HH, Lara, NOT, Ghiraldelli, L & Martins ML. 2007. *Parasitic fauna of *Pimelodus maculatus* (Osteichthyes: Pimelodidae) from the Itajaí-Açu river in Blumenau, state of Santa Catarina, Brazil. Acta Scientiarum-Biological Sciences, vol. 29, pp. 109-114.*
- Baczynska, H. 1914. *Etudes anatomiques et historiques sur. Quelques nouvelles espèces*

- de cestodes d'oiseaux.* Bulletin de la Societe Neuchateloise des Sciences Naturelles, vol. 40, pp. 187-239.
- Badaraco, JL, Ayala, FJ, Bart, JM, Gottstein, B & Haag, KL.** 2008. *Using mitochondrial and nuclear markers to evaluate the degree of genetic cohesion among Echinococcus populations.* Experimental Parasitology, vol. 119, pp. 453-459.
- Baer, JG.** 1927. *Die Cestoden der säugetiere brasiiliens.* Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft, vol. 40, pp. 377-386.
- Balbinotti, H, Santos, GB, Badaraco, J, Arend, AC, Graichen, DAS, Haag, KL & Zaha A.** 2012. *Echinococcus ortleppi (G5) and Echinococcus granulosus sensu stricto (G1) loads in cattle from Southern Brazil.* Veterinary Parasitology, vol. 188, pp. 255-260.
- Barros, NN.** 1975. *Cysticercus cellulosae (Cestoda: Taeniidae) em suínos do Estado do Ceará.* Arquivos da Escola de Veterinária, Belo Horizonte, vol. 27, pp. 234.
- Batista, FA, Pizzigatti, D, Martins, CF, Nunes, MM, Megda, TT, Ribeiro, OC & Paiva, F.** 2010. *First report of coenurosis in sheep in the State of Mato Grosso do Sul, Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 19, pp. 265-267.
- Bavia, ME, Oliveira, PE & Reis CHL.** 1980. *Investigação parasitológica em Gallus gallus domesticus (L., 1758) naturalmente infectados na região de Salvador, Bahia.* Arquivos da Escola de Medicina Veterinária, Salvador, vol. 5, pp. 75-83.
- Beddard, FE.** 1914. *Contributions to the anatomy and systematic arrangement of the Cestoidea. XIII. On two new species belonging to the genera Oochoristica and Linstowia, with remarks upon those genera.* Proceedings of the Zoological Society of London, vol. 84, pp. 263-283.
- Bellay, S, Ueda, BH, Takemoto, RM, Lizama, MAP & Pavanelli, GC.** 2012. *Parasite fauna of Geophagus brasiliensis (Perciformes: Cichlidae) in reservoirs of the Paraná State, Brazil.* Revista Brasileira de Biociências, vol. 10, pp. 74-78.
- Bencke, A, Artuso, GL, Reis, RS, Barbieri, NL & Rott, MB.** 2006. *Enteroparasites in schoolchildren living in a suburban community of Porto Alegre, RS, Brazil.* Revista de Patologia Tropical, vol. 35, pp. 31-36.
- Beveridge, I & Campbell, R.** 1993. *Revista de Patologia A revision of *Dasyrhynchus Pintner* (Cestoda: Trypanorhyncha), parasitic in elasmobranch and teleost fishes.* Systematic Parasitology, vol. 24, pp. 129-157.
- Bezerra, CHB, Braga, RR, Borges-Nojosa, DM & Silva, GA.** 2012. *Occurrence of spargana infection in Dermatonotus muelleri Boettger, 1885 (Anura, Microhylidae) from a coastal complex in northeastern Brazil.* Herpetology Notes, vol. 5, pp. 69-71.
- Bicudo, AJA, Tavares, LER & Luque, JL.** 2005. *Metazoan parasites of the bluewing searobin Prionotus punctatus (Bloch, 1793) (Osteichthyes: Triglidae) from the coastal zone of the State of Rio de Janeiro, Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 14, pp. 27-33.
- Birgel, EH, Pereira, PC & Amaral, V.** 1965. *Sobre o uso de iodeto de ditiazinina como antihelmíntico em medicina veterinária. II – Observações clínicas sobre sua eficácia na remoção de Moniezia benedini (Moniez, 1879) em caprinos.* Revista da Faculdade de Medicina Veterinária, São Paulo, vol. 7, pp. 45-51.
- Bona, FV.** 1994. *Family Dilepididae Railliet & Henry, 1909, p.443-554.* In: L.F. Khalil, A. Jones & R.A. Bray (Eds). Keys to the cestode parasites of vertebrates. St Albans, CAB International, 751p.
- Bonfim, TCB.** 2001. *Some observations about natural infection in Rattus norvegicus for Cysticercus fasciolaris (Eucestoda: Taeniidae).* Revista Brasileira de Parasitologia Veterinária, vol.10, pp. 79-82.
- Bonuti, MR, Nascimento, AA, Mapelli, EB & Arantes, IG.** 2002. *Gastrointestinal helminths of capybara (Hydrochaerus hydrochaeris) from the Paiaguássub region, in the flood plain of “Mato Grosso do Sul”, Brazil.* Ciências Agrárias, vol. 23, pp. 57-62.
- Borba, TR, Mannigel, RC, Barbieri, AW, Agulhon, AZ, Oliveira, DCL, Azevedo, JR & Headley, AS.** 2004. *Origem e prevalência dos bovinos parasitados por Cysticercus bovis na região de Maringá – PR.* Iniciação Científica

- CESUMAR, vol. 6, pp. 31-35.
- Borges, FA, Silveira, DM, Graminha, EBN, Castagnoli, KC, Soares, VE, Nascimento, AA & Costa, AJ. 2001. *Helminth parasites of cattle from Jaboticabal, São Paulo State, Brazil*. Semina: Ciencias Agrárias, vol. 22, pp. 49-53.
- Borges, WF, Marciano, FM & Oliveira, HB. 2011. *Intestinal parasites: high prevalence of Giardia lamblia in patients treated by the Public Health service in Southeast Region of Goiás, Brazil*. Revista de Patologia Tropical, vol. 40, pp. 149-157.
- Braga, RM & Girardi, JL. 1991. *Larval populations of helminths infecting lambs on native pasture in Roraima*. Pesquisa Agropecuária Brasileira, vol. 26, pp. 569-574.
- Braicovich, PE, Luque, JL, & Timi, JT. 2012. *Geographical Patterns of Parasite Infracommunities in the Rough Scad, Trachurus lathami Nichols, in the Southwestern Atlantic Ocean*. Journal of Parasitology, vol. 98, pp. 768-777.
- Brant, PC. 1962. *Frequencia de algumas parasitoses em carcaças e vísceras de bovinos abatidos em Belo Horizonte*. Arquivos da Escola de Veterinária, Belo Horizonte, vol. 14, pp. 127-132.
- Brant, PC & Costa, AS. 1963. *Geographic distribution of Bovine Hidatid disease, Cysticercosis, Eurytremaosis, Dictyocauliasis and Fascioliasis in the State of Minas Gerais, Brazil*. Arquivos da Escola de Veterinária, Belo Horizonte, vol. 15, pp. 47-59.
- Brasil, MC & Amato, SB. 1992. *Faunistic analysis of the helminths of sparrows (Passer domesticus L. 1758) captured in Campo Grande, Rio de Janeiro, RJ*. Memórias do Instituto Oswaldo Cruz, vol. 87, pp. 43-48.
- Brasil-Sato, MC. 2003. *Parasitos de peixes da bacia do São Francisco*. In: Godinho HP, Godinho AL (Eds) Águas, peixes e pescadores do São Francisco das Minas Gerais. PUC Minas, Belo Horizonte, pp. 149-165.
- Brito, DRB, Santos, ACG, Teixeira, WC & Guerra, RMSNC. 2009. *Parasitos gastrintestinais em caprinos e ovinos da microrregião do alto Mearim e Grajaú, estado do Maranhão*. Ciência Animal Brasileira, vol. 10, pp. 967-974.
- Brooks, DR & Amato, JF. 1992. *Cestode parasites in Potamotrygon motoro (Natterer) (Chondrichthyes: Potamotrygonidae) from southwestern Brazil, including Rhinebothrioides mclennanae n. sp. (Tetraphyllidea: Phyllobothriidae), and a revised host-parasite checklist for helminths inhabiting Neotropical freshwater stingrays*. The Journal of Parasitology, vol. 78, pp. 393-398.
- Brooks, DR & Deardorff, TL. 1980. *Three proteocephalid cestodes from Colombian Siluriform fishes, including Nomimoscolex alovarius sp.n. (Monticelliidae: Zygobothriinae)*. Proceedings of the Helminthological Society of Washington, vol. 47, pp. 15-21.
- Brooks, DR, Hoberg, EP & Weekes, PJ. 1991. *Preliminary phylogenetic systematic analysis of the major lineages of the Eucestoda (Platyhelminthes: Cercomeria)*. Proceedings of the Biological Society of Washington, vol. 104, pp. 651-668.
- Brooks, DR, Mayes, MA & Thorson, BT. 1981. *Systematic review of cestodes infecting freshwater stingrays (Chondrichthyes: Potamotrygonidae) including four new species from Venezuela*. Proceedings of the Helminthological Society of Washington, vol. 48, pp. 43-64.
- Brumpt, E & Joyeux, CH. 1924. *Description d'un nouvel echinocoque: Echinococcus cruzi n. sp.* Annales de Parasitologie Humaine et Comparee, vol. 2, pp. 226-231.
- Brust, MB. 1974. *Ocorrência de helmintos parasitos de bovinos no estado da Bahia*. Boletim do Instituto Biológico, Salvador, vol. 3, pp. 138-145.
- Bueno, GBF, Aguiar, JCC & Santos, SMC. 2014. *Community structure of metazoan parasites of Trichiurus lepturus (Perciformes, Trichiuridae) from Ubatuba, Southwestern Atlantic Ocean, Brazil*. Acta Scientiarum: Biological Sciences 36: 357-364.
- Bursey, CR, Rocha, CFD, Menezes, VA, Ariani, CV & Vrcibradic, D. 2010. *New species of Oochoristica (Cestoda; Linstowiidae) and other endoparasites of Trachylepis atlantica (Sauria: Scincidae) from Fernando de Noronha Island, Brazil*. Zootaxa, vol. 2715, pp. 45-54.

- Busetti, ET, Paske, A, Ruis, MCE, Thomaz, V & Golinelli, A. 1983a. *Helminthes parasites of Bubalus bubalis from Paraná State*. Arquivo Brasileiro de Medicina Veterinária e Zootecnia, vol. 35, pp. 399-404.
- Busetti, ET, Thomaz, V & Ruis, MCE. 1983b. *Incidence of parasites on Bos taurus in Imperatriz, Maranhão (Brazil)*. Arquivos de Biologia e Tecnologia, Curitiba, vol. 26, pp. 427-435.
- Cabral, DD, Tunala, V & Leopoldino, WM, 1997. *A survey of Anoplocephala perfoliata (Goeze, 1782) in horses slaughtered at Pomar abattoir in Araguari, Minas Gerais, Brazil*. Veterinária Notícias, vol. 3, pp. 79-82.
- Caira, JN, Jensen, K & Barbeau, E (eds). 2012. *Global Cestode Database*. World Wide Web electronic publication, accessed in September 2016, <<http://www.tapewormdb.uconn.edu/>>.
- Caira, JN, Jensen, K, Waeschenbach, A, Olson, PD & Littlewood, TJ. 2014. *Orders out of chaos – molecular phylogenetics reveals the complexity of shark and stingray tapeworm relationships*. International Journal for Parasitology, vol. 44, pp. 55-73.
- Calegaro-Marques, C & Amato, SB. 2010. *Helminths of introduced house sparrows (Passer domesticus) in Brazil: does population age affect parasite richness?* Iheringia, Série Zoológica, vol. 100, pp. 73-78.
- Campbell RA & Beveridge I. 1996. *Revision of the family Pterobothriidae Pintner, 1931 (Cestoda: Trypanorhyncha)*. Invertebrate Systematics vol. 10, pp. 617–662.
- Campbell, RA, Marques, F & Ivanov, VA. 1999. Paroncomegas araya (Woodland, 1934) n. gen. et comb. (Cestoda: Trypanorhyncha: Eutetrahynchidae) from the freshwater stingray Potamotrygon motoro in South America. The Journal of Parasitology, vol. 85, pp. 313-320.
- Campião, KM, Morais, DH, Dias, OT, Aguiar, A, Toledo, G, Tavares, LER & Silva RJ. 2014a. *Checklist of Helminth parasites of Amphibians from South America*. Zootaxa, vol. 3843, pp. 1-93.
- Campião, KM, Silva, RJ & Ferreira, VL. 2014b. *Helminth parasite communities of allopatric populations of the frog Leptodactylus podicipinus from Pantanal, Brazil*. Journal of Helminthology, vol. 88, pp. 13-19.
- Campos, CM, Fonseca, VE, Takemoto, RM & Moraes, FR. 2008. *Parasitic fauna of cachara Pseudoplatystoma fasciatum (Siluriformes: Pimelodidae) from the Aquidauana river, in the Pantanal of Mato Grosso do Sul State, Brazil*. Acta Scientiarum - Biological Sciences, vol. 30, pp. 91-96.
- Campos, CM, Fonseca, VE, Takemoto, RM & Moraes, FR. 2009. *Ecology of the parasitic endohelminth community of Pseudoplatystoma fasciatum (Linnaeus, 1776) (Siluriformes: Pimelodidae) from the Aquidauana River, Pantanal, State of Mato Grosso do Sul, Brazil*. Brazilian Journal of Biology, vol. 69, pp. 93-99.
- Campos, DMB, Garibaldi, IM & Carneiro, JR. 1974. *Prevalência de helmintos em gatos (Felis catus domesticus) de Goiânia*. Revista Patologia Tropical, vol. 3, pp. 355-359.
- Cardoso, JLS & Oliveira, CMB. 1994. *Parasitic fauna of goats from Porto Alegre and its surrounding area*. Revista Brasileira de Parasitologia Veterinária, vol. 2, pp. 57-60.
- Carfora, M, de Chambrier, A & Vaucher, C. 2003. *Le genre Amphoteromorphus (Cestoda: Proteocephalidae), parasite de poissons-chats d'Amérique tropicale: étude morphologique et approche biosystématique par électrophorèse des protéines*. Revue Suisse De Zoologie, vol. 110, pp. 381-409.
- Carneiro, JR, Campos, DMB, Lustosa, ES & Pereira, E. 1979a. *Ocorrência de helmintos gastrintestinais em Gallus domesticus no município de Goiânia*. Arquivos da Escola de Veterinária da Universidade Federal de Minas Gerais, vol. 31, pp. 37-38.
- Carneiro, JR, Freitas, JS, Pereira, E, Campos, DMB & Jardim, CV. 1973. *Prevalência de helmintos em Canis familiaris no município de Goiânia*. Revista de Patologia Tropical, vol. 2, pp. 401-404.
- Carneiro, JR, Komma, MD & Pereira, E. 1972. *Results of faecal examinations of wildcats at the zoo in Goiania*. Revista de Patologia Tropical, vol. 1, pp. 87-91.
- Carneiro, JR, Lustosa, EE, Pereira, E, Carvalho, MESD & Napoli, MA. 1975. *Incidência de ecto e endoparasitos de pombos (Columba*

- livia domestica), em Goiânia. Revista de Patologia Tropical, vol. 4, pp. 39-41.
- Carneiro, JR, Pereira, E, Martins Junior, W & Freitas, MG.** 1980. *Lista de Helmintos parasitos de animais domésticos do Estado de Goiás*. Revista de Patologia Tropical, 9, pp. 61-71.
- Carneiro, JR, Pereira, E, Panicalli, E, Mascarenhas, JR & Jardim, JHV.** 1979b. *Ocorrência de helmintos gastrintestinais em bovinos na bacia leiteira de Goiânia*. Revista de Patologia Tropical, vol. 8, pp. 137-139.
- Carvajal, J & Rêgo, AA.** 1983. *Progrillotia dollfusi sp. n. (Cestoda: Trypanorhyncha) parasito de pescada do litoral brasileiro*. Memórias do Instituto Oswaldo Cruz, vol. 78, pp. 231-234.
- Carvajal, J & Rêgo, AA.** 1985. *Critical studies on the genus Callitetrarhynchus (Cestoda: Trypanorhyncha) with recognition of Rhynchobothrium speciosum Linton, 1897 as a valid species of the genus Callitetrarhynchus*. Systematic Parasitology, vol. 7, pp. 161-167.
- Carvalho, AR & Luque, JL.** 2011. *Seasonal variation in metazoan parasites of Trichiurus lepturus (Perciformes: Trichiuridae) of Rio de Janeiro, Brazil*. Brazilian Journal of Biology, vol. 71, pp. 771-782.
- Carvalho, JCM.** 1940. *Contribuição para o conhecimento da fauna helmintológica de Minas Gerais*. Ceres, Viçosa, vol. 1, pp. 411-423.
- Carvalho, VL, Beviláqua, CML, Iñiguez, AM, Mathews-Cascon, H, Ribeiro, FR, Pessoa, LMB, Meirelles, ACO, Borges, JCG, Marigo, J, Soares, L & Silva, FJL.** 2010. *Metazoan parasites of cetaceans off the northeastern coast of Brazil*. Veterinary Parasitology, vol. 173, pp. 116-122.
- César, TCP & Luz, E.** 1993. *Raillietina (Raillietina) guaricana n. sp. (Cestoda-Davaineidae), parasite of wild rats from the environmental protection area of Guaricana, Paraná, Brazil*. Memórias do Instituto Oswaldo Cruz, vol. 88, pp. 55-88.
- Chervy, L.** 2002. *The terminology of larval cestodes or metacestodes*. Systematic Parasitology 52: 1 - 33.
- Chieffi, PP, Grispino, DMA, Dias, RMDS, Mangini, ACS & Guedes, MLS.** 1980. *Interaction between intestinal helminth parasites of rats captured in the municipality of São Paulo, Brazil*. Revista do Instituto Adolfo Lutz, vol. 40, pp. 159-163.
- Clapham, PA.** 1936. *Hymenolepis chrysolampidis n. sp., a parasite of Chrysolampis mosquitos of Brazil*. Journal of Helminthology, vol. 14, pp. 131-134.
- Coil, WH.** 1955. *The morphology of Cycluster capito (Rudolphi, 1819) Führmann, 1901*. Transactions of the American Microscopical Society, vol. 74, pp. 353-357.
- Coimbra, CEA Jr. & Santos, RV.** 1991. *Parasitismo intestinal entre o grupo indígena Zoró, Estado de Mato Grosso State (Brasil)*. Cadernos de Saúde Pública, vol. 7, pp. 100-103.
- Cordeiro, AS & Luque, JL.** 2004. *Community ecology of the metazoan parasites of atlantic moonfish, Selene setapinnis (Osteichthyes: Carangidae) from the coastal zone of the State of Rio de Janeiro, Brazil*. Brazilian Journal of Biology, vol. 64, pp. 399-406.
- Cordeiro, AS & Luque, JL.** 2005. *Metazoan parasites of flying gurnards, Dactylopterus volitans (Linnaeus, 1758) (Osteichthyes: Dactylopteridae) from the coastal zone of the State of Rio de Janeiro, Brazil*. Acta Scientiarum-Biological Sciences, vol. 27, pp. 119-123.
- Corrêa, FMA.** 1967. *Helmintos parasitos de cães em Botucatú, São Paulo e seu significado potencial em saúde pública*. Ciência, vol. 1, pp. 40-45.
- Corrêa, O.** 1947. *Uma nova tenia do cavalo pela primeira vez classificada no Rio Grande do Sul. Um novo parasito de cão doméstico, Physaloptera praeputialis von Linstow, 1889*. A Granja, Porto Alegre, vol. 26, pp. 19-20.
- Corrêa, O.** 1952. *Incidência helmintica em suinos, equinos, ovinos e bovinos no Rio Grande do Sul*. Mundo Agrícola, São Paulo, vol. 1, pp. 66-67.
- Corrêa, O.** 1965. *Incidência de hidatidose, fasciolose, esfenurose e cisticercose no rebanhos rio-grandenses*. Revista da Faculdade de Agronomia e Veterinária, Porto Alegre, vol. 7, pp. 137-146.
- Corrêa, P, Bueno, C, Soares, R, Vieira, FM, Muniz-Pereira, LC.** 2016. *Checklist of helminth*

- parasites of wild primates from Brazil.* Revista Mexicana de Biodiversidad, vol. 87, pp. 908–918.
- Costa, AJ, Campos, MS, Kasai, N, Paulillo, AC & Costa, AF. 1978. *Estudo preliminar sobre helmintoses gastrointestinais de bovinos no município de Jaboticabal, Estado de São Paulo, Brasil.* Cientifica, Jaboticabal, vol. 6, pp. 443-449.
- Costa, AJ, Costa, JO, Silva, MB, Carvalho, C, Pastor, JC & Galesco, H. 1979a. *Helminth parasites of calves from Uruana County, Goias, Brazil.* Arquivos da Escola de Veterinária da Universidade Federal de Minas Gerais, vol. 31, pp. 33-36.
- Costa, AJ, Machado, RZ & Kasai, N. 1979b. *Lista de helmintos parasitos de animais domésticos da sub-região de Jaboticabal, estado de São Paulo.* Cientifica, Jaboticabal, vol. 7, pp. 281-286.
- Costa, HMA. 1965. *Alguns aspectos sobre helmintos parasitos de Sus domesticus Linnaeus, 1758, procedentes do Estado da Bahia, Brasil.* Arquivos da Escola Superior de Veterinária de Minas Gerais, vol. 17, pp. 11-44.
- Costa, HMA, Corrêa, L & Brener, Z. 1967. *A new human case of a parasitic infection caused by Bertiella mucronata (Meyner, 1895) Stiles & Hassall, 1902 (Cestoda - Anoplocephalidae).* Revista do Instituto de Medicina Tropical de São Paulo, vol. 9, pp. 95-97.
- Costa, HMA, Costa, JO & Freitas, MG. 1966. *Parasites of Felis domestica from Belo Horizonte, Minas Gerais - Brazil.* Arquivos da Escola de Veterinária da Universidade Federal de Minas Gerais, 18, pp. 65-69.
- Costa, HMA, Costa, JO, Guimarães, MP & Freitas, MG. 1971. *Helmintos parasitos de bezerros procedentes da bacia leiteira de Ibiá.* Arquivos da Escola de Veterinária da Universidade Federal de Minas Gerais, vol. 23, pp. 221-228.
- Costa, HMA & Freitas, MG. 1962. *Comunicação sobre novos achados helmintológicos em animais domésticos de Minas Gerais.* Arquivos da Escola de Veterinária da Universidade Federal de Minas Gerais, vol. 15, pp. 35-40.
- Costa, HMA & Freitas, MG. 1963. *Alguns parasitos de animais domésticos dos Estados do Maranhão e do Piauí.* Arquivos da Escola de Veterinária da Universidade Federal de Minas Gerais, vol. 14, pp. 91-101.
- Costa, HMA, Freitas, MG & Batista Jr. JA. 1962. *Ecto e endoparasitos de Canis familiaris em Belo Horizonte. I. Prevalência e intensidade de infestaçao.* Arquivos da Escola de Veterinária da Universidade Federal de Minas Gerais, vol. 14, pp. 103-112.
- Costa, HMA, Freitas, MG, Costa, JO & Guimarães, MP. 1973. *Helminth parasites of cattle from Calciolândia – Brazil.* Archivos da Escola de Veterinária da Universidade Federal de Minas Gerais, vol. 25, pp. 111-116.
- Costa, HMA, Freitas, MG & Guimarães, MP. 1970. *Helminth parasites of cattle from the area of Três Corações, Brazil.* Arquivos da Escola de Veterinária da Universidade Federal de Minas Gerais, vol. 22, pp. 95-101.
- Costa, HMA, Leite, ACR, Guimarães, MP & Lima, WS. 1986. *Distribuição de helmintos parasitos de animais domésticos no Brasil.* Arquivo Brasileiro de Medicina Veterinária e Zootecnia, vol. 31, pp. 465-579.
- Costa, JO, Lima, WS, Guimarães, MP & Lima, ENM. 1990. *Endo and ectoparasites of dogs from Vitoria County, Espírito Santo, Brazil.* Arquivo Brasileiro de Medicina Veterinária e Zootecnia, vol. 42, pp. 451-452.
- Creplin, FC. 1854. *Eingeweidewürmer des Dicholophus cristatus.* Abhandlungen der Naturforschenden Gesellschaft zu Halle, vol. 1, pp. 59-68.
- Cruz, LS, Monné, ML, Aragão, AC, Silva, AAS, Botero, JP & Nascimento, FEL. *Catálogo Taxonomico da Fauna do Brasil,* accessed in September 2016, <www fauna jbrj gov br>
- Curi, NHA, Araújo, AS, Campos, FS, Lobato, ZIP, Gennari, SM, Marcilio, MFV, Silva, JCR & Talamoni, SA. 2010. *Wild canids, domestic dogs and their pathogens in Southeast Brazil: disease threats for canid conservation.* Biodiversity and Conservation vol 19, pp. 3513-3524.
- Curi, NHA, Coelho, CM, Malta, MCC, Magni, EMV, Sábatto, MAL, Araújo, AS, Lobato, ZI, Santos, JL, Santos, HA, Ragozo, AA & Souza, SL. 2012. *Pathogens of wild maned wolves (Chrysocyon brachyurus) in Brazil.* Journal of Wildlife Diseases, vol. 48, pp.

- 1052-1056.
- Dacorso Filho, P, Langenegger, J & Guimarães, JH.** 1961. *Ocorrencia de cestódios em equideos necropsiados na Escola Nacional de Veterinária*. Arquivos do Instituto de Biologia Animal, vol. 4, pp. 65-76.
- Dall'Agnol, LP, Otto, MA, Silva, AS & Monteiro, SG.** 2010. *Gastrointestinal parasites in naturally infected cats in the municipality of Santa Maria in Rio Grande do Sul, Brazil*. Acta Veterinaria Brasilica, vol. 4, pp. 181-184.
- de Chambrier, A.** 2001. *A new tapeworm from the Amazon*, *Amazotaenia yvettae gen. n., sp. n.*, (*Eucestoda: Proteocephalidea*) from the siluriform fishes *Brachyplatystoma filamentosum* and *B. vaillanti* (*Pimelodidae*). *Revue Suisse de Zoologie*, vol. 108, pp. 303-316.
- de Chambrier, A.** 2003. *Systematic status of Manaosia bracodemoca Woodland, 1935 and Paramonticellia itaipuensis Pavanelli et Rêgo, 1991 (Eucestoda: Proteocephalidea), parasites of Sorubim lima (Siluriformes: Pimelodidae) from South America*. *Folia Parasitologica*, vol. 50, pp. 121-127.
- de Chambrier, A, D'alessio, ML & Corrêa, FMA.** 1991. *Redescription de Proteocephalus jarara (Fuhrmann, 1927) (Cestoda: Proteocephalidae) parasite de Bothrops alternatus (Viperidae) au Brésil*. *Revue Suisse de Zoologie*, vol. 98, pp. 15-32.
- de Chambrier, A & Gil de Pertier, AA.** 2002. *Redescription of Travassilliella avitellina Rêgo & Pavanelli, 1987 (Proteocephalidae: Monticelliidae, Zygobothriinae), a parasite of Paulicea luetkeni (Siluriformes) from South America*. *Memórias do Instituto Oswaldo Cruz*, vol. 97, pp. 657-661.
- de Chambrier, A & Paulino, RC.** 1997. *Proteocephalus joanae sp. n. (Eucestoda: Proteocephalidae), a parasite of Xenodon newiedi (Serpentes: Colubridae) from South America*. *Folia Parasitologica*, vol. 44, pp. 284-296.
- de Chambrier, A & Rêgo, AA.** 1994. *Proteocephalus sophiae n. sp. (Cestoda: Proteocephalidae) a parasite of the siluroid fish Paulicea luetkeni (Pisces: Pimelodidae) from the Brazilian Amazon*. *Revue Suisse de Zoologie*, vol. 101 (2), pp. 361-368.
- de Chambrier, A & Rêgo, AA.** 1995 *Mariauxiella pimelodi n. g., n. sp. (Cestoda: Monticelliidae): a parasite of pimelodid siluroid fishes from South America*. *Systematic Parasitology*, vol. 30, pp. 57-65.
- de Chambrier, A, Rêgo, AA & Mariaux, J.** 2004. *Redescription of Brooksilla praeputialis and Goezeella siluri (Eucestoda: proteocephalidea), parasites of Cetopsis coecutiens (Siluriformes) from the Amazon and proposition of Goezeella dankbrooksi sp. n.* *Revue Suisse de Zoologie*, vol. 111, pp. 111-120.
- de Chambrier, A, Rêgo, AA & Pertier, AG.** 2005. *Redescription of two cestodes (Eucestoda: Proteocephalidae) parasitic in Phractocephalus hemioliopterus (Siluriformes) from the Amazon and erection of Scholzia gen. n.* *Revue de Zoologie*, vol. 112, pp. 735-752.
- de Chambrier, A, Rêgo, AA & Vaucher, C.** 1999. *Euzetiella tetraphylliformis n. gen., n. sp. (Eucestoda: Proteocephalidae), a parasite of the neotropical freshwater fish Paulicea luetkeni (Siluriformes: Pimelodidae)*. *Parasite*, vol. 6, pp. 43-47.
- de Chambrier, A & Scholz, T.** 2005. *Redescription of Houssayela sudobim (Woodland, 1935) (Cestoda: Proteocephalidae), a parasite of Pseudoplatystoma fasciatum (Pisces: Siluriformes) from the River Amazon*. *Systematic Parasitology*, vol. 62, pp. 161-169.
- de Chambrier, A & Scholz, T.** 2008. *Tapeworms (Cestoda: Proteocephalidae) of firewood catfish Sorubimichthys planiceps (Siluriformes: Pimelodidae) from the Amazon River*. *Folia Parasitologica*, vol. 55, pp. 17-28.
- de Chambrier, A, Scholz, T & Kuchta, R.** 2014. *Taxonomic status of Woodland's enigmatic tapeworms (Cestoda: Proteocephalidae) from Amazonian catfishes: back to museum collections*. *Systematic Parasitology*, 87, pp. 1-19.
- de Chambrier, A, Takemoto, RM & Pavanelli, GC.** 2006. *Nomimoscolex pertierae n. sp. (Eucestoda: Proteocephalidae), a parasite of Pseudoplatystoma corruscans (Siluriforme: Pimelodidae) in Brazil and redescription of N. sudobim Woodland, 1935, a parasite of P. fasciatum*. *Systematic Parasitology*, vol. 64, pp. 191-202.

- de Chambrier, A & Vaucher, C. 1997. Révision des cestodes (Monticelliidae) décrits par Woodland (1934) chez *Brachyplatystoma filamentosum* avec redéfinition des genres *Endorchis* Woodland, 1934 et *Nomimoscolex* Woodland, 1934. Systematic Parasitology, vol. 37, pp. 219-233.
- de Chambrier, A & Vaucher, C. 1999. *Proteocephalidae et Monticelliidae (Eucestoda: Proteocephalidea)* parasites de poissons d'eau douce du Paraguay avec descriptions d'un genre nouveau et de dix espèces nouvelles. Revue Suisse de Zoologie, vol. 106, pp. 165-240.
- de Chambrier, A, Vaucher, C & Renaud, F. 1992. Etude des caractères morpho-anatomiques et des flux géniques chez quatre *Proteocephalus* (*Cestoda: Proteocephalidae*) parasites de *Bothrops jararaca* du Brésil et description de trois espèces nouvelles. Systematic Parasitology, vol. 23, pp. 141-156.
- de Chambrier, A, Waeichenbach, A, Fisseha, M, Scholz, T & Mariaux, J. 2015. A large 28S rDNA-based phylogeny confirms the limitations of established morphological characters for classification of proteocephalidean tapeworms (Platyhelminthes, Cestoda). Zookeys, vol. 500, pp. 25-59.
- de La Rue, ML, Dinkel, A, Mackenstedt, U & Romig, T. 2006. New data on *Echinococcus* spp. in southern Brazil. Revista do Instituto de Medicina Tropical de São Paulo, vol. 48, pp. 103-104.
- de La Rue, ML, Takano, K, Brochado, JF, Costa, CV, Soares, AG, Yamano, K, Yagi, K, Katoh, Y & Takahashi, K. 2011. Infection of humans and animals with *Echinococcus granulosus* (G1 and G3 strains) and *E. ortleppi* in Southern Brazil. Veterinary Parasitology, vol. 177, pp. 97-103.
- Dias, FJE, São Clemente, SC & Knoff, M. 2009. Trypanorhynch cestodes parasitic in grey-triggerfish, *Balistes capriscus* Gmelin, 1789 purchased in Rio de Janeiro State, Brazil. Revista Brasileira de Ciência Veterinária, vol. 16, pp. 19-21.
- Dias, FJE, São Clemente, SC & Knoff, M. 2010. Larvae of Anisakidae nematodes and Trypanorhynch cestodes of public health importance in *Aluterus monoceros* (Linnaeus, 1758) in Rio de Janeiro State, Brazil. Revista Brasileira de Parasitologia Veterinária, vol. 19, pp. 94-97.
- Dias, FJE, São Clemente, SC, Pinto, RM & Knoff, M. 2011a. Anisakidae nematodes and Trypanorhynch cestodes of hygienic importance infecting the king mackerel *Scomberomorus cavalla* (Osteichthyes: Scombridae) in Brazil. Veterinary Parasitology, vol. 175, pp. 351-355.
- Dias, LNS, Paiva, RS, São Clemente, SC, Rodrigues, AE, Peralta, ASL & Matos, ER. 2011b. Cestodes (Trypanorhynch) parasites of Scianids of commercial importance captured in the Amazonian littoral, Brazil. Revista Brasileira de Ciência Veterinária, vol. 18, pp. 3-5.
- Dias, RMDS, Silva, MIPG, Mangini, ACS, Velloso, SAG, Torres, DMAGV, Silva, RM & Vaz, AJ. 1991. Occurrence of *Taenia* sp. in a population observed at the central laboratory of "Instituto Adolfo Lutz", São Paulo, SP, Brazil (1960/1989). Revista do Instituto de Medicina Tropical de São Paulo, vol. 33, pp. 147-151.
- Diesing, KM. 1850. *Systema Helminthum*. Vol. 1. Wilhelm Braumüller, Vindobonae, 679 pp.
- Diesing, K.M. 1856. Zwanzig Arten von Cephalocotyleen. Denkschriften der Kaiserlichen Akademie der Wissenschaften. Matematisch-Naturwissenschaftliche classe, vol. 12, pp. 23-38.
- Diesing, KM. 1863. Revision der Cephalocotyleen. Abtheilung: Paramecocotyleen. Sitzungsberichte der Akademie der Wissenschaften, Wien, Mathematische und Naturwissenschaftliche Klasse, Abt. I., vol. 48, pp. 200-345.
- Dollfus RP. 1942. Études critiques sur les Tétrarhynques du Muséum de Paris. Archives du Muséum National d'Histoire Naturelle, Paris, 466 pp.
- Duarte, MJF. 1981. Helmintos parasitos de animais domésticos no Estado do Rio de Janeiro. Arquivos da Escola de Veterinária de Minas Gerais, vol. 33, pp. 67-98.
- Duarte, MJF, Gomes, PAC & Sant'Anna, DB. 1982. Prevalence and intensity of helminth infection in calves at Cantagalo, RJ, Brazil. Pesquisa Agropecuária Brasileira, vol. 17, pp. 1521-1524.

- Dunn, FL. 1963. *Acanthocephalans and cestodes of South American monkeys and marmosets*. Journal of Parasitology, vol. 49, pp. 717-722.
- Eiras, JC, Takemoto, RM & Pavanelli, GC. 2010. Diversidade dos parasitos de peixes de água doce do Brasil. Clichetec, Maringá. 333 pp.
- Emmel, VE, Inamine, E, Secchi, C, Brodt, TCZ, Amaro, MCO, Cantarelli, VV & Spalding, S. 2006. *Diphyllobothrium latum: case report in Brazil*. Revista da Sociedade Brasileira de Medicina Tropical, vol. 39, pp. 82-84.
- Fábio, SP & Rolas, FT. 1974. *Sobre alguns helmintos parasitos de Dryadophis bifossatus (Rassi)*. Memórias do Instituto Oswaldo Cruz, vol. 72, pp. 49-53.
- Fagonde, CA & Batista, J. 1994. *Helmintos parásitos de capivaras (Hydrochaeris hydrochaeris) na sub-região de Nhecolândia, Pantanal Sul-Mato-Grossense*. Revista Brasileira de Biologia, vol. 54, pp. 39-48.
- Faleiros, RR, Matos, JJRT, Alves, GES & Santos, RL. 2000. *Anoplocephala magna (Abildgaard, 1789) related to a case of equine acute abdomen*. Revista Brasileira de Medicina Veterinária, vol. 22, pp. 27-29.
- Federman, HB, Holanda, JC & Evangelista, A. 1973. *Ocorrência de parasitos em gatos (Felis catus domesticus) e pombos (Columba livia) procedentes de algumas localidades de Minas Gerais*. Revista de Patologia Tropical, vol. 2, pp. 207-215.
- Felizardo, NN, Torres, EJL, Fonseca, MCG, Pinto, RM, Gomes, DC & Knoff, M. 2010. *Cestodes of the flounder Paralichthys isosceles Jordan, 1890 (Osteichthyes, Paralichthyidae) from the State of Rio de Janeiro, Brazil*. Neotropical Helminthology, vol. 4, pp. 113-126.
- Fenerich, FL, Santos, SM & Farinha, FBN. 1973. *On the occurrence of Cysticercus pisiformis (Bloch, 1780) in rabbits (Oryctolagus cuniculus) in the state of São Paulo, Brazil. Preliminary note*. Atualidades Veterinárias, São Paulo, vol. 9, pp. 28.
- Fernandes, JC & Travassos, TE. 1976. *Lista de helmintos parasitos dos animais domésticos de Pernambuco*. Anais da Universidade Federal de Rural Pernambuco. Ciências Biológicas, vol. 3, pp. 221-231.
- Fernandes, NS, Guimarães, HR, Amorim, ACS, Brito, VM, Borges, EP, Reis, MB, Trindade, RA & Melo, ACFL. 2014. *Occurrence of intestinal parasites in food handlers working in restaurants of the city of Parnaíba, Piauí-Brazil*. Revista de Patologia Tropical, vol. 43, pp. 459-469.
- Ferreira, CGT, Bezerra, ACDS & Ahid, SMM. 2010. *Enteroparasites in dogs (Canis familiaris L.) in Apodi, Rio Grande do Norte, Brasil*. PUBVET, vol. 4, Unpaginated.
- Ferreira, LF, Silva, ML & Camillo Coura, L. 1976. *Toxocara e outros helmintos em cães e gatos na cidade do Rio de Janeiro*. Revista da Sociedade Brasileira de Medicina Tropical, vol. 10, pp. 361-365.
- Ferreira, MAS, Rodrigues, JS, Andrade, RLFS, Jesus, HA & Barros, SLB. 2009. *Evaluation of endoparasites in domiciled, shelter and homeless dogs in Aracaju-Sergipe*. Medicina Veterinária, vol 3, pp. 20-25.
- Ferreira, MF, São Clemente, SC, Tortelly, R, Lima, FC, Nascimento, ER, Oliveira, GA & Lima, AR. 2006. *Parasites of the order Trypanorhyncha: importance in fishery inspection*. Revista Brasileira de Ciência Veterinária, vol. 13, pp. 190-193.
- Ferreira, MGB, Correia, FMA, Sogayar, MITL, Curi, PR, Oliveira, MR & Salata, E. 1982. *Estudo crítico de métodos laboratoriais utilizados no diagnóstico de helmintoses em cães (Canis familiaris)*. Arquivo da Escola de Veterinária de Minas Gerais, vol. 34, pp. 329-350.
- Figueiredo, PZ, Paiva, JF & Costa HÁ. 1973. *Cysticercus celulosae (Cestoda: Taeniidae) em suínos abatidos no matadouro Municipal de Terezina, Brasil*. Arquivos da Escola de Veterinária de Minas Gerais, vol. 25, pp. 265-270.
- Fonseca, MCG, São Clemente, SC, Felizardo, NN, Gomes, DC & Knoff, M. 2012. *Trypanorhynchcestodes of hygienic-sanitary importance infecting flounders Paralichthys patagonicus Jordan, 1889 and Xystreurus rasile (Jordan, 1891) of the Neotropical region, Brazil*. Parasitology Research, vol. 111, pp. 865-874.
- Fonseca, ZAAS, Pereira, JS, Bezerra, ACA, Avelino, DB, Marques, ASC, Paiva, KAR, Vieira, LS & Ahid, SMM. 2013. *Gastrointestinal helminth in dairy goats*

- from municipality of Afonso Bezerra, Rio Grande do Norte, Brazil.* PUBVET, vol. 7, Unpaginated.
- Fontes, AF, Vicente, JJ, Kiefer, MC & Van Sluys, M. 2003. *Parasitism by helminths in Eurolophosaurus nanuzae (Lacertilia: Tropiduridae) in an area of rocky outcrops in Minas Gerais State, Southeastern Brazil.* Journal of Herpetology, vol. 37, pp. 736-741.
- Fortes, E. 1981. *Descrição de quatro espécies novas de helmintos de bagres (Pisces, Bagridae) do estuário do Guaíba, Porto Alegre.* Arquivos da Faculdade de Veterinária, URGFS, vol. 9, pp. 69-78.
- Fortes E & Hoffmann, RP. 1987/1988. *Record of platyhelminths in snakes in Rio Grande do Sul.* Arquivos da Faculdade de Veterinária, URGFS, vol. 15/16, pp. 23-25.
- Fortes E & Hoffmann, RP. 1995. *Levantamento da fauna parasitária de peixes do Lago Guaíba, Porto Alegre, Rio Grande do Sul, Brasil.* Revista Brasileira de Medicina Veterinária, vol. 17, pp. 107-111.
- Franceschini, L, Zago, AC, Zocoller-Seno, MC, Veríssimo-Silveira, R, Ninhaus-Silveira, A & Silva, RJ. 2013. *Endohelminths in Cichla piquiti (Perciformes, Cichlidae) from the Paraná River, São Paulo State, Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 22, pp. 475-484.
- Francis, M, Mendonça, JM, Brito, BD & Rodrigues, CP. 1979. *Cisticercose bovina, suína e humana e suas relações com as teníases humanas.* Atas da Sociedade de Biologia do Rio de Janeiro, vol. 20, pp. 1-6.
- Frank, R, Melaun, C, Martins, MM, Santos, ALQ, Heukelbach, J & Kimpel, S. 2012. *Tunga penetrans and further parasites in the giant anteater (Myrmecophaga tridactyla) from Minas Gerais, Brazil.* Parasitology Research, vol. 111, pp. 1907-1912.
- Freire, JJ. 1951. *Thysanosoma actinoides Diesing, 1834.* Boletim de Produção Animal, Porto Alegre, vol. 6, pp. 11.
- Freire JJ. 1955. *Mais um presente exótico para os nossos ovinos.* Thysanosoma actinoides Diesing, 1834. Boletim de Produção Animal, Porto Alegre, vol. 11, pp. 3-8.
- Freire, JJ. 1958. *Fauna zooparasitária riograndense.* Revista da Escola de Agronomia e Veterinária, vol. 2, pp. 7-42.
- Freire, JJ. 1967a. *Fauna parasitária Riograndense, I – Introdução, boi, ovelha e cabra.* Revista de Medicina Veterinária, vol. 3, pp. 40-55.
- Freire, JJ. 1967b. *Fauna parasitária Riograndense, II. Cabra, búfalo, camelo, cavalo, porco, furão, grachaim, gato doméstico, gato do mato e coelho.* Revista de Medicina Veterinária, vol. 3, pp. 143-158.
- Freire, JJ. 1967c. *Fauna parasitária Riograndense, III. Coelho, cobala, galinha doméstica, galinha d'angola, peru, pombo, avestruz.* Revista de Medicina Veterinária, vol. 3, pp. 251-267.
- Freire, JJ & Di Primo, RA. 1948. *Fauna zooparasitária riograndense.* Veterinária, Rio de Janeiro, vol. 2, pp. 36-44.
- Freitas, MG. 1946. *Anaplocephala mamillana (Cestoda, Anoplocephalidae) em equinos no Brasil.* Revista Brasileira de Biologia, vol. 5, pp. 87-90.
- Freitas, MG. 1957. *Lista de Helmintos parasitos de animais domésticos de Minas Gerais.* Arquivos da Escola Superior de Veterinária de Minas Gerais, Belo Horizonte, vol. 10, pp. 373-381.
- Freitas, MG & Costa, HMA. 1959. *Lista de helmintos dos animais domésticos do Brasil.* Arquivos da Escola Superior de Veterinária de Minas Gerais, Belo Horizonte, vol. 12, pp. 443-511.
- Freitas, MG & Costa, HMA. 1969. *Nota on the occurrence of helminths parasites of domestic animals in Brazil.* Arquivos da Escola Superior de Veterinária de Minas Gerais, Belo Horizonte, vol. 21, pp. 176-179.
- Freitas, MG & Costa, HMA. 1970. *Helminth distribution along the different parts of digestive system in calves.* Arquivos da Escola Superior de Veterinária de Minas Gerais, Belo Horizonte, vol. 22, pp. 179-196.
- Freze, VI. 1965. *Essentials of Cestodology, vol. 5, Proteocephalata in Fish, Amphibians and Reptiles, English translations 1969, Israel Program of Scientific Translations, Jerusalém, 579 pp.*
- Froese, R & Pauly, D. 2016. *Fishbase.* World Wide Web electronic publication, accessed in September 2016, <www.fishbase.org>
- Frost, DR. 2016. *Amphibian species of the world:*

- an online reference*, version 6.0, Electronic Database, accessed in September 2016, <http://research.amnh.org/herpetology/amp_hibia/index.html>, American Museum of Natural History, New York, USA.
- Fuhrmann, O. 1902. *Die Anoplocephaliden der Vögel*. Centralblatt für Bakteriologie, Parasitenkunde und Infektionskrankheiten, I, vol. 32, pp. 122-147.
- Fuhrmann, O. 1904. *Neue Anoplocephalidea der Vögel. Vorläufige Mitteilung*. Zoologischer Anzeiger, vol. 27, pp. 384-388.
- Fuhrmann, O. 1906. *Die Tanien der Raubvogel*. Centralblatt für Bakteriologie, Parasitenkunde und Infektionskrankheiten. 1. Abteilung, Referate, vol. 41, pp. 79-89, 212-221.
- Fuhrmann, O. 1907. *Bekannte und neue Arten und Genera von Vögeltaenien*. Zentralblatt für Bakteriologie, Parasitenkund und Infektionskrankheiten. I. Abteilung Originale, vol. 45, pp. 516-536.
- Fuhrmann, O. 1908a. *Nouveaux Ténias d'Oiseaux*. Revue Suisse de Zoologie, vol. 16, pp. 27-73.
- Fuhrmann, O. 1908b. *Cestoden der vogel*. Zoologische Jahrbücher, suppl., vol. 10, 232 pp.
- Fuhrmann, O. 1908c. *Das genus Anonchotaenia und Biuterina. II. Das genus Biuterina Fuhrmann*. Centralblatt für Bakteriologie, Parasitenkunde und Infektionskrankheiten. I. Abteilung, Originale, vol. 48, pp. 412-428.
- Fuhrmann, O. 1927. *Brasilianische cestoden aus reptilien und vogeln*. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft, vol. 40, pp. 389-401.
- Furtado, AP, Batista, EJO, Gonçalves, EC, Silva, AMHO, Melo, FTV, Giese, EG & Santos, JN. 2012. *Human bertielliasis in Amazonia: Case report and challenging diagnosis*. PLoS Neglected Tropical Diseases, vol. 6, pp. e1580.
- Gallas, M & Silveira, EF. 2011. *Mesocestoides sp. (Eucestoda, Mesocestoididae) parasitizing four species of wild felines in southern Brazil*. Revista Brasileira de Parasitologia Veterinária, vol. 20, pp. 168-170.
- Gandra, VR. 1943. *Ocurrencia no Brasil da Anoplocephala magna (Cestoda-Anoplocephalidae) parasita de equídeos*. Revista da Faculdade de Medicina Veterinária de São Paulo, vol. 2, pp. 165-170.
- Gardner, SL & Campbell, M. 1992. *A new species of Linstowia (Cestoda: Anoplocephalidae) from marsupials in Bolivia*. The Journal of Parasitology, vol. 78, pp. 795-799.
- Georgiev, BB & Vaucher, C. 2003. *Revision of the Metadilepididae (Cestoda: Cyclophyllidea) from Caprimulgiformes (Aves)*. Revue Suisse de Zoologie, vol. 110, pp. 491-532.
- Gil de Pertierra, AA. 2002. *Redescription of Proteocephalus bagri and P. rhamdiae (Cestoda:Proteocephalidae), parasites of Rhamdia quelen (Siluriformes: Pimelodidae) from South America, with comments on morphological variation*. Folia Parasitologica, vol. 49, pp. 55-66.
- Gil de Pertierra, AA & de Chambrier, A. 2000. *Rudolphieilla szidati sp. n. (Proteocephalidae: Monticelliidae, Rudolphiellinae) parasite of Luciopimelodus pati (Valenciennes, 1840) (Pisces: Pimelodidae) from Argentina with new observations on Rudolphiella lobosa (Riggenbach, 1895)*. Revue Suisse de Zoologie, vol. 107, pp. 81-85.
- Giovannoni, M. 1946. *Fauna parasitológica paranaense. III. Raillietina (Skrjabinia) bonini (Megnin, 1889) em pombos domésticos*. Arquivos de Biologia e Tecnologia, Curitiba, vol. 1, pp. 29-31.
- Giovannoni, M & Kubiack, GVL. 1947. *Fauna parasitológica paranaense. IV – Lista prévia da ocorrência de helmintos em animais domésticos*. Arquivos de Biologia e Tecnologia, Curitiba, vol. 2, pp. 225-232.
- Giovannoni, M & Malheiro, DM. 1952. *Incidência de parasitos em Columbia livia domestica*. Revista da Faculdade de Medicina Veterinária, São Paulo, vol. 4, pp. 595-598.
- Gloss, RM. 1956. *Primeira constatação de Anoplocephala magna (Abilgaard, 1789) no Rio Grande do Sul*. Boletim de Produção Animal, Porto Alegre, vol. 13, pp. 3-4.
- Gofas, S. 2010. *Crassostrea rhizophorae (Guilding, 1828)*. In: MolluscaBase (2015), accessed in September 2016, <<http://www.molluscabase.org/aphia.php?p=taxdetails&id=420777>>
- Goldberg, SR, Bursey, CR & Vitt, LJ. 2006a. *Helminths of the brown-eared anole, Norops fuscoauratus (Squamata, Polychrotidae)*.

- from Brazil and Ecuador, South America.* Phylomedusa, vol. 5, pp. 83-86.
- Goldberg, SR, Bursey, CR & Vitt, LJ.** 2006b. *Parasites of two lizard species, Anolis punctatus and Anolis transversalis (Squamata: Polychrotidae) from Brazil and Ecuador.* Amphibia Reptilia, vol. 27, pp. 575-579.
- Goldberg, SR, Bursey, CR, Vitt, LJ & Arreola, J.** 2013. *Intestinal Helminths of the wandering grass lizard, Cnemidophorus grammicus (Squamata: Teiidae), from Brazil.* Comparative Parasitology, vol. 80, pp. 301-303.
- Gomes, DC.** 1979. *Contribution to the knowledge of the helminth parasites of Brazilian marsupials from the helminthological collections of the Instituto Oswaldo Cruz. (Cestoda, Archiacanthocephala and Linguatulida).* Revista Ibérica de Paracitologia, vol. 39, pp. 587-599.
- Gomes, DC.** 1984. Philander opossum (*Marsupialia*), a new host record for *Sparganum* of Lueheella Baer, 1924 (=Spirometra Mueller, 1937). Mémórias do Instituto Oswaldo Cruz, vol. 79, pp. 369-370.
- Gomes, DC, Knoff, M, São Clemente, SC, Lanfredi, RM & Pinto, RM.** 2005. *Taxonomic reports of Homeacanthoidea (Eucestoda: Trypanorhyncha) in Lamnid and Sphyrnid elasmobranchs collected off the coast of Santa Catarina, Brazil.* Parasite, vol. 12, pp. 15-22.
- Gomes, DC & Vicente, JJ.** 1984. *Parasitic helminths of Nectomys squamipes in Sumidouro County, RJ.* Memórias do Instituto Oswaldo Cruz, vol. 79, pp. 67-73.
- Gomes, SN, Pesenti, TC & Müller, G.** 2012a. *Gastrointestinal helminth parasites of Amazonetta brasiliensis (Gmelin, 1718) (Anseriformes: Anatidae) in the municipality of Arambaré, Rio Grande do Sul.* Revista Brasileira de Zoociências, vol. 14, pp. 143-146.
- Gomes, SN, Pesenti, TC & Müller, G.** 2012b. *Parasitism of Mathevotaenia sp. (Cestoda: Anoplocephalidae) and Centrorhynchus sp. (Acanthocephala: Centrorhynchidae) in Dasypus novemcinctus (Mammalia: Xenarthra) in Brazil.* Neotropical Helminthology, vol. 6, pp. 287-290.
- Gomes, SN, Pesenti, TC & Müller, G.** 2016. *Helminth parasites of the white-rumped sandpiper, Calidris fuscicollis (Aves: Scolopacidae), from Brazil.* Neotropical Helminthology, vol. 10, pp. 163-168.
- Gonçalves, AQ, Boia, MN, Coura, JR & Pinto, RM.** 2006. *New records for helminths of hystricognath from the middle and high Rio Negro microregion, State of Amazonas, Brazil.* Revista Brasileira de Zoologia, vol. 23, pp. 716-726.
- Gonçalves, L, Pinto, RM, Vicente, JJ, Noronha, D & Gomes, DC.** 1998. *Helminth parasites of conventionally maintained laboratory mice - II. Inbred strains with an adaptation of the anal swab technique.* Memórias do Instituto Oswaldo Cruz, vol. 93, pp. 121-126.
- Gonçalves, RA, Oliveira, MSB, Neves, LR & Tavares-Dias, M.** 2016. *Seasonal pattern in parasite infracommunities of Hoplerythrinus unitaeniatus and Hoplias malabaricus (Actinopterygii: Erythrinidae) from the Brazilian Amazon.* Acta Paracitologica, vol. 61, pp. 119-129.
- Gressler, LT, Noll, JCG, Freitas, IB & Monteiro, SG.** 2016. *Multiparasitism in a wild cat (Leopardus colocolo) (Carnivora: Felidae) in southern Brazil.* Brazilian Journal of Veterinary Parasitology, v. 23, pp. 374-377.
- Grisi, L.** 1975. *Incidência de helmintos em Capra hircus L., procedentes do Estado da Bahia.* Revista Brasileira de Biologia, vol. 35, pp. 101-108.
- Grisi, L, Carvalho, LP.** 1974. *Prevalência de helmintos Gallus gallus domesticus L., no Estado do Rio de Janeiro.* Revista Brasileira de Biologia, vol. 34, pp. 115-118.
- Guidelli, GM, Isaac, A, Takemoto, RM & Pavanelli, GC.** 2003. *Endoparasite infracommunities of Hemisorubim platyrhynchos (Valenciennes, 1840) (Pisces: Pimelodidae) of the baía river, upper Paraná river floodplain, Brazil: specific composition and ecological aspects.* Brazilian Journal of Biology, vol. 63, pp. 261-268.
- Guidelli, G, Tavechio, WLG, Takemoto, RM & Pavanelli, GC.** 2011. *Relative condition factor and parasitism in anostomid fishes from the floodplain of the Upper Paraná River, Brazil.* Veterinary Parasitology, vol. 177, pp. 145-151.

- Guimarães, AO, Valença, FM, Sousa, JBS, Souza, SA, Madi, RR & Melo, CM. 2014. *Parasitic and fungal infections in synanthropic rodents in an area of urban expansion, Aracaju, Sergipe State, Brazil*. Acta Scientiarum, Biological Sciences, vol. 36, pp. 113-120.
- Guimarães, MP, Costa, JO, Lara, SIM & Freitas, MG. 1976. *Helminth parasites of sheep in Minas Gerais - Brazil*. Arquivos da Escola Superior de Veterinária de Minas Gerais, Belo Horizonte, vol. 28, pp. 217-219.
- Guimarães, MP & Lima, WS. 1987. *Helminth parasites of goats in the State of Minas Gerais*. Arquivo Brasileiro de Medicina Veterinária e Zootecnia, vol. 39, pp. 573-578.
- Gutierrez, VC, Fróes, OM & Amato, JFR. 1977. *Identification of an intermediate host of Spirometra mansonioides in the Porto Alegre region, Rio Grande do Sul, Brazil*. Revista Brasileira de Biologia, vol. 37, pp. 131-133.
- Heukelbach, J, Frank, R, Ariza, L, Lopes, ÍS, Assis e Silva, A, Borges, AC, Limongi, JE, Alencar, CHM & Kliment, S. 2012. *High prevalence of intestinal infections and ectoparasites in dogs, Minas Gerais State (Southeast Brazil)*. Parasitology Research, vol. 111, pp. 1913-1921.
- Hoberg, EP, Gardner, SL & Campbell, RA. 1999. *Systematics of the Eucestoda: advances toward a new phylogenetic paradigm, and observation on the early diversification of tapeworms and vertebrates*. Systematic Parasitology, vol. 42, pp. 1-12.
- Hoberg, EP, Mariaux, J, Justine, JL, Brooks, DR & Weekes, PJ. 1997. *Phylogeny of the orders of the Eucestoda (Cercocephalopora) based on comparative morphology: Historical perspectives and a new working hypothesis*. The Journal of Parasitology, vol. 83, pp. 1128-1147.
- Hoffmann, AN, Malgor, R & La Rue, ML. 2001. *Prevalence of Echinococcus granulosus (Batsch, 1786) in urban stray dogs from Dom Pedrito in the state of Rio Grande do Sul, Brazil*. Ciência Rural, vol. 31, pp. 843-847.
- Horta, PP. 1916. *Algumas notas sobre parasitos de solipedes. I, caso de cylicostomose larval: 1-19, apud Pinto, C. (1944). Doenças infecciosas e parasitárias dos animais domésticos*. Editora Científica, Rio de Janeiro, pp. 391-397.
- Horta, PP. 1918. *Distomatose pancreática e glicosúria em bovinos. A lavoura*, vol. 22, pp. 157-158. apud Pinto, C. (1944) *Doenças infecciosas e parasitárias dos animais domésticos*. Editora Científica, Rio de Janeiro, pp. 391-397.
- Hypsa, V, Skeríkova, A & Scholz, T. 2005. *Phylogeny, evolution and host-parasite relationships of the order Proteocephalidea (Eucestoda) as revealed by combined analysis and secondary structure characters*. Parasitology, vol. 130, pp. 359-371.
- Isaac, A, Guidelli, GM, França, JG & Pavanelli, GC. 2004. *Composição e estrutura das infracomunidades endoparasitárias de Gymnotus spp. (Pisces: Gymnotidae) do rio Baía, Mato Grosso do Sul, Brasil*. Acta Scientiarum, Biological Sciences, vol. 26, pp. 453-462.
- Jeronimo, GT, Ventura, AS, Pádua, SB, Satake, F, Ishikawa, MM & Martins, ML. 2013. *Parasitic fauna of cachara cultured in a net-cage in the Paraguay River, Brazil*. Pesquisa Agropecuária Brasileira, vol. 48, pp. 1163-1166.
- Khalil, LF, Jones, A & Bray RA. 1994. Keys to the cestode parasites of vertebrates. St Albans, CAB International, 751 pp.
- Karling, LC, Isaac, A, Affonso, IP, Takemoto, RM & Pavanelli, GC. 2013. *The impact of a dam on the helminth fauna and health of a Neotropical fish species Salminus brasiliensis (Cuvier 1816) from the upper Paraná River, Brazil*. Journal of Helminthology, vol. 87, pp. 245-251.
- Kleemann, SIV. 1981. *Oochoristica bresslaui Fuhrmann, 1927 em Tropidurus torquatus (Wied) em Guaira, Paraná*. Arquivos de Biologia e Tecnologia, Curitiba, vol. 244, pp. 413-415.
- Kliment, S, Heukelbach, J, Pothmann, D & Rückert, S. 2010. *Gastrointestinal and ectoparasites from urban stray dogs in Fortaleza (Brazil): high infection risk for humans?* Parasitology Research, vol. 107, pp. 713-719.
- Knoff, M, Luque, JL, Amato, JFR. 1997. *Community ecology of the metazoan parasites of grey mullets, Mugil platanus*

- (Osteichthyes: Mugilidae) from the littoral of the State of Rio de Janeiro, Brazil. Revista Brasileira de Biologia, vol. 57, pp. 441-454.
- Knoff, M, Pinto, RM, São Clemente, SC, Fonseca, MCG & Gomes DC. 2011a.** Diphyllobothrium latum and Diphyllobothrium sp. as agentes of diphyllobothriasis in Brazil: Morphological analysis and two new case reports. Revista Brasileira de Medicina Veterinária, vol. 33, pp. 159-164.
- Knoff, M, São Clemente, SC, Andrade, CG, Lima, FC, Padovani, RES, Fonseca, MCG, Neves, RCF & Gomes, DC. 2008.** Cestóides Pseudophyllidea parasitos de congro-rosa, Genypterus brasiliensis Regan, 1903 comercializados no estado do Rio de Janeiro, Brasil. Revista Brasileira de Ciências Veterinárias, vol. 15, pp. 28-32.
- Knoff, M, São Clemente, SC, Fonseca, MCG, Felizardo, NN & Gomes, DC. 2011b.** Cestodes Diphyllobothriidea parasitizing blackfin goosefish, Lophius gastrophysus Miranda-Ribeiro, 1915. Arquivo Brasileiro de Medicina Veterinária e Zootecnia, vol. 63, pp. 1033-1038.
- Knoff, M, São Clemente, SC, Pinto, RM & Gomes, DC. 2002.** Prevalence and intensity of infection of cestodes Trypanorhyncha from elasmobranchs in the states of Paraná and Santa Catarina, Brazil. Parasitología Latinoamericana, vol. 57, pp. 149-157.
- Knoff, M, São Clemente, SC, Pinto, RM & Gomes, DC. 2004a.** Taxonomic reports of Trypanorhyncha/Homeacanthoidea cestodes in elasmobranchs collected from the coast of the State of Paraná, Brazil. Parasitología Latinoamericana, vol. 59, pp. 31-36.
- Knoff, M, São Clemente, SC, Pinto, RM, Lanfredi, RM & Gomes, DC. 2004b.** New records and expanded descriptions of Tentacularia coryphaenae and Hepatoxylon trichiuri homeacanth trypanorhynchs (Eucestoda) from carcharhinid sharks from the state of Santa Catarina off-shore, Brazil. Revista Brasileira de Parasitología Veterinária, vol. 13, pp. 73-80.
- Knoff, M, São Clemente, SC, Pinto, RM, Lanfredi, RM & Gomes, DC. 2004c.** Taxonomic reports of Otobothrioidea (Eucestoda, Trypanorhyncha) from elasmobranch fishes of the Southern coast off Brazil. Memórias do Instituto Oswaldo Cruz, vol. 99, pp. 31-36.
- Knoff, M, São Clemente, SC, Pinto, RM, Lanfredi, RM & Gomes, DC. 2007.** Redescription of Gymnorhynchus isuri (Cestoda: Trypanorhyncha) from Isurus oxyrinchus (Elasmobranchii: Lamnidae). Folia Parasitologica, vol. 54, pp. 208-214.
- Kobayashi, J, Hasegawa, H, Forli, AA, Nishimura, NF, Yamanaka, A, Shimabukuro, T & Sato, Y. 1995.** Prevalência de enteroparasitos em cinco fazendas de Holambra-SP, Brasil. Revista do Instituto de Medicina Tropical de São Paulo, vol. 37, pp. 13-18.
- Kohn, A & Fernandes, BMM. 1987.** Estudo comparativo dos helmintos parasitos de peixes do rio Mogi Guassu, coletados nas excursões realizadas entre 1927 e 1985. Memórias do Instituto Oswaldo Cruz, vol. 82, pp. 483-500.
- Kohn, A, Moravec, F, Cohen, SC, Canzi, C, Takemoto, RM & Fernandes, BMM. 2011.** Helminths of freshwater fishes in the reservoir of the Hydroelectric Power Station of Itaipu, Paraná, Brazil. Check List, vol. 7, pp. 681-690.
- Kuniy, AA & Brasileiro, MTR. 2006.** Occurrence of helminths in bristle-spined porcupine (Chaetomys subspinosus) (Olfers, 1818), Salvador, Brazil. Brazilian Journal of Biology, vol. 66, pp. 379-380.
- Kuraiem, BP, Knoff, M, Felizardo, NN, Gomes, DC & São Clemente, SC. 2016.** Callitetrarhynchus speciosus (Linton, 1897) Carvajal & Rego, 1985 Trypanorhyncha (Cestoda) parasitizing Priacanthus arenatus (Cuvier, 1829) (Osteichthyes, Priacanthidae) from Rio de Janeiro coast, Brazil. Neotropical Helminthology, vol. 10, pp. 33-40.
- Lacerda, ACF, Takemoto, RM & Pavanelli, GC. 2008.** Digenea, Nematoda, Cestoda and Acanthocephala, parasites in Potamotrygonidae (Chondrichthyes) from the upper Paraná River floodplain, states of Paraná and Mato Grosso do Sul, Brazil. Check List, vol. 4, pp. 115-122.
- Lacerda, ACF, Takemoto, RM & Pavanelli, GC. 2009.** Ecology of endoparasites of the fluvial stingray Potamotrygon falkneri (Chondrichthyes: Potamotrygonidae) from

- the upper Parana River floodplain, Brazil.* Brazilian Journal of Biology, vol. 69, pp. 297-303.
- Lacerda, ACF, Takemoto, RM, Poulin, R & Pavanelli, GC. 2013. *Parasites of the fish Cichla piquiti (Cichlidae) in native and invaded Brazilian basins: release not from the enemy, but from its effects.* Parasitology Research, vol. 112, pp. 279-288.
- Langenegger, J & Lanzieri, PD. 1963/1965. *Incidencia e intensidade de infestação por helmintos em Felis catus domesticus do Rio de Janeiro.* Veterinária, Rio de Janeiro, vol. 16/18, pp. 77-89.
- Lara, SIM, Tarouco, MRR & Ribeiro, PB. 1981. *Helmintos parasitos de Canis familiaris de Pelotas no Rio Grande do Sul.* Arquivos da Escola de Veterinária da Universidade Federal de Minas Gerais, Belo Horizonte, vol. 33, pp. 293-297.
- Lepage, D & Warnier, J. 2014. The Peters' Checklist of the Birds of the World (1931-1987) Database. Avibase, the World Database: <http://avibase.bsc-eoc.org/peterschecklist.jsp>. Accessed in 2016.
- Lewinsohn, TL & Prado, PI. 2002. Biodiversidade brasileira, síntese do estado atual do conhecimento. Editora Contexto. 176 pp.
- Lima, FC, São Clemente, SC, Mesquita, EF. 1997. *Pseudocistos cecais associados a parasitose por Scolex pleuronectis em sardinha-verdeira (Sardinella brasiliensis).* Parasitologia al dia, vol. 21, pp. 58-60.
- Lima, MEF & Cardoso, SB. 1980. *Helmintos gastrointestinais parasitos de caprinose ovinos no Estado do Ceará.* Atas da Sociedade de Biologia, vol. 21, pp. 45-46.
- Lima, MM, Faustino, MAG, Santana, VLA, Santos, NVM & Alves, LC. 2003. *Evaluation of gastrointestinal helminth infection in goats from the metropolitan area of Recife, Pernambuco State, Brazil, through faecal egg count and larval culture.* Revista Brasileira de Ciência Veterinária, vol. 10, pp. 140-144.
- Linton, E. 1897. *Notes on larval cestode parasites of fishes.* Proceedings of the United States National Museum, vol. 19, pp. 787-824.
- Lizama MAP, Takemoto RM, Pavanelli GC. 2005. *Influence of host sex and age on infra-communities of metazoan parasites of Prochilodus lineatus (Valenciennes, 1836) (Prochilodontidae) of the upper Paraná River floodplain, Brazil.* Parasite, vol. 12, pp. 299-304.
- Lizama MAP, Takemoto RM, Pavanelli GC. 2006. *Parasitism influence on the hepato, splenosomatic and weight/length relation and relative condition factor of Prochilodus lineatus (Valenciennes, 1836) (Prochilodontidae) of the Upper Paraná River floodplain, Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 15, pp. 116-122.
- Llaguno, MM, Cortez-Escalante, J, Waikagul, J, Faleiros, ACG, Chagas, F & Castro, C. 2008. *Diphyllobothrium latum infection in a non-endemic country: case report.* Revista da Sociedade Brasileira de Medicina Tropical, vol. 41, pp. 301-303.
- Lonnberg, E. 1896. *Cestoden.* Ergebnisse Magalhaen. Hamburger Sammel-Reise, vol. I, 9 pp.
- Loos-Frank, B. 2000. *An up-date of verster's (1969) 'Taxonomic revision of the genus Taenia Linnaeus (Cestoda)' in table format.* Systematic Parasitology, vol. 45, pp. 155-183.
- Lopes, CWG, Corrêa, IC, Silva, PC & Silveira, LF. 1975. *Prevalência e intensidade de infestação de helmintos gastrointestinais em Ovis aries do Estado da Bahia.* Pesquisa Agropecuária Brasileira, Série Veterinária, vol. 10, pp. 27-29.
- Lopes, LPC, Varella, AMB & Malta, JCO. 2009. *Metazoan parasites of Pseudoplatystoma punctifer (Linnaeus, 1766) and Pseudoplatystoma tigrinum (Spix & Agassiz, 1829) Siluriformes: Pimelodidae) of the Central Amazon Basin, Brazil.* Biologia Geral e Experimental, vol. 9, pp. 3-15.
- Lopes, VV, Santos, HA, Silva, AVM, Ferreira, AC & Silva, ES. 2015. *First case of human infection by Bertiella studeri (Blanchard, 1891) Stunkard, 1940 (Cestoda; Anoplocephalidae) in Brazil.* Revista do Instituto de Medicina Tropical de São Paulo, vol. 57, pp. 447-450.
- Luchetti, NM, Marques, FP & Charvet-Almeida, P. 2008. *A new species of Potamotrygonocestus Brooks & Thorson, 1976 (Eucestoda: Tetraphyllidea) from*

- Plesiotrygon iwamae *Rosa, Castello & Thorsen* (*Myliobatidae*: *Potamotrygonidae*) and a redescription of *Potamotrygonocestus chaoi* *Marques, Brooks & Araujo*, 2003. Systematic Parasitology, vol. 70, pp. 131-45.
- Luchetti, RMGS, Moinho, MLR & Vargas, L.** 1996. Prevalência de protozoários e helmintos intestinais em escolares de Mamborê-Paraná- Brasil. Revista UNIMAR, vol. 18, pp. 433-446.
- Lühe, M.** 1910. Die Süßwasserfauna Deutschlands. Heft 18: Parasitische Plattwürmer. II. Cestoden. Gustav Fischer Verlag, Jena: 153 pp.
- Luque, JL & Alves, DR.** 2001. Ecologia das comunidades parasitos do xaréu, *Caranx hippos* (*Linnaeus*) e do xerelete *Caranx latus* *Agassiz*, 1831 (Osteichthyes: carangidae) do litoral do Rio de Janeiro, Brazil. Revista Brasileira de Zoologia, vol. 18, pp. 399-410.
- Luque, JL, Alves, DR & Sabas, CS.** 2000. Metazoários parasitos de xaréu *Caranx hippos* (*Linnaeus*, 1766) e do xerelete *Caranx latus* *Agassiz*, 1831 (Osteichthyes: Carangidae) do litoral do estado do Rio de Janeiro. Contribuições Avulsas sobre a História natural do Brasil, Série Zoologia, vol. 25, pp. 1-17.
- Luque, JL, Amato, JFR & Takemoto, RM.** 1995. Helminth larval stages in *Orthopristis ruber* and *Haemulon steindachneri* (Osteichthyes: Haemulidae) from the coast of the state of Rio de Janeiro, Brazil. Revista Brasileira de Biologia, vol. 55, pp. 33-38.
- Luque, JL, Amato, JFR & Takemoto, RM.** 1996a. Comparative analysis of the communities of metazoan parasites of *Orthopristis ruber* and *Haemulon steindachneri* (Osteichthyes: Haemulidae) from the southeastern Brazilian litoral: I. structure and influence of the size and sex of hosts. Revista Brasileira de Biologia, vol. 56, pp. 279-292.
- Luque, JL, Amato, JFR & Takemoto, RM.** 1996b. Comparative analysis of the communities of metazoan parasites of *Orthopristis ruber* and *Haemulon steindachneri* (Osteichthyes: Haemulidae) from the southeastern Brazilian litoral: II diversity, interspecific associations, and distribution of the gastrointestinal parasites. Revista Brasileira de Biologia, vol. 56, pp. 292-302.
- Luque, JL & Chaves, ND.** 1999. Community ecology of metazoan parasites of bluefish *Pomatomus saltator* (*Linnaeus*) (Osteichthyes, Pomatomidae) from the coast of Rio de Janeiro State, Brazil. Revista Brasileira de Zoologia, vol. 16, pp. 711-723.
- Luque, JL, Cordeiro, AS & Oliva, ME.** 2010. Metazoan parasites as biological tags for stock discrimination of whitemouth croaker *Micropogonias furnieri*. Journal of Fish Biology, vol. 76, pp. 591-600.
- Luque, JL, Dimitri, RA & Ribeiro, RS.** 2003. Community ecology of the metazoan parasites of banded croaker, *Paralonchurus brasiliensis* (Osteichthyes: Sciaenidae), from the coastal zone of the State of Rio de Janeiro, Brazil. Acta Scientiarum-Biological Sciences, vol. 25, pp. 273-278.
- Luque, JL, Felizardo, NN & Tavares, LER.** 2008. Community ecology of the metazoan parasites of namorado sandperches, *Pseudoperca numida* *Miranda-Ribeiro*, 1903 and *P. semifasciata* *Cuvier*, 1829 (Perciformes: Pinguipedidae), from the coastal zone of the State of Rio de Janeiro, Brazil. Brazilian Journal of Biology, vol. 68, pp. 269-278.
- Luque, JL, Porrozzi, F & Alves, DR.** 2002. Community ecology of the metazoan parasites of argentine goatfish, *Mullus argentinae* (Osteichthyes: Mullidae), from the coastal zone of the state of Rio de Janeiro, Brazil. Revista Brasileira de Parasitologia Veterinária, vol. 11, pp. 33-38.
- Luque, JL & Poulin, R.** 2004. Use of fish as intermediate hosts by helminth parasites: a Comparative analysis. Acta Parasitologica, vol. 49, pp. 353-361.
- Lux** Hoppe, EG, Pedrassani, D, Hoffmann-Inocente, AC, Tebaldi, JH, Storti, LF, Zanuzzo, FS, Avancini, N & Nascimento, AA. 2008. Estudos ecológicos em taxocenoses helmínticas de *Chaunus ictericus* (*Spix*, 1824) e *C. schneideri* (*Werner*, 1894) (Anura: Bufonidae) simpáticos, capturados no distrito de São Cristóvão, município de Três Barras, Santa Catarina. Revista Brasileira de Parasitologia Veterinária, vol. 17, pp. 166-169.
- Lynsdale, JA.** 1959. On a new species of *Proteocephalus* from Brazil. Journal of

- Helminthology, vol. 33, pp. 145-150.
- MacCallum, GA. 1921.** *Studies in Helminthology. Part 1. Trematodes. Part 2. Cestodes. Part 3. Nematodes. Zoopathologica. Scientific Contributions of the New York Zoological Society on the Diseases of Animals*, vol. 1, pp. 135-284.
- Machado, MH, Pavanelli, GC & Takemoto, RM.** 1994. *Influence of host's sex and size on endoparasitic infrapopulations of Pseudoplatystoma corruscans and Schizodon borelli (Osteichthyes) of the High Paraná River, Brazil*. Revista Brasileira de Parasitologia Veterinária, vol. 3, pp. 143-148.
- Machado, PM, Almeida, SC, Pavanelli, GC & Takemoto, RM.** 2000. *Ecological aspects of endohelminths parasitizing Cichla monoculus Spix, 1831 (Perciformes: Cichlidae) in the Paraná River near Porto Rico, State of Paraná, Brazil*. Comparative Parasitology, vol. 67, pp. 210-217.
- Machado, RZ, Costa, JO, Kasai, N & Costa, AJ.** 1980. *Helmintos parasitos de Gallus gallus domesticus (L.) do município de Jaboticabal, São Paulo*. Arquivos da Escola de Veterinária da Universidade Federal de Minas Gerais, Belo Horizonte, vol. 32, pp. 241-243.
- Madelaire, CB, Gomes, CR & Silva, RJ.** 2012. *Helminth Parasites of Hypsiboas prasinus (Anura: Hylidae) from two Atlantic Forest fragments, São Paulo State, Brazil*. The Journal of Parasitology, vol. 98, pp. 560-564.
- Mahon, J.** 1956. *Dendrouterina pilherodiae sp. nov. (Dilepididae) from Pilherodias pileatus (Bodd.)*. Canadian Journal of Zoology, vol. 34, pp. 28-34.
- Mahon, J.** 1957. *Deltokeras synallaxis sp. nov. (Dilepididae) from Synallaxis rutilans Temm.* Canadian Journal of Zoology, vol. 35, pp. 441-447.
- Maia-Nogueira, R, Farias, TS, Cunha, IF, Dórea-Reis, LW & Braga, FL.** 2001. *Primeiro registro de Stenella coeruleoalba Meyen, 1833 (Cetacea, Delphinidae) no litoral do estado da Bahia, incluindo uma revisão da espécie em águas brasileiras*. Bioikos, vol. 15, pp. 45-49.
- Maldonado, Jr.A, Gentile, R, Fernandes-Moraes, C, D'andrea, PS, Lanfredi, RM & Rey, L.** 2006. *Helminth communities of Nectomys squamipes naturally infected by the exotic trematode Schistosoma mansoni in southeastern Brazil*. Journal of Helminthology, vol. 80, pp. 369-375.
- Mariaux, J.** 1998. *A molecular phylogeny of the Eucestoda*. The Journal of Parasitology, vol. 84, pp. 114-124.
- Marinho, RP & Neves, DP.** 1979. *Report of two cases of human Dipylidium caninum infection*. Revista do Instituto de Medicina Tropical de São Paulo, vol. 21, pp. 266-268.
- Marques, FPL & Brooks, DR.** 2003. *Taxonomic revision of Rhinebothrioides (Eucestoda: Tetraphyllidea: Phyllobothriidae), parasites of Neotropical freshwater stingrays (Rajiformes: Myliobatoidei: Potamotrygonidae)*. The Journal of Parasitology, vol. 89, pp. 994-1017.
- Marques, FPL, Brooks, DR & Araújo, MLG.** 2003. *Systematics and phylogeny of Potamotrygonocestus (Platyhelminthes: Neodermata: Eucestoda: Tetraphyllidea: Onchobothriidae) with descriptions of three new species from freshwater Potamotrygonids (Myliobatoidei: Potamotrygonidae)*. Zoologia Scripta, vol. 32, pp. 367-396.
- Marques, FPL, Brooks, DR & Lasso, CA.** 2001. *Anindobothrium n. gen. (Eucestoda: Tetraphyllidea) Inhabiting marine and freshwater Potamotrygonid stingrays*. The Journal of Parasitology, vol. 87, pp. 666-672.
- Marques, FPL, Jensen, K & Caira, JN.** 2012. *Ahamulina n. gen. (Cestoda: Diphylidae) from the polkadot catshark, Scyliorhinus besnardi (Carcharhiniformes: Scyliorhinidae), off Brazil*. Zootaxa, vol. 3352, pp. 51-59.
- Marques, FPL & Reyda, FB.** 2015. *Rhinebothrium jaimei sp. n. (Eucestoda: Rhinebothriidae: Rhinebothriidae): a new species from Neotropical freshwater stingrays (Potamotrygonidae)*. Folia Parasitologica, vol. 62, pp. 57.
- Martins, IVF, Sant'Anna, FB, Correia, TR, Souza, CP & Scott, FB.** 2002. *Prevalence of infections by tapeworms in equines in the state of Rio de Janeiro*. Revista Brasileira de Ciências Veterinárias, vol. 9, pp. 172-174.
- Martins, ML, Pereira, Jr. J, de Chambrier, A &**

- Yamashita, MM.** 2009. *Proteocephalidae cestode infection in alienfish, Cichla piquiti Kullander and (Osteichthyes: Cichlidae), from Volta Grande reservoir, Minas Gerais, Brazil.* Brazilian Journal of Biology, vol. 69, pp. 189-195.
- Martins Filho, E & Menezes, RCAA.** 2001. *Gastrointestinal parasites in goats (Capra hircus) from a extensive breeding Curimataú microrregion, Paraíba State, Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 10, pp. 41-44.
- Martins Jr, W & Freitas, MG.** 1975. *Lista de helmintos parasitos de animais domésticos da região geoeconômica de Brasília e de outras regiões de Goiás.* Arquivos da Escola Superior de Veterinária de Minas Gerais, Belo Horizonte, vol. 27, pp. 309-324.
- Marshall, B & Gofas, S.** 2015. *Crassostrea gigas (Thunberg, 1793).* In: Molluscabase (2016), accessed in September 2016, <<http://molluscabase.org/aphia.php?p=taxdetails&id=140656>>
- Massara, RL, Paschoal, AMO & Chiarello, AG** 2015. Gastrointestinal parasites of maned wolf (*Chrysocyon brachyurus*, Illiger 1815) in a suburban area in southeastern Brazil. Brazilian Journal of Biology vol.75, pp. 643-649.
- Mattos Junior, DG, Costa, DA, Menezes, RC & Mesquita, EM.** 2008a. *Prevalência de helmintos em patos domésticos Cairina moschata dom. (Linné) (Anseriformes, Anatidae, Cairinini, Cairina) provenientes de criações extensivas no estado do Rio de Janeiro, Brasil.* Revista Brasileira de Ciência Veterinária, vol. 15, pp. 140-142.
- Mattos, MJT, Ribeiro, VS & Marques, SMT.** 2011. *Gastrointestinal parasites and some aspects of ostrich (Struthio camelus) farming in smallholdings in Rio Grande do Sul, Brazil.* Veterinária em Foco, vol. 8, pp. 143-151.
- Mayes, MA, Brooks, DR & Thorson, BT.** 1978. *Two new species of Acanthobothrium van Beneden 1849 (Cestoda: Tetraphyllidea) from freshwater in South America.* The Journal of Parasitology, vol. 64, pp. 838-841.
- Mayes, MA, Brooks, DR & Thorson, BT.** 1981. *Two new Tetraphyllidean cestodes from Potamotrygon circularis Garman (Chondrichthyes: Potamotrygonidae) in the Itacnai River, Brazil.* Proceedings of the Helminthological Society of Washington, vol. 48, pp. 38-42.
- Meggitt, FJ.** 1915. *A new species of tapeworm from a parakeet, Brotogeris tirica.* Parasitology, vol. 8, pp. 42-55.
- Melo, CMF, Oliveira, JB, Athayde, ACR, Dantas, AFM, Feitosa, TF, Vilela, VLR, Menezes, DJA & Wagner, PGC.** 2012. *Identification of parasites in Puffinus puffinus (Birds, Procellariiformes) from Northeastern Brazil.* Veterinary Research Communications, vol. 36, pp. 235-238.
- Melo, CMF, Oliveira, JB, Feitosa, TF, Vilela, VLR, Athayde, ACR, Dantas, AFM, Wagner, PGC & Febrônio, AB.** 2013. *Parasites of Psittaciformes and Accipitriformes in Paraíba state, northeastern Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 22, pp. 314-317.
- Melo, FTV, Giese, EG, Furtado, AP, Soares, MJ, Gonçalves, EC, Vallinoto, ACR & Santos, JN.** 2011. *Lanfrediella amphicirrus gen. nov. sp. nov. Nematotaeniidae (Cestoda: Cyclophyllidea), a tapeworm parasite of Rhinella marina (Linnaeus, 1758) (Amphibia: Bufonidae).* Memórias do Instituto Oswaldo Cruz, vol. 106, pp. 670-677.
- Melo, HJH & Ribeiro, HS.** 1977. *Helminhos parasitas de animais domésticos no Estado de Mato Grosso.* Arquivos da Escola Superior de Veterinária de Minas Gerais, Belo Horizonte, vol. 29, pp. 161-164.
- Melotti, VD, Dias, AS, Aguiar, GB, Sobreira, RR, Serrano, DH & Sanglard, GO.** 2012. *First report of the occurrence of Raillietiatetragona proglottids (Cestoda: Davaineidae) in egg albumen of chickens (Gallus gallus).* Revista Portuguesa de Medicina Veterinária, vol. 107, pp. 115-117.
- Mendes, MV.** 1944. *Sobre Cestoda de teleósteos marinhos.* Boletim da Faculdade de Filosofia, Ciências e Letras da Universidade de São Paulo, Serie Zoologia, vol 43, pp. 173-187.
- Mendes, MFM & Vasconcellos, LDM.** 1987. *Echinococcus oligarthrus in an ocelot (Felis pardalis L.) from the region of the Foz do Iguaçu, Paraná, Brazil.* Revista da Faculdade de Medicina Veterinária e Zootecnia da Universidade de São Paulo,

- vol. 24, pp. 233-237.
- Meneghelli, UG, Martinelli, ALC & Velludo, MASL. 1990.** *Echinococcus vogeli cysts in the liver of pacas (Cuniculus paca) originating in the State of Acre, Brazil.* Revista da Sociedade Brasileira de Medicina Tropical, vol. 23, pp. 153-155.
- Menezes, RC, Mattos Júnior, DG & Tortelly, R. 2001.** *Frequency and pathology of infections caused by nematodes and cestodes in free range guineafowls (Numida meleagris Linnaeus, 1758) in the State of Rio de Janeiro, Brazil.* Revista Brasileira de Ciência Veterinária, vol. 8, pp. 35-39.
- Menezes, VA, Vrcibradic, D, Vicente, JJ, Dutra, GF & Rocha, CFD. 2004.** *Helminths infecting the parthenogenetic whiptail lizard Cnemidophorus nativo in a restinga habitat of Bahia State, Brazil.* Journal of Helminthology, vol. 78, pp. 323-328.
- Mesquita, RLB, Santos, SMC, Ceccarelli, OS & Luque, JL. 2012.** *Metazoários endoparasitos de Salminus brasiliensis (Cuvier, 1816) (Characiformes: Characidae) do rio Mogi Guaçu, SP, Brasil.* Revista Brasileira de Zoociências, vol. 14, pp. 95-102.
- Mezzari, A & Wiebelling, AMP. 2008.** *Diphyllobothriasis in Southern Brazil.* Clinical Microbiology Newsletter, vol. 30, pp. 28-29.
- Moitinho, MLR, Roberto, ACBS, Venazzi, EAS, Casavechia, MTG & Pereira, AB. 2000.** *Control of intestinal parasites in the community of Núcleo Habitacional Santa Felicidade of Maringá, Paraná State, Brazil.* Acta Scientiarum-Biological Sciences, vol. 22, pp. 593-597.
- Monteiro, AMC, Silva, EF, Almeida, KS, Sousa, JJN, Mathias, LA, Baptista, F & Freitas, FLC. 2009a.** *Intestinal parasitic infections in children attending day care centers located in peripheral neighborhoods in the municipality of Coari, state of Amazonas, Brazil.* Revista de Patologia Tropical, vol. 38, pp. 284-290.
- Monteiro, CM, Amato, JFR & Amato, SB. 2011.** *Helminth parasitism in the Neotropical cormorant, Phalacrocorax brasilianus, in Southern Brazil: Effect of host size, weight, sex, and maturity state.* Parasitology Research, vol. 109, pp. 849-855.
- Monteiro, CM, Santos, MD, Zuchi, NA & Brasil-Sato, MC. 2009b.** *Ecological parameters of the endohelminths in relation to size and sex of Prochilodus argenteus (Actinopterygii: Prochilodontidae) from the Upper São Francisco River, Minas Gerais, Brazil.* Zoologia, vol. 26, pp. 753-757.
- Monteiro, DU, Botton, SA, Tonin, AA, Azevedo, MI, Gracihen, DAS, Noal, CB & La Rue, ML. 2014.** *Echinococcus canadensis (G7) and Echinococcus granulosus sensu stricto (G1) in swine of southern Brazil.* Veterinary Parasitology, vol. 202, pp. 335-338.
- Moreira, J, Paschoal, F, Cezar, AD & Luque, JL. 2015.** *Community ecology of the metazoan parasites of Brazilian sardinella, Sardinella brasiliensis (Steindachner, 1879) (Actinopterygii: Clupeidae) from the coastal zone of the State of Rio de Janeiro, Brazil.* Brazilian Journal of Biology, vol. 75, pp. 736-741.
- Moreira, LHA, Yamada, FH, Ceschini, TL, Takemoto, RM & Pinto, CJC. 2009.** *Study of the gastrointestinal parasites in felines from Itaipu Binacional wild animal nursery, Brazil.* Arquivos de Ciências Veterinárias e Zoologia da UNIPAR, vol. 12, pp. 11-15.
- Mueller, JF, Fróes, OM & Fernandez, RT. 1975.** *On the occurrence of Spirometra mansonioides in South America.* The Journal of Parasitology, vol. 61, pp. 774-775.
- Müller, G, Pesenti, TC & Mascarenhas, CS. 2009.** *Parasitos de animais silvestres com potencial zoonótico no Rio Grande do Sul.* Veterinária em Foco, vol. 6, pp. 185-190.
- Müller, MI, Madi, RR & Ueta, MT. 2008.** *First recorded occurrence of the tapeworm family Bothriocephalidae Blanchard, 1849 (Pseudophyllidea), parasitizing Cichla monoculus (Cichlidae) in the lakes at Rio das Pedras farm, Campinas (SP), Brazil.* Bioikos, vol. 22, pp. 45-49.
- Mundim, TCD, Oliveira Júnior, SD, Rodrigues, DC & Cury, MC. 2004.** *Frequency of helminthes parasites in cats of Uberlândia, Minas Gerais.* Arquivo Brasileiro de Medicina Veterinária e Zootecnia, vol. 56, pp. 562-563.
- Muniz-Pereira, LC & Amato, SB. 1998.** *Fimbriaria fasciolaris and Cloacotaenia megalops (Eucestoda, Hymenolepididae), cestodes from Brazilian waterfowl.* Memórias do

- Instituto Oswaldo Cruz, vol. 93, pp. 767-772.
- Muniz-Pereira, LC, Vieira, FM & Luque, JL. 2009.** Checklist of helminth parasites of threatened vertebrate species from Brazil. Zootaxa, vol. 2123, pp. 1-45.
- Napoleão, SR, Antonucci, AM, Amorim, AF & Takemoto, RM. 2015.** Occurrence of Rhinoptericola megacantha (Cestoda, rypanorhyncha) in new host and new location. Arquivo Brasileiro de Medicina Veterinária e Zootecnia, vol. 67, pp. 1175-1177.
- Neres-Norberg, A, Guerra-Sanches, F, Moreira-Norberg, PRB, Madeira-Oliveira, JT, Santa-Helena, AA & Serra-Freira, NM. 2014.** Intestinal parasitism in Terena indigenous people of the province of Mato Grosso do Sul, Brazil. Revista de Salud Pública, vol. 16, pp. 768-778.
- Neto, JB & Thatcher, VE. 1986.** Preliminary parasitological studies of peccaries (*Tayassu tajacu*) in Central Amazonia. Revista Brasileira de Medicina Veterinária, vol. 8, pp. 175-184.
- Neto, MP & Fonseca, AH. 2002.** Epidemiologia das helmintoses pulmonares e gastrointestinais de bezerros em região de baixada do Estado do Rio de Janeiro. Pesquisa Veterinária Brasileira, vol. 22, pp. 148-152.
- Netto, MV & Gonçalves, JF. 1959.** Parasitas intestinais do *Felis catus domesticus*. Importância na saúde pública - Primeiras observações. Revista da Escola de Agronomia e Veterinária, vol. 2, pp. 37-43.
- Nogueira, MR, Fábio, SP & Peracchi, AL. 2004.** Gastrointestinal helminth parasitism in fruit-eating bats (*Chiroptera, Stenodermatinae*) from western Amazonian Brazil. Revista de Biología Tropical, vol. 52, pp. 387-392.
- Ogassawara, S & Benassi, S. 1980.** Spirometra mansonioides Mueller, 1935 em animal da espécie felina no estado de São Paulo. Arquivos do Instituto de Biologia, vol. 47, pp. 43-43.
- Oliveira, PR, Mundim, MJS, Cabral, DD, Ribeiro, SCA & Rosa, GNA. 2000.** Survey of parasitic fauna in domestic pigeons (*Columba livia domestica*) in Uberlândia, MG, Brazil. Veterinária Notícias, vol. 6, pp. 53-56.
- Oliveira, SAL, São Clemente, SC, Benigno, RNM & Knoff, M. 2009.** Poecilancistrum caryophyllum (Diesing, 1850) (Cestoda, Trypanorhyncha), parasite of Macrodon ancylodon (Bloch & Schneider, 1801) from the Northern littoral of Brazil. Revista Brasileira de Parasitologia Veterinária, vol. 18, pp. 71-73.
- Ott, PH & Danilewicz, D. 1996.** Southward range extension of *Steno bredanensis* in the Southwest Atlantic and new records of *Stenella coeruleoalba* for Brazilian waters. Aquatic Mammals, vol. 22, pp. 185-189.
- Paçô, JM, Campos, DMB & Araújo, JLB. 2003.** Human bertielliosis in Goiás, Brazil: a case report on human infection by *Bertiella* sp. (Cestoda: Anoplocephalidae). Revista do Instituto de Medicina Tropical de São Paulo, vol. 45, pp. 159-161.
- Paiva, AB, Souza, FS & Lisbôa, RS. 2014.** Occurrence of parasites in areas with zoonotic potential public exhibitions of the city of Manaus, AM. Revista Brasileira de Higiene e Sanidade Animal, vol. 8, pp. 234-243.
- Palm, HW. 1997.** Trypanorhynch cestodes of commercial fishes from Northeast Brazilian coastal waters. Memórias do Instituto Oswaldo Cruz, vol. 92, pp. 69-79.
- Palm, HW. 2004.** The Trypanorhyncha Diesing, 1863. PKSPL-IPB Press, Bogor, 710 pp.
- Pape, T & Thompson, FC. 2013.** Systema Dipterorum, accessed in September 2016, <<http://www.dipter.org>>
- Paraguassú, AR, Luque, JL & Alves, DR. 2002.** Community ecology of the metazoan parasites of red porgy, *Pagrus pagrus* (L., 1758) (Osteichthyes, Sparidae), from the coastal zone, state of Rio de Janeiro, Brazil. Acta Scientiarum-Biological Sciences, vol. 24, pp. 461-467.
- Pardi, MG, Duarte, GG & Rocha, UF. 1952.** Cisticercoses em bovinos e suínos (Análise estatística de dados colhidos pelo S.I.F. n. 2, D.I.P.O.A., do Ministério da Agricultura, junto ao frigorífico Anglo de Barretos, Estado de São Paulo, Brasil). Revista de Medicina Veterinária, vol. 4, pp. 613-628.
- Parona, C. 1901.** Di alcuni cestode brasiliiani raccolti dal Dott. Adolfo Lutz. Bollettino dei Musei di Zoologia e Anatomia Comparate

- dei Genova, e Atti della Società Ligustica di Scienze Naturali, Genova, vol. 12, pp. 3-14.
- Paschoal, F, Cezar, AD & Luque JL. 2015.** Checklist of metazoan associated with grunts (Perciformes, Haemulidae) from the Nearctic and Neotropical regions. Check List, vol. 11: pp. 1501.
- Pavanelli, GC, Machado, MH, Takemoto, RM & Santos, LC. 1994.** A new species of proteocephalidean cestode, *Monticellia belavistensis* sp. n., parasite of *Pterodoras granulosus* (Valenciennes) (Pisces, Doradidae), from the Itaipu reservoir and the Paraná river, Paraná, Brazil. Revista Brasileira de Zoologia, vol. 11, pp. 587-595.
- Pavanelli, GC, Pizani, APCL & Mendes, PB. 2013.** Cestoda. In: Pavanelli GC, Takemoto RM, Eiras JC (eds) Parasitologia de Peixes de agua doce. Maringá. Eduem, pp. 317-332.
- Pavanelli, GC & Rêgo, AA. 1989.** Novas espécies de proteocefalídeos (Cestoda) de Hemisorubim platyrhynchos (Pisces-Pimelodidae) do estado do Paraná. Revista Brasileira de Biologia, vol. 49, pp. 381-386.
- Pavanelli, GC & Rêgo, AA. 1991.** Cestóides proteocefalídeos de Surubim lima (Schneider, 1801) (Pisces-Pimelodidae) do rio Paraná e reservatório de Itaipu. Revista Brasileira de Biologia, vol. 51, pp. 7-12.
- Pavanelli, GC & Rêgo, AA. 1992.** *Megathylacus travassosi* sp. n. e *Nomimoscolex sudobim Woodland, 1935* (Cestoda - Proteocephalidea) parasitos de *Pseudoplatystoma corruscans* (Agassiz, 1829) (Siluriformes - Pimelodidae) do Reservatório de Itaipu e Rio Paraná, PR, Brasil. Memórias do Instituto Oswaldo Cruz, vol. 87, pp. 191-195.
- Pavanelli, GC & Santos, MHM. 1990.** *Cangatiella arandasi* gen. n. sp. n. (Cestoda - Proteocephalidae), parasito de *Parauchenipterus galeatus* (Siluriformes - Auchenipteridae) do rio Paraná, PR. Revista Brasileira de Zoologia, vol. 7, pp. 535-539.
- Pavanelli, GC & Santos, MHM. 1991.** Proteocefalídeos parasitos de peixes, em especial pimelodídeos do rio Paraná, Paraná. Revista UNIMAR, Maringá, vol. 13, pp. 163-175.
- Pavanelli, GC & Santos, MHM. 1992.** *Goezeella agostinhoi* sp. n. and *Monticellia loyolai* sp. n., proteocephalidean cestodes as parasites of pimelodidean fishes of the Paraná River, Paraná, Brazil. Revista Brasileira de Parasitologia Veterinária, vol. 1, pp. 45-50.
- Pavanelli, GC & Takemoto, RM. 1995.** New species of *Proteocephalus* (Cestoda - Proteocephalidae) parasitic in fishes from the Paraná River, Paraná, Brazil. Memórias do Instituto Oswaldo Cruz, vol. 90, pp. 593-596.
- Pavanelli, GC & Takemoto, RM. 1996.** *Spasskyellina mandi* n. sp. (Proteocephalidae: Monticelliidae), parasite of *Pimelodus ornatus* Kner, 1857 (Pisces: Pimelodidae) of the Paraná River, Paraná, Brazil. Memórias do Instituto Oswaldo Cruz, vol. 91, pp. 723-726.
- Pavanelli, GC & Takemoto, RM. 2000.** Aspects of the ecology of proteocephalid cestodes, parasites of Sorubim lima (Pimelodidae), of the upper Paraná River, Brazil: II. Interspecific associations and distribution of gastrintestinal parasites. Brazilian Journal of Biology, vol. 60, pp. 585-590.
- Pereira Jr, J. 1993.** Species of *Trypanorhynchus* (Cestoda) in croaker (*Micropogonias furnieri*) on the coast of Rio Grande do Sul, Brazil. Arquivos da Faculdade de Veterinária, UFRGS, vol. 21, pp. 58-70.
- Pereira J, Jr. 2000.** New morphologic data on *Anonchocephalus chilensis* (Riggenbach, 1896) (Triaenophoridae: Pseudophyllidea: Cestoda) and emendation of genus diagnosis. Comunicações do Museu de Ciencias e Tecnologia da PUCRS, Serie Zoologia, vol. 13, pp. 99-104.
- Pereira Jr, J & Boeger, WA. 2005.** Larval tapeworms (Platyhelminthes, Cestoda) from sciaenid fishes of the southern coast of Brazil. Zoosystema, vol. 27, pp. 5-25.
- Pereira, RCS & Machado-Filho, DA. 1968.** Contribuição ao estudo da fauna helmintológica da Amazônia. Revista Brasileira de Biologia, vol. 28, pp. 283-288.
- Phillips, AJ, Georgiev, BB, Waeschenbach, A & Mariaux, J. 2014.** Two new and two redescribed species of *Anonchotaenia* (Cestoda: Paruterinidae) from South American birds. Folia Parasitologica, vol. 61, pp. 441-461.
- Picollo, L. 1933.** Localização cerebral do cisticerco nos suínos. Revista da Sociedade

- Paulista de Medicina Veterinária, vol. 3, pp. 93.
- Pinto, C. 1936. Contribuição ao estudo de *Taenia taeniformis* (Basch, 1786), parasitos de gatos no Brasil. O campo, vol. 7, pp. 26-29.
- Pinto, C. 1944. Doenças infeciosas e parasitárias dos animais domésticos. Editora Científica, Rio de Janeiro, pp. 391-397.
- Pinto, C & Almeida, JL. 1935. Sinópse dos helmintos dos animais domésticos do Brasil. O Campo, Rio de Janeiro, vol. 6, pp. 54-63.
- Pinto, HA, Mati, VLT & Melo, AL. 2012. Valipora minuta (Coil, 1950) (Cyclophyllidea: Gryporhynchidae) in *Butorides striata* (Linnaeus, 1758) (Aves: Ardeidae): the first record from Brazil and in a new host record. Check List, vol. 8, pp. 914-916.
- Pinto, HA & Melo, AL. 2011a. Metacestodes of *Glossocercus auritus* (Cyclophyllidea, Gryporhynchidae) in *Poecilia reticulata* (Pisces, Poeciliidae) from Brazil. Revista Brasileira de Parasitologia Veterinária, vol. 20, pp. 161 - 164.
- Pinto, HA & Melo, AL. 2011b. Metacestodes of *Parvitaenia macropeos* (Cyclophyllidea, Gryporhynchidae) in *Australoheros facetus* (Pisces, Cichlidae) in Brazil. Neotropical Helminthology, vol. 5, pp. 279-283.
- Pinto, LD, Marques, SMT, Bigatti, LE. & Araujo, FAP. 2007. Enteroparasites in dogs: prevalence and owners' knowledge about epidemiological factors. Veterinária em foco, vol. 5, pp. 10-15.
- Pinto, RM, Barros, LA, Tortelly, L, Teixeira, RF & Gomes, DC. 2004a. Prevalence and pathology of helminths of ciconiiform birds from the Brazilian swamplands. Journal of Helminthology, vol. 78, pp. 259-264.
- Pinto, RM, Brener, B, Menezes, RC & Tortelly, R. 2008. Two cestode species in Brazilian turkeys, *Meleagris gallopavo* (Galliformes, Phasianidae): pathology induced by *Hymenolepis cantaniana* and occurrence of *Raillietina tetragona*. Parasitología Latinoamericana, vol. 63, pp. 81-84.
- Pinto, RM & Gomes, DC. 1976. Contribuição ao conhecimento da fauna helminiológica da região Amazônica - Cestódeos. Memórias do Instituto Oswaldo Cruz, vol. 74, pp. 53-64.
- Pinto, RM, Gomes, DC, Menezes, RC, Gomes, CT & Noronha, D. 2004b. Helminths of rabbits (*Lagomorpha, Leporidae*) deposited in the Helminthological Collection of the Oswaldo Cruz Institute. Revista Brasileira de Zoologia, vol. 21, pp. 599-604.
- Pinto, RM, Gomes, DC, Muniz-Pereira, LC & Noronha, D. 2002. Helminths of the guinea pig, *Cavia porcellus* (Linnaeus), in Brazil. Revista Brasileira de Zoologia, vol. 19, pp. 261-269.
- Pinto, RM, Gonçalves, L, Gomes, DC & Noronha, D. 2001. Helminth fauna of the golden hamster *Mesocricetus auratus* in Brazil. Contemporary Topics in Laboratory Animal Science, vol. 40, pp. 21-26.
- Pinto, RM, Knoff, M, Gomes, CT & Noronha, D. 2006a. Helminths of the spotted nothura, *Nothura maculosa* (Temminck, 1815) (Aves, Tinamidae) in South America. Parasitologia Latinoamericana, vol. 61, pp. 152-159.
- Pinto, RM, Knoff, M, Gonçalves, AQ, Sanches, M & Noronha, D. 2009. First report of *Taenia mustelae* (Eucestoda, Taeniidae) parasitizing the bushy-tailed olingo, *Bassaricyon gabbii* (Carnivora, Procyonidae) in South America with an updated checklist of cestodes from other american procyonid hosts. Neotropical Helminthology, vol. 3, pp. 7-14.
- Pinto, RM, Knoff, M, São Clemente, SC, Lanfredi, RM & Gomes, DC. 2006b. The taxonomy of some Poecilacanthoidea (Eucestoda: Trypanorhyncha) from elasmobranchs off the southern coast of Brazil. Journal of Helminthology, vol. 80, pp. 291-298.
- Pinto, RM & Noronha, D. 1972. A contribution to the knowledge of the helminthological fauna of the Municipality of Alfenas, State of Minas Gerais. Memórias do Instituto Oswaldo Cruz, vol. 70, pp. 391-407.
- Pinto, RM, Vicente, JJ, Noronha, D, Gonçalves, L & Gomes, DC. 1994. Helminth parasites of conventionally maintained laboratory mice. Memórias do Instituto Oswaldo Cruz, vol. 89, pp. 33-49.
- Poche, F. 1922. Zur Kenntnis der Amphelinidea. Zoologische Anzeiger, vol. 54, pp. 276-287.
- Porta, D, Gonçalves, DD, Gerônimo, E, Dias, EH, Martins, LA, Ribeiro, LV, Otutumi, LK, Messa, V & Gerbasi, AV. 2014. Parasites in synanthropic rodents in municipality of the northwest region of the State of Paraná, Brazil. African Journal of Microbiology

- Research, vol. 8, pp. 1684-1689.
- Porto, CJS, São Clemente, SC, Freitas, MQ, São Clemente, RRB, Knoff, M & Matos, E. 2009.** *Pterobothrium crassicolle (Eucestoda: Trypanorhyncha) in croaker, Micropogonias furnieri, purchased at Niterói municipality, Rio de Janeiro, Brazil.* Revista Brasileira de Ciências Veterinárias, vol. 16, pp. 133-135.
- Poulin, R & Morand, S. 2004.** Parasite Biodiversity. Smithsonian Books, Washington, DC, 216 pp.
- Prado, MIBM, Santos-Lopes, AR & Silva, RJ. 2011.** *Helminthfauna of magellanic penguin (Spheniscus magellanicus Foster, 1781) proceeding from Ilha Comprida, South Coast, State of São Paulo, Brazil.* Neotropical Helminthology, vol. 5, pp. 50-55.
- Prado, MS, Barreto, ML, Strina, A, Faria, JAS, Nobre, AA & Jesus, SR. 2001.** *Prevalence and intensity of infection by intestinal parasites in school-aged children in Salvador (Bahia State, Brazil).* Revista da Sociedade Brasileira de Medicina Tropical, vol. 34, pp. 99-101.
- Presenti, TC, Gomes, SN, Rui, AM & Müller, G. 2015.** *Helminths in Tadarida brasiliensis (Chiroptera: Molossidae) from Southern Brazil.* Neotropical Helminthology, vol. 9, pp. 13-20.
- Queiroga, FR, Vianna, RT, Vieira, CB, Farias, ND & Silva, PM. 2015.** *Parasites infecting the cultured oyster Crassostrea gasar (Adanson, 1757) in Northeast Brazil.* Parasitology, vol. 142, pp. 756-766.
- Railliet, A & Henry, A. 1909.** *Les Cestodes des oiseaux, par M. le Dr. O. Fuhrmann, de Neuchatel.* Recueil de Medecine Veterinaire, vol. 86, pp. 337-338.
- Ramalho, ACO, Silva, RJ, Schwartz, H & Péres, AK. 2009.** *Helminths from an introduced species (Tupinambis merianae), and two endemic species (Trachylepis atlantica and Amphisbaena ridleyi) from Fernando de Noronha archipelago, Brazil.* The Journal of Parasitology, vol. 95, pp. 1026-1028.
- Ramos, DGS, Scheremeta, RGAC, Oliveira, ACS, Sinkoc, AL & Pacheco, RC. 2013.** *Survey of helminth parasites of cats from the metropolitan area of Cuiabá, Mato Grosso, Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 22, pp. 201-206.
- Ramos, DGS, Zocco, BKA, Torres, MM, Braga, IA, Pacheco, RC & Sinkoc, AL. 2015.** *Helminths parasites of stray dogs (Canis lupus familiaris) from Cuiabá, Midwestern of Brazil.* Semina: Ciências Agrárias (Londrina), vol. 36, pp. 889-893.
- Rêgo, AA. 1960.** *Nova prévia sobre um novo Monoecocestus parasito de preá (Cestoda: Cyclophyllidea).* Atas da Sociedade de Biologia, vol. 4, pp. 67-68.
- Rêgo, AA. 1961.** *Revisão do gênero Monoecocestus Beddard, 1915 (Cestoda, Anoplocephalidae).* Memórias do Instituto Oswaldo Cruz, vol. 59, pp. 325-354.
- Rêgo, AA. 1962.** *Sobre alguns "Vampirolepis" parasitos de quirópteros (Cestoda, Hymenolepididae).* Revista Brasileira de Biologia, vol. 22, pp. 129-136.
- Rêgo, AA. 1963.** *Nova espécie do gênero Mathevotaenia Akhumian, 1946 parasita de quirópteros (Cestoda: Anoplocephalidae).* Revista Brasiliera de Biologia, vol. 23, pp. 31-34.
- Rêgo, AA. 1964.** *"Lentiella machadoi" n.g., n.sp. and "Raillientina (R.) trinitatae" (Cameron and Reesal, 1951), parasites of rodes (Cestoda, Cyclophyllidea).* Revista Brasileira de Biologia, vol. 24, pp. 211-20.
- Rêgo, AA. 1967a.** *Sobre alguns cestódeos parasitos de roedores do Brasil: (Cestoda, Cyclophyllidea).* Memórias do Instituto Oswaldo Cruz, vol. 65, pp. 1-18.
- Rêgo, AA. 1967b.** *Um novo gênero de cestódeo de ave Charadriiformes (Diplopaididae, Dipylidiinae).* Atas da Sociedade de Biologia do Rio de Janeiro, vol. 11, pp. 43-45.
- Rêgo, AA. 1967c.** *Sobre alguns cestódeos parasitos de répteis.* Revista Brasileira de Biologia, vol. 27, pp. 181-187.
- Rêgo, AA. 1968.** *Sobre três cestódeos de aves Charadriiformes.* Memórias do Instituto Oswaldo Cruz, vol. 66, pp. 107-115.
- Rêgo, AA. 1973.** *Contribuição ao conhecimento dos cestóides do Brasil. I. Cestóides de peixes, anfíbios e répteis.* Atas da Sociedade de Biologia do Rio de Janeiro, vol. 16, pp. 97-130.
- Rêgo, AA. 1975.** *Studies on cestodes of fish of Brazil. 2nd note. Revision of the genus Monticellia.* Revista Brasileira de Biologia,

- vol. 35, pp. 567-586.
- Rêgo, AA. 1977. *Cestode parasites of Carcharhinus longimanus*. Revista Brasileira de Biologia, vol. 37, pp. 847-852.
- Rêgo, AA. 1979. *Contribuição ao conhecimento dos helmintos de raias fluviais Paratrygonidae*. Revista Brasileira de Biologia, vol. 39, pp. 879-890.
- Rêgo, AA. 1984a. *Proteocefalídeos (Cestoda) de Phractocephalus hemiolopterus, peixe da Amazônia*. Memórias do Instituto Oswaldo Cruz, vol. 79, pp. 257-261.
- Rêgo, AA. 1984b. *Proteocephalidea from Amazonian freshwater fishes: New arrangement for the species described by Wooldland as Anthobothrium (Tetraphyllidea)*. Acta Amazônica, vol. 14, pp. 86-94.
- Rêgo, AA. 1987a. *Cestóides proteocefalídeos do Brasil. Reorganização taxonômica*. Revista Brasileira de Biologia, vol. 47, pp. 203-212.
- Rêgo, AA. 1987b. *Redescrição de Pterobothrium crassicolle Diesing, 1850 (Cestoda: Trypanorhyncha) e revalidação da espécie*. Memórias do Instituto Oswaldo Cruz, vol. 82, pp. 51-53.
- Rêgo, AA. 1989. *Cestóides Proteocefalídeos de "cachara", Pseudoplatystoma fasciatum (L.) (Pisces: Pimelodidae) de Mato Grosso*. Memórias do Instituto Oswaldo Cruz, vol. 84, pp. 455-461.
- Rêgo, AA. 1990. *Cestóides proteocefalídeos parasitas de pintado, Pseudoplatystoma corruscans (Agassiz) (Pisces, Pimelodidae)*. Ciência e Cultura (São Paulo), vol. 42, pp. 997-1002.
- Rêgo, AA. 1991. *Redescription of Nomimoscolex piraeuba Woodland, 1934 (Cestoda, Proteocephalidea), from the Amazon catfishes, Brachyplatystoma spp. with proposal of synonyms and invalidation of Endochiinae and Endorchis*. Memórias do Instituto Oswaldo Cruz, vol. 86, pp. 229-232.
- Rêgo, AA. 1992. *Redescription of Gibsoniella mandube (Woodland, 1935) (Cestoda: Proteocephalidea), a parasite of Ageneiosus brevifilis (Pisces: Siluriformes), and reappraisal of the classification of the Proteocephalideans*. Memórias do Instituto Oswaldo Cruz, vol. 87, pp. 417-422.
- Rêgo, AA. 1997. *Senga sp., occurrence of a Pseudophyllid cestode in a Brazilian freshwater fish*. Memórias do Instituto Oswaldo Cruz, vol. 92, pp. 607.
- Rêgo, AA, Chubb, JC & Pavanelli, GC. 1999. *Cestodes in South American freshwater teleost fishes: Keys to genera and brief description of species*. Revista Brasileira de Zoologia, vol. 16, pp. 299-367.
- Rêgo, AA & de Chambrier, A. 1995. *Crepidobothrium eirasi n. sp. (Cestoda: Proteocephalidae), parasite of the siluroid fish Phractocephalus hemiolopterus Schneider, 1801 (Pisces: Pimelodidae) from the Brazilian Amazon*. Revue Suisse de Zoologie, vol. 101, pp. 3-11.
- Rêgo, AA & de Chambrier, A. 2000. *Redescription of Tejidotaenia appendiculata (Baylis, 1947) (Cestoda: Proteocephalidea), a parasite of Tupinambis teguixin (Sauria: Teiidae) from South America*. Memórias do Instituto Oswaldo Cruz, vol. 95, pp. 161-165.
- Rêgo, AA & Dias, APL. 1976. *Estudos de cestóides de peixes do Brasil 3ª Nota: Cestóides de raias fluviais Paratrygonidae*. Revista Brasileira de Biologia, vol. 36, pp. 941-956.
- Rêgo, AA & Gibson, DI. 1989. *Hyperparasitism by helminths: new records of cestodes and nematodes in proteocephalid cestodes from South American siluriform fishes*. Memórias do Instituto Oswaldo Cruz, vol. 84, pp. 371-376.
- Rêgo, AA & Ivanov, V. 2001. *Pseudocrepidobothrium eirasi (Rêgo and de Chambrier, 1995) gen. n. and comb. nov. (Cestoda, Proteocephalidea), parasite of a South American freshwater fish, and comparative cladistic analysis with Crepidobothrium spp.* Acta Scientiarum-Biological Sciences, vol. 23, pp. 363-367.
- Rêgo, AA, Machado, PM & Pavanelli, GC. 1999b. *Sciadocephalus megalodiscus Diesing, 1850 (Cestoda: Corallobothriinae), a parasite of Cichla monoculus Spix, 1831 (Cichlidae), in the Paraná River, State of Paraná, Brazil*. Journal of the Helminthological Society of Washington, vol. 66, pp. 133-137.
- Rêgo, AA & Mayer, MT. 1976. *The occurrence of two tetraphyllidean species in a shark from the Brazilian coast and notes on the genera*

- Cylindrophorus, Platybothrium and Phoreiobothrium (*Cestoda, Tetraphyllidea*). Revista Brasileira de Biologia, vol. 36, pp. 321-328.
- Rêgo, AA & Pavanelli, GC. 1985. Jauella glandicephalus gen. n. sp. e Megathylacus brooksi sp. n, cestoides patogênicos para o jaú, Paulicea luetkeni, peixe pimelodídeo. Revista Brasileira de Biologia, vol. 45, pp. 643-652.
- Rêgo, AA & Pavanelli, GC. 1987. Cestóides proteocefalídeos do jaú, Paulicea luetkeni, peixe pimelodídeo do Brasil. Revista Brasileira de Biologia, vol. 47, pp. 357-361.
- Rêgo, AA & Pavanelli, GC. 1990. New species of proteocephalids cestodes in non siluriform fishes. Revista Brasileira de Biologia, vol. 50, pp. 91-101.
- Rêgo, AA & Pavanelli, GC. 1991. Proteocephalus gibsoni nom. novo for Proteocephalus ocellatus Rego and Pavanelli, 1990 preoccupied by Proteocephalus ocellatus (Rudolphi, 1802). Revista Brasileira de Biologia, vol. 51, pp. 701.
- Rêgo, AA & Pavanelli, GC. 1992. Redescription of Nomimoscolex admonticellia (Woodland), comb. n. (*Cestoda: Proteocephalidea*) parasite of Pinirampus pirinampu (Spix), a fresh water siluriform fish. Revista Brasileira de Biologia, vol. 9, pp. 283-289.
- Rêgo, AA & Rodrigues, HO. 1965. Sobre duas Oochoristica parasitas de lacertílios (*Cestoda, Cyclophyllidea*). Revista Brasileira de Biologia, vol. 25, pp. 59-65.
- Rêgo, AA & Santos, CP. 1983. Helmintofauna de cavalas, *Scomber japonicus* Houtt, do Rio de Janeiro. Memórias do Instituto Oswaldo Cruz, vol. 78, pp. 443-448.
- Rêgo, AA, Santos, J & Silva, PP. 1974. Estudo de cestoides de peixes do Brasil. Memórias do Instituto Oswaldo Cruz, vol. 72, pp. 187-204.
- Rêgo, AA & Schäffer, GV. 1992. *Sparganum* in some Brazilian vertebrates. Problems in the identification of species of Luheela (Spirometra). Memórias do Instituto Oswaldo Cruz, vol. 87, pp. 213-216.
- Reis, J, Reis, AS & Nóbrega, P. 1934. Molestias de aves observadas em São Paulo. Arquivo do Instituto de Biologia, São Paulo, vol. 5, pp. 41.
- Reposi-Junior, PF, Barcellos, MP, Trivilin, LO, Martins, IVF & Silva, PCAR. 2006. Prevalência e controle das parasitoses gastrintestinais em bezerros de propriedades leiteiras no município de Alegre, Espírito Santo. Revista Brasileira de Parasitologia Veterinária, vol. 15, pp. 147-150.
- Rey, L. 1958. As teníases. Epidemiologia. Revista Roche, Rio de Janeiro, vol. 18, pp. 68-74.
- Reyda, FB & Marques, FPL. 2011. Diversification and species boundaries of Rhinebothrium (*Cestoda; Rhinebothriidea*) in South American freshwater stingrays (Batoidea; Potamotrygonidae). Plos One, vol. 6, e 22604.
- Rezende, CHA, Costa-Cruz, JM & Gennari-Cardoso, ML. 1997. Enteroparasitoses in food handlers in state schools in Uberlândia (Minas Gerais), Brazil. Revista Panamericana de Salud Pública, vol. 2, pp. 392-397.
- Rezende, GC, Baldassin, P, Gallo, H & Silva, RJ. 2013. Ecological aspects of helminth fauna of Magellanic penguins, *Spheniscus magellanicus* (Aves: Spheniscidae), from the Northern Coast of the State of São Paulo, Brazil. Brazilian Journal of Biology, vol. 73, pp. 61-66.
- Ribeiro, LF, Ströher, PR, Firkowski, CR, Cini, FA, Bornschein, MR & Pie, MR. 2014a. *Brachycephalus pernix* (Anura: Brachycephalidae), a new host of Ophiotenia (Euctestoidea: Proteocephalidea). Herpetology Notes, vol. 7, pp. 291-294.
- Ribeiro, PA. 1949. Incidência das causas de rejeição dos bovinos abatidos no Brasil Central. Prejuízos causados pelas mesmas nos anos de 1946/7. Revista da Faculdade de Medicina Veterinária de São Paulo, vol. 4, pp. 167-183.
- Ribeiro, PA. 1951. Causas de rejeição dos suínos abatidos no Brasil Central nos anos de 1936/49. Revista da Faculdade de Medicina Veterinária de São Paulo, 4, pp. 421-468.
- Ribeiro, RS, Luque, JL & Alves, DR. 2002. Aspectos quantitativos dos parasitos da Maria-Luiza, *Paralonchurus brasiliensis* (Osteichthyes: Sciaenidae), do litoral do estado do Rio de Janeiro, Brasil. Revista da Universidade Rural, Série Ciências da Vida, vol. 22, pp. 151-154.

- Ribeiro, TS, Lizama, MAP & Takemoto, RM. 2014b. *Metazoan endoparasites diversity of Pseudoplatystoma corruscans (Siluriformes: Pimelodidae) as an indicator of environmental alterations on a tropical aquatic system.* Acta Parasitologica, vol. 59, pp. 398-404.
- Ribeiro, TS & Takemoto, RM. 2014. *Resposta inflamatória do pintado à infecção por Nomimoscolex pertierae (Eucestoda: Proteocephalidea).* Boletim do Instituto de Pesca, vol. 40, pp. 111-120.
- Rietschel, PE. 1934. *Ueber eine neue Hymenolepis aus einem Kolibri. Zugleich ein Beitrag zum Rechts-Links-Problem bei den Cestoden.* Zoologischer Anzeiger, vol. 105, pp. 113-123.
- Rissi, DR, Rech, RR, Pierezan, F, Gabriel, AL, Trost, ME & Barros, CSL. 2008. *Coenurosis of sheep in southern Brazil: 16 cases.* Ciência Rural, vol. 38, pp. 1044-1049.
- Rocha, CA, Rocha Jr. CAM, da Silva, IHF, Alcântara, ME, Drago Bisneto, MQ & Baker, PKB. 2016. *Ecological aspects of helminth fauna of Brachyplatystoma rousseauxii (Siluriformes: Pimelodidae) from Bay of Marajó, Para State, Brazil.* Veterinária e Zootecnia, vol. 23, pp. 243-250.
- Rodrigues, HO, Rodrigues, SS & Faria, Z. 1990. *Contribution to the knowledge of the helminthological fauna of vertebrates of Maricá, Rio de Janeiro State, Brazil.* Memórias do Instituto Oswaldo Cruz, vol. 85, pp. 115-116.
- Rodrigues, SS & Rodrigues, HO. 1981. *Contribution to the knowledge of helminth fauna of the white anu (Guira guira) (GM).* Atas da Sociedade de Biologia do Rio de Janeiro, vol. 22, pp. 39-56.
- Rodrigues-Silva, R, Peixoto, JRV, Oliveira, RMF, Pinto, RM & Gomes, DC. 2002. *A autochthonous case of Echinococcus vogeli Rausch & Bernstein, 1972 polycistic Echinococcosis in the state of Rondônia, Brazil.* Memórias do Instituto Oswaldo Cruz, vol. 97, pp. 123-126.
- Rolas, FJT. 1976. *Contribution to the knowledge of some species of Raillietina Fuhrmann, 1920 (Cestoda- Davaineidae) from Columbine birds.* Memórias do Instituto Oswaldo Cruz, vol. 74, pp. 65-70.
- Rosas, FCW, Monteiro-Filho, ELA, Marigo, J, Santos, RA, Andrade, ALV, Rautenberg, M, Oliveira, MR & Bordignon, MO. 2002. *The striped dolphin, Stenella coeruleoalba (Cetacea: Delphinidae), on the coast of São Paulo State, southeastern Brazil.* Aquatic Mammals, vol. 28, pp. 60-66.
- Ruas, JL, Muller, G., Farias, NAR, Gallina, T, Lucas, AS, Pappen, FG, Sinkoc, AL & Brum, JGW. 2008. *Helminths of pampas fox Pseudalopex gymnocercus (Fischer, 1814) and of crab-eating fox Cerdocyon thous (Linnaeus, 1766) in the south of the State of Rio Grande do Sul, Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 17, pp. 87-92.
- Rudin, E. 1917. *Die Ichthyotaenien der Reptilien.* Revue Suisse de Zoologie, vol. 25, pp. 179-381.
- Rudolphi, CA. 1819. *Entozoorum synopsis cui accedunt mantissa duplex et indi celoscupletissimi, 811pp.* Berolini.
- Ruedi, V & de Chambrier, A. 2012. *Pseudocrepidobothrium ludovici sp n. (Eucestoda: Proteocephalidea), a parasite of Phractocephalus hemiolopterus (Pisces: Pimelodidae) from Brazilian Amazon.* Revue Suisse de Zoologie, vol. 19, pp. 137-147.
- Sabas, CSS & Luque, JL. 2003. *Metazoan parasites of weakfish, Cynoscion guatucupa and Macrodon ancylodon (Osteichthyes: Sciaenidae), from the coastal zone of the State of Rio de Janeiro, Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 12, pp. 171-178.
- Sabry, RC & Magalhães, ARM. 2005. *Parasites in cultured oysters (Crassostrea rhizophorae and Crassostrea gigas) from Ponta do Sambaqui, Florianópolis, SC.* Arquivo Brasileiro de Medicina Veterinária e Zootecnia, vol. 57, pp. 194-203.
- Sampaio, JLM, Andrade, VP, Lucas, MC, Fung, L, Gagliardi, SMB, Santos, SRP, Mendes, CMF, Eduardo, MBP & Dick, T. 2005. *Diphyllibothriasis, Brazil.* Emerging Infectious Diseases, vol. 11, pp. 1598-1600.
- Sanches, M, Knoff, M, Gomes, DC & Brener, B. 2016. *Checklist of Platyhelminth parasites of humans deposited in helminthological collection of the Oswaldo Cruz Institute, Brazil.* Neotropical Helminthology, vol. 10,

- pp. 73-84.
- Sangioni, LA, Vogel, FSF, Vargas, AR, Camillo, G, Araújo, L, Montemezzo, E & Cezar, AS. 2009. Epidemiologia da infecção por anoplocefalídeos em eqüinos do Jockey Club de Santa Maria-RS.** Semina: Ciências Agrárias, vol. 30, pp. 163-170.
- Santiago, MAM, Benevenga, SF & Costa, UC. 1976. Epidemiologia e controle da helmintose ovina no município de Itaqui, Rio Grande do Sul.** Pesquisa Agropecuária Brasileira, Serie Veterinária, vol. 11, pp. 1-7.
- Santos, CAML & Zogbi, EPV. 1971. Infestation of fish in Brazil with *Tetrahyynchus fragilis* larvae.** In: Kreuzer R (Ed.) Fish Inspection and Quality Control. Fishing News (Books) Ltd. London, pp. 262-264.
- Santos, CP & Gibson, DI. 2015. Checklist of the Helminth Parasites of South American Bats.** Zootaxa, vol. 3937, pp. 471-499.
- Santos, FLN & Faro, LB. 2005. The first confirmed case of *Diphyllobothrium latum* in Brazil.** Memórias do Instituto Oswaldo Cruz, vol. 100, pp. 585-586.
- Santos, JC. 1968. Redescrição de *Mathevotaenia bivittata* (Janicki, 1904) parasito de marsupial (Cestoda, Linstowiinae).** Atas da Sociedade de Biologia do Rio de Janeiro, vol. 11, pp. 193-194.
- Santos, JC & Rolas, FJT. 1973. Sobre alguns cestódes de *Bothrops* e de *Liophis miliaris*.** Atas da Sociedade de Biologia do Rio de Janeiro, vol. 17, pp. 35-40.
- Santos, JLC, Magalhães, NB, Santos, HA, Ribeiro, RR & Guimarães, MP. 2012. Parasites of domestic and wild canids in the region of Serra do Cipó National Park, Brazil.** Revista Brasileira de Parasitologia Veterinária, vol. 21, pp. 270-277.
- Santos, KR, Catenacci, LS, Pestelli, MM, Takahira, RK & Silva, RJ. 2004. First report of *Diphyllobothrium mansoni* (Cestoda, Diphyllobothriidae) infecting *Cerdocyon*.** Arquivo Brasileiro de Medicina Veterinária e Zootecnia, vol. 56, pp. 796-798.
- Santos, MD & Brasil-Sato, MC. 2004. Metazoan parasites from *Franciscodoras marmoratus* (Reinhardt, 1874), "Serrudo" (Siluriformes: Doradidae) of the São Francisco river, Brazil.** Revista Brasileira de Parasitologia Veterinária, vol. 13, pp. 18-22.
- Santos, MD & Brasil-Sato, MC. 2006. Parasitic community of *Franciscodoras marmoratus* (Reinhardt, 1874) (Pisces: Siluriformes, Doradidae) from the upper São Francisco River, Brazil.** Brazilian Journal of Biology, vol. 66, pp. 931-938.
- Santos, MD, Lemos-Pita, SRLC & Brasil-Sato, MC. 2007. Metazoan parasite fauna of *Pimelodus maculatus* Lacépède, 1803 (Siluriformes, Pimelodidae) from the Guandu river, Rio de Janeiro State, Brazil.** Acta Scientiarum-Biological Sciences, vol. 29, pp. 101-107.
- Santos, MG, Moreira, MM, Malaquias, MLG & Schall, VT. 1993. Educação em saúde em escolas públicas de 1º grau da periferia de Belo Horizonte, MG, Brasil. II - conhecimentos, opiniões e prevalência da helmintíases entre alunos e professores.** Revista do Instituto de Medicina Tropical de São Paulo, vol. 35, pp. 573-579.
- Santos, RB & Tavares-Dias, M. 2010. Blood cells and hematological response of *Oxydoras niger* (Pisces, Doradidae) collected from the basin of the middle Solimões River, Amazonas State (Brazil), naturally parasitized.** Boletim do Instituto de Pesca, vol. 36, pp. 283-292.
- Santos, RS, Roumbedakis, K, Marengoni, NG, Takahashi, HK, Pimenta, FDA, Melo, CMR & Martins, ML. 2011. Proteocephalid cestode infection in tucunaré *Cichla* sp. (Osteichthyes: Cichlidae) from Paraná River, São Paulo.** Arquivo Brasileiro de Medicina Veterinária e Zootecnia, vol. 63, pp. 584-590.
- Santos, SM, Fenerich, FL & Amaral, V. 1972. Sobre a ocorrência de *Hymenolepis diminuta* (Rudolphi, 1819) (Cestoda: Hymenolepididae) na espécie canina.** Biológico, São Paulo, vol. 38, pp. 151-152.
- Santos, SMC, Ceccarelli, PS & Régo RF. 2003. Helmintos em peixes do Pantanal sul-mato-grossense: primeira expedição do Programa Pantanal.** Boletim Técnico do CEPTA, vol. 16, pp. 15-26.
- Santos, VGT & Amato, SB. 2010. Helminth fauna of *Rhinella fernandezae* (Anura: Bufonidae) from the Rio Grande do Sul coastland, Brazil: analysis of the parasite community.** The Journal of Parasitology, vol. 96, pp. 823-826.
- Santos-Clapp, MD & Brasil-Sato, MC. 2014.**

- Parasite community of Cichla kelberi (Perciformes, Cichlidae) in the Três Marias Reservoir, Minas Gerais, Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 23, pp. 367-374.
- São Clemente, SC. 1986. *Plerocercos da ordem Trypanorhyncha, parasitos de corvina Micropogonias furnieri (Desmarest, 1823) no litoral do estado do Rio de Janeiro.* Atas da Sociedade de Biologia do Rio de Janeiro, vol. 26, pp. 29-36.
- São Clemente, SC. 1987. *Plerocercoids of the Order Trypanorhyncha in croakers Micropogonias furnieri and their importance in fish inspection.* Arquivos Fluminenses de Medicina Veterinária, vol. 2, pp. 82-83.
- São Clemente, SC, Coelho, MRT & Serra Freire, NM. 1991. *Cestóides parasitos de bagre Netuma barba (Lacépède, 1803) pescados no litoral do Rio de Janeiro e comercializados para consumo humano.* Arquivo da Universidade Federal Rural do Rio de Janeiro, vol. 14, pp. 27-34.
- São Clemente, SC & Gomes, DC. 1989a. *Dasyrhynchus pacificus Robinson, 1965 (Trypanorhyncha: Dasyrhynchidae). Description of the adult form.* Memórias do Instituto Oswaldo Cruz, vol. 84, pp. 113-116.
- São Clemente, SC & Gomes, DC. 1989b. *Trypanorhyncha from sharks of southern Brazilian coast: Eutetrahynchus vooremi sp. n. and two other species parasites of Mustelus (Pisces, Triakidae).* Memórias do Instituto Oswaldo Cruz, vol. 84, pp. 475-481.
- São Clemente, SC & Gomes, DC. 1992. *Description of the adult form of Nybelinia (Syngenes) rougetcampanae Dollfus, 1960 and some new data on N. (N.) bisulcata (Linton, 1889) (Trypanorhyncha: Tentaculariidae).* Memórias do Instituto Oswaldo Cruz, vol. 8, pp. 251-255.
- São Clemente, SC, Knoff, M, Lima, FC, Andrade, CG, Felizardo, NN, Padovani, RES & Gomes, DC. 2007. *Trypanorhyncha cestodes parasitic in black fingoose fish, Lophius gastrophysus Miranda-Ribeiro, 1915 purchased in the State of Rio de Janeiro, Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 16, pp. 37-42.
- São Clemente, SC, Knoff, M, Padovani, RES, Lima, FC & Gomes, DC. 2004. *Trypanorhynch cestodes parasitic in pink cusk-eel, Genypterus brasiliensis Regan, 1903 purchased in Niterói and Rio de Janeiro, Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 13, pp. 97-102.
- São Clemente, SC, Lima, FC & Uchoa, CMA. 1995. *Parasites of Balistes vetula (L.) and their importance in fish inspection.* Revista Brasileira de Ciência Veterinária, vol. 2, pp. 39-41.
- São Clemente, SC, Pereira, Jr.J, Knoff, M, Silva, CM, Fernande, JG & Cousin, JC. 2001. *Hepatoxylon trichiuri (Holten, 1802) Dollfus, 1942, Hepatoxylidae Dollfus, 1940 (Eucestoda: Trypanorhyncha) em Prionace glauca (Linnaeus, 1758), do litoral do estado do Rio Grande do Sul e em Coryphaena hippurus Linnaeus, 1758, do litoral do estado do Rio de Janeiro, Brasil.* Parasitología al Día, vol. 25, pp. 135-137.
- São Clemente, SC, Silva, CM & Gottschalk, S. 1997. *Prevalence and intensity of infection of trypanorhynch cestodes in bluefish, Pomatomus saltatrix (L.), from the coast of Rio de Janeiro, Brazil.* Parasitología al Día, vol. 21, pp. 54-57.
- Sartori, AF & Rosenberg, G. 2014. *Crassostrea gasar (Deshayes, 1830).* In: MolluscaBase (2016), accessed in September 2016, <<http://molluscabase.org/aphia.php?p=taxdetails&id=532678>>
- Scaini, CJ, Teixeira, MF, Traversi, MC, Rheingantz, MGT & Signorini, VM. 2003. *Helmintos de ratos wistar de diferentes faixas etárias criados em biotério convencional.* Arquivo do Instituto de Biologia, vol. 70, pp. 265-268.
- Schmidt, GD. 1986. *Handbook of tapeworm identification.* Florida: CRC Press.
- Scholz, T, de Chambrier, A & Kuchta, R. 2008. *Redescription of the tapeworm Monticellia amazonica de Chambrier et Vaucher, 1997 (Cestoda, Proteocephalidea), a parasite of Calophysus macropterus (Siluriformes, Pimelodidae) from the Amazon River.* Acta Parasitologica, vol. 53, pp. 30-35.
- Sianto, L, Souza, MV, Chame, M, Luz, MF, Guidon, N, Pessis, AM & Araújo, A. 2014. *Helminths in feline coprolites up to 9000*

- years in the Brazilian Northeast.* Parasitology International, vol. 63, pp. 851-857.
- Silva, AMO, Tavares-Dias, M, Jeronimo, GT & Martins, ML. 2011a. *Parasite diversity in Oxydoras niger (Osteichthyes: Doradidae) from the basin of Solimões River, Amazonas state, Brazil, and the relationship between monogenoidean and condition factor.* Brazilian Journal of Biology, vol. 71, pp. 791-796.
- Silva, AVM, Arruda, FCS, Costa, GA & Santos, HA. 2011b. *Human bertielliosis: second report in Minas Gerais, Brazil.* Revista de Patologia Tropical, vol. 40, pp. 185-189.
- Silva, CC, Mattos Júnior, DG & Ramires, PM. 1990. *Helminth parasites of Columba livia in São Gonçalo, Rio de Janeiro.* Arquivo Brasileiro de Medicina Veterinária e Zootecnia, vol. 42, pp. 391-394.
- Silva, CM & São Clemente, SC. 2001. *Nematóides da família Anisakidae e cestóides da ordem Trypanorhyncha em filés de dourado (Coryphaena hippurus) e ariocó (Lutjanus synagris) e sua importância na inspeção de pescado.* Higiene Alimentar, vol. 15, pp. 75-79.
- Silva, FS, Paulo, ADC, Braga, CMM, Almeida, RJ & Galvão, VP. 2010. *Frequência de parasitos intestinais no município de Chapadinha, Maranhão, Brasil.* Revista de Patologia Tropical, vol. 39, pp. 63-68.
- Silva, HC, Castagnoli, KC, Silveira, DM, Costa, GHN, Gomes, RA & Nascimento, AA. 2001a. *Fauna helmíntica de cães e gatos provenientes de alguns municípios do Estado de São Paulo.* Semina: Ciências Agrárias, Londrina, vol. 22, pp. 67-71.
- Silva, JB, Corrêa, FN, Meireles, GS, Flausino, W & Fonseca, AH. 2014. *Cross-sectional study of the frequency of helminths and protozoa in buffaloes in the state of Rio de Janeiro, Brazil.* Revista Brasileira de Medicina Veterinária, vol. 36, pp. 239-243.
- Silva Júnior, ACSS. 2010. *Parasitismo por cestoides da ordem trypanorhyncha na musculatura de Plagioscion squamosissimus – pescada branca (Perciforme: Sciaenidae), comercializados em Macapá, AP.* Ciência Animal Brasileira, vol. 11, pp. 737-742.
- Silva, LO, Luque, JL & Alves, DR. 2000a. *Metazoan parasites of the Atlantic cutlassfish, Trichiurus lepturus (Osteichthyes: Trichiuridae) from the coastal zone of Rio de Janeiro State, Brazil.* Parasitología al Día, vol. 24, pp. 97-101.
- Silva, LO, Luque, JL, Alves, DR & Paraguassú, AR. 2000b. *Ecologia da comunidade dos metazoários parasitos do peixe espada, Trichiurus lepturus Linnaeus (Osteichthyes: Trichiuridae) do litoral do Rio de Janeiro, Brazil.* Revista Brasileira de Zoociências, vol. 2, pp. 115-133.
- Silva, MEM, Júnior, DGM, Tortelly, R & Menezes, RC. 2005. *Lesões causadas por alguns helmintos em galinhas-d'angola (Numida meleagris, L.) procedentes do estado do Rio de Janeiro.* Revista Brasileira de Ciências Veterinárias, vol. 12, pp. 118-123.
- Silva, RJ, Karasawa, ASM, Cherubini, AL, Barrella, TH, Lopes, CAM & Amarante, AFT. 2001b. *The occurrence of Crepidobothrium sp. (Cestoda, Proteocephalidae) in Bothrops moojeni (Hoge) (Serpentes, Viperidae).* Revista Brasileira de Zoologia, vol. 18, pp. 375-379.
- Silva, RJ, Portela, RC & Santos, FJM. 2006. *Corallus caninus (Serpentes, Boidae): a new host for Ophiotaenia sp. (Cestoda, Proteocephalidae).* Arquivo Brasileiro de Medicina Veterinária e Zootecnia, vol. 58, pp. 961-963.
- Silva-Santos, IC, Lima Correa, B, Scaini, CJ & Carniel, RL. 1994. *Bovine helminths in Lajeado Grande district, São Francisco de Paula - RS.* Lavoura Arrozeira, vol. 47, pp. 6-18.
- Silveira, EF & Amato, SB. 2008. *Diplopisthe laevis (Bloch) Jacobi (Eucestoda, Hymenolepididae) from Netta poposaca (Vieillot) (Aves: Anatidae): first record for the Neotropical region and a new host.* Revista Brasileira de Zoologia, vol. 25, pp. 83-88.
- Silveira, EF & Amato, SB. 2010. *Microsomacanthus hopkinsi (Eucestoda, Hymenolepididae) in Netta peposaca (Aves, Anatidae).* Neotropical Helminthology, vol. 4, pp. 105-111.
- Silveira Neto, OJ, Oliveira, RR, Pereira, FO, Basile, ALC & Taveira, RZ. 2011. *Ocorrência e localização de cisticercos em bovinos abatidos e submetidos a Inspeção*

- Federal no Estado de Goiás, Brasil. PUBVET, vol. 5, unpaginated.
- Simões, RO, Gentile, R, Rademaker, V, D'Andrea, P, Herrera, H, Freitas, T, Lanfredi, R & Maldonado Jr, A.** 2010. *Variation in the helminth community structure of Thrichomys pachyurus (Rodentia: Echimyidae) in two sub-regions of the Brazilian Pantanal: the effects of land use and seasonality.* Journal of Helminthology, vol. 84, pp. 266-75.
- Simões, RO, Maldonado Jr., A & Luque, JL.** 2012. *Helminth communities in three sympatric rodents from the Brazilian Atlantic Forest: contrasting biomass and numerical abundance.* Brazilian Journal of Biology, vol. 72, pp. 909-914.
- Sinkoc, AL, Brum, JGW & Muller, G.** 2009. Gastrintestinal helminths of capybara (*Hydrochoerus hydrochaeris*, Linnaeus, 1766) in cattle breeding farm in the area of the Ecological Reserve of Taim, Rio Grande. *Brazilian Archives of Biology and Technology*, vol. 52, pp. 327-333.
- Sinkoc, AL, Brum, FA, Muller, G & Brum, JGW.** 2004. *Helminhos parasitos de capivara (Hydrochoerus hydrochaeris L. 1766) na região de Araçatuba, São Paulo, Brasil.* Arquivo do Instituto Biológico, vol. 71, pp. 329-333.
- Sinkoc, AL, Muller, G & Brum, JGW.** 1998. *Monocercostes jacobi sp. n. (Cestoda: Anoplocephalidae) parasite of capybara Hydrochoerus hydrochaeris Linnaeus, 1766 (Rodentia: Hydrochoeridae) from the region of "Banhado do Taim", State of Rio Grande do Sul, Brazil.* Arquivos do Instituto Biológico (São Paulo), vol. 65, pp. 107-110.
- Soares, LB, Miquelotti, DR, Grisi, L & Serra-Freire, NM.** 2012. *Cysticercus tenuicolis pointers of parasitism in small ruminants from central hinterland of the state of Ceará, Brazil.* Revista Brasileira de Medicina Veterinária, vol. 34, pp. 106-110.
- Soares, MCP, Moreira-Silva, CA, Alves, MM, Nunes, HM, Amaral, IA, Móia, LJMP, Conde, SRSS, Almeida, FB, Rodrigues-Silva, R & Crescente, JAB.** 2004. *Equinococose policística na Amazônia oriental brasileira: atualização da casuística.* Revista da Sociedade Brasileira de Medicina Tropical, vol. 37, pp. 75-83.
- Soares, MCP, Rodrigues, ALS, Silva, CAM, Brito, EMF, Gomes-Gouvêa, MS, Correa, IRS, Pinho, JRR, Malheiros, AZ, Nunes, HM & Póvoa, MM.** 2013. *Anatomo-clinical and molecular description of liver neotropical echinococcosis caused by Echinococcus oligararthrus in human host.* Acta Tropica, vol. 125, pp. 110-114.
- Soares, MCP, Souza, AJS, Malheiros, AP, Nunes, HM, Carneiro, LA, Alves, MM, Conceição, BF, Gomes-Gouvêa, MS & Póvoa, MM.** 2014. *Neotropical echinococcosis: Second report of Echinococcus vogeli natural infection in its main definitive host, the bush dog (Speothos venaticus).* Parasitology International, vol. 63, pp. 485-487.
- Sousa, JGG, Brito, SV, Ávila, RW, Teles, DA, Araujo-Filho, JA, Teixeira, AAM, Anjos, LA & Almeida, WO.** 2014. *Helminths and Pentastomida of two synanthropic gecko lizards, Hemidactylus mabouia and Phyllopezus pollicaris, in an urban area in Northeastern Brazil.* Brazilian Journal of Biology, vol. 74, pp. 943-948.
- Souza Júnior, JC, Goulart, JAG, Varnier, S, Denegri, G, Filho, HHS, Hirano, ZMB & Avila-Pires, FD.** 2008b. *Bertielliosis in Brazilian non-human primates: natural infection in Alouatta guariba clamitans (Cabrera, 1940) (Primates: Atelidae) in Santa Catarina state, Brazil.* Revista de Patologia Tropical, vol. 37, pp. 48-56.
- Souza, GTR, Ribeiro, TS, Antonucci, AM, Ueda, BH, Carniel, MK, Karling, LC, Eiras, JC, Takemoto, RM & Pavanelli, GC.** 2015. *Endoparasite fauna of wild capybaras (Hydrochoerus hydrochaeris) (Linnaeus, 1766) from the Upper Paraná River Floodplain, Brazil.* Aquatic Mammals, vol. 41, pp. 213-221.
- Souza, VK, Pessôa-Silva, MC, Minozzo, JC & Thomaz-Soccol, V.** 2007. *The prevalence of bovine cysticercosis in Paraná state, southern Brazil: evaluation of 26 465 cattle inspected according to SIF 1710.* Semina: Ciencias Agrárias, Londrina, vol. 28, pp. 675-684.
- Stiles, CW, Hassall, A & Nolan, O.** 1929. *Key-catalogue of parasites reported for primates (monkeys and lemurs) with their possible public health importance, and key catalogue of primates for which parasites are reported.*

- U.S. Treasury Department, Public Health Service, Hygienic Laboratory Bulletin, vol. 152, pp. 409-601.
- Stumpf, IVK.** 1981. *Aspectos biológicos da Cylindrotaenia americana Jewell, 1916 (Cyclophyllidea: Nematotaeniidae) em Bufo ictericus Spix, 1824.* Acta Biológica Paranaense, vol. 10/11, pp. 41-52.
- Takemoto, RM, Amato, JFR & Luque, JL.** 1996a. *Comparative analysis of the metazoan parasite communities of leatherjackets, Oligoplites palometa, O. saurus and O. saliens (Osteichthyes: Carangidae) from Sepetiba Bay, Rio de Janeiro, Brazil.* Revista Brasileira de Biologia, vol. 56, pp. 639-650.
- Takemoto, RM, Amato, JFR & Luque, JL.** 1996b. *Larvas de Eucestoda parasitas de Oligoplites (Osteichthyes, Carangidae) do litoral do Estado do Rio de Janeiro, Brasil.* Revista Unimar, vol. 18, pp. 283-291.
- Takemoto, RM & Pavanelli, GC.** 2000. *Aspects of the ecology of proteocephalid cestodes parasites of Sorubim lima (Pimelodidae) of the upper Paraná River, Brazil: I. structure and influence of host's size and sex.* Revista Brasileira de Biologia, vol. 60, pp. 577-584.
- Takemoto, RM, Pavanelli, GC, Lizama, MAP, Lacerda, ACF, Yamada, FH, Moreira, LHA, Ceschinini, TL & Bellay, S.** 2009. *Diversity of parasites of fish from the Upper Paraná River floodplain, Brazil.* Brazilian Journal of Biology, vol. 69, pp. 691-705.
- Taroda, A, Barros, LD, Zulpo, DL, Cunha, IAL, Paiva, MCDC, Sammi, AS, Santos, JR, Yamamura, MH, Vidotto, O & Garcia, JL.** 2013. *Occurrence of gastrointestinal and renal helminths in Zenaida auriculata (Des Murs, 1847) trap-captured from Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 22, pp. 415-419.
- Tavares, LER, Bicudo, AJA & Luque, JL.** 2004. *Metazoan parasites of needlefish Tylosurus acus (Lacépède, 1803) (Osteichthyes: Belonidae) from the coastal zone of the State of Rio de Janeiro, Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 13, pp. 36-40.
- Tavares, LER & Luque, JL.** 2008. *Similarity Between Metazoan Parasite Communities of Two Sympatric Brackish Fish Species From Brazil.* The Journal of Parasitology, vol. 94, pp. 985-989.
- Tavares, LER, Luque, JL & Bicudo, AJA.** 2005a. *Community ecology of metazoan parasites of the anchovy Anchoa tricolor (Osteichthyes: Engraulidae) from the coastal zone of the State of Rio de Janeiro, Brazil.* Brazilian Journal of Biology, vol. 65, pp. 533-540.
- Tavares, LER, Luque, JL & Bomfim, TCB.** 2005b. *Human dipylidobothriasis: reports from Rio de Janeiro, Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 14, pp. 85-87.
- Tavares, LER, Luque, JL & Botelho Neto, SL.** 2001. *Ecologia da comunidade de metazoários parasitos do olho-de-cão Priacanthus arenatus (Cuvier, 1829) (Osteichthyes, Priacanthidae) do litoral do estado do Rio de Janeiro, Brasil.* Revista Brasileira de Zoociências, vol. 3, pp. 45-59.
- Teixeira, EN, Gouvêa, JAG, Paraguassú, AA & Dantas, JCBR.** 1977. *Cisticercose em suínos abatidos em Feira de Santana-BA.* Arquivos da Escola de Medicina Veterinária, Salvador, vol. 2, pp. 20-28.
- Teixeira, WFP, Felippelli, G, Cruz, BC, Maciel, WG, Fávero, FC, Gomes, LVC, Buzzulini, C, Prando, L, Bichuette, MA, Lopes ,WDZ, Oliveira, GP & Costa, AJ.** 2014. *Endoparasites of horses from the Formiga city, located in center-west region of the state of Minas Gerais, Brazil.* Brazilian Journal of Veterinary Parasitology, vol. 23, pp. 534-538.
- Timi, JT, Lanfranchi, AL & Luque, JL.** 2009. *Similarity in parasite communities of the teleost fish Pinguipe brasilianus in the southwestern Atlantic: infracommunities as a tool to detect geographical patterns.* International Journal for Parasitology, vol. 40: 243-254.
- Timi, JT, Luque, JL & Sardella, NH.** 2005. *Parasites of Cynoscion guatucupa along South American Atlantic coasts: evidence for stock discrimination.* Journal of Fish Biology 67, pp. 1603-1618.
- Thatcher, VE.** 2006. Amazon fish parasites. Sofia-Moscow: Pensoft. 508 p.
- Travassos, L.** 1926. *Notas helmintológicas.* Boletim de Biologia, vol. 4, pp. 85-86.
- Travassos, L.** 1965. *Contribuição para o inventário crítico da zoologia no Brasil: Fauna helmintológica: considerações preliminares – cestódeos.* Publicações

- Avulsas do Museu Nacional, Rio de Janeiro, vol. 48, pp. 1-84.
- Travassos, L & Freitas, JFT. 1964.** *Pesquisas helminiológicas realizadas em Maicuru, estado do Pará. Belém.* Museu Paraense Emilio Goeldi, 16pp. (Publicações avulsas, 2).
- Travassos, L, Pinto, C & Muniz, J. 1927.** *Excursão científica no Estado do Mato Grosso na zona do Pantanal (Margens do Rio São Lourenço e Cuyabá) realizada em 1922.* Memórias do Instituto Oswaldo Cruz, vol. 20, pp. 249-269.
- Uchôa, CMA, Lobo, AGB, Bastos, OMP & Matos, AD. 2001.** *Intestinal parasitism: prevalence in day-care centers of Niteroi city, Rio de Janeiro - Brazil.* Revista do Instituto Adolfo Lutz, vol. 60, pp. 97-101.
- Uetz, O & Hosek, J. 1995.** *The Reptile Database,* <http://reptile-database.org>, accessed in 2016.
- Ungar, ML & Germano, PML. 1992.** *Prevalência da cisticercose bovina no Estado de São Paulo (Brasil).* Revista de Saúde Pública, vol. 26, pp. 167-172.
- Unti, O. 1939.** *Informes sobre parasitos de cães e ratos da cidade de Curitiba (Est. do Paraná).* Revista de Biologia e Hygiene, vol. 10, pp. 109-111.
- Vasconcelos, AS & Macruz, R. 1973.** *Levantamento parasitológico em equideos.* Atualidades Veterinárias, São Paulo, vol. 9, pp. 48.
- Vasileva, GP, Georgiev, BB & Genov, T. 1999.** *Palaeartic species of the genus Confluaria Ablasov (Cestoda, Hymenolepididae): A redescription and synonymy of C. capillaris (Rudolphi, 1810).* Systematic Parasitology, vol. 43, pp. 49-57.
- Vasileva, GP, Gibson, DI & Bray, RA. 2003.** *Taxonomic revision of Tatria Kowalewski, 1904 (Cestoda: Amabiliidae): redescriptions of T. appendiculata Fuhrmann, 1908 and T. duodecacantha Olsen, 1939, a key and an amended diagnosis of Tatria (sensu stricto).* Systematic Parasitology, vol. 55, pp. 97-113.
- Verster, A. 1969.** *A taxonomic revision of the genus Taenia Linnaeus, 1758 s. str.* Onderstpoort. Journal of Veterinary Research, vol. 36, pp. 3-58.
- Vicente, JJ. 1978.** *Helmintos de Tropidurus (Lacertilia, Iguanidae) da Coleção Helmintológica do Instituto Oswaldo Cruz I. Trematoda, Cestoda, Acanthocephala, Linguatulida.* Atas da Sociedade de Biologia do Rio de Janeiro, vol. 19, pp. 71-78.
- Vicente, JJ, Pinto, RM & Noronha, D. 1983.** *Skrjabinoclava tupacincai Freitas, Vicente & Ibáñez, 1970 in Brazil and some other helminths from Tyrannidae birds.* Memórias do Instituto Oswaldo Cruz, vol. 78, pp. 95-100.
- Vicente, JJ & Santos, E. 1971.** *Contribuição ao conhecimento de Oochoristica fuhrmanni Hughes, 1940.* Atas da Sociedade de Biologia do Rio de Janeiro, vol. 15, pp. 29-31.
- Videira, M, Velasco, M, Matos, P, Almeida, HDF, Costa, ML, São Clemente, SC & Matos, E. 2013.** *Gobioides broussonnetii (Gobiidae): a new host for Pterobothrium crassicolle (Trypanorhyncha) on Marajó Island, northern Brazil.* Revista Brasileira de Parasitologia Veterinária, vol. 22, pp. 398-401.
- Viero, MH. 1984.** *Incidência helmíntica em Gallus gallus domesticus (L.) criados em fundo de quintal na microrregião dos campos de Lages, Santa Catarina.* Acta Biológica Paranaense, vol. 13, pp. 123-135.
- Von Linstow, OFB. 1905.** *Helminthen aus Ceylon und aus asktischen Breiten.* Zeitschrift für Wissenschaftliche Zoologie, vol. 82, pp. 182-193.
- Voser, I & Vaucher, C. 1988.** *Helminthes parasites du Paraguay. XIV Cestodes parasites de Turdidae et description d'Anomotaenia korochirei n.sp.* Revue Suisse de Zoologie, vol. 95, pp. 1137-1161.
- Vrcibradic, D, Rocha, CFD, Bursey, CR & Vicente, JJ. 2002.** *Helminth communities of two sympatric skinks (Mabuya agilis and Mabuya macrorhyncha) from two 'restinga' habitats in southeastern Brazil.* Journal of Helminthology, vol. 76, pp. 355-361.
- Vrcibradic, D, Rocha, CFD, Van Sluys, M & Bursey, CR. 2001.** *Mabuya macrorhyncha (NCN) Endoparasites.* Herpetological Review, vol. 32, pp. 256.
- Wilson, DO & Reeder, DM. 2005.** *Mammal species of the world. A taxonomic and geographical reference (3rd Ed),* John Hopkins University Press, 2, 142 pp

- (Available from John Hopkins University Press, 1-800-537-5487 or (410) 516-6900 or at www.press.jhu.edu. Accessed in 2016.
- Woodland, WNF.** 1933a. *On the anatomy of some fish cestodes described by Diesing from the Amazon.* Quarterly Journal of Microscopical Science, 76, pp. 175-208.
- Woodland, WNF.** 1933b. *On the new cestodes from the Amazon siluroid fish Brachyplatystoma vaillanti Cuv. and Val.* Parasitology, vol. 25, pp. 485-490.
- Woodland, WNF.** 1933c. *On the new subfamily of proteocephalid cestodes - The Othinoscolecinae - from the Amazon siluroid fish Platystomatichthys sturio (Kner).* Parasitology, vol. 25, pp. 491-500.
- Woodland, WNF.** 1934a. *On six new cestodes from Amazon fishes.* Proceedings of the Zoological Society London, vol. 104, pp. 33-46.
- Woodland, WNF.** 1934b. *On the Amphilaphorcidinae, a new family of Proteocephalid cestodes and Myzophorus admonticellia gen. et. sp. n., parasitic in Pinirampus spp. from the Amazon.* Parasitology, vol. 26, pp. 141-149.
- Woodland, WNF.** 1934c. *On some remarkable new cestodes from the Amazon siluroid fish, Brachyplatystoma filamentosum (Lichtenstein).* Parasitology, vol. 26, pp. 268-277.
- Woodland, WNF.** 1935a. *Some more remarkable cestodes from Amazon Siluroid fish.* Parasitology, vol. 27, pp. 207-224.
- Woodland, WNF.** 1935b. *Some new preoteocephalis and a ptycbothriid (Cestoda) from the Amazon.* Proceeding of the Zoological Society of London, 105, pp. 619-623.
- Woodland, WNF.** 1935c. *Additional cestodes form the Amazon silurids pirarara, dorad, and subodim.* Proceedings of the Zoological Society of London, vol. 4, pp. 851-862.
- Yamada, FH & Takemoto, RM.** 2013. *Metazoan parasite fauna of two peacock-bass cichlid fish in Brazil.* Check List, vol. 9, pp. 1371-1377.
- Yamaguti, S.** 1959. *Systema helminthum. Vol. II. The cestodes of vertebrates.* Interscience Publishers, New York, London, 860 pp.
- Zago-Filho, H & Barreto, MP.** 1957. *Estudo sobre a prevalência e intensidade de infestação por helmintos intestinais em cães e gatos.* Revista Brasileira de Malariologia e Doenças Tropicais, vol. 9, pp. 295-299.
- Zehnder, MP & de Chambrier, A.** 2000. *Morphological and molecular analyses of the genera Peltidocotyle Diesing 1850 and Othinoscolex Woodland 1933, and a morphological study of Woodlandiella Freze, 1965 (Eucestoda, Proteocephalidea), parasites of South American siluriform fishes (Pimelodidae).* Systematic Parasitology, vol. 46, pp. 33-43.
- Zehnder, MP, de Chambrier, A, Vaucher, C & Mariaux, J.** 2000. *Nomimoscolex suspectus n. sp. (Eucestoda: Proteocephalidea: Zygobothriinae) with morphological and molecular phylogenetic analyses of the genus.* Systematic Parasitology, vol. 47, pp. 157-172.
- Zeidan, GC, Luz, MSA & Boehs, G.** 2012. *Parasites of economically important bivalves from the southern coast of Bahia State, Brazil. Jaboticabal.* Revista Brasileira de Parasitologia Veterinária, vol. 21, pp. 391-398.
- Zettermann, CD, Nascimento, AA, Tebaldi, JA & Szabó, MJP.** 2005. *Observations on helminth infections of free-living and captive rheas (Rhea americana) in Brazil.* Veterinary Parasitology, vol. 129, pp. 169-172.
- Zschokke, F.** 1904. *Die Darmcestoden der amerikanischen Beuteltiere.* Centralblatt für Bakteriologie, Parasitenkunde und Infektionskrankheiten (Orig., I abt.), vol. 36, pp. 51-62.

Received October 17, 2016.

Accepted February 21, 2017.