#### Check for updates

#### **OPEN ACCESS**

EDITED AND REVIEWED BY Giorgio Sandrini, Fondazione Cirna Onlus, Italy

\*CORRESPONDENCE Alberto Ranavolo ⊠ a.ranavolo@inail.it

RECEIVED 16 January 2024 ACCEPTED 26 January 2024 PUBLISHED 21 February 2024

#### CITATION

Ranavolo A, Ajoudani A, Bonnet V, De Nunzio AM, Draicchio F, Sartori M and Serrao M (2024) Editorial: Job integration/reintegration of people with neuromuscular disorders in the epoch of "industry 4.0". *Front. Neurol.* 15:1371430. doi: 10.3389/fneur.2024.1371430

#### COPYRIGHT

© 2024 Ranavolo, Ajoudani, Bonnet, De Nunzio, Draicchio, Sartori and Serrao. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

## Editorial: Job integration/reintegration of people with neuromuscular disorders in the epoch of "industry 4.0"

## Alberto Ranavolo<sup>1\*</sup>, Arash Ajoudani<sup>2</sup>, Vincent Bonnet<sup>3</sup>, Alessandro Marco De Nunzio<sup>4</sup>, Francesco Draicchio<sup>1</sup>, Massimo Sartori<sup>5</sup> and Mariano Serrao<sup>6</sup>

<sup>1</sup>Department of Occupational and Environmental Medicine, Epidemiology and Hygiene, INAL -National Institute for Insurance Against Accidents at Work, Rome, Italy, <sup>2</sup>HRI2 Laboratory, Italian Institute of Technology (IIT), Genova, Italy, <sup>3</sup>LAAS-CNRS, Université Paul Sabatier, CNRS, Toulouse, France, <sup>4</sup>Research and Development Department, Lunex University, Differdange, Luxembourg, <sup>5</sup>Department of Biomechanical Engineering, University of Twente, Enschede, Netherlands, <sup>6</sup>Department of Medical and Surgical Sciences and Biotechnologies, Sapienza University of Rome, Latina, Italy

#### KEYWORDS

job reintegration, industry 4.0, biomechanic analysis, neurological disorders, return to work

#### Editorial on the Research Topic

Job integration/reintegration of people with neuromuscular disorders in the epoch of "industry 4.0"

## Introduction

Individuals with neuromuscular disorders may have impairment in a number of motor functions, including reaching, grasping, balancing, and locomotion, during the working years (1-3). Rehabilitation, medical and surgical treatments, as well as ergonomic interventions, are all necessary to enable these people reintegrate into the workforce. It has been demonstrated that looking for a suitable job and avoiding premature exit from it improves the overall quality of life of these workers (1, 4-6). This is because these individuals were able to fully benefit from the positive effects of vocational rehabilitation and overcome barriers to finding, staying, or going back to employment (7-13). The ability of these people to maintain an effective motor behavior by adopting diverse compensatory strategies throughout the course of the disease, despite a possible illness progression and movement decline, supports this idea (14).

The European Union (EU) Equality Strategy for the Rights of Persons with Disabilities 2021–2030 states that the digital transformation is providing new opportunities to build on-site, and remote services suited to the requirements of people with disabilities using, among the others, artificial intelligence (AI) and human-robot collaboration (HRC) technologies. Therefore, extra ergonomic options afforded by technologies of the fourth industrial revolution should be considered when designing and developing reasonable and efficient job integration/reintegration programs for people with neuromuscular disability. Miniaturized wearable monitoring sensors (WS), feedback devices (FD),

exoskeletons and collaborative robots (cobots) can be employed for movement-related elements. MS should be able to continuously decode and classify residual motor function in workers, monitor pre-post job integration programs and optimize HRC technologies controlling (15, 16). FD should be used for alerting purposes (17– 20). HRC technologies should dynamically adapt to the workplace to aid disabled persons with a wide range of lower and upper limbs and trunk motor functions (21, 22).

#### **Return-to-work rehabilitation**

Job integration of people with neuromuscular disorders is represented by any action taken to change or modify the job requirements, motor executions and work environment while taking into account training initiatives and technological advancements, such as HRC technologies, WS, FD, and AI), and the worker's clinical treatment outside the work context.

In this regard, a mini systematic review (Agostini et al.) has been published emphasizing the significance of including rehabilitation data when formulating return-to-work approaches. Particular focus should be made on the most practical ways for a better and quicker "restitutio ad integrum" of the worker. Motor imagery is considered a promising rehabilitation technique to reduce fatigue symptoms.

Findings of another study demonstrate that embodied rehabilitation improves body image perception, interoceptive awareness, balance, and quality of life (Paolucci et al.) which also reflects positively on the employment sphere.

To achieve effective job placement, it is essential to explore all therapeutic opportunities, including the proven Chinese massage as a feasible treatment for Peripheral neuropathy (Ge et al.).

# The European regulatory framework for job accommodation as a reference

In WHO European Region Member States approximately 6 to 10 individuals out of every 100 persons live with a disability. Persons with disabilities are affected by a low employment rate of around 50% and leave labor markets earlier. Article 1 of Council Directive 2000/78/EC of 27 November 2000 has the general provision to lay down a general framework for combating, among the others, discrimination on the grounds of disability. Article 7 states that "the principle of equal treatment shall be without prejudice to the right of Member States to maintain or adopt provisions on the protection of health and safety at work or to measures aimed at creating or maintaining provisions or facilities for safeguarding or promoting their integration into the working environment." Article 26 of the Charter of Fundamental Rights of the EU states that "the EU recognizes and respects the right of persons with disabilities to benefit from measures designed to ensure their independence, social and occupational integration and participation in the life of the community." The EU is engaged in improving the social and economic status of persons with disabilities based on the "Treaty on the Functioning of the EU." The EU are party to the "United Nations Convention on the Rights of

Persons with Disabilities (UNCRPD)," a treaty which has guided the contents of the "European disability strategy 2010–2020," a renewed commitment to a barrier-free Europe. In the present decade, quality employment services are essential for all people with disabilities to live a dignified life (Equality Strategy for the Rights of Persons with Disabilities 2021–2030).

## Identifying the most appropriate technologies for movement monitoring and alerting to help people with neuromuscular disorders return to work

To analyze workers residual abilities, workstations, work environments, rehabilitation interventions and work gestures, kinematic, kinetic, and low- and high-density surface electromyographic data need to be collected.

Currently, workers are assessed using wearable, wireless, and miniaturized technology while doing manual material handling tasks (15, 16, 23, 24). Bipolar and high-density surface electromyography are used to estimate muscle behavior, insoles and sensorized shoes are used to measure reaction forces (kinetics), and inertial measurement units (IMUs) and 3D depth cameras are utilized for whole-body 3D reconstructions (kinematics) (15, 16, 23).

These wearables represent an effective way to control worker centered occupational HRC technology. It has also been shown that these sensors can deliver auditory, visual, and hapticvibrotactile stimuli (25) representing promising solutions to lower biomechanical effort and injuries related to the workplace.

Industry 4.0 has made innovative HRC technologies more broadly available, and they are successfully supporting people in the workplace in real time. Miniaturized WS are essential in this context for the classification of residual motor functions and optimization of human-robot interfaces.

## Determining the most relevant indices for motor/muscle performance monitoring

In a systematic review (Chini et al.) that was published in this article collection, efficient indicators for workers monitoring in the occupational integration/reintegration period has been very thoroughly covered. The authors draw attention to the numerous quantitative physiological and biomechanical indices proposed in the literature. Compared to those produced from kinetic and sEMG measurements, those obtained from kinematic measurements are more commonly used (15). These indices make it possible to effectively evaluate ergonomic interventions for workplace and work task rehabilitation effectively, enabling accurate motor monitoring in work integration/reintegration programs. Many of these indices also have modest processing costs, making them ideal for real-time HRC technology monitoring applications. Assessing the new human-robot interfaces (HRI) paradigm to promote re-integration of individuals who have suffered from neuromuscular injuries, such as stroke, muscle-tendon ripping, and musculoskeletal discomfort.

A potential alternative to the traditional assistive system to promote the re-integration of individuals who have suffered from neuromuscular injuries would involve an independent robotic system that acts as a supernumerary body capable of applying external forces to the patient, emulating the assistance that therapist would provide. According to the preliminary work presented by Ruiz-Ruiz and colleagues (26), collaborative mobile manipulators seem to be a workable and promising solution. The authors proposed the usage of a mobile collaborative robot with an interactionassistive whole-body interface to help people unable to maintain balance.

#### Author contributions

AR: Writing—original draft, Writing—review & editing. AA: Writing—original draft, Writing—review & editing. VB: Writing—original draft, Writing—review & editing. AD: Writing—original draft, Writing—review & editing. FD: Writing original draft, Writing—review & editing. MSa: Writing—original draft, Writing—review & editing. MSa: Writing—original draft, Writing—review & editing. MSe: Writing—original draft, Writing—review & editing.

#### Funding

The author(s) declare financial support was received for the research, authorship, and/or publication of this article. This editorial was carried out as part of the SOPHIA Project, which has received funding from the European Union's Horizon 2020 Research and Innovation Program under grant agreement no. 871237 and as part of "Bando Ricerche in Collaborazione" 2022 ID 57 funded by INAIL.

## **Conflict of interest**

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

The handling editor declared a past co-authorship with the authors, AR, FD, and MSe.

#### Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

### References

1. Ranavolo A, Serrao M, Varrecchia T, Casali C, Filla A, Roca A, et al. The working life of people with degenerative cerebellar ataxia. *Cerebellum.* (2019) 18:910–21. doi: 10.1007/s12311-019-01065-x

2. Toldrá RC, Santos MC. People with disabilities in the labor market: facilitators and barriers. *Work*. (2013) 45:553–63. doi: 10.3233/WOR-131641

3. Honan CA, Brown RF, Hine DW, Vowels L, Wollin JA, Simmons RD, et al. The multiple sclerosis work difficulties questionnaire. *Mult Scler.* (2012) 18:871– 80. doi: 10.1177/1352458511431724

4. Persechino B, Fontana L, Buresti G, Fortuna G, Valenti A, Iavicoli S. Improving the job-retention strategies in multiple sclerosis workers: the role of occupational physicians. *Ind Health.* (2019) 57:52–69. doi: 10.2486/indhealth.2017-0214

5. Miller A, Dishon S. Health-related quality of life in multiple sclerosis: The impact of disability, gender and employment status. *Qual Life Res.* (2006) 15:259-71. doi: 10.1007/s11136-005-0891-6

6. Benedict RH, Wahlig E, Bakshi R, Fishman I, Munschauer F, Zivadinov R, et al. Predicting quality of life in multiple sclerosis: accounting for physical disability, fatigue, cognition, mood disorder, personality, and behavior change. *J Neurol Sci.* (2005) 231:29–34. doi: 10.1016/j.jns.2004.12.009

7. Moody L, Saunders J, Leber M, Wójcik-Augustyniak M, Szajczyk M, Rebernik N. An exploratory study of barriers to inclusion in the European workplace. *Disabil Rehabil.* (2017) 39:2047–54. doi: 10.1080/09638288.2016.1217072

8. Nützi M, Trezzini B, Medici L, Schwegler U. Job matching: an interdisciplinary scoping study with implications for vocational rehabilitation counseling. *Rehabil Psychol.* (2017) 62:45–68. doi: 10.1037/rep0000119

9. Frank A. Vocational rehabilitation: supporting ill or disabled individuals in (to) work: a UK perspective. *Healthcare*. (2016) 4:46. doi: 10.3390/healthcare4030046

10. Reneman MF. State of Vocational Rehabilitation and Disability Evaluation in Chronic Musculoskeletal Pain Conditions. In: *Handbook of Vocational Rehabilitation and Disability Evaluation: Application and Implementation of the ICF*. Cham: Springer International Publishing (2014), 187–198.

11. Staubli S, Schwegler U, Schmitt K, Trezzini B. "ICF-based process management in vocational rehabilitation for people with spinal cord injury," in *Handbook of* 

Vocational Rehabilitation and Disability Evaluation: Application and Implementation of the ICF. Cham: Springer International Publishing (2014), 371–396.

12. Bond GR, Campbell K, Becker DR, A. test of the occupational matching hypothesis for rehabilitation clients with severe mental illness. *J Occup Rehabil.* (2013) 23:261–9. doi: 10.1007/s10926-012-9388-7

13. Escorpizo R, Reneman MF, Ekholm J, Fritz J, Krupa T, Marnetoft SU, et al. conceptual definition of vocational rehabilitation based on the ICF: building a shared global model. *J Occup Rehabil.* (2011) 21:126–33. doi: 10.1007/s10926-011-9292-6

14. Serrao M, Chini G, Casali C, Conte C, Rinaldi M, Ranavolo A, et al. Progression of gait ataxia in patients with degenerative cerebellar disorders: a 4-year follow-up study. *Cerebellum*. (2017) 16:629–37. doi: 10.1007/s12311-016-0837-2

15. Ranavolo A, Ajoudani A, Cherubini A, Bianchi M, Fritzsche L, Iavicoli S, et al. The sensor-based biomechanical risk assessment at the base of the need for revising of standards for human ergonomics. *Sensors*. (2020) 20:5750. doi: 10.3390/s20205750

16. Alberto R, Draicchio F, Varrecchia T, Silvetti A, Iavicoli S. Wearable monitoring devices for biomechanical risk assessment at work: current status and future challenges-a systematic review. *Int J Environ Res Public Health.* (2018) 15:2001. doi: 10.3390/ijerph15092001

17. Kim W, Ruiz Garate V, Gandarias JM, Lorenzini M, Ajoudani A, A. Directional vibrotactile feedback interface for ergonomic postural adjustment. *IEEE Trans Haptics*. (2022) 15:200–11. doi: 10.1109/TOH.2021.3112795

18. De Nunzio AM, Yavuz US, Martinez-Valdes E, Farina D, Falla D. Electro-tactile stimulation of the posterior neck induces body anteropulsion during upright stance. *Exp Brain Res.* (2018) 236:1471–8. doi: 10.1007/s00221-018-5229-z

19. De Nunzio AM, Dosen S, Lemling S, Markovic M, Schweisfurth MA, Ge N, et al. Tactile feedback is an effective instrument for the training of grasping with a prosthesis at low- and medium-force levels. *Exp Brain Res.* (2017) 235:2547–59. doi: 10.1007/s00221-017-4991-7

20. De Nunzio A, Zucchella C, Spicciato F, Tortola P, Vecchione C, Pierelli F, et al. Biofeedback rehabilitation of posture and weight bearing distribution in stroke: a center of foot pressure analysis. *Funct Neurol.* (2014) 29:127–34.

21. Leonori M, Gandarias JM, Ajoudani A. MOCA-S: a sensitive mobile collaborative robotic assistant exploiting low-cost capacitive tactile cover and whole-body control. *IEEE Robotic Autom Lett.* (2022) 7:7920–7. doi: 10.1109/LRA.2022.3186053

22. Albrecht P, Bianchi M, Cherubini A, Del Ferraro S, Fraisse P, Fritzsche L, et al. Smart collaborative systems for enabling flexible and ergonomic work practices [industry activities]. *IEEE Robotic Autom Mag.* (2020) 27:169–76. doi: 10.1109/MRA.2020.2985344

23. CWA 17938:2023. Guideline for Introducing and Implementing Real-Time Instrumental-Based Tools for Biomechanical Risk Assessment (2023).

24. Lorenzini M, Lagomarsino M, Fortini L, Gholami S, Ajoudani A. Ergonomic human-robot collaboration in industry: a

review. Front Robot AI. (2023) 9:813907. doi: 10.3389/frobt.2022. 813907

25. Lorenzini M, Gandarias JM, Fortini L, Kim W, Ajoudani A. ErgoTac-Belt: Anticipatory Vibrotactile Feedback to Lead Centre of Pressure during Walking. In: Proceedings of the IEEE RAS and EMBS International Conference on Biomedical Robotics and Biomecha-tronics (Seoul: IEEE). (2022). doi: 10.1109/BioRob52689.2022.9925563

26. Ruiz-Ruiz FJ, Giammarino A, Lorenzini M, Gandarias JM, Gómez-De-Gabriel JH, Ajoudani A. Improving Standing Balance Performance Through the Assistance of a Mobile Collaborative Robot. In: 2022 International Conference on Robotics and Automation (ICRA). Piscataway, NJ: IEEE, 10017–10023.