

Aalborg Universitet

Fragile-to-strong transition: a possibly universal feature of metallic glass-forming liquids

A keynote talk

Yue, Yuanzheng; Zhang, C. Z.; Hu, L. N.; Mauro, John C.

Publication date: 2010

Document Version Publisher's PDF, also known as Version of record

Link to publication from Aalborg University

Citation for published version (APA):

Yue, Y., Zhang, C. Z., Hu, L. N., & Mauro, J. C. (2010). Fragile-to-strong transition: a possibly universal feature of metallic glass-forming liquids: A keynote talk. Abstract from International Workshop on Non-Crystalline Solids, Barcelona, Spain.

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- ? Users may download and print one copy of any publication from the public portal for the purpose of private study or research. ? You may not further distribute the material or use it for any profit-making activity or commercial gain ? You may freely distribute the URL identifying the publication in the public portal ?

Take down policy
If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Fragile-to-strong transition: a possibly universal feature of metallic glass-forming liquids

Yuanzheng Yue^{1,2,3}, Chunzhi Zhang², Lina Hu², John C. Mauro⁴

Liquid fragility, which describes the degree of the non-Arrhenian viscous flow of glass-forming liquids at the glass transition temperature ($T_{\rm g}$), is one of the most intriguing topics in modern glass physics. In particular, the fragility of metallic glass-forming liquids (MGFLs) remains a fascinating puzzle, as no existing viscosity model is capable of describing the dynamics over the full range of temperatures. In this presentation, we attempt to clarify this puzzle by separately examining the dynamic behaviour of both the equilibrium liquid at high temperature and the metastable supercooled liquid near $T_{\rm g}$. Remarkably, we find that a fragile-to-strong (F-S) transition occurs in all of the MGFLs under study. This suggests that the F-S transition is not limited to a few liquids like water and silica, but is apparently a universal behaviour of MGFLs. The degree of the F-S transition is determined for each of the studied MGFLs. In addition, we propose a model for the F-S transition that accurately captures the scaling of dynamics across both the fragile and strong regimes and provides physical insights into the origin of the fragile-to-strong transition.

¹Section of Chemistry, Aalborg University, DK-9000 Aalborg, Denmark

²Laboratory of Liquid Structure and Heredity of Materials, Shandong University, Jinan 250061, China

³Key Laboratory of Glass and Ceramics, Shandong Institute of Light Industry, Jinan 250353, China

⁴Science and Technology Division, Corning Incorporated, Corning, New York 14831, USA