

VOL 96 No. 09 SEPTEMBER, 2019

Print ISSN 0019 - 6479

E - ISSN 0974 - 9365

₹. 80

THE INDIAN VETERINARY JOURNAL

SINCE - 1924

Journal of the
INDIAN VETERINARY ASSOCIATION

ESTD - 1922

Regd. No. Sl. No. 96/1967 (CHENNAI)



No. 11, Pasumpon Muthuramalinga Thevar Salai (Chamiers Road)
Nandanam, Chennai - 600 035, Tamil Nadu, India

Tel. : +91 44 2435 1006

Email : ivj83@yahoo.com

ONLINE : www.ivj.org.in

THE INDIAN VETERINARY JOURNAL

(Official Organ of the Indian Veterinary Association)

EDITORIAL COMMITTEE

Dr A.V. KRISHNAN, Chief Editor

B.V.Sc., M.V.Sc (Path.)

Retd. Additional Director of A.H., TN

Dr S. SUKUMAR, Managing Editor

B.V.Sc., M.V.Sc (Vet. Micro), Ph.D. (Biotech)

Retd. Professor of Biotechnology, TANUVAS, TN

Dr V. Titus George, Editor

B.V.Sc., M.V.Sc., Ph.D. (Patho)

Retd. Prof. of Pathology, TANUVAS

Dr I. Ponnu Pandian, Editor

B.V.Sc., PGDAEM

Dr K. Venukopalan, Editor

B.V.Sc., M.V.Sc., Ph.D. (Poul.)

Retd. Prof. of Poultry Science, TANUVAS

EDITORIAL BOARD

CHAIRMAN

Dr. Chirantan Kadian

B.V.Sc & A.H.

President, Indian Veterinary Association

MEMBERS

Prof. Dr C. Balachandran

M.V.Sc, Ph.D., PGDAJ, PGDEVP, DICVP

FAO Fellow, FIAVP, FNAVS, FASAW

Vice-Chancellor

Tamilnadu Veterinary and Animal Sciences University

Madhavaram Milk Colony, Chennai - 600 051.

Dr. P.K. Panwar

BVSc & AH, MVSc,

Department of Animal Husbandry
Uttar Pradesh

Dr. Subhash Chander Ahlawat

BVSc & AH.

Department of Animal Husbandry
Haryana

MANAGING COMMITTEE OF INDIAN VETERINARY ASSOCIATION

President :

Dr. Chirantan Kadian

Secretary General :

Dr. R.S. Patel

Treasurer :

Dr. I. Ponnu Pandian

Joint Secretary :

Dr. M.K. Srikanth

Vice Presidents :

Dr. L. Chandrasekaran, HQ, Tamilnadu

Dr. Arun Sirkeck, Himachal Pradesh

Dr. S.G. Yalagod, Karnataka

Dr. Ilang, Nagaland

Dr. Ramji Lal Meena, Rajasthan

Dr. Sudhir Kumar, Uttar Pradesh

Zonal Secretaries :

Dr. Amit Nain, Punjab

Dr. R. Vasantha Rayalu, Andhra Pradesh

Dr. Bhuban Ch. Sarmah, Assam

Dr. Umesh Balaji Sontakke, Maharashtra

Dr. Pankaj Kumar, Jharkhand

Managing Editor, IVJ :

Dr. S. Sukumar, Tamil Nadu

THE INDIAN VETERINARY JOURNAL

(Official organ of the Indian Veterinary Association)

Vol. 96

September 2019

No. 09

CONTENTS

GENERAL ARTICLES :

- Study on Morphological Traits in Indigenous *Jallikattu* Bulls of Tamil Nadu**
R. Priyadharsini, A. Gopinathan, S.M.K. Karthickeyan and P.N. Richard Jagatheesan ... 09
- Epitopes Prediction According to Glycoprotein Encoding Gene of Rabies Virus Local Isolates as Vaccine Candidate against Circulating Rabies Virus in Indonesia**
JolaRahmahani, Suwarno and Fedik Abdul Rantam ... 14
- Estimates of Genetic Parameters of Semen Traits in Crossbred Bulls**
Gopinathan, S.N. Sivaselvam, S.M.K. Karthickeyan and R. Venkataramanan ... 17
- Commercial Cuts in Etawa Goat Fed with Water Spinach Pufa and Mineral Mixture Licks**
Kadek Rachmawati, Romziah Sidik, Vivi Virgianty, Koesnoto Supranianondo, Tri Bhawono Dadi and Herinda Pertiwi ... 20
- Occurance of Ectoparasites in Mud Crab (*Scylla serrata*) and White Shrimp (*Litopenaeus vannamei*)**
Widyo Witular, Kismiyati and Putri Desi Wulansari ... 23
- Antiviral Activity of Ethanolic Extract of Srikaya Seeds (*Annona squamosa* L.) Against Avian Influenza Virus**
Maya Nurwartanti Yunita, Adi Prijo Raharjo, Prima Ayu Wibawati and Bodhi Agustono ... 26
- Identification of *Aeromonas hydrophila* Outer Membrane Protein as a Potential Vaccine Candidate for Ulcer Disease**
M. Gandul Atik Yuliani, Anwar Ma'ruf, Ratna Damayanti and Diyantoro ... 29
- Diatom Naviculoid and Nitzschioid Composition in the Sulfur Mountains Watershed East Java, Indonesia**
Suciyono, A.A. Sabil, E. D. Masithah, D.D. Nindarwi, M.H. Azhar and M.F.Ulkhag ... 31
- Anti Early Embryonic Protein (EEP) for Pregnancy Test by Microtiter Strip in Dairy Cows**
Abdul Samik and Erma Safitri ... 37
- Enhancement of Broiler Chicken Growth by Laserpuncture Treatment**
Lilian Soekwanto, Chairul Anwar and Rimayanti ... 40
- Protective Effect of Mycotoxin Binders on Ovarian Gestation Mice Exposed by Zearalenone**
Ragil Angga Prastiya, Abdul Samik, M. Thohawi Elziyad Purnama and Amung Logam Saputro ... 44
- Detection of Antibiotic Residue in Broiler Chicken Meat at Traditional Market in Surabaya City, Indonesia**
Shelly Wulandari, Diyantoro and OkySetyo Widodo ... 47
- The Potency of *Hylocereus polyrhizus* Peel Extract as Protector on Lead Acetate-Induced Testicular Toxicity in Mice**
E. Wulandari, R. I'tishom R and S.A. Sudjarwo ... 49
- Probiotic Utilization in Megacolona Dog : A Case Report**
Tri BhawonoDadi, Ira Sari Yudaniayanti, WiwikMisacoYuniarti, NusdiantoTriakoso, BoediSetiawan, E. Djoko Poetranto, MiyayuSonetaSofyan and Herinda Pertiwi ... 51
- Honey as an Alternative to Stem Cells Therapy for Degenerated Rat Testis Due to Malnutrition**
Erma Safitri, Thomas V. Widiyatno, Willy Sandhika and R. Heru Prasetyo ... 53

CLINICAL AND FIELD ARTICLES :

Pathology of Selenite Induced Cataract in Rats

S.Shiyamala, S.Ramesh, S.Hemalatha, C.Ramani, V.Ranganathan, K.Vijayarani,
S.Ramesh and Ganne Venkata Sudhakar Rao

... 56

Successful Management of Recurrent Cervico Vaginal Prolapse in a Jersey Crossbred Cow by Caslick's Operation

S. Rangasamy, T. Sarath, K. Logapriya, Aparna Gopinathan and J. Umamageswari

... 57

Dystocia Due to Hydrocephalus Fetus in a Queen Cat

S. Rangasamy, J.Umamageswari, Aparna Gopinathan and D. Gopikrishnan

... 59

Dystocia Due to Ringwomb in a Non Descript Doe

S. Rangasamy, J.Umamageswari, Aparna Gopinathan and D. Gopikrishnan

... 61

Congenital Polycystic Kidney Disease in a Domestic Short Haired Cat- A Rare Case

P.Ramesh, D.Sumathi, K.Jeyaraja, C.Jayanthi and M.G.Jayathangaraj

... 63

Megaesophagus in Dogs – A Case Study

P.Ramesh, S.Kavitha, K.Jeyaraja, D.Chandrasekaran, S.Arun Prasad and M.G.Jayathangaraj

... 65

Therapeutic Management of Generalized Tetanus in an Adult Dog Due to Nail Bed Infection

S. Saravanan, M. Sasikala, K.M. Palanivel and G. Vijaya Kumar

... 67

Successful Management of Ulcerative Pododermatitis in Rabbits with Sulfacetamide Dry Dusting Powder

D.Divyalakshmi, N. Kumarvelu, Thanga. Thamil Vanan and P.Tensingh Gnanaraj

... 69

Clinical Management of Oedematous Emphysema in HF Bull: A Case Report

Vinod Haribhau Shende, Ajeet Singh, Anil Korade, S. Hanumantrao. Sontakke,
Hemant Dashrath Kadam and Jayant Ramchandra Khadse

... 70

Ultrasonographic Evaluation of Gall Bladder Affections in Dogs - A Retrospective Study

D.Sumathi, P.Ramesh, K.Jeyaraja, M.Ranjith Kumar and M.G.Jayathangaraj

... 72

Osteodystrophia Fibrosa in a Kathiyawari Colt - A Case Report

R. Eazhisai, B. Gowri, A. Abinaya and S. Hamsa Yamini

... 74

Concurrent Clinical Coccidiosis and Subclinical Babesiosis in an Adult Cattle

S. Saravanan, T. Mohanapriya, K.K. PonnuSwamy, P. A. Enbavelan,
R.C. SundaraRajan and R. Ramprabhu

... 76

Diagnosis of Lymphoid Leucosis in an Organised Aseel Farm

A.Varun, C. Yogesh, P.V.Sangeetha, S.Ezhilvalavan, M. Thangapandiyan, C.Pandian and A.V.Omprakash

... 78

Kaempferia galanga L. Inhibiting Effect on Vascular Endothelial Growth Factor (VEGF) and Cyclooxygenase-2 (Cox-2) Expression on Endothelium of Chorioallantoic Membrane

Iwan Sahrial Hamid, Juni Ekowati and Muhammad Thohawi Elziyad Purnama

... 80

Pathology of Snake Envenomation in a Cat

M.S.Sreelakshmi, Mammen, J. Abraham, N.D. Nair, B.Abeena and R.B.Vishnurahav

... 82

Black Quarter in a Crossbred Bull

M.S. Sreelakshmi, Ajith Jacob George, Mammen J. Abraham and N.Divakaran Nair

... 84

Author Index

... 87

***Kaempferia galanga L.* Inhibiting Effect on Vascular Endothelial Growth Factor (VEGF) and Cyclooxygenase-2 (Cox-2) Expression on Endothelium of Chorioallantoic Membrane**

Iwan Sahrial Hamid¹, Juni Ekowati and Muhammad Thohawi Elziyad Purnama

Department of Veterinary Pharmacology, Faculty of Veterinary Medicine, Universitas Airlangga, Surabaya 60115, Indonesia.

(Received : March, 2019 107/19 Accepted : May, 2019)

Abstract

This study was aimed to examine the extract of *Kaempferia galanga L.* to inhibit the expression of VEGF and Cox-2 on the chorioallantoic membrane of embryonated chicken eggs (ECE). This study used 24 ECE which were divided into six groups: (C+) inoculated with solvent, (C-, T1, T2, T3 and T4) inoculated with bFGF 60 ng then (T1, T2, T3 and T4) treated with the extract doses of 30, 60, 90 and celecoxib 60 mg, respectively. Expression of VEGF and Cox-2 was observed by the immunohistochemical method. It was concluded that the extract of *Kaempferia galanga L.* can inhibit the expression of VEGF and Cox-2 on the chorioallantoic membrane.

Key words: *Kaempferia galanga L.*, VEGF, Cox-2, celecoxib

Development of cancer cells was induced by activating some growth factors such as Vascular Endothelial Growth Factor (VEGF), cyclooxygenase-2 (Cox-2) and tumor necrosis factor (TNF) (Prior *et al.*, 2004). *Kaempferia galanga L.* contains Ethyl p-methoxycinnamate (EPMC), which has anti-inflammatory and anti-angiogenesis action through tyrosine kinase (Ekowati *et al.*, 2015). The study was conducted to assess these inhibitory effect of EPMC, on Cox-2, VEGF on Chorioallantoic membrane of embryonated eggs.

Materials and Methods

This study was approved by the ethical committee No: 923-KE, Faculty of Veterinary Medicine, Universitas Airlangga. Nine day old specific pathogen free (SPF) eggs from Pusat Veteri-

naria Farma, Surabaya. *Kaempferia galanga L.* isolated from Malang, East Java. Angiogenesis inducer used recombinant human Basic Fibroblast Growth Factor (bFGF) (Nako Japan Pure Chemical Industries Ltd.) diluted with Tris-HCl pH 7.5.

24 nine day old embryonated eggs were divided into six groups of 4 each. The positive control C+ eggs were inoculated with Tris-HCl; the negative control eggs are inoculated with DMSO solvent. The treatment groups T1, T2, T3 and T4 were inoculated with EPMC at doses of 30, 60, 90 and 120 mg in 2% DMSO and incubated at 38°C with 60% RH for 72 hr (Ribatti, 1997). The VEGF and Cox-2 expression were observed by immunohistochemical methods (Purnama *et al.*, 2019).

Results and Discussion

Observation of VEGF and Cox-2 expression was carried out on brownish-looking endothelial cells. The expression was caused by an antigen reaction with VEGF and Cox-2 antibodies as markers. The results (Table I) showed significant ($p < 0.05$) on VEGF expression after being inoculated with (T2) *Kaempferia galanga L.* dose of 60 mg. Cox-2 expression was significant ($p < 0.05$) after being inoculated with (T1) *Kaempferia galanga L.* dose of 30 mg.

The VEGF expression shows a brownish color in the cell cytoplasm that binds to the complex with VEGF receptor ligands (Chen *et al.*, 2016). The VEGF receptor bonds with specific ligands occur in the transmembrane domain and cytoplasm. The VEGF receptor is an inducer of angiogenesis and regulates the

¹Corresponding author. Email : iwan-s-h@fkh.unair.ac.id

Table 1. Mean and standard deviation of the VEGF and Cox-2 expression

Treatments	Mean±SD	
	VEGF	Cox-2
C-	48.60 ^a ±9.34	69.60 ^a ±9.73
C+	26.60 ^c ±4.44	35.40 ^c ±4.32
T1	23.40 ^{bc} ±4.28	25.40 ^b ±3.05
T2	17.40 ^{ab} ±5.32	16.20 ^a ±4.09
T3	13.80 ^a ±3.29	15.80 ^a ±5.13
T4	11.85 ^a ±2.77	13.60 ^a ±9.99

Different superscripts in the same column indicate significant differences among treatments ($p < 0.05$)

integrity of the endothelium. Some of VEGF compounds inhibit endothelium formation and decrease angiogenesis (Di Marco *et al.*, 2009).

One of the factors that trigger the growth of angiogenesis when tumors occur, namely VEGF which initiates the formation of blood vessels (Red-Horse and Ferrara, 2006). Ethyl p-methoxycinnamate acts to inhibit angiogenesis by decreasing VEGF expression. Quercetin and Ethyl p-methoxycinnamate contained in *Kaempferia galanga L* inhibits angiogenesis and tumor necrosis factors. Quercetin can suppress tumor growth in vitro and in vivo acting as a barrier to the activity of tyrosine kinase (Kubo *et al.*, 2004).

Other active compounds in *Kaempferia galanga L* extracts such as alpha sitosterol, silymarin, 4-hydroxy-4-methyl-2-pentanone, quercetin and resveratrol are considered to have anticancer activities through a mechanism of signal transduction, inhibiting cell cycle, apoptosis, and inhibiting metastasis (Umar *et al.*, 2012). Resveratrol and quercetin at a concentrations of 100 µg/ml were able to inhibit the proliferation of angiogenesis, migration of endothelial cells, and formation of intima vascular layers (Igura *et al.*, 2001). Silymarin was developed as a cyclooxygenase-2 (Cox-2) enzyme inhibiting agent. This compound reduces the number of Human Vascular Endothelial Cells (HUVEC) at levels of 50 µg/ml (Tosetti *et al.*, 2002).

The compounds contained in *Kaempferia galanga L* extract can inhibit Cox-2 activity induced by bFGF angiogenic agents. Flavonoid

extract from *Kaempferia galanga L* decreased VEGF receptor (VEGFR2) through barrier activity from Matrix Metallo Proteinase (MMP), tyrosine kinase, and Cox-2 (Masferrer *et al.*, 2000; Hamid *et al.*, 2018).

Summary

Kaempferia galanga L EPMC extract at 60 mg can inhibit VEGF expression in chorioallantoic membrane blood vessel endothelial cells induced by bFGF. A minimum dose of 30 mg can inhibit Cox-2 expression. There was no significant difference in the administration of extracts of at the dosage of 90 mg with celecoxib 60 mg.

Acknowledgment

The authors acknowledge The Institute of Research and Innovation, Universitas Airlangga for providing fund support to carry out this study.

References

- Chen, L., Li, Z.Y., Xu, S.Y., Zhang, X.J., Zhang, Y., Luo, K. and Li, W.P. (2016) Upregulation of miR-107 inhibits glioma angiogenesis and VEGF expression. *Cell. Mol. Neurobiol.* **36**(1): 113-120.
- Di Marco, G.S., Reuter, S., Hillebrand, U., Amler, S., König, M., Larger, E. and Brand, M. (2009) The soluble VEGF receptor sFlt1 contributes to endothelial dysfunction in CKD. *J. Am. Soc. Nephrol.* **20**(10): 2235-2245.
- Ekowati, J., Hardjono, S. and Hamid, I.S. (2016) Ethyl p-methoxycinnamate from *Kaempferia galanga* inhibits angiogenesis through tyrosine kinase. *Universa. Med.* **34**(1): 43-51.
- Hamid, I.S., Aksono, E.B., Sukmanadi, M. and Purnama, M.T.E. (2018) Antiangiogenesis activity test of tin leaf (*Ficus carica L.*) on the number of blood vessels and VEGF expression of chorioallantoic membrane of embryonated chicken eggs. *Eur. J. Oncol. Pharm.* **1**(4): e00007.
- Igura, K., Ohta, T., Kuroda, Y. and Kaji, K. (2001) Resveratrol and quercetin inhibit angiogenesis in vitro. *Cancer letters.* **171**(1): 11-16.
- Kubo, I., Nihei, K.I. and Shimizu, K. (2004) Oxidation products of quercetin catalyzed by mushroom tyrosinase. *Bioorg. Med. Chem.* **12**(20): 5343-5347.
- Masferrer, J.L., Leahy, K.M., Koki, A.T., Zweifel, B.S., Settle, S.L., Woerner, B.M. and Seibert, K. (2000) Antiangiogenic and antitumor activities of cyclooxygenase-2 inhibitors. *Cancer Res.* **60**(5): 1306-1311.
- Prior, B.M., Yang, H.T. and Terjung, R.L. (2004) What makes vessels grow with exercise training?. *J. App. Physiol.* **97**(3): 1119-1128.

Purnama, M.T.E., Rahmaningtyas, I.H., Pratama, A.R., Prastika, Z., Kartikasari, A.M. and Cahyo, N.P.D. (2019) Tadpole serum activity (*Rana catesbeiana*) in caspase-3 as a marker of the role of apoptosis and total cytotoxic T lymphocytes in Albino rats epithelial cells induced by neoplasia, *Vet. World.* **12**(1): 63-67.

Red-Horse, K. and Ferrara, N. (2006) Imaging tumor angiogenesis. *J. Clin. Investig.* **116**(10): 2585-2587.

Ribatti, D., Gulantris, A., Bastaki, M., Vacca, A., Lurlaro, M., Roncali, L. and Presta, M. (1997) New Model for the study of Angiogenesis and Antiangiogenesis in the Chick Embryo

Chorioallantoic Membrane. The Gelatin Sponge/Chorioallantoic Membrane Assay, *J. of Vascular Res.* **34** : 455-463.

Tosetti, F., Ferrari, N., De Flora, S. and Albin, A. (2002) 'Angioprevention': angiogenesis is a common and key target for cancer chemopreventive agents. *FASEB J.* **16**(1): 2-14.

Umar, M.I., Asmawi, M.Z., Sadikun, A., Atangwho, I.J., Yam, M.F., Altaf, R. and Ahmed, A. (2012) Bioactivity-guided isolation of ethyl-p-methoxycinnamate, an anti-inflammatory constituent, from *Kaempferia galanga* L. extracts. *Mol.* **17**(7): 8720-8734.

Indian Vet. J., September 2019, 96 (09) : 82 - 83

Pathology of Snake Envenomation in a Cat

M.S.Sreelakshmi¹, Mammen, J. Abraham, N.D. Nair, B.Abeena and R.B.Vishnurahav

Department of Veterinary Pathology, College of Veterinary and Animal Sciences, KVASU, Mannuthy, Thrissur- 680651, Kerala.

(Received : December, 2018 **444/18** Accepted : May, 2019)

Abstract

The present paper provides an account of gross and histopathological observations of viper snake envenomation in a cat.

Key words: cat, envenomation, histopathology, snakebite

Snakes and snakebites have been extensively studied because of the diversity of these species and venom. Annually, more than one lakh animal deaths occur as a result of venomous snake bites (Banga *et al.*, 2009). Eventhough, the problems associated with the poisonous snakes are more frequent in domestic animals, it is less common in cats as they avoid snakes (Sandhu and Brar, 2009).

Materials and Methods

A two year old male non-descript cat carcass was presented for post-mortem examination in the Department of Veterinary Pathology, College of Veterinary and Animal Sciences, Mannuthy with a clinical history of restlessness, salivation and death. A detailed necropsy was conducted, gross lesions were recorded and

representative tissue samples were collected in 10% neutral buffered formalin. Tissue sections were routinely processed and paraffin embedded tissues were sectioned at 5 μ and stained with Haematoxylin and Eosin (Luna, 1972).

Results and Discussion

A detailed necropsy examination revealed a small wound with oedema and haematoma on the medial aspect of right thigh region. On removal of the skin in the area there was oedema and degeneration of subcutaneous muscle (Fig. 1). Grossly, lung showed congestion, oedema and subpleural haemorrhages, liver was enlarged and congested. Subepicardial suffusions were



Fig. 1. Haematoma formation around snake bite wound

¹Corresponding author. Email: smsvet06@gmail.com



Indian Veterinary Journal

14

H Index

Country [India](#) - [SJR Ranking of India](#)

Subject Area and Category [Veterinary](#)
[Veterinary \(miscellaneous\)](#)

Publisher [Indian Veterinary Association](#)

Publication type Journals

ISSN 00196479

Coverage 1945-1951, 1965-1971, 1973-1979, 1996-ongoing

Scope The Indian Veterinary Journal is the official organ of the Indian Veterinary Association. It is the only journal representing the veterinary academic research, development and extension work force in country. The journal is being published since 1924, initially as a bi-monthly publication and later as a regular monthly publication of the Indian Veterinary Association. The IVJ office holds back volumes of IVJ right from its inception in 1924.

- [Homepage](#)
- [How to publish in this journal](#)
- [Contact](#)
- [Join the conversation about this journal](#)

AQUOS AI Voice Assistance


Gaya hidup barumu dimulai dengan AQUOS

Sharp Aquos 4k

BUKA







Quartiles

Veterinary (miscellaneous)



SJR

Citations per document



Indian Veterinary Journal

← Show this widget in your own website



Just copy the code below and paste within your html code:

```
<a href="https://www.scimagojr.com" data-bbox="226 667 374 680">
```

AQUOS AI Voice Assistance

Gaya hidup barumu dimulai dengan AQUOS

Sharp Aquos 4k

BUKA