

Erratum to: Woodworkers and the inflammatory effects of softwood/hardwood dust: evidence from nasal cytology

Andrea Lovato¹ · Claudia Staffieri² · Giancarlo Ottaviano¹ · Rocco Cappellesso³ · Luciano Giacomelli³ · Giovanni Battista Bartolucci⁴ · Maria Luisa Scapellato⁴ · Gino Marioni¹

Published online: 18 April 2016
© Springer-Verlag Berlin Heidelberg 2016

Erratum to: Eur Arch Otorhinolaryngol DOI 10.1007/s00405-016-3989-2

Unfortunately, caption to Fig. 1 was inaccurate as the woodworker was wearing three dust samplers, not only the IOM sampler. The correct figure caption is given below.



Fig. 1 Woodworker wearing three dust samplers (the IOM sampler at the *left side* of the subject) connected to the air sampling pumps

The online version of the original article can be found under doi:[10.1007/s00405-016-3989-2](https://doi.org/10.1007/s00405-016-3989-2).

✉ Andrea Lovato
andrea.lovato.3@hotmail.it

¹ Department of Neurosciences DNS, Otolaryngology Section, University of Padova, Via Giustiniani 2, 35128 Padua, Italy

² Department of Neurosciences DNS, Otolaryngology Section, Treviso Regional Hospital Branch, University of Padova, Padua, Italy

³ Department of Medicine DIMED, University of Padova, Padua, Italy

⁴ Department of Cardiologic, Thoracic and Vascular Sciences, Preventive Medicine and Risk Assessment Unit, University of Padova, Padua, Italy