

APOE genotyping: comparison of three methods

B. H. Rihn · S. Berrahmoune · M. Jouma ·
S. Chamaa · L. Marcocci · A. Le Faou

Published online: 7 April 2009
© Springer-Verlag 2009

Erratum to: Clin Exp Med (2009) 9:61–65
DOI 10.1007/s10238-008-0012-2

Unfortunately, the name of the second author had been given incorrectly. The correct name is S. Berrahmoune as now given above and below.

There is also a correction for Fig. 4. The DNA ladder are 118, 72 and 34 bp and not 11, 7 and 3 as it was cut in the published version.

The correct figure and legend are therefore given here.




Fig. 4 RFLP genotyping of $\epsilon_{3/4}$, S15, $\epsilon_{3/2}$ and $\epsilon_{3/3}$ (M markers)

The online version of the original article can be found under
doi:[10.1007/s10238-008-0012-2](https://doi.org/10.1007/s10238-008-0012-2).

B. H. Rihn (✉)
EA 3442, Faculté de Pharmacie, 5 rue Albert Lebrun,
BP 403, 54001 Nancy Cedex, France
e-mail: Bertrand.Rihn@pharma.uhp-nancy.fr

S. Berrahmoune · A. Le Faou
Laboratoire de Virologie, CHU Nancy-Brabois
and Faculté de Pharmacie, Nancy-Université, Nancy, France

M. Jouma · S. Chamaa
Arab European University, Damascus, Syria

L. Marcocci
Biological Sciences University Sapienza, Rome, Italy