National Adverse Drug Reaction Reporting System at the Ministry of Health, Saudi Arabia

Yousef Ahmed Alomi, 🕩 The

Former General Manager of General Administration of Pharmaceutical Care, The Former Head, National Clinical pharmacy and pharmacy practice, The Former Head, Pharmacy R and D Administration, Ministry of Health, Riyadh, SAUDI ARABIA.

Saeed Jamaan Alghamdi, General Administration of Pharmaceutical Care, Ministry of Health, Riyadh, SAUDI ARABIA.

Radi Abdullah Alattyh, General Administration of Pharmaceutical Care, Ministry of Health, Riyadh, SAUDI ARABIA.

Correspondence:

Dr. Yousef Ahmed Alomi,

The Past General Manager of General Administration of Pharmaceutical Care, The Past Head, National Clinical Pharmacy and Pharmacy Practice, The Past Head, Pharmacy R and D Administration, Ministry of Health, Riyadh, SAUDI ARABIA.

Phone no: +966504417712 E-mail: yalomi@gmail.com

Received: 25-07-2018; Accepted: 10-09-2018

Copyright: [©] the author(s),publisher and licensee Pharmacology, Toxicology and Biomedical Reports. This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

This is an open access article distributed under the terms of the Creative Commons Attribution-Non-Commercial-ShareAlike 4.0 License



ABSTRACT

Objective: To illustrate the adverse drug reaction during the pharmacy strategic plan at the Ministry of Health of Health institutions in the Kingdom of Saudi Arabia. **Method:** It is description analysis of adverse drug reaction system at the Ministry of Health of Health institutions. It was analysis within the Pharmacy strategic plan 2012-2020. The modified pharmacy business model system and Project Management Procedure used in the report. **Results:** The adverse drug reaction established with a defined vision, mission and goals. The system human or economic and other resources described in the review. The risk management was discussed to assure the continuation of the system. Besides, the monitoring and controlling of the system as illustrated. The closing stage with convention to operation project demonstrated in the Analysis. **Conclusion:** The Adverse drug reaction system implemented and it is considered as part of the healthcare system and pharmacy regulations. The documentation of ADR is updating improving accordingly at all Ministry of Health institutions in the Kingdom of Saudi Arabia.

Key word: Adverse Drug Reaction, System, Pharmaceutical Care, Ministry of Health, Saudi Arabia.

INTRODUCTION

The documentation and reporting system of Adverse Drug Reaction (ADR)is one of the requirements mandated for international and national accreditation of healthcare institutions.1,2 In addition, it is a part of the requirement from the registration agency in the Kingdom of Saudi Arabia (KSA). Regulations about the ADR reporting system have been released from various pharmaceutical societies and local and international registration agencies.3 Till date, several investigations have focused on different perspectives of ADR such as ADR reporting system, knowledge on the ADR reporting system and perception of pharmacists/healthcare provider regarding the ADR reporting system.4,5 However, to the best of our knowledge, there are no studies with regard to the description of the program in the Ministry of Health (MOH) and how it was established, the requirement of resources and the analysis of marketing with Strength, Weakness, Opportunity and Threats (SWOT). Therefore, in this review, we aim to explore the national ADR system at the MOH by using the Project Management tools in the KSA.

Method of Development of the Project

The task force committee consisted of expert people from the pharmacies of the MOH hospitals to set up a national ADR system for the pharmacies of hospitals, PHCs and dental centers. The first author of this article headed the medication safety committee; he conducted regular periodical meetings. The committee unitized and drove the

pharmacy ADR of the General Administration of Pharmaceutical Care (GAPC) and from non-MOH hospitals system. Moreover, by the project written by using the international business model, pharmacy guidelines, project management institution guidelines for a new project.⁶⁻⁹ The draft was sent to several reviewers of the RAPC. The selection was corrected and updated accordingly. Then, the second draft was submitted to the reviewers for their final comments and approval. This took around 4 months to complete the task. The GAPC at the MOH sent the final document to all the hospitals for implementation. The ADR documentation system consists of the following parts: initial phase, planning phase, execution phase, monitoring and controlling aspect.

Initial Phase Assessment Needs

At any given time, pharmacy departments of any healthcare institution will have hundreds of medications stored for dispensing. All medications had ADRs documented through drug reference. In addition to causing an economic burden on the healthcare system, an ADR might cause serious problems to the patients which may even be fatal. The best method to prevent ADR is to report them whenever they occur. The prevention of ADR need the documentation of ADR and related information in the future.

Market Analysis

ADR documentation system was established in the early 2000s at the MOH's administration of

the pharmaceutical care unit. The first draft was updated during 2012–2015.¹⁰ Several non-MOH institutions have their own system of ADR documentation, which could be either electronically or manually documented. Most private hospitals have manual ADR. Earlier there was a manual documentation system of ADR at the MOH institutions, which was then converted to an electronic form through the SurveyMonkey system.

SWOT Analysis

To meet the project goals, we performed a SWOT analysis. The "strengths" of the project were accompanied by the documentation of pharmacy workload for the prevention of medication errors, the calculated cost of avoidance of medication errors and the calculated cost of correction of medication errors. The "weaknesses" in this project were accompanied by increased pharmacy workload and misuse of documentation through the evaluation of the performance of pharmacy staff. The "opportunities" examined in this review included the implementation of national and international standards of healthcare institutions, implementation of New Saudi Vision 2030 and the calculated cost of medication errors.¹¹ Among the "threats," changes in the pharmacy administration and the accreditation standards were analyzed.

Planning Phase

The Scope of the Project

The ADR documentation collects demographic data of the patient, severity and causality of the ADR, the person identifying the ADR, reasons of ADR, the medications involved, the analysis of ADR and the reporting of ADR to the Saudi Food and Drug Authority (SFDA).

Vision, Missions and Goals

The vision of this project is to define the best system of ADR documentation and related information and prevention of medication errors at the MOH institutions. The mission is to provide the ADR documentation and prevention system at MOH institutions so that there is a reduction in morbidity, mortality and economic burden on the healthcare system due to ADR in the KSA. Goals of this project were to facilitate ADR documentation at MOH institutions, analyze the ADR, prevent ADR complications and document the cost avoidance related to the prevention of ADR.

Description of the Project

The identified ADRs are based on the SFDA, World Health Organization (WHO and definition of the American Society of Hospital Pharmacy (ASHP). $^{\rm 12-15}$

All pharmacies and healthcare centers should follow the following policies.

- 1. If any caregiver in the MOHs/PHC centers notices that a patient experiences an ADR, then he/she must assess the patient, including his/her vital signs.
- 2. The caregiver should record the assessment in the patient's medical record.
- 3. The caregiver should notify the patient's attending physician for any immediate action that might be needed. The physician may need to change the therapy and/or provide necessary treatment.
- 4. The caregiver should notify the nursing shift manager. A clear label/ note on the medical record should be affixed in order to indicate that the patient has an allergy from such medication.
- 5. The caregiver should utilize the ADR Report form (appendix 1) and complete the following information:
 - ✓ Patient demographics;

- ✓ Suspected drug information;
- ✓ Concomitant drugs;
- ✓ Adverse drug reaction description;
- ✓ Outcome data;
- ✓ Classification of adverse drug reaction according to:
- The Naranjo causality scale for an adverse drug reaction, (See the Naranjo table and scoring in the attached ADR Form page 3);
- ✓ Adverse drug reaction severity (mild, moderate, or severe);
- ✓ Cost avoidance impact;
- ✓ Name, profession, address, phone and fax.
- 6. The caregiver, who notifies the ADR, should sign the ADR Report Form and write the date.
- 7. The caregiver should send the completed ADR Report Form to the Medication Safety Officer in the Pharmacy Department.
- If the caregiver, while documenting, needs clarification regarding any item that should be completed, then he/she may ask the Medication Safety Officer to assist him in how to fill the required information.
- The Medication Safety Officer is responsible for sending the com¬pleted form (And enter the data in the electronic form in the MOH website) to the GAPC, National Drug Information Center, Medi¬cation Safety Department.
- 10. The Medication Safety Officer is responsible for keeping all the original completed ADR Forms confidentially.
- 11. The Medication Safety Officer is accountable to aggregate the data of all the ADRs reported and formulate a Monthly ADR Summary Report.
- 12. The Director of Pharmacy or designee shall review all Monthly ADR Summary Report.
- 13. The Medication Safety Officer is responsible for submitting the Monthly ADR Summary Report to:
 - ✓ Quality Department;
 - ✓ PTC Committee;
 - ✓ Patient Safety Committee;
 - ✓ Medication Safety Committee.
- 14. In addition, the Medication Safety Officer is responsible for submitting the Report of the Independent Case (Considered as sentinel event) to them.
- 15. An investigation of the ADRs, especially preventable ADRs, causes and contributing factors should be performed and documented by the Medication Safety Officer in coordination with the affected department(s)/ assigned team, or RCA investigation if the case is considered as a sentinel event.
- 16. All necessary action(s) should be taken with necessary follow-up actions to prevent ADRs, especially preventable ADRs.

Planning Cost Management

This program needs financial assistance for the education and training of the pharmacy staff, the electronic system for ADR conversion for instant Survey Monkey system and for several other factors related to the pharmacy and the engagement of ADR reporting and documentation purposes.

Execution Phase

Management Team

The management team responsible for the follow-up of the ADR reporting and documentation was the Medications Safety Committee. The Central Committee is designed through GAPC at the MOH; The committee consists of representatives from each region specialized in medications safety. A Regional Committee established for each area includes representatives from each hospital and group primary care center. Each hospital or group primary care center creates a Local Medications Safety Committee. The local committee consists of medications safety pharmacists, physicians and nurses and members of quality management and risk management, as well as an invited member. All committees have a monthly meeting to discuss ADR reporting and documentation, ADR analysis and ADR prevention.¹⁰

Education and Training

The central committee of medications safety or in the region or peripheral hospital or primary care centers should conduct the several education and training sessions for all stake holders, management team's members and healthcare staff.

Risk Management

There are six types of risks: budget, scope, personal, schedule, technical and quality risks. Most of the risks experienced might be due to budget or personal and quality risks. A budget risk is related to the unavailability of enough funds for the education and training of the project and for the conversion of the ADR manual documentation to the electronic documentation system. A project might experience personal risks that are related to a shortage of human resources with a high workload of documentation ADR system. In addition, the pharmacy staff might not have received education or training about the project. The project might be exposed to quality risks due to nonqualified pharmacists and due to poor training in the quality pharmacy tools. The project might be exposed to other technical risks such as the nonavailability of an electronic system of ADR documentation with friendly use.

Monitoring and Controlling Phase

Project Quality Management

The following Key Performance Indicators (KPIs) of ADR documentation system was established to monitor the system implementation at MOH institutions: the adherence documentation of ADR, the cost avoidance analysis of ADR, the ADR analysis with detailed information, the reporting rate of ADR and the number of reporting to SFDA.^{16,17}

The Closing of the Project

The ADR documentation system at MOH institutions is a critical tool to prevent drug-related problems in the KSA. The system should continue with the corporate committee and other related committees. The annual report of ADR should be done. Education and training courses for healthcare providers should be conducted regularly. Further project expanded to include the cost avoidance of prevention ADR in the future is required and the annual celebration with the project members.

ACKNOWLEDGMENT

None.

CONFLICT OF INTEREST

None.

ABBREVIATIONS

MOH: Ministry of Health; KSA: Kingdom of Saudi Arabia; ADR: Adverse drug reaction; RCA: Root cause analysis; SWOT: Strengths, Weaknesses, Opportunities and Threats; WHO: World Health Organization; SFDA: Saudi Food and Drug Authority; ASHP: American Society of Hospital Pharmacy; PHC: Primary healthcare center; PTC: Pharmacy and Therapeutic Committee; RAPC: Regional Administration of Pharmaceutical Care; GAPC: General Administration of Pharmaceutical Care.

ORCID ID

Yousef Ahmed Alomi i https://orcid.org/0000-003-1381-628X.

REFERENCES

- Medication Management (MM). In: National Hospital Standards. 2nd Editio. Saudi Central Board for Accreditation of Healthcare Institutions. 2015;194-211.
- The Joint Commission. Comprehensive Accreditation Manuals. Joint Commission Resources. 2016.
- American Society of Hospital Pharmacists. ASHP guidelines on preventing medication errors in hospitals. Am J Hosp Pharm. 2018;75:1493-517.
- Al-Hazmi NN, IL N. A Study of Community Pharmacists? Awareness and Contributions to Adverse Drug Reactions (ADRs) Reporting Systems in the Makkah, Kingdom of Saudi Arabia (KSA). J Clin Trials. 2013;3(1):1-5.
- Gurmesa LT, Dedefo MG. Factors affecting adverse drug reaction reporting of healthcare professionals and their knowledge, attitude and practice towards ADR reporting in Nekemte Town, West Ethiopia. Biomed Res Int. 2016;2016:5-8.
- McDonough R. Writing a Business Plan for a New Pharmacy Service. The Dynamics of Pharmaceutical Care: Enriching Patients' Health. 2010;23.
- Harris IM, Baker E, Berry TM, Halloran MA, Lindauer K, Ragucci KR, *et al.* Developing a Business-Practice Model for Pharmacy Services in Ambulatory Settings. Pharmacotherapy. 2008;28(2):7e-34e.
- Sachdev G. Sustainable business models: Systematic approach toward successful ambulatory care pharmacy practice. Am J Heal Pharm. 2014;71(16):1366-74.
- PMBOK Guide. A Guide to the Project Management Body of Knowledge. Sixth Edit. Project Management Institute, Inc. 2017.
- Alomi YA. National Medication Safety Program at Ministry of Health in Saudi Arabia. J Pharmacovigil. 2015;3(5):e145.
- Government of Saudi Arabia. Saudi Arabia Vision 2030. 2016. [cited 2019 Jan 23] Available from: https://vision2030.gov.sa/sites/default/files/report/Saudi_Vision2030_EN_2017.pdf
- World Health Organization. Safety of Medicines A Guide to Detecting and Reporting Adverse Drug Reactions - Why Health Professionals Need to Take Action: Glossary. [cited 2019 Jan 23]. Available from: http://apps.who.int/medicinedocs/en/d/Jh2992e/2.html
- Saudi Food and Drug Authority. Adverse Drug Reactions (ADRs) Reporting Form for Health Care Professionals. [Cited 2019 Jan 23]. Available from: https://www. sfda.gov.sa/ar/drug/about/sector_departments/national_pharmacovigilance_ center/Documents/ Model for reporting adverse drug reaction and medication errors.pdf
- Alshammari TM, Alshakka M, Aljadhey H. Pharmacovigilance system in Saudi Arabia. Saudi Pharm J. 2017;25(3):299-305.
- American Society of Hospital Pharmacists. ASHP guidelines on adverse drug reaction monitoring and reporting. American Society of Hospital Pharmacy. Am J Heal Pharm. 1995;52(4):417-9.
- Alomi YA, Alghamdi SJ, Alattyh RA. Strategic Plan of General Administration of Pharmaceutical Care at Ministry of Health in Saudi Arabia 2012 – 2022. JPharm Pharm Scien. 2015;1(13):1-8.
- 17. Alomi Y. National Pharmacy Administration Programs. BAOJ Pharm Sci. 2015;1(2):1-2.

وزارة الصحة Ministry of Health	Pharm ADVEI (Please fill all appli Pharr	RSE DRUG ا RSE DRUG ا ANONY cable informat nacy Departm جانبیة لدواه	ion and forward the form to th ent within 24 hrs) تقرير آثار.	CONSULTANT IN- CHARGE:			
معلومات المريض PATIENT DEMOGRAPHICS اسم المريض (Optional)							
Diagnosis:				الطول: الوزن: الوزن: Height (cm): : التشخيص التاريخ المرضي			
Allergies:							
معلومات الدواء المسبب للآثار الجانبيةSUSPECTED DRUG INFORMATION اسم الدواء " التجاري" والعلمي" Dose / Route / Frequency المركة الصانعة ورقم التشغيلة Manufacturer & Batch Number تاريخ الانتاج وتاريخ الانتهاء Drug, started & stopped date سبب وصف الدواء							
الأدوية الأخرىCONCOMITANT DRUGS							
نهاية استخدام الدواء Date Stopped	بداية استخدام الدواء Date Started	عن طريق Route	الجرعة وعدد المرات Dose/ Frequency	الدواء Drug			
الاختبارات المخبرية , نتائج التصوير الأشعاعي, فحص ::Relevant Laboratory Data, Diagnostic Imaging and/ or Biopsy Results(if applicable): الانسجة(إن وجدت)							
وصف الآثار الجانبية للدواء ADVERSE DRUG REACTION DESCRIPTION الآثار الجانبية:							
1. 2. 3. 4. (ADR) Started & stopp Did the adverse event(s) appear Did the reaction(s) stop after s Did the reaction(s) reappear after Are there alternative causes(other	ped date: ar after the suspected drug topping drug? ter restarting drug?	was administere ir own have caused	d? YES NO NA معلومات د معلومات YES NO NA YES NO NA معلومات YES NO NA معلومات the reaction YEO NO NA				

نتيجة الأثر الجانبي النهائية						
الإجراء المتخذ	علاج الأثر الجانبي	التغير في الخطة ا لعلاجية	الأعراض المصاحبة			
Action Taken	Treatments	Changes to therapy	Symptoms			
تم توثيقها في السجل الطبي	🗖 لا يتطلب معالجة	🗖 تم إيقاف الدواء	ا أعراض الجهاز العصبي CNIS cumptome			
Medical record documentation	No treatment Required يتطلب تدخل لتفادى الأضرار	Drug Discontinued 🗌 🗌 تم تخفيف الجرعة	CNS symptoms أعراض الجهاز التنفسي			
🔄 تم تصبح المريض Patient counseled		Drug Dosage decreased	Respiratory symptoms			
تم اشعار الطبيب بذلك Prescribed notification	يتطلب تدخل دوائي dividual and a second and a s	تم تخفيف عدد مرات الاستعمال	🔲 أعراض الجهاز الهضمي			
	Required treatment with Prescribed medication	Drug frequency decreased	GI symptoms			
	مىعوبة التشخيص Significantly complicated Diagnosis	تم تخفيف معدل تسريب الدواء عن طريق الوريد Infusion rate decreased	 أعراض الجهاز القلبي Cardiovascular symptoms 			
	□ يتطلب معالجة داعمة Significant treatment necessitated	م تعديل الخطة العلاجية Therapy changed	<pre> def lage lage lage lage lage lage lage lage</pre>			
		نم ايقاف المعالجة 📃 تم ايقاف المعالجة Therapy held	أعراض الغدد الصماء Endocrine symptoms			
		🗖 لا يوجد تعديل No change	أعراض الجهاز العضلي الحركي Musculoskeletal symptoms			
تصنيف شدة الأثر الجانبي للدواء CLASSIFICATION OF ADVERSE DRUG REACTION SEVERITY NARANJO CAUSALITY SCALE FOR ADVERSE DRUG REACTIONS						
\Box > 9 = definite adverse drug reactio	n 🛛 5-8 = probable ADR	□ 1-4 = possible ADR □				
خفيف الخطورة: الأثر الجانبي لا يتطلب معالة أو إطالة بالمستشفى وقد Minor: A reaction that does not require treatment or prolongatio						
Of hospital stay. It can cau	•		يسبب مايلي تخفيف الجرعة الواية			
Reduction in dosage discontin		اف الدواء	 تخفيف الجرعة لاحاجة للتدخل عدا مراقبة المريض 			
□ No intervention other than monite Moderate: A reaction that require						
	one day. It can cause the follo					
Change in physiological status						
\square No permanent effect			بدون أثر دائم			
Severe: A reaction that cause the	following problems;	ي يتسبب في مايلي :	شديد الخطورة : الاثر الجانبي الذ			
Hospitalization			🗖 دخول المستشفى			
Temporary disability 🛛			🗖 عجز مؤقت			
Permanent disability			عجز دائم			
Congenital malformation		🗖 تشوه خلقي				
Life – threatening		تعرض حياة المريض للخطر زيادة استخدام وسائل الرعاية الصحية				
Prolonged healthcare facility stay		ريادة استخدام وسائل الرغاية الصحية البقاء في المستشفى أقل من 24 ساعة				
Prolonged hospitalization <24 hour		المعادة في المستشفى أقل من 24 ساعة البقاء في المستشفى أكثر من 24 ساعة				
Prolonged hospitalization >24 hour	-964 24	الحاجة لزيارة قسم الطوارئ				
Symptoms continued			استمرار ظهور الآثار الجانبية			
Symptoms resolved <24 hour			زوال الآثار الجانبي في أقل مر			
Symptoms resolved >24 hour			زوال الاثر الجانبي في أكثر مر			
The patient died			وفالمريض			
Name:			الاسم			
Profession:			المهنة			
Address:			الجهة المرسلة:			
Phone:Fax:_		فاکس:	ھاتف:			
Signature: Date:		_ النوقيع:	التاريخ:			
Please send completed form to: General Administration of Pharmaceutical Care National Drug Information Center Medication Safety Department Telephone No. 014015555 Ext. 1686 Fax No. 014056848 Email : phacare-NCDI@moh.gov.sa						