

Aalborg Universitet

Col		~£	
CO	OI.	OL	เมร

Austria

Geretsegger, Monika; Stegemann, Thomas

Published in: Imagine (Silver Spring)

Publication date: 2013

Document Version Early version, also known as pre-print

Link to publication from Aalborg University

Citation for published version (APA): Geretsegger, M., & Stegemann, T. (2013). Color of us: Austria. Imagine (Silver Spring), 4, 112-113.

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- ? Users may download and print one copy of any publication from the public portal for the purpose of private study or research. ? You may not further distribute the material or use it for any profit-making activity or commercial gain ? You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from vbn.aau.dk on: December 26, 2020

Austria

Monika Geretsegger

Mag.art. Mag.phil. Mag.rer.nat. University of Vienna, Austria Aalborg University, Denmark

Thomas Stegemann

Univ.-Prof. Dr. med. University of Music and Performing Arts Vienna. Austria

Snapshot

Area

Situated in Central Europe, Austria cover an area of 83,879 square kilometers.

Population

8,430,558 (2013 estimate)

Official Language German

Ethnic Groups

Austrians 91.1%, former Yugoslavs 4% (incl. Croatians, Slovenes, Serbs, and Bosniaks), Turks 1.6%, German 0.9%, other or unspecified 2.4% (2001 census)

Median Age

43.9 years (2013 estimate)

Children under 5

Sources

Statistics Austria
www.statistik.at/web_en/

The World Factbook https://www.cia.gov/library/publications, the-world-factbook/geos/au.html



"Das Finden einer musikalischen Spielform, die von den Äußerungen des Kindes ausgeht, die sie einbettet und damit 'sinnvoll' macht, bietet den Spielraum, in dem sich zwischenmenschliche Begegnung ereignen kann."*

~Karin Schumacher

Demographics

The beginnings of training and clinical practice in music therapy date back more than fifty years, making Austria one of the pioneering countries for music therapy in Europe. In 1959, the first music therapy training program opened at what was then the Vienna Academy of Music. Nowadays, music therapy training programs are offered at the University of Music and Performing Arts Vienna, IMC University of Applied Sciences Krems, and the University of Arts Graz.

Music therapy has been regulated as a healthcare profession by the Austrian Music Therapy Law since July 1, 2009. Currently (May 2013), there are 290 registered music therapists in Austria. According to a survey conducted by the Austrian Association of Music Therapists in late 2011, approximately 36% of

all music therapists work with children and adolescents, though no solid data are available about the total number of music therapists working in the subdomain of early childhood (i.e., with children under 5 years of age).

Background Information

Young children have been one of the main client groups from very early on. Music therapy pioneers in the late 1950s closely collaborated with eminent physicians in mental health such as Dr. Andreas Rett. Today's music therapists work as officially recognized health care professionals in diverse fields of early childhood intervention. Early childhood is also an important area within training, with students acquiring specific knowledge and practical experience in several courses and practicum settings (e.g., developmental psychology,

imagine 4 (1), 2013 79

^{*[}Finding a musical play form that develops from the child's expressive behaviors and embeds them, thus makes them meaningful, provides the playing space in which interpersonal connections can take place.] ~Karin Schumacher

childhood psychosomatic disorders, neonatal intensive care).

Common Approaches

Music therapy in Austria is strongly influenced by various psychotherapy approaches such as psychodynamic, humanistic, and systemic traditions. Additionally, developmental theories derived from infant research and attachment research inform todav's clinical practice within early childhood music therapy. Most music therapists working within early childhood in Austria do so in an individual setting using improvisation, musical games or role play, familiar or improvised songs, and various receptive methods to work towards individual therapeutic goals. Modified receptive methods are used in music therapy in NICU settings to positively affect the mental and physical development of infants at risk and to foster bonding between child and caregivers. Regular discussions with parents/guardians and collaboration with other professionals involved in the child's treatment and care form an important part of music therapy practice. Some music therapists also provide treatment for young children with their parents to promote the parent-child relationship. Music therapy for young children is provided both in clinical settings (e.g., hospitals, child development centers, private practice) and in educational environments (e.g., kindergartens, pre-schools). Although music therapy is funded as part of the treatment offered in institutional settings, music therapy in private

practice is not yet reimbursed by Austrian health insurance.

Prominent Literature

Geretsegger, M., Holck, U., & Gold, C. (2012). Randomized controlled trial of improvisational music therapy's effectiveness for children with autism spectrum disorders (TIME-A): Study protocol. *BMC Pediatrics*, 12(2). doi: 10.1186/1471-2431-12-2

Gold, C., Voracek, M., & Wigram, T. (2004). Effects of music therapy for children and adolescents with psychopathology: A meta-analysis. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 45, 1054-1063. doi:10.1111/j. 1469-7610.2004.t01-1-00298.

Mössler, K. (2004).

Beziehungsaufbau mit minimally responsive Patienten:
Musiktherapie in der
Frührehabilitation mit Kindern
[Building up a relationship with minimally responsive patients.
Music therapy in early rehabilitation with children].
Musiktherapeutische Umschau
25. 115-125.

Schumacher, K., Calvet, C., & Reimer, S. (2011). Das EBQ-Instrument und seine entwicklungspsychologischen Grundlagen [The AQR instrument and its basis in developmental psychology]. Göttingen: Vandenhoeck & Ruprecht.

Stegemann, T., Hitzeler, M., &
Blotevogel, M. (2012).

Künstlerische Therapien mit

Kindern und Jugendlichen [Arts
Therapies for children and

adolescents]. München: Reinhardt.

About the Authors



Monika
Geretsegger,
certified
music
therapist and
certified
clinical and
health
psychologist,

works both in research (PhD research fellow at Aalborg University/University of Vienna) and in clinical practice; she also serves as the President of the Austrian Association of Music Therapists since 2010.

Contact: monika.geretsegger@univie.ac.at



Thomas Stegemann, Univ.-Prof. Dr. med, is a child and adolescent psychiatrist as well as a licensed music therapist. He also studied guitar at the Musicians Institute in Los Angeles, USA. Since March 2011, he is Professor of Music Therapy and head of the Department of Music Therapy at the University of Music and Performing Arts Vienna, Austria.

Contact: stegemann@mdw.ac.at

imagine 4 (1), 2013 80