

Ethnobotanical Leaflets 12: 677-681. 2008.

Evaluation of Medicinal Herbal Trade (Paraga) in Lagos State of Nigeria

Akeem Babalola Kadiri

Department of Botany and Microbiology
University of Lagos, Akoka Yaba Lagos. Nigeria
abkadiri2001@yahoo.com

Issued 12 September 2008

INTRODUCTION

Traditional medicine can be described as the total combination of knowledge and practice, whether explicable or not, used in diagnosing, preventing or eliminating a physical, mental or social disease and which may rely exclusively on past experience and observation handed down from generation to generation, verbally or in writing (Sofowora, 1982). A medicinal plant is any plant which in one or more of its organs contains substances that can be used for therapeutic purposes or which are precursors for the synthesis of useful drugs. The use of medicinal plants as remedies is common and widespread in Nigeria. Currently, the society at large appreciates natural cure, which medicinal plants provide compared to synthetic cure. The plants parts used in remedies include the bark, leaves, roots, flowers, fruits and seeds. (Sofowora, 1982). The discoveries of the use of plant for food and as medicine began at a very early stage in human evolution. The history of the use of plants dates back to the time of the early man. The art of using plants to enhance his health must have come to the early man in the most unscientific way. Some of us may want to believe that he used his instinct to identify poisonous and non-poisonous plants while some of us accept that there were external forces or invisible help us who guided him to know what he could eat freely to keep fit. No matter which one is accepted the truth is that the early man used plants in the raw form and cooked form to keep fit. Since that time, the use of herbs has been known and accepted by all nations on the surface of the earth. (Kafaru, 1994). Herbal trade is on the increase in Nigeria in the recent times not only because it is cost effective but also because of easy accessibility and reported efficacy.

Lagos is a megacity that lies in south-western Nigeria, on the Atlantic coast in the Gulf of Guinea, west of the Niger River delta, located on longitude 3° 24' E and latitude 6° 27' N. Lagos is the most populous conurbation in Nigeria with more than 8 million people. It is the most populous in Africa, and currently estimated to be the second fastest growing city in Africa (7th fastest in the world). It was formerly the capital of Nigeria and it remains the economic and financial capital of Nigeria. Because of the unprecedented busy nature of the place and difficulties surrounding access to unorthodox treatment, a reasonable percentage of the inhabitants patronize traditional means of health care delivery system. Herbal medicines may be dispensed in refined ways by direct hawking, display in supermarkets and drug stores, and sometimes in hospitals and by crude means involving hawking directly to customers in various forms as ground powder, cooked decoction and concoction. The business is branded “paraga” in the parlance of the users. This complementary health care endeavour of the people encouraged the present study with the aims to evaluate the caliber of people that patronize it, the trend of incorporation of the approach into health

care delivery system of the city and dispensing methodology.

STUDY METHODOLOGY

Oral questions and printed questionnaire were administered to both users and sellers of herbal medicine in the Lagos metropolis. Their responses were scored and percentages of these responses were used for deducing inferences. Questions asked were: names of plants that are commonly used to cure a number of diseases, recipe formulation and method of administration. The respondents cut across the social strata of Lagos. Important information relating to vernacular names of plants and documented uses were obtained from literature (Burkill, 1985; 1994, 1995, 1997; Dalziel, 1937; Gbile, 1984; Isawumi, 1990; Iwu, 1993; Oliver, 1960).

RESULT

Names of plants used for some of the various disease treatments are presented in Tables 1 and 2 showing both scientific and vernacular names (Yoruba), part of plants used, taxonomic family names, reported chemical constituents and popular uses. It was found out that there are more males consumers than females, but more females sell than males. Adults generally patronize and their religious belief (Islamic and Christianity) is not a barrier. Automobile mechanics, vehicle drivers, bus conductors, traders, uniformed force and para-force men and women, corporate individuals and highly placed people in the society all use herbal medicine. About frequency of administration, 60% of the people interviewed consume it daily, about 20% of the respondents take it weekly, 10% of the people visit fortnightly and the remaining 10% take the medicine monthly. 90% of the respondent said it was efficacious regardless the method of preparation but 10% said that though they consumed but its effectiveness was doubtful and that method of dispensing was not quite hygienic. About its complimentary role to unorthodox medicine, 80% supported its assisting significance while 20% of the respondents did not agree. 60% said that they prefer it to modern medicine, 30% preferred unorthodox medicine to the practice whereas 10% of the respondents was indifferent. Responses as to solvents being used to soak plant parts, 60% preferred alcohol, 30% chose water while 10% might use alcohol or water depending on their mood as at the time of administration. The business of medicinal herb selling which operates throughout the day in Lagos is the only source of income to 60% of the sellers whereas the remaining 40% combined the business with other trade. The sellers also provided that they have been in the business for quite over 10 years and the art was acquired by training from friends, neighbours, mothers, fathers or mothers- and fathers-in-law. They also have a trade union that regulates their activities. The resource herb-men and women responded that the business facilitated increased sales of their herbal materials.

Table 1: Plants commonly used for medicinal preparations in Lagos.

BOTANICAL NAMES	COMMON/LOCAL NAMES	PARTS USED	FAMILY
MALARIA (Iba)			
<i>Enantia chlorantha</i>	Awopa (Y), African yellow wood	Bark	Annonaceae
<i>Citrus aurantifolia</i>	Osan wewe (Y), lime	Juice	Rutaceae
<i>Cymbopogon citratus</i>	Ewe tea (Y), Lemon grass	Leaf	Poaceae
<i>Maqnifera indica</i>	Ewe mangoro (Y),	Leaf	Anacardiaceae

	Mango		
<i>Azadirachta indica</i>	Dogonyaro (H), Neem tree, Aforo-oyingbo (Y), Ogwu (I)	Leaf	Meliaceae
PILE / BACK ACHE (Jedi / Opa eyin)			
<i>Sabicea calycina</i>	Ogan (Y)	Bark	Rubiaceae
<i>Lannea welwitschii</i>	Orira (Y)	Bark	Anacardiaceae
<i>Aristolochia albida</i>	Akoigun (Y)	Leaf	Aristolochiaceae
<i>Lophira lanceolata</i>	Panhan pupa/funfun (Y)	Bark	Ochnaceae
<i>Syzygium aromaticum</i>	Konofuru (Y), clove	Fruit	Myrtaceae
<i>Tetrapleura tetraptera</i>	Aidan (Y)	Fruit	Mimosaceae
PEPPER SOUP: Control of menstruation.			
<i>Capsicum annum</i>	Ata ijosi (Y)	Fruit	Solanaceae
<i>Piper quineense</i>	Iyere (Y)	Seed	Piperaceae
<i>Allium sativum</i>	Ayu (Y) garlic	Bulb	Amaryllidaceae
<i>Zingiber officinale</i>	Ata ile (Y), Ginger	Rhizome	Zingiberaceae
<i>Syzygium aromaticum</i>	Konofuru (Y), Clove	Flower bud	Myrtaceae
<i>Ocimum gratissimum</i>	Efirin (Y), Nchianwu (I)	Leaf	Lamiaceae
<i>Monodora myristica</i>	Ariwo (Y), Ehuru (I)	Fruit	Annonaceae
<i>Xylopiya aethiopica</i>	Eru (Y)	Fruit	Annonaceae
TONIC (Ogun eje)			
<i>Sorghum bicolor</i>	Poroporo baba (Y), guinea com	Leaf	Poaceae
ERECTION (Ale)			
<i>Symphonia globulifera</i>	Ogolo (Y), Hog-gum tree	Roots	Apiaceae
<i>Carpolobea lutei</i>	Osun-sun (Y)	Roots	Polygalaceae
WATERY SPERM (Afato)			
<i>Symphonia globulifera</i>	Ogolo (Y)	Roots	Apiaceae
GONORRHOEA (Atosi)			
<i>Citrullus colocynthis</i>	Baara (Y)	Fruit	Cucurbitaceae
<i>Allium sativum</i>	Ayu (Y), Garlic	Bulb	Amaryllidaceae
<i>Parinari sp.</i>	Abere (Y), Neou oil tree	Fruit	Rosaceae

Table 2:- Some drug plants used in Nigerian orthodox medicine.

Botanical Names	Family	Part used	Constituents	Medicinal Uses
<i>Allium Sativum</i>	Amaryllidaceae	Bulb	Sulphur oils,	Vermifuge, intestinal disinfectant, Vasodilator (arteriosclerosis), antibiotic,
<i>Aristolochia albida</i>	Aristolochiaceae	Roots, Leaves	Aristolochine	Stomachic, tonic, fever (malaria), ingredients in guinea worm remedy, local analgesic
<i>Azadirachta indica</i>	Meliaceae	Leaves, stem, seeds, root bark	Margosa oils	Bitter, anti pyretic, parasitic, skin diseases
<i>Citrullus colocynthis</i>	Cucurbitaceae	Fruit pulp	Colocynthin, Citrullol, amorphous alkaloid	Purge (drastic, rarely prescribed alone)
<i>Cymbopogon citratus</i>	Poaceae	Plants, Leaves	Essential oils	Febrifuge, Malaria teas, insect repellent, carminative (obsolete), source of citral for vitamin A synthesis.
<i>Enantia chlorantha</i>	Annonaceae	Stem bark, roots	Berberine	Fevers, sleeping sickness, malaria, dysentery
<i>Lannea welwitschii</i>	Anacardiaceae	Roots, bark, Leaves	N/A	Wound dressing, dysentery
<i>Lophira lanceolata</i>	Ochnaceae	Roots, bark, leaves, seeds	N/A	Anti-viral, anti-inflammatory, fever, veneral infections, jaundice, coughs
<i>Magnifera</i>	Anacardiaceae	Bark,	Tannin, resins	Astringent, skin

<i>indica</i>		leaves		lesions, sore gums, diarrhea, piles
<i>Ocimum gratissimum</i>	Lamiaceae	Leaves, roots		Febrifuge, colds, stomachic, carminative
<i>Parinari sp.</i>	Rosaceae	Stem, fruits, kernels	Parinarium sterol A & B	Purge, Diarrhoea and dysentery, tonic wound dressing.
<i>Piper guineense</i>	Piperaceae	Fruits, leaves	Chavine, piperine	Carminative, restorative soup after child birth, embrocation for sprains, aromatic.
<i>Sabiacea calycina</i>	Rubiaceae	Roots	N/A	Wound dressing. rheumatism, panacea
<i>Symphonia globulifera</i>	Apiaceae	Fruits, leaves, exudates	N/A	Diuretic, wound dressing, venereal diseases, stomachic, tonic, surgical splint or dressing.
<i>Syzygium aromaticum</i>	Myrtaceae	Buds, volatile oils	Volatile oil, gallotonic acid, caryophyllin	Toothache, mouth sores, coughs, wound dressing.
<i>Tetrapleura tetraptera</i>	Mimosaceae	Barks, fruits, whole plant	Mimosine, saponin	Emetic, tonic, venereal diseases, fever, rheumatism, flatulence, jaundice, convulsions.
<i>Zingiber officinale</i>	Zingiberaceae	Rhizome, roots	Gingerol, essential oil	Indigestion, coughs, stimulant, anti microbial carminative, flavouring agent.

Some of the set back of herbal trading in Lagos include problems of standardization, negative attitude of enlightened people towards use of medicinal preparations probably because they can afford the alternative method, lack of scientific proof of its efficacy, problem of plant misidentification and unwillingness to share expertise with people (Kunle, 2000; Sanusi, 2002; Sofowora, 1982). However its advantages include the fact that it is complementary to unorthodox medicine, it is relatively cheap, there is ready availability of raw materials, it is a potential source of new drugs and of course, a source of cheap starting products for the synthesis of known drugs.

The sale and use of medicinal preparations should be encouraged and supported by government.

REFERENCES

- Burkill, H.M. (1985): *The useful plants of West Tropical Africa*. Vol. 1. Royal Botanic Gardens, Kew. 960pp.
- Burkill, H.M. (1994): *The useful plants of West Tropical Africa*. Vol. 2. Royal Botanic Gardens, Kew. 636pp.
- Burkill, H.M. (1995): *The useful plants of West Tropical Africa*. Vol. 3. Royal Botanic Gardens, Kew. 857pp.
- Burkill, H.M. (1997): *The useful plants of West Tropical Africa*. Vol. 4. Royal Botanic Gardens, Kew. 969pp.
- Chiej, R. (1984). *The Macdonald Encyclopaedia of Medicinal Plants*. Macodonald books, Sydney. 447pp.
- Dalziel, J.M. (1937). *The useful plants of West Tropical Africa*. The Crown Agents for the colonies, London. 612pp.
- Gbile, Z.O. (1984). *Vernacular names of Nigerian Plants in Yoruba*. Forestry Research Institute of Nigeria, Ibadan. 101 pp.
- Isawumi, M. (1990). Yoruba system of Plant Nomenclature and its Implications in traditional medicine. *Nigerian Field*. 55: 165-171.
- Iwu, M. (1993). *Handbook of African Medicinal Plants*. CRC Press, Inc., Florida. 435pp.
- Kafaru, E. (1994). *Immense help from nature's workshop*. Elikaf Health Services Ltd., Lagos. 212pp.
- Kunle, O. (2000). The production of pharmaceuticals from medicinal plants and their products. *Nigerian Journal of Natural Products and Medicine*. 4: 9-12.
- Oliver, B. (1960). *Medicinal Plants in Nigeria*. Nigerian College of Arts, Science and Technology, Ibadan. 138pp.
- Sanusi, S.(2002). Relevance and potential hazards of herbalism. *Globalisation Biodiversity and Conservation. Proceedings of Botanical Society of Nigria*, Pp. 27-28.
- Sofowora, A. (1982). *Medicinal Plants and Traditional medicine in Africa*. John Wiley and sons, New York. 251 pp.