

University of Groningen

Corrigendum to “A multicenter retrospective study of calcineurin inhibitors in nephrotic syndrome secondary to podocyte gene variants.”

CNI in Monogenic SRNS Study Investigators; Malakasioti, Georgia; Iancu, Daniela; Milovanova, Anastasiia; Tsygin, Alexey; Horinouchi, Tomoko; Nagano, China; Nozu, Kandai; Kamei, Koichi; Fujinaga, Shuichiro

Published in:
Kidney International

DOI:
[10.1016/j.kint.2023.10.006](https://doi.org/10.1016/j.kint.2023.10.006)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2024

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

CNI in Monogenic SRNS Study Investigators, Malakasioti, G., Iancu, D., Milovanova, A., Tsygin, A., Horinouchi, T., Nagano, C., Nozu, K., Kamei, K., Fujinaga, S., Iijima, K., Kang, H. G., Sinha, R., Basu, B., Morello, W., Montini, G., Waters, A., Boyer, O., Yildirim, Z. Y., ... Mitsioni, A. (2024). Corrigendum to “A multicenter retrospective study of calcineurin inhibitors in nephrotic syndrome secondary to podocyte gene variants.”. *Kidney International*, 105(1), 213-214. <https://doi.org/10.1016/j.kint.2023.10.006>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the “Taverne” license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Corrigendum to “A multicenter retrospective study of calcineurin inhibitors in nephrotic syndrome secondary to podocyte gene variants.” *Kidney Int.* 2023;103:962–972

Kidney International (2024) 105, 213–214; <https://doi.org/10.1016/j.kint.2023.10.006> Copyright © 2023, International Society of Nephrology.

Published by Elsevier Inc. All rights reserved.



Georgia Malakasioti¹, Daniela Iancu², Anastasiia Milovanova³, Alexey Tsygin³, Tomoko Horinouchi⁴, China Nagano⁴, Kandai Nozu⁴, Koichi Kamei⁵, Shuichiro Fujinaga⁶, Kazumoto Iijima⁷, Hee Gyung Kang⁸, Rajiv Sinha⁹, Biswanath Basu¹⁰, William Morello¹¹, Giovanni Montini^{11,12}, Aoife Waters¹³, Olivia Boyer¹⁴, Zeynep Yürük Yıldırım¹⁵, Sibel Yel¹⁶, İsmail Dursun¹⁶, Hugh J. McCarthy¹⁷, Marina Vivarelli¹⁸, Larisa Prikhodina¹⁹, Martine T.P. Besouw²⁰, Eugene Yu-hin Chan²¹, Wenyan Huang²², Markus J. Kemper²³, Sebastian Loos²³, Chanel Prestidge²⁴, William Wong²⁴, Galia Zlatanova²⁵, Rasmus Ehren²⁶, Lutz T. Weber²⁶, Hassib Chehade²⁷, Nakysa Hooman²⁸, Marcin Tkaczyk²⁹, Małgorzata Stańczyk²⁹, Michael Miligkos³⁰ and Kjell Tullus¹³; on behalf of the CNI in Monogenic SRNS Study Investigators³¹

¹Renal Unit, P. & A. Kyriakou Children's Hospital, Athens, Greece; ²Wessex Clinical Genetics Service, Princess Anne Hospital, Southampton, UK; ³National Medical Research Centre of Children's Health, Moscow, Russia; ⁴Department of Pediatrics, Kobe University Graduate School of Medicine, Kobe, Japan; ⁵Division of Nephrology and Rheumatology, National Center for Child Health and Development, Tokyo, Japan; ⁶Division of Nephrology, Saitama Children's Medical Center, Saitama, Japan; ⁷Hyogo Prefectural Kobe Children's Hospital, Kobe, Japan; ⁸Department of Pediatrics, Seoul National University Children's Hospital, Seoul National University College of Medicine, Seoul, Republic of Korea; ⁹Division of Pediatric Nephrology, Institute of Child Health, Kolkata, India; ¹⁰Division of Pediatric Nephrology, Department of Pediatrics, Nil Ratan Sircar Medical College and Hospital, Kolkata, India; ¹¹Pediatric Nephrology, Dialysis and Transplant Unit, Fondazione IRCCS Ca'Granda, Ospedale Maggiore Policlinico di Milano, Milan, Italy; ¹²Department of Clinical Sciences and Community Health, University of Milan, Milan, Italy; ¹³Department of Paediatric Nephrology, Great Ormond Street Hospital NHS Foundation Trust, London, UK; ¹⁴Department of Pediatric Nephrology, Hôpital Necker Enfants Malades, AP-HP and Université de Paris, Paris, France; ¹⁵Division of Pediatric Nephrology, Istanbul Faculty of Medicine, Istanbul University, Istanbul, Turkey; ¹⁶Department of Pediatric Nephrology, Erciyes University Medical Faculty, Kayseri, Turkey; ¹⁷Department of Nephrology, Sydney Children's Hospitals Network & Department of Child and Adolescent Health, Faculty of Medicine and Health, University of Sydney, Sydney, New South Wales, Australia; ¹⁸Division of Nephrology and Dialysis, Department of Pediatric Subspecialties, Bambino Gesù Pediatric Hospital IRCCS, Rome, Italy; ¹⁹Veltishev Research & Clinical Institute for Pediatrics, Pirogov Russian National Research Medical University, Moscow, Russia; ²⁰Department of Pediatric Nephrology, University Medical Center Groningen, University of Groningen, Groningen, The Netherlands; ²¹Paediatric Nephrology Centre, Hong Kong Children's Hospital, Hong Kong; ²²Department of Nephrology and Rheumatology, Shanghai Children's Hospital, Shanghai Jiao Tong University, Shanghai, China; ²³University Children's Hospital, University Medical Center-Hamburg-Eppendorf, Hamburg, Germany; ²⁴Starship Children's Hospital, Auckland, New Zealand; ²⁵Department of Nephrology and Dialysis University Pediatric Hospital "Prof. Ivan Mitev", Department of Pediatrics Medical University, Sofia, Bulgaria; ²⁶Pediatric Nephrology, Children's and Adolescents' Hospital, University Hospital of Cologne, Faculty of Medicine, University of Cologne, Cologne, Germany; ²⁷Division of Pediatrics and DOHaD Lab, CHUV-UNIL, Lausanne, Switzerland; ²⁸Aliasghar Clinical Research Development Center, Department of Pediatrics, School of Medicine, Iran University of Medical Sciences, Tehran, Iran; ²⁹Department of Pediatrics, Immunology and Nephrology, Polish Mother's Memorial Hospital Research Institute, Medical University of Lodz, Lodz, Poland; and ³⁰Second Department of Pediatrics, University of Athens School of Medicine and P. & A. Kyriakou Children's Hospital, Athens, Greece

DOI of original article: <https://doi.org/10.1016/j.kint.2023.02.022>

Correspondence: Georgia Malakasioti, Renal Unit, P. & A. Kyriakou Children's Hospital, Thivon & Levadeias, Athens 115.27, Greece. E-mail: gwgwm1979@yahoo.gr

³¹Members of the CNI in Monogenic SRNS Study Investigators are listed in the [Appendix](#).

The authors regret to report that Hee Gyung Kang, Department of Pediatrics, Seoul National University Children's Hospital, Seoul National University College of Medicine, Seoul, Republic of Korea, inadvertently was not included in the list of authors of the published article. The collaborator was removed from the Acknowledgments. This has been corrected in the article online. The authors would like to apologize for any inconvenience caused.

APPENDIX

The CNI in Monogenic SRNS Study Investigators

Georgia Malakasioti, Renal Unit, P. & A. Kyriakou Children's Hospital, Athens, Greece; Daniela Iancu, Wessex Clinical Genetics Service, Princess Anne Hospital, Southampton, UK; Anastasiia Milovanova, National Medical Research Centre of Children's Health, Moscow, Russia; Alexey Tsygin, National Medical Research Centre of Children's Health, Moscow, Russia; Tomoko Horinouchi, Department of Pediatrics, Kobe University Graduate School of Medicine, Kobe, Japan; China Nagano, Department of Pediatrics, Kobe University Graduate School of Medicine, Kobe, Japan; Kandai Nozu, Department of Pediatrics, Kobe University Graduate School of Medicine, Kobe, Japan; Koichi Kamei, Division of Nephrology and Rheumatology, National Center for Child Health and Development, Tokyo, Japan; Shuichiro Fujinaga, Division of Nephrology, Saitama Children's Medical Center, Saitama, Japan; Kazumoto Iijima, Hyogo Prefectural Kobe Children's Hospital, Kobe, Japan; Rajiv Sinha, Division of Pediatric Nephrology, Institute of Child Health, Kolkata, India; Biswanath Basu, Division of Pediatric Nephrology, Department of Pediatrics, Nilratan Sircar Medical College and Hospital, Kolkata, India; William Morello, Pediatric Nephrology, Dialysis and Transplant Unit, Fondazione IRCCS Ca'Granda, Ospedale Maggiore Policlinico di Milano, Milan, Italy; Giovanni Montini, Pediatric Nephrology, Dialysis and Transplant Unit, Fondazione IRCCS Ca'Granda, Ospedale Maggiore Policlinico di Milano, Milan, Italy and Department of Clinical Sciences and Community Health, University of Milan, Milan, Italy; Aoife Waters, Department of Paediatric Nephrology, Great Ormond Street Hospital NHS Foundation Trust, London, UK; Olivia Boyer, Department of Pediatric Nephrology, Hôpital Necker Enfants Malades, AP-HP and Université de Paris, Paris, France; Zeynep Yürük Yıldırım, Division of Pediatric Nephrology, Istanbul Faculty of Medicine, Istanbul University, Istanbul, Turkey; Sibel Yel, Department of Pediatric Nephrology, Erciyes University Medical Faculty, Kayseri, Turkey; Ismail Dursun, Department of Pediatric Nephrology, Erciyes University Medical Faculty, Kayseri, Turkey; Hugh J. McCarthy, Department of Nephrology, Sydney Children's Hospitals Network & Department of Child and Adolescent Health, Faculty of Medicine and Health, University of Sydney, Australia; Marina Vivarelli, Department of Pediatric Sub-specialties, Division of Nephrology and Dialysis, Bambino Gesù Pediatric Hospital and Research Center, Rome, Italy; Larisa Prikhodina, Veltishev Research & Clinical Institute for Pediatrics Pirogov Russian National Research Medical University; Martine T.P. Besouw, Department of Pediatric Nephrology, University of Groningen, University Medical Center Groningen, Groningen, The Netherlands; Eugene Yu-hin Chan, Paediatric Nephrology Centre, Hong Kong Children's Hospital, Hong Kong; Wenyan Huang, Department of Nephrology and Rheumatology, Shanghai Children's Hospital, Shanghai Jiao Tong University, Shanghai, China; Markus J. Kemper, University Children's Hospital, University Medical Center-Hamburg-Eppendorf, Hamburg, Germany; Sebastian Loos, University Children's Hospital, University Medical Center-Hamburg-Eppendorf, Hamburg, Germany; Chanel Prestidge, Starship Children's Hospital, Auckland, New Zealand; William Wong, Starship Children's Hospital, Auckland, New Zealand; Galia Zlatanova, Department of Nephrology and Dialysis University Pediatric Hospital "Prof. Ivan Mitev", Department of Pediatrics Medical University, Sofia, Bulgaria; Rasmus Ehren, Pediatric Nephrology, Children's and Adolescents' Hospital, University Hospital of Cologne, Faculty of Medicine, University of Cologne, Cologne, Germany; Lutz T. Weber, Pediatric Nephrology, Children's and Adolescents' Hospital, University Hospital of Cologne, Faculty of Medicine, University of Cologne, Cologne, Germany; Hassib Chehade, Division of Pediatrics and DOHaD Lab, CHUV-UNIL, Lausanne, Switzerland; Nakysa Hooman, Aliasghar Clinical Research Development Center, Department of Pediatrics, School of Medicine, Iran University of Medical Sciences, Tehran, Iran; Marcin Tkaczyk, Department of Pediatrics, Immunology and Nephrology, Polish Mother's Memorial Hospital Research Institute, Medical University of Lodz, Lodz, Poland; Małgorzata Stańczyk, Department of Pediatrics, Immunology and Nephrology, Polish Mother's Memorial Hospital Research Institute, Medical University of Lodz, Lodz, Poland; Kjell Tullus, Department of Paediatric Nephrology, Great Ormond Street Hospital NHS Foundation Trust, London, UK; Vitor Hugo Martins, Nephrology Dialysis and Transplantation Unit, Regina Margherita Children's Hospital, Torino, Italy; Roberta Camilla, Nephrology Dialysis and Transplantation Unit, Regina Margherita Children's Hospital, Torino, Italy; Bruno Gianoglio, Nephrology Dialysis and Transplantation Unit, Regina Margherita Children's Hospital, Torino, Italy; Andrew Maxted, Nottingham Children's Hospital Renal and Urology Unit; Michel Tsimaratos, Mar Espino-Hernández, Pediatric Nephrology, Hospital 12 de Octubre, Madrid, Spain; Harika Alpay, Division of Pediatric Nephrology, Department of Pediatrics, Marmara University School of Medicine, Istanbul, Turkey; Valerie Said-Conti, Department of Pediatrics, Mater Dei Hospital, Malta; Anamarija Meglič, Paediatric Nephrology Department, University Children's Hospital, Ljubljana, Slovenia; Paula Bresso, Pediatric Nephrology Hospital El Cruce, Buenos Aires, Argentina; Paula Coccia, Servicio Nefrología Pediátrica Hospital Italiano de Buenos Aires, Argentina; Andromachi Mitsioni, Renal Unit, P. & A. Kyriakou Children's Hospital, Athens, Greece; and Yok-Chin Yap, Women and Children Hospital Kuala Lumpur, Malaysia.

ACKNOWLEDGMENTS

The authors would like to thank Dr. Seon Hee Lim and Dr. Howard Trachtman for the contribution of anonymized patient data in this study. They also thank the staff of the European Society of Pediatric Nephrology and International Pediatric Nephrology Association for disseminating the invitation for participation to the study to their members.

Corrigendum to "A novel nanoluciferase transgenic reporter measures proteinuria in zebrafish." *Kidney Int.* 2022;102:815–827

Kidney International (2024) 105, 214–215; <https://doi.org/10.1016/j.kint.2023.11.001> Crown Copyright © 2023, Published by Elsevier, Inc., on behalf of the International Society of Nephrology. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).



OPEN

Richard W. Naylor¹, Emmanuel Lemarie², Anthony Jackson-Crawford³, J. Bernard Davenport¹, Aleksandr Mironov⁴, Martin Lowe² and Rachel Lennon^{1,5}

¹Wellcome Centre for Cell-Matrix Research, Division of Cell-Matrix Biology and Regenerative Medicine, School of Biological Sciences, Faculty of Biology Medicine and Health, The University of Manchester, Manchester Academic Health Science Centre, Manchester, UK; ²Division of Molecular and Cellular Function, School of Biological Sciences, Faculty of Biology, Medicine, and Health, Manchester Academic Health Science Centre, University of Manchester, Manchester, UK; ³Department of Blood Sciences, Grange University Hospital, Llanyravon, Gwent, UK; ⁴EM Core Facility (RRID: SCR_021147), Faculty of Biology, Medicine and Health, University of Manchester, Manchester, UK; and ⁵Department of Paediatric Nephrology, Royal Manchester Children's Hospital, Manchester University Hospitals NHS Foundation Trust, Manchester Academic Health Science Centre, Manchester, UK