Global and risk-group stratified well-being and mental health during the COVID-19 pandemic in adults: Results from the international COH-FIT Study

Marco Solmi, Trevor Thompson, Andrés Estradé, Agorastos Agorastos, Joaquim Radua, Samuele Cortese, Elena Dragioti, Friedrich Leisch, Davy Vancampfort, Lau Caspar Thygesen, Harald Aschauer, Monika Schlögelhofer, Elena Aschauer, Andres Schneeberger, Christian G. Huber, Gregor Hasler, Philippe Conus, Kim Q. Do Cuénod, Roland von Känel, Gonzalo Arrondo, Paolo Fusar-Poli, Philip Gorwood, Pierre-Michel Llorca, Marie-Odile Krebs, Elisabetta Scanferla, Taishiro Kishimoto, Golam Rabbani, Karolina Skonieczna-Źydecka, Paolo Brambilla, Angela Favaro, Akihiro Takamiya, Leonardo Zoccante, Marco Colizzi, Julie Bourgin, Karol Kamiński, Maryam Moghadasin, Soraya Seedat, Evan Matthews, John Wells, Emilia Vassilopoulou, Ary Gadelha, Kuan-Pin Su, Jun Soo Kwon . Minah Kim . Tae Young Lee . Oleg Papsuev . Denisa Manková, Andrea Boscutti, Cristiano Gerunda, Diego Saccon, Elena Righi, Francesco Monaco, Giovanni Croatto, Guido Cereda, Jacopo Demurtas, Natascia Brondino, Nicola Veronese, Paolo Enrico, Pierluigi Politi, Valentina Ciappolino, Andrea Pfennig, Andreas Bechdolf, Andreas Meyer-Lindenberg, Kai G. Kahl, Katharina Domschke, Michael Bauer, Nikolaos Koutsouleris, Sibylle Winter, Stefan Borgwardt, Istvan Bitter, Judit Balazs, Pál Czobor, Zsolt Unoka, Dimitris Mavridis, Konstantinos Tsamakis, Vasilios P. Bozikas, Chavit Tunvirachaisakul, Michael Maes, Teerayuth Rungnirundorn, Thitiporn Supasitthumrong, Ariful Hague, Andre R. Brunoni, Carlos Gustavo Costardi, Felipe Barreto Schuch, Guilherme Polanczyk, Jhoanne Merlyn Luiz, Lais Fonseca, Luana V. Aparicio, Samira S. Valvassori, Merete Nordentoft, Per Vendsborg, Sofie Have Hoffmann, Jihed Sehli, Norman Sartorius, Sabina Heuss, Daniel Guinart, Jane Hamilton, John Kane, Jose Rubio, Michael Sand, Ai Koyanagi, Aleix Solanes, Alvaro Andreu-Bernabeu, Antonia San José Cáceres, Celso Arango, Covadonga M. Díaz-Caneja, Diego Hidalgo-Mazzei, Eduard Vieta, Javier Gonzalez-Peñas, Lydia Fortea, Mara Parellada, Miguel A. Fullana, Norma Verdolini, Eva Andrlíková, Karolina Janků, Mark J. Millan, Mihaela Honciuc, Anna Moniuszko-Malinowska, Igor Loniewski, Jerzy Samochowiec, Lukasz Kiszkiel, Maria Marlicz, Pawe I Sowa, Wojciech Marlicz, Georgina Spies, Brendon Stubbs, Joseph Firth, Sarah Sullivan, Asli Enez Darcin, Hatice Aksu, Nesrin Dilbaz, Onur Noyan, Momoko Kitazawa, Shunya Kurokawa, Yuki Tazawa, Alejandro Anselmi, Cecilia Cracco, Ana Inés Machado, Natalia Estrade,



Diego De Leo, Jackie Curtis, Michael Berk, Andre F. Carvalho, Philip Ward, Scott Teasdale, Simon Rosenbaum, Wolfgang Marx, Adrian Vasile Horodnic, Liviu Oprea, Ovidiu Alexinschi, Petru Ifteni, Serban Turliuc, Tudor Ciuhodaru, Alexandra Bolos, Valentin Matei, Dorien H. Nieman, Iris Sommer, Jim van Os, Therese van Amelsvoort, Ching-Fang Sun , Ta-wei Guu , Can Jiao , Jieting Zhang , Jialin Fan , Liye Zou , Xin Yu , Xinli Chi , Philippe de Timary , Ruud van Winkel, Bernardo Ng, Edilberto Pena, Ramon Arellano, Raquel Roman, Thelma Sanchez, Larisa Movina, Pedro Morgado, Sofia Brissos, Oleg Aizberg, Anna Mosina, Damir Krinitski, James Mugisha, Dena Sadeghi-Bahmani, Farshad Sheybani, Masoud Sadeghi, Samira Hadi, Serge Brand, Antonia Errazuriz, Nicolas Crossley, Dragana Ignjatovic Ristic, Carlos López-Jaramillo, Dimitris Efthymiou, Praveenlal Kuttichira, Roy Abraham Kallivayalil, Afzal Javed, Muhammad Iqbal Afridi, Bawo James, Omonefe Joy Seb-Akahomen, Jess Fiedorowicz, Jeff Daskalakis, Lakshmi N. Yatham, Lin Yang, Tarek Okasha, Aïcha Dahdouh, Björn Gerdle, Jari Tiihonen, Jae II Shin, Jinhee Lee, Ahmed Mhalla, Lotfi Gaha, Takoua Brahim, Kuanysh Altynbekov, Nikolay Negay, Saltanat Nurmagambetova, Yasser Abu Jamei, Mark Weiser, Christoph U. Correll

PII: S0165-1781(24)00257-9

DOI: https://doi.org/10.1016/j.psychres.2024.115972

Reference: PSY 115972

To appear in: Psychiatry Research

Received date: 15 October 2023 Revised date: 15 May 2024 Accepted date: 18 May 2024

Please cite this article as: Marco Solmi, Trevor Thompson, Andrés Estradé, Agorastos Agorastos, Joaquim Radua. Samuele Cortese, Elena Dragioti, Friedrich Leisch. Davy Vancampfort, Lau Caspar Thygesen, Harald Aschauer, Monika Schlögelhofer, Elena Aschauer. Andres Schneeberger, Christian G. Huber, Gregor Hasler, Philippe Conus, Kim Q. Do Cuénod, Roland von Känel, Gonzalo Arrondo, Paolo Fusar-Poli, Philip Gorwood, Pierre-Michel Llorca, Marie-Odile Krebs . Elisabetta Scanferla. Taishiro Kishimoto . Golam Rabbani. Karolina Skonieczna-Źydecka. Angela Favaro, Paolo Brambilla, Akihiro Takamiya, Leonardo Zoccante. Marco Colizzi, Julie Bourgin, Karol Kamiński, Maryam Moghadasin, Soraya Seedat, Evan Matthews, John Wells, Emilia Vassilopoulou, Ary Gadelha, Kuan-Pin Su, Jun Soo Kwon, Minah Kim, Tae Young Lee, Oleg Papsuev, Denisa Manková, Elena Righi, Andrea Boscutti . Cristiano Gerunda, Diego Saccon, Francesco Monaco. Giovanni Croatto, Guido Cereda, Jacopo Demurtas , Natascia Brondino, Nicola Veronese, Pierluigi Politi, Valentina Ciappolino, Andrea Pfennig, Andreas Bechdolf. Paolo Enrico. Andreas Meyer-Lindenberg, Kai G. Kahl, Katharina Domschke, Michael Bauer, Nikolaos Koutsouleris, Sibylle Winter, Stefan Borgwardt, Istvan Bitter, Judit Balazs, Pál Czobor . Zsolt Unoka, Dimitris Mavridis, Konstantinos Tsamakis, Vasilios P. Bozikas, Chavit Tunvirachaisakul, Michael Maes, Teerayuth Rungnirundorn, Thitiporn Supasitthumrong, Carlos Gustavo Costardi, Felipe Barreto Schuch, Ariful Hague, Andre R. Brunoni, Guilherme Polanczyk, Jhoanne Merlyn Luiz, Lais Fonseca, Luana V. Aparicio, Samira S. Valvassori, Merete Nordentoft, Per Vendsborg, Sofie Have Hoffmann, Jihed Sehli, Norman Sartorius, Sabina Heuss, Daniel Guinart, Jane Hamilton, John Kane,

Jose Rubio . Michael Sand. Ai Kovanagi. Aleix Solanes. Alvaro Andreu-Bernabeu. Antonia San José Cáceres, Celso Arango, Covadonga M. Díaz-Caneja, Diego Hidalgo-Mazzei, Eduard Vieta, Javier Gonzalez-Peñas, Lydia Fortea . Mara Parellada, Miguel A. Fullana, Norma Verdolini, Eva Andrlíková, Karolina Janků, Mark J. Millan, Mihaela Honciuc, Anna Moniuszko-Malinowska, Jerzy Samochowiec, Lukasz Kiszkiel, Igor Loniewski, Maria Marlicz, Pawe I Sowa, Wojciech Marlicz, Georgina Spies, Brendon Stubbs, Joseph Firth, Sarah Sullivan, Asli Enez Darcin, Hatice Aksu, Nesrin Dilbaz, Onur Novan, Momoko Kitazawa, Shunya Kurokawa, Yuki Tazawa, Alejandro Anselmi, Cecilia Cracco. Ana Inés Machado, Natalia Estrade, Diego De Leo, Jackie Curtis, Michael Berk, Andre F. Carvalho, Philip Ward, Scott Teasdale, Simon Rosenbaum, Wolfgang Marx, Adrian Vasile Horodnic, Liviu Oprea, Ovidiu Alexinschi, Petru Ifteni, Serban Turliuc, Valentin Matei, Tudor Ciuhodaru. Alexandra Bolos, Dorien H. Nieman . Iris Sommer. Jim van Os, Therese van Amelsvoort, Ching-Fang Sun, Ta-wei Guu, Can Jiao, Jieting Zhang, Jialin Fan, Liye Zou, Xin Yu, Xinli Chi, Philippe de Timary, Ruud van Winkel, Bernardo Ng, Edilberto Pena, Ramon Arellano, Raquel Roman, Thelma Sanchez, Larisa Movina, Pedro Morgado, Sofia Brissos, Oleg Aizberg, Anna Mosina, Damir Krinitski, James Mugisha, Dena Sadeghi-Bahmani, Farshad Sheybani, Masoud Sadeghi, Samira Hadi, Serge Brand, Antonia Errazuriz, Nicolas Crossley, Dragana Igniatovic Ristic, Carlos López-Jaramillo, Roy Abraham Kallivayalil, Dimitris Efthymiou, Praveenlal Kuttichira, Afzal Javed, Muhammad Igbal Afridi, Bawo James, Omonefe Joy Seb-Akahomen, Jess Fiedorowicz, Jeff Daskalakis, Lakshmi N. Yatham, Lin Yang, Tarek Okasha, Aïcha Dahdouh, Björn Gerdle, Ahmed Mhalla, Jari Tiihonen, Jae II Shin, Jinhee Lee, Lotfi Gaha, Takoua Brahim, Saltanat Nurmagambetova, Kuanvsh Altvnbekov. Nikolay Negay, Yasser Abu Jamei. Mark Weiser, Christoph U. Correll, Global and risk-group stratified well-being and mental health during the COVID-19 pandemic in adults: Results from the international COH-FIT Study, Psychiatry Research (2024), doi: https://doi.org/10.1016/j.psychres.2024.115972

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2024 Published by Elsevier B.V.

Highlights

- **Question:** What has been the COVID-19 impact on well-being and mental health globally and in at-risk groups, and what were the most effective coping strategies?
- **Findings:** The COVID-19 pandemic worsened well-being and mental health of the general population, with a moderate effect size, with a peak in the early stages of the pandemic followed by a return to near-pre-pandemic values after >2 years. The impact was larger in those with mental disorders, females, COVID-19-related loss, from low-income countries, with physical disorders, healthcare workers, from large cities, with COVID-19 infection, unemployment, first-generation immigration, and ages=18-29, with a cumulative effect. Exercise, internet use and direct social contact were the most helpful coping strategies.
- Meaning: COH-FIT identifies strata of the general population that are at increased risk of poor
 wellbeing and mental health during infection times, which should be particularly protected with
 mental health promotion and prevention strategies. Moreover, COH-FIT identifies subjectively
 most helpful coping strategies, that might help in mitigating the negative impact of a pandemic.
 Results can inform policy makers and resource allocation at different times during the pandemic.

Global and risk-group stratified well-being and mental health during the COVID-19 pandemic in adults: Results from the international COH-FIT Study

Marco Solmi_{1,2,3,4,5,6}*, Trevor Thompson₇*, Andrés Estradé_{4,8}*, Agorastos Agorastos₉, Joaquim Radua_{4,10,11}, Samuele Cortese12, Elena Dragioti13,14, Friedrich Leisch15, Davy Vancampfort16, Lau Caspar Thygesen17, Harald Aschauer18, Monika Schlögelhofer18, Elena Aschauer18, Andres Schneeberger19, Christian G. Huber20, Gregor Hasler21, Philippe Conus22, Kim Q. Do Cuénod22, Roland von Känel23, Gonzalo Arrondo12,24, Paolo Fusar-Poli4,25,26, Philip Gorwood27,28, Pierre-Michel Llorca29, Marie-Odile Krebs28,30, Elisabetta Scanferla27, Taishiro Kishimoto31, Golam Rabbani32, Karolina Skonieczna-Żydecka33, Paolo Brambilla34,35, Angela Favaro36, Akihiro Takamiya31, Leonardo Zoccante37, Marco Colizzi38, Julie Bourgin39, Karol Kamiński40, Maryam Moghadasin41, Soraya Seedat42, Evan Matthews43, John Wells43, Emilia Vassilopoulou44, Ary Gadelha45, Kuan-Pin Su46,117, Jun Soo Kwon47, Minah Kim48, Tae Young Lee49, Oleg Papsuev50, Denisa Manková51, Andrea Boscutti34, Cristiano Gerunda36, Diego Saccon52, Elena Righi53, Francesco Monaco54,166, Giovanni Croatto55, Guido Cereda34, Jacopo Demurtass6, Natascia Brondino26, Nicola Veronese57, Paolo Enrico34, Pierluigi Politi26, Valentina Ciappolino35, Andrea Pfennigs8, Andreas Bechdolfs9, Andreas Meyer-Lindenberg60, Kai G. Kahl61, Katharina Domschke62, Michael Bauers8, Nikolaos Koutsouleris63, Sibylle Winter6, Stefan Borgwardt64, Istvan Bitter65, Judit Balazs66,67, Pál Czobor65, Zsolt Unoka65, Dimitris Mavridis68, Konstantinos Tsamakis69, Vasilios P. Bozikas9, Chavit Tunvirachaisakul70, Michael Maes70, Teerayuth Rungnirundorn70, Thitiporn Supasitthumrong70, Ariful Haque32, Andre R. Brunoni71, Carlos Gustavo Costardi45, Felipe Barreto Schuch72,73,74, Guilherme Polanczyk71, Jhoanne Merlyn Luiz75, Lais Fonseca45, Luana V. Aparicio71, Samira S. Valvassori75, Merete Nordentoft76, Per Vendsborg77, Sofie Have Hoffmann17, Jihed Sehli21, Norman Sartorius78, Sabina Heuss79, Daniel Guinart80,81,82, Jane Hamilton83, John Kane80,84, Jose Rubio80,84, Michael Sand85, Ai Koyanagi86, Aleix Solanes10, Alvaro Andreu-Bernabeus7, Antonia San José Cáceres87, Celso Arangos7, Covadonga M. Díaz-Caneja87, Diego Hidalgo-Mazzei88, Eduard Vietass, Javier Gonzalez-Peñass7, Lydia Fortea10, Mara Parelladas7, Miquel A. Fullana10, Norma Verdoliniss,ss, Eva Andrlíkovás1, Karolina Jankůs1, Mark J. Millanso, Mihaela Honciuc2s, Anna Moniuszko-Malinowska91, Igor Łoniewski33,92, Jerzy Samochowiec93, Łukasz Kiszkiel94, Maria Marlicz33, Paweł Sowa40, Wojciech Marlicz95,96, Georgina Spies42, Brendon Stubbs97, Joseph Firth98, Sarah Sullivan99, Asli Enez Darcin100, Hatice Aksu101, Nesrin Dilbaz102, Onur Noyan102, Momoko Kitazawa31, Shunya Kurokawa31, Yuki Tazawa31, Alejandro Anselmis, Cecilia Craccos, Ana Inés Machados, Natalia Estrades, Diego De Leo103, Jackie Curtis104, Michael Berk105, Andre F. Carvalho105, Philip Ward106, Scott Teasdale106, Simon Rosenbaum106, Wolfgang Marx105, Adrian Vasile Horodnic107, Liviu Oprea107, Ovidiu Alexinschi108, Petru Ifteni109, Serban Turliuc107, Tudor Ciuhodaru110, Alexandra Bolos107, Valentin Matei111, Dorien H. Nieman112, Iris Sommer113,114, Jim van Os115, Therese van Amelsvoort116, Ching-Fang Sun117,118, Ta-wei Guu69,117,119, Can Jiao120, Jieting Zhang120, Jialin Fan120, Liye Zou120, Xin Yu121, Xinli Chi120, Philippe de Timary122,123, Ruud van Winkel124, Bernardo Ng125, Edilberto Pena125, Ramon Arellano125, Raquel Roman125, Thelma Sanchez125, Larisa Movina50, Pedro Morgado126,127, Sofia Brissos128, Oleg Aizberg129, Anna Mosina130, Damir Krinitski131, James Mugisha132, Dena Sadeghi-Bahmani133,134, Farshad Sheybani135, Masoud Sadeghi136, Samira Hadi137, Serge Brand134,138,139,140,141, Antonia Errazuriz142, Nicolas Crossley142, Dragana Ignjatovic Ristic143, Carlos López-Jaramillo144, Dimitris Efthymiou44, Praveenlal Kuttichira145, Roy Abraham Kallivayalil146, Afzal Javed147, Muhammad Iqbal Afridi148,149,150, Bawo James151, Omonefe Joy Seb-Akahomen152, Jess Fiedorowicz1,2,3, Jeff Daskalakis153, Lakshmi N. Yatham154, Lin Yang155,156, Tarek Okasha157, Aïcha Dahdouh158, Björn Gerdle13, Jari Tiihonen11,159, Jae II Shin160, Jinhee Lee161, Ahmed Mhalla162, Lotfi Gaha162, Takoua Brahim162, Kuanysh Altynbekov163, Nikolay Negay163, Saltanat Nurmagambetova₁₆₃, Yasser Abu Jamei₁₆₄, Mark Weiser₁₆₅, Christoph U. Correll_{6,80,81,167}§

^{*} Joint first authors

⁵ Corresponding author: Christoph U. Correll, MD, Department of Child and Adolescent Psychiatry, Psychosomatic Medicine and Psychotherapy, Charité University Medical Center, Campus Virchow, Augustenburger Platz 1, D-13353, Berlin, Germany. Tel.: +49 30 450 566202, Fax: +49 30 450 566921, E-mail: christoph.correll@charite.de

Affiliations

1University of Ottawa, Department of Psychiatry, Ontario, Canada

2The Ottawa Hospital, Department of Mental Health, Ontario, Canada

3Ottawa Hospital Research Institute (OHRI) Clinical Epidemiology Program, Ottawa Ontario

4Early Psychosis: Interventions and Clinical-detection (EPIC) Lab, Department of Psychosis Studies, Institute of Psychiatry, Psychology & Neuroscience, King's College London, London, United Kingdom

5Centre for Innovation in Mental Health-Developmental Lab, School of Psychology, University of Southampton, and NHS Trust, Southampton, United Kingdom

6Charité Universitätsmedizin Berlin, Department of Child and Adolescent Psychiatry, Berlin, Germany

7Centre for Chronic Illness and Ageing, University of Greenwich, London, United Kingdom

8Universidad Católica, Department of Psychology, Montevideo, Uruguay

9Aristotle University of Thessaloniki, II. Dept. of Psychiatry, Division of Neurosciences, Medical School, Faculty of Health Sciences, Greece

10 Institut d'Investigacions Biomèdiques August Pi i Sunyer (IDIBAPS), Imaging of Mood- and Anxiety-Related Disorders (IMARD), University of Barcelona, CIBERSAM, Instituto de Salud Carlos III, Barcelona, Spain

11Karolinska Institutet, Centre for Psychiatric Research and Education, Department of Clinical Neuroscience, Stockholm, Sweden

12University of Southampton, Centre for Innovation in Mental Health, Southampton, United Kingdom

13Linköping University, Pain and Rehabilitation Centre and Department of Health, Medicine and Caring Sciences, Linköping, Sweden

14University of Ioannina, Research Laboratory Psychology of Patients, Families & Health Professionals, Department of Nursing, School of Health Sciences, Ioannina, Greece

15University of Natural Resources and Life Sciences, Wien, Austria

16Katholieke Universiteit Leuven (KU Leuven), Department of Rehabilitation Sciences, Leuven, Belgium

17National Institute of Public Health, University of Southern Denmark, Denmark

18BioPsyC - Biopsychosocial Corporation, Non-profit association for Research Funding Ltd., Vienna, Austria

19University of California San Diego, California, United States

20University of Basel, Universitäre Psychiatrische Kliniken Basel (UPK), Basel, Switzerland

21University of Fribourg, Fribourg Network of Mental Health (RFSM), Fribourg, Switzerland

22University of Lausanne, Department of Psychiatry, Lausanne, Switzerland

23 University of Zurich, University Hospital Zurich, Department of Consultation-Liaison Psychiatry and Psychosomatic Medicine, Switzerland

24University of Navarra, Mind-Brain Group, Institute for Culture and Society (ICS), Pamplona, Spain

25OASIS service, South London and Maudsley NHS Foundation Trust, London, United Kingdom

26University of Pavia, Department of Brain and Behavioral Sciences, Pavia, Italy

27Université Paris Cité, CMME, GHU Paris Psychiatrie et Neurosciences, Paris, France

28Institute de Psychiatrie et Neuroscience de Paris, INSERM U1266, F-75014, Paris, France

29Université Clermont Auvergne, CHU Clermont-Ferrand, Service de Psychiatrie B, Clermont-Ferrand, France

30Université de Paris, PEPIT, GHU Paris Psychiatrie et Neuroscience, Paris, France

31Keio University School of Medicine, Department of Neuropsychiatry, Tokyo, Japan

32The National Foundation of Mental Health of Bangladesh, Bangladesh

33Pomeranian Medical University in Szczecin, Department of Biochemical Sciences, Szczecin, Poland

34University of Milan, Department of Pathophysiology and Transplantation, Milan, Italy

35Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico, Department of Neurosciences and Mental Health, Milan, Italy

36University of Padua, Neurosciences Department, Padua, Italy

37Integrated University Hospital of Verona, Child and Adolescent Neuropsychiatry Unit, Maternal-Child Integrated Care Department, Verona, Italy

38University of Udine, Department of Medicine (DAME), Unit of Psychiatry, Italy

39Service de Psychiatrie de l'enfant et de l'adolescent, GHNE, 91440 Bures Sur Yvette, France

40Medical University of Białystok, Department of Population Medicine and Lifestyle Diseases Prevention, Bialystok, Poland

41Kharazmi University, Department of Clinical Psychology, Faculty of Psychology and Education, Tehran, Iran

42South African Medical Research Council Unit on the Genomics of Brain Disorders, Stellenbosch University, Department of Psychiatry, Faculty of Medicine and Health Sciences, South Africa

43South East Technological University, School of Health Science, Waterford, Ireland

44University of Nicosia, Department of Life and Health Sciences, Nicosia, Cyprus

45Universidade Federal de São Paulo, Department of Psychiatry, São Paulo, Brazil

46An-Nan Hospital, China Medical University, Department of Psychiatry, Tainan, Taiwan

47Seoul National University College of Medicine, Department of Psychiatry, Seoul, Republic of Korea

48Seoul National University Hospital, Department of Neuropsychiatry, Seoul, Republic of Korea

49Pusan National University Yangsan Hospital, Department of Psychiatry, Yangsan, Republic of Korea

50Moscow Research Institute of Psychiatry, Moscow, Russia

51National Institute of Mental Health, Klecany, Czech Republic

52AULSS4 Veneto Orientale, Addictions Department, Italy

53University of Modena and Reggio Emilia, Department of Biomedical, Metabolic and Neural Sciences, Modena, Italy

54ASL Salerno, Department of Mental Health, Salerno, Italy

55University of Padova, Padova, Italy

56University of Modena and Reggio Emilia, Clinical and Experimental Medicine PhD Program, Modena, Italy

57University of Palermo, Department of Internal Medicine, Geriatrics Section, Palermo, Italy

58Technische Universität Dresden, University Hospital Carl Gustav Carus, Department of Psychiatry and Psychotherapy, Dresden, Germany

59Charité Universitätsmedizin Berlin, Department of Psychiatry and Psychotherapy, Berlin, Germany

60Heidelberg University, Central Institute of Mental Health, Medical Faculty Mannheim, Germany

61Hannover Medical School, Department of Psychiatry, Social Psychiatry and Psychotherapy, Germany

62University of Freiburg, Department of Psychiatry and Psychotherapy, Medical Center – University of Freiburg, Faculty of Medicine, Freiburg, Germany

63Ludwig-Maximilians-University of Munich, Munich, Germany

64University of Lübeck, Lübeck, Germany

65Semmelweis University, Department of Psychiatry and Psychotherapy, Budapest, Hungary

66Eotvos Lorand University, Institute of Psychology, Budapest, Hungary

67Bjørknes University College, Oslo, Norway

68University of Ioannina, Department of Primary Education, Ioannina, Greece

69King's College London, Institute of Psychiatry, Psychology and Neuroscience, London, United Kingdom

70Chulalongkorn University, Department of Psychiatry, Thailand

71Faculdade de Medicina da Universidade de São Paulo, Departments of Internal Medicine and Psychiatry, São Paulo, Brazil

72Universidade Federal de Santa Maria, Department of Sports Methods and Techniques, Santa Maria, RS, Brazil

73 Faculty of Health Sciences, Universidad Autónoma de Chile, Providencia, Chile

74 Institute of Psychiatry, Federal University of Rio de Janeiro, Rio de Janeiro, Brazil

75Universidade do Extremo Sul Catarinense, Translational Psychiatry Laboratory, Graduate Program in Health Sciences, Criciúma, SC, Brazil

76University of Copenhagen, Copenhagen, Denmark

77Psykiatrifonden, Copenhagen, Denmark

78Association for the Improvement of Mental Health Programmes (AMH), Switzerland

79FHNW University of Applied Sciences and Arts Northwestern Switzerland, Switzerland

80The Zucker Hillside Hospital, Northwell Health, New York, USA

81Donald and Barbara Zucker School of Medicine at Hofstra/Northwell, New York, USA

82Universitat Autònoma de Barcelona, Centro de Investigación Biomédica en Red de Salud Mental (CIBERSAM), Institut de Neuropsiquiatria i

Addiccions (INAD), Hospital del Mar, Institut Hospital del Mar d'Investigacions Mèdiques (IMIM), Departament de Psiquiatria, Barcelona, Spain

83University of Texas Health Science Center Houston, McGovern Medical School, Louis A. Faillace, MD, Department of Psychiatry and Behavioral Sciences, USA

84Feinstein Institutes for Medical Research, New York, USA

85S2 Consulting LLC

86Parc Sanitari Sant Joan de Deu, Research and Development Unit, CIBERSAM, ICREA, Barcelona, Spain

87Hospital General Universitario Gregorio Marañon, Department of Child and Adolescent Psychiatry, Institute of Psychiatry and Mental Health

(IPS MARAÑÓN), IISGM, CIBERSAM, Universidad Complutense, Madrid, Spain

88University of Barcelona, Hospital Clínic, IDIBAPS, CIBERSAM, Barcelona, Spain

89Local Health Unit 1, Department of Mental Health, Mental Health Center of Perugia, Italy

90Glasgow University, Institute of Neuroscience and Psychology, College of Medicine, Vet and Life Science, Glasgow, United Kingdom

91Medical University of Białystok, Department of Infectious Diseases and Neuroinfections, Poland

92Sanprobi Sp. z o.o. Sp. k, Poland

93Pomeranian Medical University in Szczecin, Department of Psychiatry, Szczecin, Poland

94University of Białystok, Institute of Sociology, Society and Cognition Unit, Białystok, Poland

95Pomeranian Medical University in Szczecin, Department of Gastroenterology, Szczecin, Poland

96The Centre for Digestive Diseases Endoklinika, Szczecin, Poland

97King's College London, London, United Kingdom

98University of Manchester, Division of Psychology and Mental Health, Manchester, United Kingdom

99University of Bristol, Bristol, United Kingdom

100Istanbul Topkapı University, Istanbul, Turkey101Adnan Menderes University Department of Child and Adolescent Psychiatry, Aydın, Turkey

102Uskudar University, Department of Psychiatry and Psychology, Istanbul, Turkey

 ${\bf 103} Griffith\ University,\ South\ East\ Queensland,\ Australia$

104Mindgardens Neuroscience Network, Sydney, Australia

105Deakin University School of Medicine, Victoria, Australia 106UNSW Sydney, School of Psychiatry, Sydney, Australia

107University of Medicine and Pharmacy Grigore T. Popa, Faculty of Medicine, Iasi, Romania

108Institute of Psychiatry "Socola", Iasi, Romania

109Transilvania University of Brasov, Faculty of Medicine, Brasov, Romania

110Emergency Hospital "Nicolae Oblu", Iasi, Romania

111Psychiatry Department, University of Medicine and Pharmacy "Carol Davila" Bucharest, "Prof. Dr. Alexandru Obregia" Psychiatric Hospital, Bucharest, Romania

- 112Academisch Medisch Centrum Universiteit van Amsterdam, Amsterdam, The Netherlands
- 113University Medical Center Groningen, University of Groningen, Cognitive Neurosciences, Department of Biomedical Sciences of Cells & Systems, Groningen, The Netherlands
- 114University Medical Center Groningen, University of Groningen, Department of Psychiatry, Groningen, The Netherlands
- 115Utrecht University Medical Centre, Department of Psychiatry, Utrecht, The Netherlands
- 116Maastricht University, Department of Psychiatry and Neuropsychology, Maastricht, The Netherlands
- 117China Medical University Hospital, Mind-Body Interface Research Center, Taichung, Taiwan
- 118Department of Psychiatry and Behavioral Medicine, Carilion Clinic Virginia Tech Carilion School of Medicine, Roanoke, VA, USA
- 119China Medical University Beigang Hospital, Division of Psychiatry, Department of Internal Medicine, Taiwan
- 120Shenzhen University, School of Psychology, Shenzhen, China
- 121Peking University Institute of Mental Health, Department of Public Mental Health, Pekin, China
- 122UCLouvain, Institute of Neuroscience and Cliniques Universitaires Saint-Luc, Department of Adult Psychiatry, Brussels, Belgium
- 123Cliniques Universitaires Saint-Luc, Department of Adult Psychiatry, Brussels, Belgium
- 124Katholieke Universiteit Leuven (KU Leuven), Department of Neurosciences, Leuven, Belgium
- 125Asociación Psiquiátrica Mexicana, Mexico
- 126University of Minho, Life and Health Sciences Research Institute (ICVS), School of Medicine, Braga, Portugal
- 127ICVS/3B's PT Government Associate Laboratory, Braga/Guimarães, Portugal
- 128Lisbon's Psychiatric Hospital Centre, Department of Psychiatry, Portugal
- 129Belarusian Medical Academy of Postgraduate Education, Belarus
- 130Clienia AG, Wetzikon Psychiatric Centre, Switzerland
- 131Integrated Psychiatry Winterthur (IPW), Switzerland
- 132Kyambogo University, Department of Sociology and Social Administration, Kampala, Uganda
- 133Stanford University, Department of Psychology, California, USA
- 134Universitäre Psychiatrische Kliniken Basel (UPK), Center of Affective, Stress and Sleep Disorders (ZASS), Basel, Switzerland
- 135Department of Clinical Psychology, Mashhad University of Medical Sciences, Mashhad, Iran
- 136Kermanshah University of Medical Sciences, Medical Biology Research Center, Kermanshah, Iran
- 137Kharazmi University, Tehran, Iran
- 138University of Basel, Department of Sport, Exercise, and Health, Division of Sport Science and Psychosocial Health, Basel, Switzerland
- 139Kermanshah University of Medical Sciences, Substance Abuse Prevention Research Center, Kermanshah, Iran
- 140Kermanshah University of Medical Sciences, Sleep Disorders Research Center, Kermanshah, Iran
- 141Tehran University of Medical Sciences, School of Medicine, Tehran, Iran
- 142Pontificia Universidad Católica de Chile, Department of Psychiatry, School of Medicine, Santiago, Chile
- 143University of Kragujevac, Department of Psychiatry, Faculty of Medical Sciences, Kragujevac, Serbia
- 144University of Antioquia, Department of Psychiatry, Medellín, Colombia
- 145Jubilee Mission Medical College & Research Institute, Thrissur, India
- 146Pushpagiri Institute of Medical Sciences, Department of Psychiatry, Thiruvalla, Kerala, India
- ${\bf 147} Chairman, Pakistan \ Psychiatric \ Research \ Centre-Fountain \ House, Lahore, Pakistan$
- 148Dean, Faculty of Psychiatry, College of Physicians and Surgeons, Pakistan
- 149Dean, Jinnah Postgraduate Medical Centre, Karachi, Pakistan
- $150 Dean, \, Faculty \, of \, Medicine, \, Jinnah \, Sindh \, Med \, cal \, \, University, \, Karachi, \, Pakistan$
- 151Federal Neuropsychiatric Hospital, Department of Clinical Services, Benin-City, Nigeria
- ${\tt 152Irrua\ Specialist\ Teaching\ Hospital,\ Department\ of\ Psychiatry,\ Edo\ State,\ Nigeria}$
- 153UC San Diego, California, USA
- 154University of British Columbia, Vancouver, Canada
- 155Department of Cancer Epidemiology and Prevention Research, Cancer Care Alberta, Alberta Health Services, Calgary, Canada
- 156Departments of Oncology and Community Health Sciences, University of Calgary, Calgary, Canada
- 1570kasha Institute of Psychiatry, Faculty of Medicine, Ain Shams University, Cairo, Egypt
- ${\bf 1580 ran\ 1\ University,\ Department\ of\ Psychiatry-Addictology,\ Oran,\ Algeria}$
- 159University of Eastern Finland, Department of Forensic Psychiatry, Niuvanniemi Hospital, Kuopio, Finland
- 160Yonsei University College of Medicine, Department of Pediatrics, Seoul, South Korea
- 161Yonsei University, Wonju College of Medicine, Department of Psychiatry, Wonju, South Korea
- 162University of Monastir, Faculty of Medicine of Monastir, Research Unit "Vulnerability to Mental Disorders" LR05ES10, Monastir, Tunisia
- 163Republican Scientific and Practical Center of Mental Health, Almaty, Kazakhstan
- 164Gaza Community Mental Health Programme, Gaza, Palestine
- 165Sheba Medical Center, Israel
- 166European Biomedical Research Institute of Salerno (EBRIS), Salerno, Italy.
- 167The Feinstein Institute for Medical Research, Center for Psychiatric Neuroscience, Manhasset, NY, USA

Authors email addresses

Country or region	Name, Surname	Contact
Italy	Marco Solmi	marco.solmi83@gmail.com
United Kingdom	Trevor Thompson	T.Thompson@greenwich.ac.uk
Uruguay	Andrés Estradé	andres.estrade_vaz@kcl.ac.uk
Greece	Agorastos Agorastos	aagorast@auth.gr
Spain	Joaquim Radua	radua@clinic.cat
United Kingdom	Samuele Cortese	samuele.cortese@soton.ac.uk
Greece/ Sweden	Elena Dragioti	elena.dragioti@liu.se
Austria	Friedrich Leisch	Friedrich.Leisch@boku.ac.at
Belgium /Uganda	Davy Vancampfort	davy.vancampfort@kuleuven.be
Denmark	Lau Caspar Thygesen	lct@sdu.dk
Austria	Harald Aschauer	harald.aschauer@biopsyc.at
Austria	Monika Schloegelhofer	monika.schloegelhofer@biopsyc.at
Austria	Elena Aschauer	elena.aschauer@biopsyc.at
Switzerland	Andres Schneeberger	aschneeberger@health.ucsd.edu
Switzerland	Christian G. Huber	christian.huber@unibas.ch
Switzerland	Gregor Hasler	gregor.hasler@unifr.ch
Switzerland	Philippe Conus	philippe.conus@chuv.ch
Switzerland	Kim Q. Do Cuénod	Kim.Do@chuv.ch
Switzerland	Roland von Känel	roland.vonkaenel@usz.ch
Spain	Gonzalo Arrondo	garrondo@unav.es
Italy/ United Kingdom	Paolo Fusar-Poli	paolo.fusar-poli@unipv.it
France	Philip Gorwood	p.gorwood@ghu-paris.fr
France	Pierre-Michel Llorca	pmllorca@chu-clermontferrand.fr
France	Marie-Odile Krebs	MO.KREBS@ghu-paris.fr
France	Elisabetta Scanferla	e.scanferla@ghu-paris.fr
Japan	Taishiro Kishimoto	tkishimoto@keio.jp
Bangladesh	Golam Rabbani	rabbanigolam33@gmail.com
Poland	Karolina Skonieczna-Żydecka	karzyd@pum.edu.pl
Italy	Paolo Brambilla	paolo.brambilla1@unimi.it
Italy	Angela Favaro	angela.favaro@unipd.it
Japan	Akihiro Takamiya	akihiro.takamiya@keio.jp
Italy	Leonardo Zoccante	leonardo.zoccante@aovr.veneto.it
Italy	Marco Colizzi	marco.colizzi@uniud.it
France	Julie Bourgin	j.bourgin@gh-nord-essonne.fr
Poland	Karol Kamiński	fizklin@gmail.com
Iran	Maryam Moghadasin	mmoghadasin@yahoo.com
South Africa	Soraya Seedat	sseedat@sun.ac.za
Ireland	Evan Matthews	ematthews@wit.ie
Ireland	John Wells	jswells@wit.ie
Cyprus	Emilia Vassilopoulou	vassilopoulouemilia@gmail.com

Country or region	Name, Surname	Contact
Brazil	Ary Gadelha	aryararipe@gmail.com
Taiwan	Kuan-Pin Su	cobolsu@gmail.com
South Korea	Jun Soo Kwon	kwonjs@snu.ac.kr
South Korea	Minah Kim	verte82@snu.ac.kr
South Korea	Tae Young Lee	leetaey@gmail.com
Russia	Oleg Papsuev	oleg.papsouev@gmail.com
Czech Republic	Denisa Manková	denisa.mankova@nudz.cz
Italy	Andrea Boscutti	a.boscutti@gmail.com
Italy	Cristiano Gerunda	cristiano.gerunda@unipd.it
Italy	Diego Saccon	diego.saccon@aulss4.veneto.it
Italy	Elena Righi	elena.righi@unimore.it
Italy	Francesco Monaco	fmonaco1980@gmail.com
Italy	Giovanni Croatto	giovannicroatto8@gmail.com
Italy	Guido Cereda	guido.cereda@unimi.it
Italy	Jacopo Demurtas	eritrox7@gmail.com
Italy	Natascia Brondino	natascia.brondino@unipv.it
Italy	Nicola Veronese	nicola.veronese@unipa.it
Italy	Paolo Enrico	paolo.enrico@unimi.it
Italy	Pierluigi Politi	pierluigi.politi@unipv.it
Italy	Valentina Ciappolino	valentina.ciappolino@policlinico.mi.it
Germany	Andrea Pfennig	Andrea.Pfennig@uniklinikum-dresden.de
Germany	Andreas Bechdolf	andreas.bechdolf@charite.de
Germany	Andreas Meyer-Lindenberg	Andreas. Meyer-Lindenberg@zi-mannheim.de
Germany	Kai G. Kahl	kahl.kai@mh-hannover.de
Germany	Katharina Domschke	katharina.domschke@uniklinik-freiburg.de
Germany	Michael Bauer	Michael.Bauer@uniklinikum-dresden.de
Germany	Nikolaos Koutsouleris	Nikolaos.Koutsouleris@med.uni-muenchen.de
Germany	Sibylle Winter	sibylle.winter@charite.de
Germany	Stefan Borgwardt	s.borgwardt@unibas.ch; stefan.borgwardt@uksh.de
Hungary	Istvan Bitter	bitter.istvan@med.semmelweis-univ.hu
Hungary	Judit Balazs	balazs.judit@ppk.elte.hu
Hungary	Pál Czobor	czobor.pal@med.semmelweis-univ.hu
Hungary	Zsolt Unoka	unoka.zsolt@med.semmelweis-univ.hu
Greece	Dimitris Mavridis	dmavridi@uoi.gr
Greece	Konstantinos Tsamakis	ktsamakis@gmail.com
Greece	Vasilios P. Bozikas	mpozikas@auth.gr
Thailand	Chavit Tunvirachaisakul	chavit.T@chula.ac.th
Thailand	Michael Maes	dr.michaelmaes@hotmail.com
Thailand	Teerayuth Rungnirundorn	drteerayuth@gmail.com
Thailand	Thitiporn Supasitthumrong	thitiporn.s@chula.ac.th
Bangladesh	Ariful Haque	arifulhaque.ukzn@gmail.com
Brazil	Andre R. Brunoni	brunoni@usp.br

Country or region	Name, Surname	Contact	
Brazil	Carlos Gustavo Costardi	gustavocostardi@hotmail.com	
Brazil	Felipe Barreto Schuch	felipe.schuch@ufsm.br	
Brazil	Guilherme Polanczyk	polanczyk.guilherme@gmail.com	
Brazil	Jhoanne Merlyn Luiz	jhoanne_luiz@hotmail.com	
Brazil	Lais Fonseca	laismfonseca@gmail.com	
Brazil	Luana V. Aparicio	luanavma@hotmail.com	
Brazil	Samira S. Valvassori	samiravalvassori@unesc.net	
Denmark	Merete Nordentoft	mn@dadInet.dk	
Denmark	Per Vendsborg	pv@psykiatrifonden.dk	
Denmark	Sofie Have Hoffmann	sohh@sdu.dk	
Switzerland	Jihed Sehli	jihed.sehli@gmail.com	
Switzerland	Norman Sartorius	sartorius@normansartorius.com	
Switzerland	Sabina Heuss	sabina.heuss@fhnw.ch	
United States	Daniel Guinart	DGuinart@northwell.edu	
United States	Jane Hamilton	Jane.E.Hamilton@uth.tmc.edu	
United States	John Kane	JKane2@northwell.edu	
United States	Jose Rubio	JRubio13@northwell.edu	
United States	Michael Sand	msand@s2consultingllc.com	
Spain	Ai Koyanagi	a.koyanagi@pssjd.org	
Spain	Aleix Solanes	al solanes@gmail.com	
Spain	Alvaro Andreu-Bernabeu	alvaro.andreu@salud.madrid.org	
Spain	Antonia San José Cáceres	antonia.sanjose@iisgm.com	
Spain	Celso Arango	carango@hggm.es	
Spain	Covadonga M Díaz-Caneja	covadonga.martinez@iisgm.com	
Spain	Diego Hidalgo-Mazzei	dahidalg@clinic.cat	
Spain	Eduard Vieta	evieta@clinic.cat	
Spain	Javier Gonzalez-Peñas	javipenhas@gmail.com	
Spain	Lydia Fortea	lydiafor94@gmail.com	
Spain	Mara Parellada	parelladahggm@gmail.com; parellada@hggm.es	
Spain	Miquel A. Fullana	mafullana@clinic.cat	
Spain	Norma Verdolini	norma.verdolini@gmail.com	
Czech Republic	Eva Andrlíková	eva.andrlikova@nudz.cz	
Czech Republic	Karolina Janků	karolina.janku@nudz.cz	
France	Mark John Millan	mark.john.millan@gmail.com	
France	Mihaela Honciuc	rmhonciuc@chu-clermontferrand.fr	
Poland	Anna Moniuszko-Malinowska	annamoniuszko@op.pl	
Poland	lgor Łoniewski	sanprobi@sanprobi.pl	
Poland	Jerzy Samochowiec	samoj@pum.edu.pl	
Poland	Lukasz Kiszkiel	lukaszkiszkiel@gmail.com	
Poland	Maria Marlicz	mariamarlicz@gmail.com	
Poland	Pawel Sowa	mailtosowa@gmail.com	
Poland	Wojciech Marlicz	marlicz@hotmail.com	

Country or region	Name, Surname	Contact	
South Africa	Georgina Spies	ggiocos@sun.ac.za	
United Kingdom	Brendon Stubbs	brendon.stubbs@kcl.ac.uk	
United Kingdom	Joseph Firth	joseph.firth@manchester.ac.uk	
United Kingdom	Sarah Sullivan	Sarah.Sullivan@bristol.ac.uk	
Turkey	Aslı Enez Darcın	aslienez@gmail.com	
Turkey	Hatice Aksu	aksubhatice@yahoo.com	
Turkey	Nesrin Dilbaz	nesrin.dilbaz@gmail.com	
Turkey	Onur Noyan	conurnoyan@gmail.com	
Japan	Momoko Kitazawa	m-kitazawa@keio.jp	
Japan	Shunya Kurokawa	shunya5@keio.jp; shunyakurokawa@gmail.com	
Japan	Yuki Tazawa	tazawa@a5.keio.jp	
Uruguay	Alejandro Anselmi	alejandro.anselmi@ucu.edu.uy	
Uruguay	Cecilia Cracco	ccracco@ucu.edu.uy	
Uruguay	Ana Inés Machado	amachado@ucu.ecu.uy	
Uruguay	Natalia Estrade	natalia.estrade@ucu.edu.uy	
Australia	Diego De Leo	D.DeLeo@griffith.edu.au	
Australia	Jackie Curtis	j.curtis@unsw.edu.au	
Australia	Michael Berk	michael.berk@deakin.edu.au	
Australia	Philip Ward	p.ward@unsw.edu.au	
Australia	Scott Teasdale	s.teasdale@unsw.edu.au	
Australia	Simon Rosenbaum	s.rosenbaum@unsw.edu.au	
Australia	Wolfgang Marx	wolf.marx@deakin.edu.au	
Canada	Andre F. Carvalho	andrefc7@hotmail.com	
Romania	Adrian Vasile Horodnic	adrian-vasile-horodnic@umfiasi.ro	
Romania	Liviu Oprea	liviu.oprea@umfiasi.ro; liviu.oprea@gmail.com	
Romania	Ovidiu Alexinschi	alexinschi@yahoo.com	
Romania	Petru Ifteni	petru_ifteni@yahoo.com	
Romania	Serban Turliuc	serban_turliuc@yahoo.com	
Romania	Tudor Ciuhodaru	tudorciuhodaru@yahoo.co.uk	
Romania	Alexandra Bolos	alex_andra_bolos@yahoo.com	
Romania	Valentin Matei	valipmatei@yahoo.com	
Netherlands	Dorien H. Nieman	d.h.nieman@amc.uva.nl	
Netherlands	Iris Sommer	i.e.c.sommer@umcg.nl	
Netherlands	Jim van Os	j.j.vanos-2@umcutrecht.nl	
Netherlands	Therese van Amelsvoort	t.vanamelsvoort@maastrichtuniversity.nl	
Taiwan	Ching-Fang Sun	chingfangsun@gmail.com	
Taiwan	Ta-wei Guu	da20vid@gmail.com	
China	Can Jiao	jiaocan@szu.edu.cn	
China	Jieting Zhang	jenny121@126.com	
China	Jialin Fan	FanJL@szu.edu.cn	
China	Liye Zou	liyezou123@gmail.com	
China	Xin Yu	yuxin@bjmu.edu.cn	

Country or region	Name, Surname	Contact
China	Xinli Chi	xinlichi@126.com
Belgium	Philippe de Timary	Philippe.detimary@uclouvain.be
Belgium	Ruud van Winkel	ruud.vanwinkel@kuleuven.be
Mexico	Bernardo Ng	bng@sunvalleyb.com
Mexico	Edilberto Pena	epena@cisne.mx
Mexico	Ramon Arellano	jramonarellanoc@hotmail.com
Mexico	Raquel Roman	raquelrr@hotmail.com
Mexico	Thelma Sanchez	marsan2@prodigy.net.mx
Russia	Larisa Movina	movina_larisa@bk.ru
Portugal	Pedro Morgado	pedromorgado@med.uminho.pt
Portugal	Sofia Brissos	brissos.sofia@gmail.com
Belarus	Oleg Aizberg	oleg.aizberg@gmail.com
Belarus/ Russia	Anna Mosina	annamosina.md@gmail.com
Belarus/ Russia	Damir Krinitski	damir.krinitski@gmail.com
Uganda	James Mugisha	Jmmugi77@hotmail.com
Iran	Dena Sadeghi-Bahmani	Bahmanid@stanford.edu
Iran	Farshad Sheybani	sheibanifr@mums.ac.ir
Iran	Masoud Sadeghi	sadeghi_mbrc@yahoo.com
Iran	Samira Hadi	hadi.samira@yahoo.com
Iran	Serge Brand	serge.brand@upk.ch
Chile	Antonia Errazuriz	anerrazuriz@uc.cl
Chile	Nicolas Crossley	ncrossley@uc.cl
Serbia	Dragana Ignjatovic Ristic	draganaristic4@gmail.com
Colombia	Carlos López-Jaramillo	carlos.lopez20@udea.edu.co; carloslopezjaramillo@gmail.com
Cyprus	Dimitris Efthymiou	dimitrisefthy@gmail.com
India	Praveenial Kuttichira	drpraveenlalkuttichira@gmail.com
India	Roy Abraham Kallivayalil	roykalli@gmail.com
Pakistan	Afzal Javed	afzalj@gmail.com
Pakistan	Muhammad Iqbal Afridi	driqbalafridi@yahoo.com
Nigeria	Bawo James	bawojames@yahoo.com
Nigeria	Omonefe Joy Seb-Akahomen	sebakahomen@gmail.com
Canada	Jess Fiedorowicz	jfiedorowicz@toh.ca
USA	Jeff Daskalakis	zdaskalakis@health.ucsd.edu
Canada	Lakshmi N Yatham	I.yatham@ubc.ca
Canada	Lin Yang	lin.yang@ahs.ca
Egypt	Tarek Okasha	tarek.okasha@gmail.com
Algeria	Aïcha Dahdouh	aichadahdouh@gmail.com
Sweden	Björn Gerdle	bjorn.gerdle@liu.se
Sweden	Jari Tiihonen	jari.tiihonen@ki.se
South Korea	Jae II Shin	SHINJI@yuhs.ac
South Korea	Jinhee Lee	jinh.lee95@yonsei.ac.kr
Tunisia	Ahmed Mhalla	ahmed.mhalla@yahoo.fr

Country or region	Name, Surname	Contact	
Tunisia	Lotfi Gaha	gaha.lotfi@yahoo.fr	
Tunisia	Takoua Brahim	takoua.brahim@yahoo.com	
Kazakhstan	Kuanysh Altynbekov	kuanysh_altyn@mail.ru	
Kazakhstan	Nikolay Negay	nick_negaj@mail.ru	
Kazakhstan	Saltanat Nurmagambetova	saya_n@yahoo.com	
Palestine	Yasser Abu Jamei	yasser@gcmhp.net	
Israel	Mark Weiser	mweiser@netvision.net.il	
Germany/ United States	Christoph U. Correll	CCorrell@northwell.edu	



Abstract

International studies measuring wellbeing/multidimensional mental health before/ during the COVID-19 pandemic, including representative samples for >2 years, identifying risk groups and coping strategies are lacking. COH-FIT is an online, international, anonymous survey measuring changes in well-being (WHO-5) and a composite psychopathology P-score, and their associations with COVID-19 deaths/restrictions, 12 a-priori defined risk individual/cumulative factors, and coping strategies during COVID-19 pandemic (26/04/2020-26/06/2022) in 30 languages (representative, weighted non-representative, adults). T-test, χ², penalized cubic splines, linear regression, correlation analyses were conducted. Analyzing 121,066/142,364 initiated surveys, WHO-5/P-score worsened intra-pandemic by 11.1±21.1/13.2±17.9 points (effect size d=0.50/0.60) (comparable results in representative/weighted non-probability samples). Persons with WHO-5 scores indicative of depression screening (<50, 13% to 32%) and major depression (<29, 3% to 12%) significantly increased. WHO-5 worsened from those with mental disorders, female sex, COVID-19-related loss, low-income country location, physical disorders, healthcare worker occupations, large city location, COVID-19 infection, unemployment, first-generation immigration, to age=18-29 with accumulative effect. Similar findings emerged for P-score. Changes were significantly but minimally related to COVID-19 deaths, returning to near-pre-pandemic values after >2 years. The most subjectively effective coping strategies were exercise, internet use, social contacts. Identified risk groups, coping strategies and outcome trajectories can inform global public health strategies.

Keywords: Covid-19; pandemic; survey; WHO-5; P-factor; well-being; mental health; psychiatry; psychopathology

1. Introduction

Until June-7-2023 > 767,750,000 persons have been infected with COVID-19, and >6,941,000 died (World Health Organization, 2020). The pandemic also worsened mental health of the general population (Clift et al., 2022), as measured in cohort studies and surveys in individual countries. Several non-COVID-19-related cohort studies had a pre-pandemic mental health assessment (Ahrens et al., 2021), but most did not, retrospectively assessing pre-pandemic mental health (Huang et al., 2022). Also, to avoid in-person visits, both cohort studies and surveys assessed mental health with questionnaires (Lu et al., 2022). Many surveys have reported alarming rates of anxiety, depression, and post-traumatic symptoms during COVID-19 (Dragioti et al., 2022). However, most studies were affected by methodological limitations limiting the impact, representativeness, and generalizability of findings (e.g., assessing one intra-pandemic time-point only). Also, studies were set in at most two countries, used questionnaires in one language only (neglecting linguistic/ethnic minorities), focused on one or few mental health domains, in nonrepresentative samples, or in specific population subgroups, collecting few candidate risk/mitigating factors for mental health, without concurrently assessing physical health outcomes (Dragioti et al., 2022). Such limitations impede a comprehensive understanding of the health impact COVID-19. For instance, previous reports from individual countries showed that general population mental health is closely related with COVID-19 infection (Abel et al., 2021) and restrictions (Fancourt et al., 2021), but such associations at the global level remain unclear. Moreover, no study

has assessed whether risk factors for poor mental health identified in individual countries, like younger and older age (Patel et al., 2022), female sex (Patel et al., 2022), or pre-existing physical and mental disorders (Dragioti et al., 2022), replicate globally.

The Collaborative Outcomes study on Health and Functioning during Infection Times (COH-FIT, www.coh-fit.com) (Solmi et al., 2022a, b) is an international survey study, conducted in 30 languages in representative/weighted non-representative samples. COH-FIT has been measuring well-being and the psychopathology factor (P-score), a composite mental health measure (Solmi et al., 2022a), in the general population across all continents since April-26-2020, including a retrospectively recalled pre-pandemic assessment, comprehensive multidimensional factors relevant for well-being and mental health. Here, we report globally in adults, findings of the two coprimary COH-FIT outcomes, well-being and the P-score, hypothesizing reduced well-being and increased psychopathology globally, with increased impairment in vulnerable subgroups and related to death rates and stringency measures over time, and with cumulative effects across multiple risk factors. We also assessed subjectively most effective coping strategies for dealing with the impact of the pandemic.

2. Methods

COH-FIT was approved by institutional ethics committees in study investigators' countries (published protocol (Solmi et al., 2022a, b)). COH-FIT translations and the P-score have been validated (Solmi et al., 2022a). For detailed methods and data dictionary with items' text and response values, see supplementary material. Below, we report methods and results following A Consensus-Based Checklist for Reporting of Survey Studies (CROSS) (Sharma et al., 2021) (eChecklist).

2.1. Outcomes

The two co-primary outcomes were intra- vs. pre-pandemic changes in the WHO-5 well-being score (Topp et al., 2015), and the "P-score", a 5-dimensional measure composed of anxiety, depression, post-traumatic symptoms, psychotic symptoms, and psychophysiologic parameters (stress, sleep problems, and concentration problems). Participants rated symptoms "during the last two weeks", and "during the last two weeks of their regular life" before the pandemic (visual analogue scale, 0-100 range WHO-5=0-100, P-score=0-100, higher scores better and worse status, respectively). Additionally, we calculated the proportion of subjects with WHO-5 <50 (indication for testing for depression), and <29 (indicative of major depression) (Topp et al., 2015), pre- and intra-pandemic.

We examined possible recall bias for WHO-5 and P-score performing polynomial regression analyses using linear or quadratic relationships.

Additionally, respondents rated how important ("very", "somewhat", "not") the following coping strategies were for dealing effectively with the pandemic: exercise, internet use, direct social contact, hobby, information about the COVID-19 pandemic, media, social media, work, studying/learning, pet, physical intimacy, prescribed medications, religion/meditation/spirituality, gaming, substance use, or other strategies.

2.2. At-risk groups

Based on previous literature (Dragioti et al., 2022; Salazar de Pablo et al., 2020) we *a priori* identified 12 risk factors for poor well-being/mental health, namely having had COVID-19 infection,

age ≤30, female sex, being unemployed, healthcare worker employment, having a mental disorder, having a physical disorder, first-generation immigrant status, large city location, low-income country location, obesity, and having lost someone due to COVID-19.

2.3. COVID-19 deaths and restrictions

Time- and region-specific COVID-19 daily deaths, and stringency index were extracted from Johns Hopkins University repository (https://coronavirus.jhu.edu/data), and University of Oxford stringency metric (0-100) (https://covidtracker.bsg.ox.ac.uk/) (eMethods).

2.4. Data analysis

The missing item data were imputed using multivariate chained equations, using predictive mean matching (van Buuren and Groothuis-Oudshoorn, 2011) to impute missing continuous values, and logistic regression for categorical variables (eMethods). Two iterations of outlier screening were undertaken, using a relatively high threshold of |z|=5.0, and winsoring them to the next highest non-outlying value. Details on survey weighting are available in eMethods. WHO-5 and P-score values and proportion of WHO-5 <50 and <29 pre- vs during pandemic were compared with paired t-test and χ^2 test. Changes in the co-primary outcomes were compared in subjects with vs. without each risk factor for poor well-being/high P-score during the pandemic, using independent t-tests. Both weighted t-tests, using calibration weights, and unweighted t-tests with the original unweighted data were conducted. All tests of primary outcomes were evaluated for significance using an alpha threshold of α =.01.

We also explored a cumulative effect of multiple risk factors on outcomes by testing a linear regression model between number of concomitant risk factors and co-primary outcomes. As the trajectory of intra-pandemic changes in WHO-5 and P-score could not be realistically predicted *a priori*, we conducted exploratory modelling of the course of outcomes using penalised cubic splines, plotting them together with COVID-19 deaths and restrictions. To quantify the association of outcomes with COVID-19 deaths, stringency, stringency/death ratio, and time, we conducted correlation and smoothed regression analyses. All analyses were performed in R, except for regression analyses for cumulative risk factors and correlation analyses, which were conducted with STATA.

3. Results

3.1. Survey sample

Overall, from 142 364 initiated surveys, 121,066 adults (age=42.0±15.9 (range=18-100); male=35.4%, female=64%, non-binary=0.4%, transgender/intersex=0.2%) provided analyzable data between 26-Apr-2020/19-Jun-2022. (participant flow in eFigure 1).

Baseline characteristics (see Table 1, and eTable 2 comparing included/excluded samples), indicated over-representation of females, younger adults, and those with higher education vs. national population statistics (eFigure 2).

A longer interval between survey completion and pandemic start was related to both pre-pandemic well-being scores (linear β =-0.03, quadratic β =-0.03, p<.001) and P scores (linear β =-0.01, quadratic β =-0.07, p<.001), yet with a negligible effect size (see eFigures 3 and 4/), reflecting absence of substantial recall bias/drift.

3.2. Well-being

The WHO-5 score decreased by 11.1±21.1 points from pre- (71.5±19.3) to intra-pandemic (60.4±24.5) (paired t=183.68, p<.001, moderate effect size of d=.50). The proportion of individuals scoring <50 increased from 13% pre-pandemic to 32% intra-pandemic (McNemar's χ^2 =17637.38, p<.001), with the proportion scoring <29 increasing from 3% pre-pandemic to 12% intra-pandemic (McNemar's χ^2 =9103.50, p<.001).

A world map of WHO-5 changes shows that worsening varied across countries, but with a general pattern of global deterioration (Figure 1A, 2A, and 2B, eTable 3).

Compared with those without each risk factor, larger decreases in WHO-5 score emerged for those, in descending order, with a mental disorder, females, COVID-related loss, living in low-income countries, with a physical disorder, healthcare workers, living in a large city, with prior COVID-19 infection, unemployment, and age 18-29 years old, but not for first-generation immigrants. Obesity was associated with smaller decline of WHO-5 (Figure 3A, eTable 4). Multiple concomitant risk factors cumulatively increased WHO-5 worsening (1.95 WHO-5 score worsening for each risk factor, standard error/SE=0.070, p<0.01).

3.3. P-score

The P-scores increased by 13.2±17.9 points from pre-pandemic 27.5±19.9 to intra-pandemic 40.7±23.6 (paired t=256.23, p<.001, moderate effect size d=.60). Additionally, 63% experienced a P-score increase by \geq 20%, 57% by \geq 30%, 52% by \geq 40%, and 47% by \geq 50%.

A world map of P-score changes shows that P-score worsening varied across countries, but with a general pattern of global increase (Figure 1B, eTable 3).

Compared with those without each risk factor, larger increases in P-score emerged for those, in descending order, with a mental disorder, living in low-income countries, females, age 18-29 years old, a physical disorder, COVID-related loss, healthcare workers, unemployment, living in a large city, first-generation immigrants, with history of COVID-19 infection, but without any difference for obesity (Figure 3A, eTable 4). Multiple concomitant risk factors increased P-score worsening (2.03 P-score worsening for each risk factor, SE=0.06, p<0.01)

3.4. Coping strategies

The coping strategies most frequently rated as "very important" were exercise=56.0%, internet use=55.3%, direct social contacts=52.7%, followed by hobby=48.8%, COVID-19 pandemic information=44%, media use=43.9%, social media use/remote interactions=39.4%, work=37.5%, studying/learning=31.6%, spending time with a pet=31.4%, physical intimacy=27.4%, prescribed medications=26.7%, religion/meditation/spirituality=20.9%, gaming=18.0%, other strategies=12.9%, and substance use=7.8% (Figure 3B, eTable 5).

3.5. Change trajectories in well-being, P-score, COVID-19 deaths and restrictions in the overall sample, and across risk factors

The smoothed trajectories of changes in well-being suggested a worsening of WHO-5 until May-June 2021, when well-being returned to early intra-pandemic levels (Figure 4A, e Figure 17).

P-score peak worsening overall preceded WHO-5 oscillations by 1-2 months (Figure 4B).

The course of well-being and P-score, together with the course with COVID-19 deaths and restrictions during the pandemic across risk factors, are visualized in eFigures 5-16.

Exploratory correlation analyses showed that in the whole sample and across risk factors, both coprimary outcomes were significantly associated with COVID-19 deaths, restrictions stringency, and with stringency/death ratio, yet with very small effect sizes (eTable 6).

WHO-5 and P-score worsening returned towards near-pre-pandemic values over time (F=116.20, p<0.001, F=83.38, p<0.001).

4. Discussion

This transcontinental study shows that during the COVID-19 pandemic well-being and mental health worsened in the general population, with a medium effect size, heterogeneously across one or multiple risk factors, countries, and time. COVID-19-related deaths, restriction stringency, and their ratio were significantly yet only minimally associated with worsening of well-being and psychopathology. Most effective coping strategies were identified. Well-being and composite psychopathology returned to near-pre-pandemic values after >2 years of the pandemic.

Results of COH-FIT confirm, though transcontinentally, findings from a systematic review that pooled 177 European studies, reporting a significant negative impact of COVID-19 on mental health, followed by a trending towards pre-pandemic levels over time (Ahmed et al., 2023). Also, COH-FIT results should be interpreted in comparison with findings of a well-conducted recent meta-analysis of cohort studies, which concluded that no/minimal mental health changes occurred during COVID-19 (Sun et al., 2023). Despite the methodological rigor of that meta-analysis, the included cohort studies had several limitations. First, 97% of response came from high/upper-middle-income countries. In COH-FIT, 31% of responses came from low/middle-income countries, which had the largest worsening. Second, only 23% of the studies recruited representative samples. In COH-FIT, 29% were representative samples, and results did not differ between representative and weighted non-probability samples. Third, only 31% of included cohorts followed up with ≥75% participants, with selective retaining of persons that were doing well enough no to drop from the study. COH-FIT kept collecting responses longitudinally at the population level, and the retrospective assessment of pre-pandemic well-being and mental health did not show an upward or downward (idealization or contamination) drift. Fourth, the outcomes included general mental health, depressive, and anxiety symptoms, taken individually, and only one study included WHO-5. COH-FIT also measured a psychopathology P-score, integrating five different domains into one validated score (Solmi et al., 2022a), and used WHO-5 in the whole population. Fifth, regarding subgroup analyses, those were largely underpowered, with only 2-3 studies in several subgroup analyses, very wide confidence intervals, and, low power. COH-FIT was adequately powered to detect changes in outcomes and cross largely represented risk groups. Sixth, follow-up was limited to 2020 in 96.3% of the 134 cohorts, with only five studies measuring outcomes in 2021, limiting generalizability of findings beyond the very early stages of the pandemic. COH-FIT collected data for >2 years. Despite the differences above, COH-FIT converges with the systematic review in concluding that on average, after >2 years of the pandemic, adverse effects on well-being and mental health seem to have largely disappeared in the general population.

However, worsening of both well-being and mental health were consistently larger in people with mental disorders, females, COVID-19-related loss, living in low-income countries, and those with physical disorders. That mental illness emerged as a top vulnerability factor indicates an urgent need for primary and secondary mental illness prevention. Access to mental healthcare for those with preexisting mental disorders has been disrupted, despite legislative efforts facilitating telemedicine (Kinoshita et al., 2022), with subsequent risk of poor clinical outcomes (Sánchez-Guarnido et al., 2021). Several factors can explain the poor well-being and mental health in females, including pre-pandemic higher prevalence of mental disorder (GBD 2019 Mental Disorders Collaborators, 2022), poor access to care, and disproportionately excessive burden of family functioning disruption affecting women more than men, including home schooling (Racine et al., 2021). COVID-19-related loss is a traumatic event, whose reliving has been continuously triggered since COVID-19 outbreak. Regarding low-income countries, poorer pre- and intra-pandemic individual and healthcare system resources, lower government financial support for the population, excessive implementation of restrictions potentially affecting human rights might have worsened well-being, and mental health (Aksunger et al., 2023). For those with physical conditions, access to care deteriorated for non-COVID-19 diseases (Topriceanu et al., 2021), generating poor objective health status and anxiety regarding uncertain care.

Age 18-29, being a healthcare worker and living in large cities worsened both co-primary outcomes, yet with different magnitude. In young adults, whose academic, professional, and social routine was seriously disrupted (Patel et al., 2022), a larger effect on mental health rather than well-being emerged, suggesting that the P-score may be more change-sensitive to monitor mental health in this age group. Conversely, healthcare workers and large cities were risk factors associated with larger worsening in well-being. Healthcare workers have been exposed to unprecedented traumatic events, including death of patients and coworkers, risk for their life, fear of infecting others, long working hours, lack of personal protective equipment, and increased media attention, challenging well-being (Dragioti et al., 2022). Ongoing negative effects on mental health (Dragioti et al., 2022), might have been mitigated by the protective factor of lived altruism. Regarding larger cities, reasons for WHO-5 worsening include higher population density facilitating virus spread and more enforced lockdowns/restrictions, urbanicity's association with poorer mental health (Luo et al., 2021), worse housing conditions with less access to green areas, and higher cost of living, increasing job/financial insecurities. Better access to mental healthcare in urban centers might have mitigated the ongoing negative impact on mental health.

Other risk factors, namely COVID-19 infection, unemployment, first-generation immigrant status, and obesity, may have non-specific or specific effects. Having had COVID-19 infection can worsen acute (Rogers et al., 2020) and long-term mental health, cognition, and physical health (Di Gennaro et al., 2023), yet not necessarily universally. Larger negative effects have been associated with severe COVID-19 infection, likely worsening well-being and mental health (Huang et al., 2022). Job strain that can lead to unemployment is a known risk factor for depression (Köhler et al., 2018). First-generation immigrants have faced most severe isolation (Gama et al., 2022). Regarding obesity, BMI-threshold for obesity varies based on ethnicity and is lower in low-income than middle-/high-income countries. While within each country, obesity is likely associated with larger worsening of well-being and mental health, at the global level the effect of obesity is probably counterbalanced by higher income in countries with larger BMI, likely driving the association to non-significance (P-score), or even in the opposite direction (WHO-5).

Importantly, having multiple risk factors increased the pandemic's impact on well-being and mental health, suggesting that public health prevention, promotion and interventions should prioritize individuals with specific and, especially, multiple risk factors and reduce risk factors globally.

Finally, COVID-19-related deaths, restriction stringency, and their ratio were only minimally associated with well-being and P-score, suggesting that the pandemic and a more complex network of factors needs to be considered to understand how modifiable and non-modifiable factors might interact.

Regarding coping strategies, exercise, internet use and direct social contact were most important. Exercise is a positive intervention for physical and mental health (Firth et al., 2020). With appropriate limitations to restrict virus spread, exercise should be allowed. Governments should facilitate internet access, including for those unlikely to afford it. Moreover, allowing direct social contact whenever possible/safe seems relevant to cope with the pandemic.

Strengths of COH-FIT include the longitudinal data collection at the population level for >2 years, describing the trends of outcomes over time accounting for COVID-19 deaths and restrictions. Most studies published to date covered a limited time since COVID-19 outbreak. A recent large meta-analysis showed that the majority of studies measuring mental health during COVID-19 were limited to time points up to around 100 days since first recorded COVID-19 case (Salanti et al., 2022). Also, COH-FIT covered the population level with representative samples and population demographic weighting from all continents, used validated psychometric instruments, and assessed a comprehensive set of risk factors. Also, according to a recent living meta-analysis of cohort studies measuring mental health changes during versus before the COVID-19 pandemic (Sun et al., 2023), only one used WHO-5 as an outcome.

Limitations include the cross-sectional design at the individual level paired with retrospective recall to allow for calculation of pre- to intra-pandemic status, which however we assessed using regression and evidence synthesis approaches. Furthermore, we did not detect a drift in the retrospective recall of the pre-pandemic WHO-5 or P-factor during the study period and the prepandemic WHO-5 values we're similar in COH-FIT compared to published pooled matched country scores of the general population. Moreover, we mixed non-representative with representative samples. However, we weighted the non-representative sample, and having representative data from numerous countries is one of the unique strengths of COH-FIT. Moreover, importantly, results in WHO-5 and the P-score did not significantly differ between representative and nonrepresentative COH-FIT samples. Accounting for severity of COVID-19 infections was not possible due to the anonymous nature of data and absence of link to clinical records. In addition, multivariable and network analyses were not conducted, as they go beyond the aims of this global descriptive report, and will require a specifically dedicated approach. Importantly, while this work provides a unique global overview of COVID-19 pandemic impact on the population mental health and well-being, only few to no responses came from several regions including middle East is not well-represented, nor is much of South American and the Caribbean. Also, we did not account for vaccinations in our analyses, and future works will focus on this. Moreover, digital barriers precluded a larger participation from larger strata of the population, and more data are needed from subjects older than 65 years old. Finally, some risk factors might vary within each country, such as the impact of obesity, or socio-economic status. Indeed, detailed within-country analyses leveraging COH-FIT data will better investigate the impact of those two risk factors. More broadly,

only local reports from individual countries can inform local policies, and such COH-FIT reports are being prepared to complement global findings described in this work.

In conclusion, the COVID-19 pandemic adversely affected well-being and mental health of the general population globally, with differences across countries with different income, across different strata of the population with a-priori defined risk factors, increasingly in presence of more concomitant risk factors, yet with very small associations with COVID-19-related deaths and restrictions, and with overall a return to near-pre-pandemic values after >2 years into the pandemic. Nevertheless, during infection times groups at risk should be protected and risk factors should be targeted, and access to exercise, internet use, direct social contact and other effective coping strategies should be facilitated to promote and protect wellbeing and mental health during infection times. Results inform public health prevention and intervention policies, at the global level, which should target those at particular risk.

Statement of Ethics

The online survey launches on the COH-FIT website (www.coh-fit.com) occurred immediately after the first ethics committee/Institutional Review Board (IRB) approval (Aristotle University of Thessaloniki, Greece, 04/27/2020). Afterwards, prior to active local/national investigator outreach and advertisement activities regarding COH-FIT dissemination, approval or waiver (due to the anonymous, observational nature of the study) was obtained from at least one national IRB.

Funding Statement

All the institutions and funding agencies are listed in eTable 7. COH-FIT PIs and collaborators have applied/are actively applying for several national and international grants to cover expenses related to the coordination of the study, website, nationally representative samples, advertisement of the study, and future dissemination of study findings.

Conflict of Interest Statement

Conflict of interest statements of all authors are detailed in eTable 8.

Author Contributions Statement

For the overall COH-FIT project, MS, CUC wrote the study protocol. AK, CUC, DM, ED, FL, MS, TT wrote the statistical analysis plan designed the statistical analysis plan. TT conducted the analysis of this work. CUC, MS, TT wrote the first draft. All authors read, contributed to and approved the final version of the manuscript. All authors contributed to the final version of the COH-FIT survey and are involved in disseminating the COH-FIT survey link and collecting the data and designing and preparing research reports on national data. All local researchers contributed to and approved translations of the COH-FIT survey in their respective language. CUC, MS, AE, ED, TT, FL, AK had access to the global raw data on participation results.

Data Availability Statement


Data are not publicly available, currently. Data are currently being used for additional global publications. Local data are available to local COH-FIT collaborators. We estimate making data available upon request and with a specific project proposal in 2025.

Acknowledgements

All authors thank all respondents who took the survey so far, funding agencies and all professional and scientific national and international associations supporting or endorsing the COH-FIT project.

Figure title and legend

- Figure 1. Global change in WHO-5 well-being score (1A) and the composite psychopathology P-score (1B) in the general population during COVID-19 pandemic in COH-FIT. Legend Figure 1.: COH-FIT, Collaborative Outcomes study on Health and Functioning during Infection Times, WHO, World Health Organization; larger negative and positive values indicate worsening of WHO-5, and P-score, respectively






Figure 2. Proportion of subjects with a WHO-5 well-being score < 50 (2A) and <29
 (2B) in the general population during COVID-19 pandemic in COH-FIT









Figure 3. Forest plot of changes in well-being and P-score (3A) across risk factors in adults during versus before COVID-19 pandemic, and coping strategies (3B).

Legend Figure 3A.: Risk factors are ordered by WHO-5 score difference between groups with and without risk factor; **, p value <0.05





- Figure 4. Trajectory of change in WHO-5 well-being score (A) and composite psychopathology P-score (B), stringency and daily death rate



References

- Abel, K.M., Carr, M.J., Ashcroft, D.M., Chalder, T., Chew-Graham, C.A., Hope, H., Kapur, N., McManus, S., Steeg, S., Webb, R.T., Pierce, M., 2021. Association of SARS-CoV-2 Infection With Psychological Distress, Psychotropic Prescribing, Fatigue, and Sleep Problems Among UK Primary Care Patients. JAMA Netw Open 4 (11), e2134803.
- Ahmed, N., Barnett, P., Greenburgh, A., Pemovska, T., Stefanidou, T., Lyons, N., Ikhtabi, S., Talwar, S., Francis, E.R., Harris, S.M., Shah, P., Machin, K., Jeffreys, S., Mitchell, L., Lynch, C., Foye, U., Schlief, M., Appleton, R., Saunders, K.R.K., Baldwin, H., Allan, S.M., Sheridan-Rains, L., Kharboutly, O., Kular, A., Goldblatt, P., Stewart, R., Kirkbride, J.B., Lloyd-Evans, B., Johnson, S., 2023. Mental health in Europe during the COVID-19 pandemic: a systematic review. Lancet Psychiatry 10 (7), 537-556.
- Ahrens, K.F., Neumann, R.J., Kollmann, B., Plichta, M.M., Lieb, K., Tüscher, O., Reif, A., 2021. Differential impact of COVID-related lockdown on mental health in Germany. World Psychiatry 20 (1), 140-141.
- Aksunger, N., Vernot, C., Littman, R., Voors, M., Meriggi, N.F., Abajobir, A., Beber, B., Dai, K., Egger, D., Islam, A., Kelly, J., Kharel, A., Matabaro, A., Moya, A., Mwachofi, P., Nekesa, C., Ochieng, E., Rahman, T., Scacco, A., van Dalen, Y., Walker, M., Janssens, W., Mobarak, A.M., 2023. COVID-19 and mental health in 8 low- and middle-income countries: A prospective cohort study. PLoS Med 20 (4), e1004081.
- Clift, A.K., Ranger, T.A., Patone, M., Coupland, C.A.C., Hatch, R., Thomas, K., Hippisley-Cox, J., Watkinson, P., 2022. Neuropsychiatric Ramifications of Severe COVID-19 and Other Severe Acute Respiratory Infections. JAMA Psychiatry 79 (7), 690-698.
- Di Gennaro, F., Belati, A., Tulone, O., Diella, L., Fiore Bavaro, D., Bonica, R., Genna, V., Smith, L., Trott, M., Bruyere, O., Mirarchi, L., Cusumano, C., Dominguez, L.J., Saracino, A., Veronese, N., Barbagallo, M., 2023. Incidence of long COVID-19 in people with previous SARS-Cov2 infection: a systematic review and meta-analysis of 120,970 patients. Intern Emerg Med 18 (5), 1573-1581.
- Dragioti, E., Li, H., Tsitsas, G., Lee, K.H., Choi, J., Kim, J., Choi, Y.J., Tsamakis, K., Estradé, A., Agorastos, A., Vancampfort, D., Tsiptsios, D., Thompson, T., Mosina, A., Vakadaris, G., Fusar-Poli, P., Carvalho, A.F., Correll, C.U. Han, Y.J., Park, S., Il Shin, J., Solmi, M., 2022. A large-scale meta-analytic atlas of mental health problems prevalence during the COVID-19 early pandemic. J Med Virol 94 (5), 1935-1949.
- Fancourt, D., Steptoe, A., Bu, F., 2021. Trajectories of anxiety and depressive symptoms during enforced isolation due to COVID-19 in England: a longitudinal observational study. Lancet Psychiatry 8 (2), 141-149.
- Firth, J., Solmi, M., Wootton, R.E., Vancampfort, D., Schuch, F.B., Hoare, E., Gilbody, S., Torous, J., Teasdale, S.B., Jackson, S.E., Smith, L., Eaton, M., Jacka, F.N., Veronese, N., Marx, W., Ashdown-Franks, G., Siskind, D., Sarris, J., Rosenbaum, S., Carvalho, A.F., Stubbs, B., 2020. A metareview of "lifestyle psychiatry": the role of exercise, smoking, diet and sleep in the prevention and treatment of mental disorders. World Psychiatry 19 (3), 360-380.
- Gama, A., Marques, M.J., Rocha, J.V., Azeredo-Lopes, S., Kinaan, W., Machado, A.S., Dias, S., 2022. 'I Didn't Know Where to Go': A Mixed-Methods Approach to Explore Migrants' Perspectives of Access and Use of Health Services during the COVID-19 Pandemic. Int J Environ Res Public Health 19 (20).
- GBD 2019 Mental Disorders Collaborators, 2022. Global, regional, and national burden of 12 mental disorders in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. The Lancet Psychiatry 9 (2), 137-150.
- Huang, L., Li, X., Gu, X., Zhang, H., Ren, L., Guo, L., Liu, M., Wang, Y., Cui, D., Wang, Y., Zhang, X., Shang, L., Zhong, J., Wang, X., Wang, J., Cao, B., 2022. Health outcomes in people 2 years after

- surviving hospitalisation with COVID-19: a longitudinal cohort study. The Lancet Respiratory Medicine 10 (9), 863-876.
- Kinoshita, S., Cortright, K., Crawford, A., Mizuno, Y., Yoshida, K., Hilty, D., Guinart, D., Torous, J., Correll, C.U., Castle, D.J., Rocha, D., Yang, Y., Xiang, Y.T., Kølbæk, P., Dines, D., ElShami, M., Jain, P., Kallivayalil, R., Solmi, M., Favaro, A., Veronese, N., Seedat, S., Shin, S., Salazar de Pablo, G., Chang, C.H., Su, K.P., Karas, H., Kane, J.M., Yellowlees, P., Kishimoto, T., 2022. Changes in telepsychiatry regulations during the COVID-19 pandemic: 17 countries and regions' approaches to an evolving healthcare landscape. Psychol Med 52 (13), 2606-2613.
- Köhler, C.A., Evangelou, E., Stubbs, B., Solmi, M., Veronese, N., Belbasis, L., Bortolato, B., Melo, M.C.A., Coelho, C.A., Fernandes, B.S., Olfson, M., Ioannidis, J.P.A., Carvalho, A.F., 2018. Mapping risk factors for depression across the lifespan: An umbrella review of evidence from meta-analyses and Mendelian randomization studies. J Psychiatr Res 103, 189-207.
- Lu, L., Contrand, B., Dupuy, M., Ramiz, L., Sztal-Kutas, C., Lagarde, E., 2022. Mental and physical health among the French population before and during the first and second COVID-19 lockdowns: Latent class trajectory analyses using longitudinal data. J Affect Disord 309, 95-104.
- Luo, Y., Pang, L., Guo, C., Zhang, L., Zheng, X., 2021. Association of Urbanicity with Schizophrenia and Related Mortality in China: Association de l'urbanicité avec la schizophrénie et la mortalité qui y est reliée en Chine. Can J Psychiatry 66 (4), 385-394.
- Patel, K., Robertson, E., Kwong, A.S.F., Griffith, G.J., Willan, K., Green, M.J., Di Gessa, G., Huggins, C.F., McElroy, E., Thompson, E.J., Maddock, J., Niedzwiedz, C.L., Henderson, M., Richards, M., Steptoe, A., Ploubidis, G.B., Moltrecht, B., Booth, C., Fitzsimons, E., Silverwood, R., Patalay, P., Porteous, D., Katikireddi, S.V., 2022. Psychological Distress Before and During the COVID-19 Pandemic Among Adults in the United Kingdom Based on Coordinated Analyses of 11 Longitudinal Studies. JAMA Netw Open 5 (4), e227629.
- Racine, N., Hetherington, E., McArthur, B.A., McDonald, S., Edwards, S., Tough, S., Madigan, S., 2021. Maternal depressive and anxiety symptoms before and during the COVID-19 pandemic in Canada: a longitudinal analysis. Lancet Psychiatry 8 (5), 405-415.
- Rogers, J.P., Chesney, E., Oliver, D., Pollak, T.A., McGuire, P., Fusar-Poli, P., Zandi, M.S., Lewis, G., David, A.S., 2020. Psychiatric and neuropsychiatric presentations associated with severe coronavirus infections: a systematic review and meta-analysis with comparison to the COVID-19 pandemic. Lancet Psychiatry 7 (7), 611-627.
- Salanti, G., Peter, N., Tonia, T., Holloway, A., White, I.R., Darwish, L., Low, N., Egger, M., Haas, A.D., Fazel, S., Kessler, R.C., Herrman, H., Kieling, C., De Quervain, D.J.F., Vigod, S.N., Patel, V., Li, T., Cuijpers, P., Cipriani, A., Furukawa, T.A., Leucht, S., Sambo, A.U., Onishi, A., Sato, A., Rodolico, A., Oliveira Solis, A.C., Antoniou, A., Kapfhammer, A., Ceraso, A., O'Mahony, A., Lasserre, A.M., Ipekci, A.M., Concerto, C., Zangani, C., Igwesi-Chidobe, C., Diehm, C., Demir, D.D., Wang, D., Ostinelli, E.G., Sahker, E., Beraldi, G.H., Erzin, G., Nelson, H., Elkis, H., Imai, H., Wu, H., Kamitsis, I., Filis, I., Michopoulos, I., Bighelli, I., Hong, J.S.W., Ballesteros, J., Smith, K.A., Yoshida, K., Omae, K., Trivella, M., Tada, M., Reinhard, M.A., Ostacher, M.J., Müller, M., Jaramillo, N.G., Ferentinos, P.P., Toyomoto, R., Cortese, S., Kishimoto, S., Covarrubias-Castillo, S.A., Siafis, S., Thompson, T., Karageorgiou, V., Chiocchia, V., Zhu, Y., Honda, Y., Investigators, M.C., Investigators†, M.C., 2022. The Impact of the COVID-19 Pandemic and Associated Control Measures on the Mental Health of the General Population: A Systematic Review and Dose-Response Meta-analysis. Ann Intern Med 175 (11), 1560-1571.
- Salazar de Pablo, G., Vaquerizo-Serrano, J., Catalan, A., Arango, C., Moreno, C., Ferre, F., Shin, J.I., Sullivan, S., Brondino, N., Solmi, M., Fusar-Poli, P., 2020. Impact of coronavirus syndromes on physical and mental health of health care workers: Systematic review and meta-analysis. J Affect Disord 275, 48-57.

- Sánchez-Guarnido, A.J., Hidalgo, N., Arenas de la Cruz, J., Esteban, I., Mondón, S., Herruzo, C., 2021. Analysis of the Consequences of the COVID-19 Pandemic on People with Severe Mental Disorders. Int J Environ Res Public Health 18 (16).
- Sharma, A., Minh Duc, N.T., Luu Lam Thang, T., Nam, N.H., Ng, S.J., Abbas, K.S., Huy, N.T., Marušić, A., Paul, C.L., Kwok, J., Karbwang, J., de Waure, C., Drummond, F.J., Kizawa, Y., Taal, E., Vermeulen, J., Lee, G.H.M., Gyedu, A., To, K.G., Verra, M.L., Jacqz-Aigrain, É., Leclercq, W.K.G., Salminen, S.T., Sherbourne, C.D., Mintzes, B., Lozano, S., Tran, U.S., Matsui, M., Karamouzian, M., 2021. A Consensus-Based Checklist for Reporting of Survey Studies (CROSS). J Gen Intern Med 36 (10), 3179-3187.
- Solmi, M., Estradé, A., Thompson, T., Agorastos, A., Radua, J., Cortese, S., Dragioti, E., Leisch, F., Vancampfort, D., Thygesen, L.C., Aschauer, H., Schloegelhofer, M., Akimova, E., Schneeberger, A., Huber, C.G., Hasler, G., Conus, P., Cuénod, K.Q.D., von Känel, R., Arrondo, G., Fusar-Poli, P., Gorwood, P., Llorca, P.M., Krebs, M.O., Scanferla, E., Kishimoto, T., Rabbani, G., Skonieczna-Żydecka, K., Brambilla, P., Favaro, A., Takamiya, A., Zoccante, L., Colizzi, M., Bourgin, J., Kamiński, K., Moghadasin, M., Seedat, S., Matthews, E., Wells, J., Vassilopoulou, E., Gadelha, A., Su, K.P., Kwon, J.S., Kim, M., Lee, T.Y., Papsuev, O., Manková, D., Boscutti, A., Gerunda, C., Saccon, D., Righi, E., Monaco, F., Croatto, G., Cereda, G., Demurtas, J., Brondino, N., Veronese, N., Enrico, P., Politi, P., Ciappolino, V., Pfennig, A., Bechdolf, A., Meyer-Lindenberg, A., Kahl, K.G., Domschke, K., Bauer, M., Koutsouleris, N., Winter, S., Borgwardt, S., Bitter, I., Balazs, J., Czobor, P., Unoka, Z., Mavridis, D., Tsamakis, K., Bozikas, V.P., Tunvirachaisakul, C., Maes, M., Rungnirundorn, T., Supasitthumrong, T., Haque, A., Brunoni, A.R., Costardi, C.G., Schuch, F.B., Polanczyk, G., Luiz, J.M., Fonseca, L., Aparicio, L.V., Valvassori, S.S., Nordentoft, M., Vendsborg, P., Hoffmann, S.H., Sehli, J., Sartorius, N., Heuss, S., Guinart, D., Hamilton, J., Kane, J., Rubio, J., Sand, M., Koyanagi, A., Solanes, A., Andreu-Bernabeu, A., Cáceres, A.S.J., Arango, C., Díaz-Caneja, C.M., Hidalgo-Mazzei, D., Vieta, E., Gonzalez-Peñas, J., Fortea, L., Parellada, M., Fullana, M.A., Verdolini, N., Fárková, E., Janků, K., Millan, M., Honciuc, M., Moniuszko-Malinowska, A., Łoniewski, I., Samochowiec, J., Kiszkiel, Ł., Marlicz, M., Sowa, P., Marlicz, W., Spies, G., Stubbs, B., Firth, J., Sullivan, S., Darcin, A.E., Aksu, H., Dilbaz, N., Noyan, O., Kitazawa, M., Kurokawa, S., Tazawa, Y., Anselmi, A., Cracco, C., Machado, A.I., Estrade, N., De Leo, D., Curtis, J., Berk, M., Ward, P., Teasdale, S., Rosenbaum, S., Marx, W., Horodnic, A.V., Oprea, L., Alexinschi, O., Ifteni, P., Turliuc, S., Ciuhodaru, T., Bolos, A., Matei, V., Nieman, D.H., Sommer, I., van Os, J., van Anelsvoort, T., Sun, C.F., Guu, T.W., Jiao, C., Zhang, J., Fan, J., Zou, L., Yu, X., Chi, X., de Timary, P., van Winke, R., Ng, B., Pena, E., Arellano, R., Roman, R., Sanchez, T., Movina, L., Morgado, P., Brissos, S., Aizberg, O., Mosina, A., Krinitski, D., Mugisha, J., Sadeghi-Bahmani, D., Sadeghi, M., Hadi, S., Brand, S., Errazuriz, A., Crossley, N., Ristic, D.I., López-Jaramillo, C., Efthymiou, D., Kuttichira, P., Kallivayalil, R.A., Javed, A., Afridi, M.I., James, B., Seb-Akahomen, O.J., Fiedorowicz, J., Carvalho, A.F., Daskalakis, J., Yatham, L.N., Yang, L., Okasha, T., Dahdouh, A., Gerdle, B., Tiihonen, J., Shin, J.I., Lee, J., Mhalla, A., Gaha, L., Brahim, T., Altynbekov, K., Negay, N., Nurmagambetova, S., Jamei, Y.A., Weiser, M., Correll, C.U., 2022a. The collaborative outcomes study on health and functioning during infection times in adults (COH-FIT-Adults): Design and methods of an international online survey targeting physical and mental health effects of the COVID-19 pandemic. J Affect Disord 299, 393-407.
- Solmi, M., Estradé, A., Thompson, T., Agorastos, A., Radua, J., Cortese, S., Dragioti, E., Leisch, F., Vancampfort, D., Thygesen, L.C., Aschauer, H., Schloegelhofer, M., Akimova, E., Schneeberger, A., Huber, C.G., Hasler, G., Conus, P., Cuénod, K.Q.D., von Känel, R., Arrondo, G., Fusar-Poli, P., Gorwood, P., Llorca, P.M., Krebs, M.O., Scanferla, E., Kishimoto, T., Rabbani, G., Skonieczna-Żydecka, K., Brambilla, P., Favaro, A., Takamiya, A., Zoccante, L., Colizzi, M., Bourgin, J., Kamiński, K., Moghadasin, M., Seedat, S., Matthews, E., Wells, J., Vassilopoulou, E., Gadelha, A., Su, K.P., Kwon, J.S., Kim, M., Lee, T.Y., Papsuev, O., Manková, D., Boscutti, A., Gerunda, C., Saccon, D., Righi, E., Monaco, F., Croatto, G., Cereda, G., Demurtas, J., Brondino, N., Veronese,

N., Enrico, P., Politi, P., Ciappolino, V., Pfennig, A., Bechdolf, A., Meyer-Lindenberg, A., Kahl, K.G., Domschke, K., Bauer, M., Koutsouleris, N., Winter, S., Borgwardt, S., Bitter, I., Balazs, J., Czobor, P., Unoka, Z., Mavridis, D., Tsamakis, K., Bozikas, V.P., Tunvirachaisakul, C., Maes, M., Rungnirundorn, T., Supasitthumrong, T., Haque, A., Brunoni, A.R., Costardi, C.G., Schuch, F.B., Polanczyk, G., Luiz, J.M., Fonseca, L., Aparicio, L.V., Valvassori, S.S., Nordentoft, M., Vendsborg, P., Hoffmann, S.H., Sehli, J., Sartorius, N., Heuss, S., Guinart, D., Hamilton, J., Kane, J., Rubio, J., Sand, M., Koyanagi, A., Solanes, A., Andreu-Bernabeu, A., Cáceres, A.S.J., Arango, C., Díaz-Caneja, C.M., Hidalgo-Mazzei, D., Vieta, E., Gonzalez-Peñas, J., Fortea, L., Parellada, M., Fullana, M.A., Verdolini, N., Fárková, E., Janků, K., Millan, M., Honciuc, M., Moniuszko-Malinowska, A., Łoniewski, I., Samochowiec, J., Kiszkiel, Ł., Marlicz, M., Sowa, P., Marlicz, W., Spies, G., Stubbs, B., Firth, J., Sullivan, S., Darcin, A.E., Aksu, H., Dilbaz, N., Noyan, O., Kitazawa, M., Kurokawa, S., Tazawa, Y., Anselmi, A., Cracco, C., Machado, A.I., Estrade, N., De Leo, D., Curtis, J., Berk, M., Ward, P., Teasdale, S., Rosenbaum, S., Marx, W., Horodnic, A.V., Oprea, L., Alexinschi, O., Ifteni, P., Turliuc, S., Ciuhodaru, T., Bolos, A., Matei, V., Nieman, D.H., Sommer, I., van Os, J., van Amelsvoort, T., Sun, C.F., Guu, T.W., Jiao, C., Zhang, J., Fan, J., Zou, L., Yu, X., Chi, X., de Timary, P., van Winke, R., Ng, B., Pena, E., Arellano, R., Roman, R., Sanchez, T., Movina, L., Morgado, P., Brissos, S., Aizberg, O., Mosina, A., Krinitski, D., Mugisha, J., Sadeghi-Bahmani, D., Sadeghi, M., Hadi, S., Brand, S., Errazuriz, A., Crossley, N., Ristic, D.I., López-Jaramillo, C., Efthymiou, D., Kuttichira, P., Kallivayalil, R.A., Javed, A., Afridi, M.I., James, B., Seb-Akahomen, O.J., Fiedorowicz, J., Carvalho, A.F., Daskalakis, J., Yatham, L.N., Yang, L., Okasha, T., Dahdouh, A., Gerdle, B., Tiihonen, J., Shin, J.I., Lee, J., Mhalla, A., Gaha, L., Brahim, T., Altynbekov, K., Negay, N., Nurmagambetova, S., Jamei, Y.A., Weiser, M., Correll, C.U., 2022b. Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). J Affect Disord 299, 367-376.

- Sun, Y., Wu, Y., Fan, S., Dal Santo, T., Li, L., Jiang, X., Li, K., Wang, Y., Tasleem, A., Krishnan, A., He, C., Bonardi, O., Boruff, J.T., Rice, D.B., Markham, S., Levis, B., Azar, M., Thombs-Vite, I., Neupane, D., Agic, B., Fahim, C., Martin, M.S., Sockalingam, S., Turecki, G., Benedetti, A., Thombs, B.D., 2023. Comparison of mental health symptoms before and during the covid-19 pandemic: evidence from a systematic review and meta-analysis of 134 cohorts. BMJ 380, e074224.
- Topp, C.W., Østergaard, S.D., Søndergaard, S., Bech, P., 2015. The WHO-5 Well-Being Index: a systematic review of the literature. Psychother Psychosom 84 (3), 167-176.
- Topriceanu, C.C., Wong, A., Moon, J.C., Hughes, A.D., Bann, D., Chaturvedi, N., Patalay, P., Conti, G., Captur, G., 2021. Evaluating access to health and care services during lockdown by the COVID-19 survey in five UK national longitudinal studies. BMJ Open 11 (3), e045813.
- van Buuren, S., Groothuis-Oudshoorn, K., 2011. mice: Multivariate Imputation by Chained Equations in R. Journal of Statistical Software 45 (3), 1–67.
- World Health Organization, 2020. WHO COVID-19 Dashboard. World Health Organization, Geneva.

Table 1. Basic participant characteristics for overall, representative and non-probability samples.

		Overall		Representative		Non-probability	
	. N	Percent	N	Percent	N	Percent	
Representative sample							
non-probability	86017			0	86017		
representative	35049	29.0	35049	100	0	0	
Age		$\overline{}$					
18-34	46159		10216		35943		
35-49	33947		9829		24118		
50-64	28769		10058		18711		
65+	12191	10.1	4946	14.1	7245	8.4	
Gender							
Male	42891		17242		25649		
Female	77487	64.0	17696		59791		
Non-binary		0.4		0.2	395		
Transgender or intersex	226	0.2	44	0.1	182	0.2	
Ethnicity							
White	83498	69.0	28641		54857	63.8	
African/African-descent	3375	2.8	632	1.8	2743	3.2	
Hispanic	3366	2.8	884	2.5	2482	2.9	
Asian	23795	19.7	2765	7.9	21030	24.4	
Mixed	5121	4.2	1561	4.5	3560	4.1	
Other	1403	1.2	449	1.3	954	1.1	
Prefer not to answer	508	0.4	117	0.3	391	0.5	
First-generation immigrant							
No	73346	92.6	26480	92.2	46866	92.8	
Yes	5897	7.4	2253	7.8	3644	7.2	
Education							
None	671	0.6	196	0.6	475	0.6	
Primary school	3401	2.8	2018	5.8	1383	1.6	
High school	38726	32.0	18706	53.4	20020	23.3	
College/university degree	68335	56.4	12986	37.1	55349	64.3	
PhD	9933	8.2	1143	3.3	8790	10.2	
Socio-economic status							
0-24	7104	5.9	2298	6.6	4806	5.6	
25-49	23091	19.1	7253	20.7	15838	18.4	
50-74	71109	58.7	21148	60.3	49961		
75-100	19762		4350		15412		
Employment							
No	46890	38.7	13909	39.7	32981	38.3	
Yes	74176		21140		53036		
Healthcare worker	, 11, 0					- "	
No	56004	= - 4	18864	00.4	37140	70.7	

			Overall		Representative		Non-probability	
			Percent		Percent		Percent	
Yes		17606	23.9	2239	10.6	15367	29.3	
Mental health diagnosis								
No		101325	83.7	30523	87.1	70802	82.3	
Yes		19741	16.3	4526	12.9	15215	17.7	
Physical disease diagnosis								
No		66840	55.2	20404	58.2	46436	54.0	
Yes		54226	44.8	14645	41.8	39581	46.0	
COVID-19 infection								
No		27989	82.8	10874	77.6	17115	86.6	
Yes		5805	17.2	3147	22.4	2658	13.4	
Urbanicity								
Village/rural		21415	17.7	8459	24.1	12956	15.1	
Small city/town (10,000-100.000 population)		30037	24.8	10199	29.1	19838	23.1	
Medium city/town (100,000-500.000 population)		27312	22.6	7186	20.5	20126	23.4	
Large city/town (over 500.000 population)		42302	34.9	9205	26.3	33097	38.5	
Restrictions (Oxford Stringency Index)								
0-24		4578	3.8	3446	9.8	1132	1.3	
25-49		24754	20.4	10270	29.3	14484	16.8	
50-74		61978	51.2	17914	51.1	44064	51.2	
75-100		29756	24.6	3419	9.8	26337	30.6	
Country income	. (/)							
High income		83214	68.7	29492	84.1	53722	62.5	
Middle income		32517	26.9	5557	15.9	26960	31.3	
Low income		5335	4.4	0	0	5335	6.2	
Obesity								
No (BMI < 30)		98291	85.0	26998	79.1	71293	87.4	
Yes (BMI 30+)		17371	15.0	7113	20.9	10258	12.6	
COVID-19-related loss								
No		114424	94.8	32684	93.3	81740	95.4	
Yes		6329	5.2	2347	6.7	3982	4.6	