



9th Regional Symposium on Electrochemistry South-East Europe

Book of Abstracts



Novi Sad, Serbia - June 3 to 7, 2024

CIP - Каталогизacija у публикацији
Народна библиотека Србије, Београд

621.357/.359(048)(0.034.2)
544.6(048)(0.034.2)
620.193/.197(048)(0.034.2)
66.087(048)(0.034.2)
543.25(048)(0.034.2)

REGIONAL Symposium on Electrochemistry South-East Europe (9 ; 2024 ; Novi Sad)

Book of Abstracts [Elektronski izvor] / 9th Regional Symposium on Electrochemistry South-East Europe, RSE-SEE, Novi Sad, Serbia - June 3 to 7, 2024 ; [editors Branimir Grgur, Igor Pašti, Aleksandar Dekanski]. - Belgrade : Serbian Chemical Society, 2024 (Belgrade : Development and Research Centre of Graphic Engineering, Faculty of Technology and Metallurgy). - 1 elektronski optički disk (CD-ROM) ; 12 cm

Sistemski zahtevi: Nisu navedeni. - Nasl. sa naslovne strane dokumenta. - Tiraž 20. - Bibliografija uz većinu apstrakata.

ISBN 978-86-7132-085-6

а) Електрохемијско инжењерство -- Апстракти б) Галванотехника -- Апстракти в) Електрохемија -- Апстракти г) Електрохемијске реакције -- Апстракти д) Антикорозиона заштита -- Апстракти ђ) Аналитичка електрохемија -- Апстракти

COBISS.SR-ID 145235465

9th Regional Symposium on Electrochemistry - South-East Europe Book of Abstracts

Publisher

Serbian Chemical Society, Karnegijeva 4/III, Belgrade, Serbia

<https://shd.org.rs>; E-mail: office@shd.org.rs

For Publisher

Prof. Dr. Dušan Sladić, president of the Society

Editors

Prof. Dr. Branimir Grgur

Prof. Dr. Igor Pašti

Dr. Aleksandar Dekanski

Page layout, design, and cover

Dr. Aleksandar Dekanski

ISBN 978-86-7132-085-6

<https://doi.org/10.5281/zenodo.11194247>

Circulation: 20 copies

Printing: RICGI, Faculty of Technology and Metallurgy, University of Belgrade, Belgrade, Serbia

Belgrade, June 2024

**9th Regional Symposium on Electrochemistry
South-East Europe
is supported by**



**Ministry of Science, Technological Development and Innovation
of Republic of Serbia**

and

Autonomous Province of Vojvodina



**Provincial Secretary for Higher Education and
Scientific Research**

The design of advanced thin-film catalysts for electrooxidation of formic acid

Dušan Tripković, Sanja Stevanović, Dragana Milošević

University of Belgrade - Institute of Chemistry, Technology and Metallurgy, Njegoševa 12, 11000 Belgrade, Serbia

dusan@ihm.bq.ac.rs

Successful development of catalysts for electrochemical formic acid oxidation (FAO) requires finding an optimal balance between catalytic performance (activity/stability/selectivity) and the catalyst cost. While platinum is one of the most active catalyst materials for FAO, it suffers from performance loss at low overpotentials due to poisoning with CO, which is one of the intermediates formed in the so-called indirect path of FAO.

In this work, we explored the synergistic effects of the supporting material and annealing temperature on the performance of Pt thin films over Cr support for FAO in acidic media. In an attempt to reduce the proneness of Pt to poisoning species *i.e.* CO and improve the catalytic performance of Pt/Cr at low potentials in the formic acid oxidation reaction, the as-prepared catalyst was modified using controlled thermal treatment. The influence of thermal treatment on the surface morphology was monitored using atomic force microscopy (AFM). The catalyst was electrochemically characterized with cyclic voltammetry and oxidation of CO monolayer, while the performance of the catalyst was tested in formic acid oxidation reaction.

Based on the obtained results it was concluded that the improved activity on the annealed Pt/Cr system is a consequence of surface reconstruction of Pt film with predominant (111) orientation. Compared to other facets, the (111) facet selectively favors the oxidation of HCOOH via the direct path, avoiding the formation of CO_{ad} at low potentials. Moreover, the Pt (111) facets offer improved stability of the catalyst compared to the as-prepared polycrystalline film. Finally, the Cr substrate also experiences improved stability after annealing, presumably due to the formation of a protective oxide layer. Thus, with the successful choice of the supporting material and annealing temperature, we were able to create a thin film catalyst with improved activity, selectivity, and stability, challenging conventional trade-offs in electrocatalysis.

Acknowledgement: This work was financially supported by the Ministry of Science, Technological Development and Innovation of Republic of Serbia (contract no. 451-03-66/2024-03/200026) and the Science Fund of the Republic of Serbia under grant no. 7739802.