BIEŃKO, Mateusz, RUTKOWSKA, Marta, KRÓL, Tomasz, TOBOREK, Michalina, MARCHAJ, Magdalena, KORTA, Karolina, PUTRA, Anna, NIEDZIELA, Natalia and MARGAS, Mikolaj. Sports and Exercise Therapy in Holistic Strategy for Treating Chronic Diseases - literature review. Journal of Education, Health and Sport. 2024;66:50170. eISSN 2391-8306. https://dx.doi.org/10.12775/JEHS.2024.66.014 https://apcz.umk.pl/JEHS/article/view/50170 https://zenodo.org/records/11003887

The journal has had 40 points in Minister of Science and Higher Education of Poland parametric evaluation. Annex to the announcement of the Minister of Education and Science of 05.01.2024 No. 32318. Has a Journal's Unique Identifier: 201159. Scientific disciplines assigned: Physical culture sciences (Field of medical and health sciences). Health Sciences (Field of medical and health sciences). Punkty Ministeriane 40 punktów. Załącznik do komunikatu Ministra Nauki i Szkolnictwa Wyższego z dnia 05.01.2024 Lp. 32318. Posiada Unikatowy Identyfikator Czasopisma: 201159. Przypisane dyscypliny naukowe: Nauki o kulture fryzyczej (Dizdzian nauk medycznych i nauk o zdrowiu), Nauki o zdrowiu (Dizdzian nauk medycznych i nauk o zdrowiu), Nauki o zdrowiu (Dizdzian nauk medycznych i nauk o zdrowiu), O The Authors 2024; This article is distributed under the terms of the Creative Commons Attribution Noncommercial License which permits any noncommercial license distributed under the terms of the Creative Commons. Attribution Non commercial license distributed on source are credited. This is an open access article licensed under the terms of the Creative Commons. Attribution Noncommercial license Share alike. (http://creativecommons.org/licenses/by-nc-sa/4.0) which permits unrestricted, non commercial use, distribution and reproduction in any medium, provided the work is properly cited. The authors declare that there is no conflict of interests regarding the publication of this paper. Received: 02.04.2024. Accepted: 19.04.2024. Accepted: 19.04.2024. Published: 21.04.2024.

Sports and Exercise Therapy in Holistic Strategy for Treating Chronic Diseases literature review

#### Mateusz Bieńko (\*Corresponding Author),

lek.bienko@protonmail.com, https://orcid.org/0009-0004-7797-9381, Complex of Municipal Hospitals in Chorzów, ul. Strzelców Bytomskich 11, 41-500 Chorzów

#### Marta Rutkowska,

lek.m.rutkowska@protonmail.com, https://orcid.org/0009-0009-4994-7581, Complex of Municipal Hospitals in Chorzów, ul. Strzelców Bytomskich 11, 41-500 Chorzów

## Tomasz Król.

tomasz.krol97@gmail.com, https://orcid.org/0009-0008-8264-9212, SIGNUM Medical Centre, ul. Bażantów 6C, 40-668 Katowice

## Michalina Toborek.

lek.m.toborek@protonmail.com, https://orcid.org/0009-0008-4215-4303, Complex of Municipal Hospitals in Chorzów, ul. Strzelców Bytomskich 11, 41-500 Chorzów

## Magdalena Marchaj,

magdalenamarchaj@interia.pl, https://orcid.org/0009-0003-4930-8698, Complex of Municipal Hospitals in Chorzów, ul. Strzelców Bytomskich 11, 41-500 Chorzów

#### Karolina Korta,

karolina.korta@onet.pl, https://orcid.org/0009-0003-4453-3108, Complex of Municipal Hospitals in Chorzów, ul. Strzelców Bytomskich 11, 41-500 Chorzów

#### Anna Putra,

annaputra1997@gmail.com, https://orcid.org/0009-0005-6953-9308, Ministry of Internal Affairs and Administration in Katowice, ul. Wita Stwosza 39-41, 40-042 Katowice

## Natalia Niedziela,

gn.niedziela@gmail.com, https://orcid.org/0009-0008-5826-5729, Independent Health Care Center of the Ministry of Interior and Administration, ul. Grenadierów 3, 20-331 Lublin

#### Mikołaj Margas,

mikolajmargas@interia.pl, https://orcid.org/0000-0002-7420-0190, Independent Health Care Center of the Ministry of Interior and Administration, ul. Grenadierów 3, 20-331 Lublin

## Abstract

## Introduction

The convergence of sports and health is a developing area, focusing on the therapeutic potential of physical activities in numerous chronic disease management strategies as a necessary part of a holistic strategy. Acknowledging sports as a therapeutic tool emphasizes the necessity for a comprehensive understanding of how sports engagement contributes to innovative healthcare interventions.

#### Purpose

This research aims to investigate the therapeutic potential of prescribing sports and physical exercise in treating primary chronic diseases, exploring its integration into healthcare practices with a focus on efficacy and implications for disease management.

## State of Knowledge

Physical activity is recommended for treating diabetes, chronic obstructive pulmonary disease, asthma, and rheumatoid arthritis. It reduces the risk of cardiovascular disease and death, lowers blood pressure, ads prevents and manages atherosclerosis and osteoporosis. Non-physical sports like chess and board games also promise protection against dementia, depression, and Alzheimer's.

# Conclusions

Incorporating sports into healthcare policies and prescribing personalized exercise are essential components of holistic chronic disease management and show widespread benefits. Professional guidance and clear recommendations, aligned with disease-specific guidelines, play a crucial role in ensuring safe and effective physical activity for patients. Potential risks in specific populations, particularly injury risks, can be minimized through proper preventive measures, adjusting the character of exercises, and heightened patient awareness. To ensure good compliance, exercise prescriptions should offer clear and precise guidelines.

Key words: sport; exercise therapy; resistance exercise; aerobic exercise; disease management; exercise-induced asthma;

## 1. Introduction

The interdisciplinary field of sports and health has been gaining increasing attention, and the potential of sports has been discovered in the treatment of chronic diseases. In this regard, this illustrates the shift from the use of traditional methods of disease management to more comprehensive approaches. It is critical to understand how the mutual relationship between physical and non-physical sports can play a major role in creating new healthcare tools.

## 2. Purpose

The principal intention of this project is to work out the efficacy of sports and exercises as therapeutic instruments for dealing with chronic diseases. Moreover, the study aims to review the scientific evidence on the use of sports in healthcare and how effective and efficient they are in managing healthcare diseases.

## 3. State of knowledge

The increasing incidence of chronic diseases, including conditions such as chronic obstructive pulmonary disease, asthma, atherosclerosis, diabetes, obesity, and musculoskeletal disorders, provides one of the greatest global health challenges that the world is currently facing. The following exploration encompasses the positive effects of sports on disease prevention, the challenges associated with exercise prescriptions, and considerations for individuals with specific health conditions.

# **3.1. Chronic Diseases and Lifestyle Interventions**

Chronic diseases constitute a significant global health challenge, with conditions such as cardiovascular diseases, diabetes, obesity, and metabolic disorders, as well as respiratory conditions and musculoskeletal disorders, on the rise [1]. Importantly, these conditions, which can only be controlled but cannot be cured, have an immense impact on quality of life and consume a significant portion of healthcare resources [2]. The increasing prevalence of these diseases requires a paradigm shift in healthcare towards proactive lifestyle interventions, such as increased physical activity, that are critical in addressing the chronic disease epidemic [3].

Regular physical activity is crucial for disease prevention and management, given that even modest amounts of activity can significantly reduce the chances of suffering from certain chronic illnesses [4]. It has been demonstrated, that it has beneficial effects on morbidity and mortality, making it a vital part of prevention and therapy in internal medicine [5]. Therefore, it is crucial to understand how exercise affects our bodies, including energy metabolism and efficient cardiac function. These are primary mechanisms in the prevention and treatment of chronic diseases [6]. There is still much debate regarding the optimal type, frequency, and intensity of physical activity; however, it is clear that regular, moderate activity is beneficial [7].

# **3.2. Non-physical Sports and Activities on Disease Prevention**

In sports, it is not only the case that the definition goes beyond mere movement but also covers non-physical activities such as chess and bridge. There is evidence indicating that practising chess might be protective against dementia, especially among undiagnosed individuals [8].

Going beyond Olympic sports, research shows that playing board games may have a protective effect against dementia, potentially reducing the risk of cognitive decline and

depression. A review conducted by Lillo-Crespo et al. stated that chess players had a less decline in their MMSE score and a lower incidence of depression compared to non-players [9]. Another study on the Chinese game GO also found positive impacts on Alzheimer's disease, including reduced depression and improved functioning [10].

#### **3.3. Sports in Cardiovascular Health**

Regular exercise has a significant impact on heart health, reducing the risk of cardiovascular disease and death [11,12,13]. It is linked to lower blood pressure, better insulin sensitivity, and a more favorable plasma lipoprotein profile [12,14]. This enhances mitochondrial function and vasculature and also induces the release of myokines from skeletal muscles, which play a crucial role in maintaining cardiovascular health [15]. Physical activity has consistently been associated with a decreased risk of atherosclerosis and related conditions, such as coronary heart disease. It can also enhance lipid and lipoprotein metabolism while improving endothelial functioning, leading to reduced levels of inflammation within the body [16,17,18]. To promote cardiovascular well-being in atherosclerotic cardiovascular disease, routine physical exercise, including moderately intense activities, such as racquet, aerobics, running, and walking, should be encouraged [19,20].

#### 3.4. Sports in Diabetes and Glucose Metabolism

Preventing and managing diabetes requires physical activity, which involves aerobic and resistance exercises [21]. Regular physical activity is often associated with intense training, as it enhances blood glucose control in insulin- and non-insulin-dependent diabetic patients [22,23]. Such benefits can be noticed even in obese people and elders without diabetes [24,25]. It is because of enhanced insulin sensitivity and improved glucose metabolism due to physical conditioning [26]. Research has shown that maintaining an active lifestyle has several considerable advantages for treating or preventing diabetes [27]. For instance, teenagers suffering from type 1 diabetes should be encouraged to engage in moderate physical activity more frequently while avoiding sedentary behaviour, as this lowers cardiovascular risks and improves glucose control [28].

## 3.5. Physical Activity in Respiratory Diseases

Physical activity is very important for patients with chronic respiratory diseases like asthma and chronic obstructive pulmonary disease (COPD). It can improve their physical condition in combination with their mental condition or well-being, along with the quality of life they live, thus increasing their functional capacity [29].

Research suggests that physical activity may prove beneficial for individuals with asthma, challenging the prevalent notion that it should be avoided [30]. Exercise has been shown to enhance cardiopulmonary fitness without altering lung function [31]. This holds particular relevance in light of the increasing number of asthmatic athletes engaging in competitive sports [32]. However, despite these benefits, a considerable number of adults with asthma fail to meet the recommended levels of physical activity [33]. Exercise-induced asthma poses a significant obstacle to sports participation for individuals with asthma [34]. Therefore, the use of pharmaceutical agents to prevent and manage exercise-induced asthma becomes crucial, allowing individuals with asthma to safely engage in sports [32].

Research consistently shows that physical activity is crucial for COPD patients, with a decline in activity levels observed from the early stages of the disease [35]. Higher levels of physical

activity correlate with improved functional status among COPD patients [36]. Various exercise modalities, including aerobic exercise, balance training, yoga, and inspiratory muscle training, have been demonstrated to be beneficial for individuals with COPD [37]. These approaches contribute to improvements in exercise capacity, symptom reduction, and the overall enhancement of quality of life [38]. Comprehensive exercise programs, incorporating both aerobic and strength exercises and engaging both lower and upper body skeletal muscles, are recommended for individuals with COPD [38]. Despite these benefits, promoting regular physical activity in this population presents challenges, and interventions should concentrate on enhancing exercise tolerance [39,40]. Interventions such as pulmonary rehabilitation, pharmacotherapy, and counseling programs can be employed to increase activity levels [41].

#### 3.6. Sports in Musculoskeletal Disorders

Musculoskeletal conditions, for example, arthritis and osteoporosis, are widespread and affect disability and impairment [42, 43]. Musculoskeletal disorders, in particular, present a global threat to healthy aging, with a reverse correlation between these conditions and reduced physical activity [44]. Participation in such physical activities as aerobic exercises and muscle-strengthening movements is safe and advantageous for people with chronic arthritis. Exercise can reduce the inflammatory process related to the disease, while the worsening of clinical symptoms may be temporary. These interventions help improve physical function, as well as alleviate symptoms related to arthritis, especially juvenile idiopathic arthritis (JIA) or rheumatoid arthritis (RA) [45, 46]. Exercise is fundamental, especially for older people. Consistent physical activity can prevent disability, thus leading to long-term pain relief [47]. However, many adults with arthritis do not get involved in the recommended levels of physical activity, despite their benefits [48]. Physical activity among patients with rheumatoid arthritis reduces cardiovascular risk factors, improves bone health, and relieves depression, as well as easing pain symptoms [49]. To prevent and treat osteoporosis, engaging in physical activity, particularly weight-bearing and resistance exercises, is crucial [50,51,52]. These exercises can improve bone health and reduce the risk of fractures, especially in postmenopausal women [53]. Home-based physical activity programs, which have become more important during the COVID-19 pandemic, can also be effective in maintaining bone health [53]. Therefore, a combination of weight-bearing, resistance, and whole-body vibration exercises is recommended for older adults, particularly women, to improve bone mass and metabolism [52].

## **3.7. Psychological Benefits of Sports**

Physical activity has consistently been found to reduce stress levels among diverse populations, such as old people, depressed individuals with anxiety disorders, and those suffering from raised levels of anxiety and depression [54, 55, 56]. The benefits of physical activity for managing these conditions are further supported by its ability to reduce symptoms of anxiety and stress-related disorders [57]. The positive effects of physical activity on emotional states are attributed to various physiological and psychological mechanisms, including the release of endorphins and monoamines, improvement of self-efficacy, and distraction [56].

#### **3.8. Exercise Prescription and Personalization**

Professional guidance in exercise prescription is crucial for ensuring safe and effective physical activity. However, patients often fail to fully benefit from exercise prescriptions due to receiving vague or inappropriate instructions. Effective exercise prescriptions should

encompass clear recommendations regarding the type, frequency, intensity, duration, and progression of exercise, aligning with disease-specific guidelines [58,59].

#### **3.9.** Challenges and Considerations

As the integration of sports and physical activity into specific patient populations gains traction, it brings to the forefront a myriad of risks that must be carefully weighed against the potential benefits.

There is a general risk of injuries, particularly for less experienced patients engaging in sports, leading to an elevated likelihood of requiring surgery, especially in the lower extremities [60]. Extreme sports, in particular, pose significant medical hazards and should either be avoided entirely or undertaken with substantial precautions to mitigate associated risks [61]. Additionally, there is a risk of infections connected with injuries, mainly skin infections, which can be easily mitigated through proper preventive measures such as appropriate pharmacotherapy [62].

Physical activity carries a higher risk of acute coronary events during and after exercise, particularly in untrained people with existing coronary heart diseases [63]. Sporting activities can acutely increase cardiovascular events and death rates, especially in individuals with known coronary artery disease and in high-stress situations [64]. While rare, sudden and unexpected cardiac events among young athletes remain a major concern, thus necessitating early detection of underlying cardiovascular illnesses [65]. Hence, awareness among athletes and sports professionals about these risks is critical for their well-being.

Intense physical activities put type 1 diabetic patients at risk of hypoglycemia. Therefore, continuous or flash glucose monitoring systems may help alleviate this risk [66]. During exercise, it is important to balance insulin dosages with carbohydrate intake to avoid hypoglycemia [67]. Diabetic athletes need evaluation for complications along with adjustments to their exercises to allow enough supplementation with carbohydrates in case they are insulin-dependent but beware of frequent blood sugar tests [68]. Diabetes control must be intensified through regular blood glucose checks if effective care is to be provided to active diabetes patients [69].

Due to the increased risk of developing this condition, exercise-induced asthma poses a major worry for athletes, especially those who participate in endurance sports [70, 71, 72]. It is worth noting that this worsens as a result of things like hyperventilation during exercises and high exposure of the respiratory tract to allergens, contaminants, and cold, dry air [71]. Although the risk of dying from asthma during sports is small, it still emphasizes the need for proper management and medication [73]. However, even with these risks, physical training has been shown to increase cardiopulmonary fitness among children and adolescents, thereby reducing asthmatic symptoms in this group [70].

In general, moderate exercise is considered safe and beneficial for patients suffering from arthritis [74, 75]. Nevertheless, painful musculoskeletal conditions significantly hinder people from making changes to their lifestyles [44]. Therefore, certain exercises, such as high-impact or high-intensity activities, may increase the risk of fractures in osteoporotic patients.

# 4. Conclusion

The incorporation of sports into healthcare policies and the provision of personalized exercise are crucial components of comprehensive chronic disease management and have been shown to yield numerous advantages. According to the studies mentioned in our review, physical activity is recommended for treating conditions such as diabetes, COPD, asthma, and rheumatoid arthritis. It lowers the risk of cardiovascular disease and death, lowers blood pressure, and prevents and manages atherosclerosis and osteoporosis. Non-physical sports like chess and board games also promise protection against dementia, depression, and Alzheimer's. Professional guidance and clear recommendations, aligned with disease-specific guidelines, are essential for ensuring safe and effective physical activity. Potential risks in specific patient populations, particularly injury risks, can be minimized through proper preventive measures and heightened patient awareness. To ensure adherence, exercise prescriptions should provide concise and precise guidelines.

# **Disclosure:**

Authors' contribution:

Conceptualization: Mateusz Bieńko, Marta Rutkowska, Mikołaj Margas, Magdalena Marchaj. Formal Analysis: Michalina Toborek, Tomasz Król, Natalia Niedziela. Investigation: Mateusz Bieńko, Mikołaj Margas, Magdalena Marchaj. Supervision: Michalina Toborek, Anna Putra, Natalia Niedziela, Karolina Korta. Validation: Michalina Toborek, Anna Putra, Karolina Korta, Natalia Niedziela. Writing - Original Draft: Mateusz Bieńko, Marta Rutkowska, Magdalena Marchaj. Writing - Review & Editing: Michalina Toborek, Tomasz Król, Anna Putra, Karolina Korta.

All authors have read and agreed with the published version of the manuscript.

Funding statement: No funding was received. Conflict of interest: The authors declare no conflict of interest. Statement of institutional review board: Not applicable. Statement of informed consent: Not applicable. Data availability statement: Not applicable.

## **References:**

1. WHO Regional Office for Europe on behalf of the European Observatory on HealthSystems and Policies. Managing chronic conditions: experience in eight countries. Published2008.AccessedFebruary18,2024.https://eurohealthobservatory.who.int/publications/i/managing-chronic-conditions-experience-in-eight-countries-study

2. Department of Health and Social Care of United Kingdom. Improving Chronic Disease Management. Published May 3, 2012. Accessed February 18, 2024. https://webarchive.nationalarchives.gov.uk/20120503231727/

3. Sargeant LA, Wilks RJ, Forrester TE. Chronic diseases - facing a public health challenge. *The West Indian Medical Journal*. 2001;50 Suppl 4:27-31. Accessed March 18, 2024. <u>https://pubmed.ncbi.nlm.nih.gov/11824012/</u>

4. Dart H, Nguyen N, Colditz GA. Physical Activity and Chronic Disease Prevention. *Contemporary Pediatric and Adolescent Sports Medicine*. Published online 2016:163-179. doi:<u>https://doi.org/10.1007/978-3-319-21632-4\_12</u>

5. Löllgen H. Bedeutung und Evidenz der körperlichen Aktivität zur Prävention und Therapie von Erkrankungen. *DMW - Deutsche Medizinische Wochenschrift*. 2013;138(44):2253-2259. doi:<u>https://doi.org/10.1055/s-0033-1349606</u>

6. Karapetov A, Lysenko I, Kazumova A, Zakirova I, Kuzmina K, Islivanova A. The Role Of Physical Activity And Sports In The Prevention And Treatment Of Chronic Diseases: Modern Scientific Data And Practical Recommendations. *Journal of Complementary Medicine Research*. 2023;14(3):66. doi:https://doi.org/10.5455/jcmr.2023.14.03.11

7. Della Valle E, Grimaldi R, Farinaro E. [Importance of physical activity for prevention of chronic diseases]. *Annali Di Igiene: Medicina Preventiva E Di Comunita*. 2008;20(5):485-493. <u>https://pubmed.ncbi.nlm.nih.gov/19069254/</u>

8. Lillo-Crespo M, Forner-Ruiz M, Riquelme-Galindo J, Ruiz-Fernández D, García-Sanjuan S. Chess Practice as a Protective Factor in Dementia. *International Journal of Environmental Research and Public Health*. 2019;16(12):2116. doi:https://doi.org/10.3390/ijerph16122116

9. Dartigues JF, Foubert-Samier A, Le Goff M, et al. Playing board games, cognitive decline and dementia: a French population-based cohort study. *BMJ Open*. 2013;3(8):e002998. doi:<u>https://doi.org/10.1136/bmjopen-2013-002998</u>

10. Lin Q, Cao Y, Gao J. The impacts of a GO-game (Chinese chess) intervention on Alzheimer disease in a Northeast Chinese population. *Frontiers in Aging Neuroscience*. 2015;7. doi:<u>https://doi.org/10.3389/fnagi.2015.00163</u>

11. Adams V, Linke A. Impact of exercise training on cardiovascular disease and risk. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*. 2019;1865(4):728-734. doi:<u>https://doi.org/10.1016/j.bbadis.2018.08.019</u>

12. Nystoriak MA, Bhatnagar A. Cardiovascular Effects and Benefits of Exercise. *Frontiers in Cardiovascular Medicine*. 2018;5(135). doi:<u>https://doi.org/10.3389/fcvm.2018.00135</u>

13. Rigotti NA, Thomas GS, Leaf A. Exercise and Coronary Heart Disease. *Annual Review of Medicine*. 1983;34(1):391-412. doi:<u>https://doi.org/10.1146/annurev.me.34.020183.002135</u>

14. Nasi M, Patrizi G, Pizzi C, et al. The role of physical activity in individuals with cardiovascular risk factors. *Journal of Cardiovascular Medicine*. 2019;20(10):631-639. doi:<u>https://doi.org/10.2459/jcm.00000000000855</u>

15. Pinckard K, Baskin KK, Stanford KI. Effects of Exercise to Improve Cardiovascular Health. *Frontiers in Cardiovascular Medicine*. 2019;6(69). doi:<u>https://doi.org/10.3389/fcvm.2019.00069</u>

16. Al-Mamari A. Atherosclerosis and Physical Activity. *Oman Medical Journal*. Published online July 2009. doi:<u>https://doi.org/10.5001/omj.2009.34</u>

17. Sasaki J. [Exercise therapy for prevention of atherosclerosis]. *Nihon Rinsho Japanese Journal of Clinical Medicine*. 2011;69(1):119-124. Accessed March 18, 2024. <u>https://pubmed.ncbi.nlm.nih.gov/21226271/</u>

18. Yang J, Cao RY, Gao R, Mi Q, Dai Q, Zhu F. Physical Exercise Is a Potential "Medicine" for Atherosclerosis. *Advances in Experimental Medicine and Biology*. 2017;999:269-286. doi:<u>https://doi.org/10.1007/978-981-10-4307-9\_15</u>

19. Porter AK, Schilsky S, Evenson KR, et al. The Association of Sport and Exercise Activities With Cardiovascular Disease Risk: The Atherosclerosis Risk in Communities (ARIC) Study. *Journal of Physical Activity and Health*. 2019;16(9):698-705. doi:https://doi.org/10.1123/jpah.2018-0671

20. Thompson PD, Lim V. Physical activity in the prevention of atherosclerotic coronary heart disease. *Current Treatment Options in Cardiovascular Medicine*. 2003;5(4):279-285. doi:<u>https://doi.org/10.1007/s11936-003-0027-7</u>

21. Sigal RJ, Armstrong MJ, Colby P, et al. Physical Activity and Diabetes. *Canadian Journal of Diabetes*. 2013;37(37):S40-S44. doi:https://doi.org/10.1016/j.jcjd.2013.01.018

22. Trovati M, Carta Q, Cavalot F, et al. Influence of Physical Training on Blood Glucose Control, Glucose Tolerance, Insulin Secretion, and Insulin Action in Non-insulin-dependent Diabetic Patients. *Diabetes Care*. 1984;7(5):416-420. doi:<u>https://doi.org/10.2337/diacare.7.5.416</u>

23. Colberg SR. Physical Activity, Insulin Action, and Diabetes Prevention and Control. *Current Diabetes Reviews*. 2007;3(3):176-184. doi:<u>https://doi.org/10.2174/157339907781368986</u>

24. Kelley DE, Goodpaster BH. Effects of physical activity on insulin action and glucose tolerance in obesity. *Medicine & Science in Sports & Exercise*. 1999;31(Supplement 1):S619. doi:<u>https://doi.org/10.1097/00005768-199911001-00021</u>

25. Van Dam RM, Schuit AJ, Feskens EJM, Seidell JC, Kromhout D. Physical activity and glucose tolerance in elderly men: the Zutphen Elderly study. *Medicine & Science in Sports & Exercise*. 2002;34(7):1132-1136. doi:https://doi.org/10.1097/00005768-200207000-00013

26. Koivisto VA, Yki-Järvinen H, DeFronzo RA. Physical training and insulin sensitivity. *Diabetes* / *Metabolism Reviews*. 1986;1(4):445-481. doi:<u>https://doi.org/10.1002/dmr.5610010407</u>

27. Spelsberg A, Manson JE. Physical activity in the treatment and prevention of diabetes. *Comprehensive Therapy*. 1995;21(10):559-562. Accessed March 18, 2024. https://pubmed.ncbi.nlm.nih.gov/8565423/

28. Michaliszyn SF, Faulkner MS. Physical activity and sedentary behavior in adolescents with type 1 diabetes. *Research in Nursing & Health*. 2010;33(5):441-449. doi:<u>https://doi.org/10.1002/nur.20393</u>

29. Burr JF, Davidson W, Shephard RJ, Eves N. Physical activity in chronic respiratory conditions: assessing risks for physical activity clearance and prescription. *Canadian Family Physician Medecin De Famille Canadien*. 2012;58(7):761-764. Accessed March 18, 2024. https://pubmed.ncbi.nlm.nih.gov/22859640/

30. Morton AR, Fitch KD, Hahn AG. Physical Activity and the Asthmatic. *The Physician and Sportsmedicine*. 1981;9(3):50-64. doi:<u>https://doi.org/10.1080/00913847.1981.11711031</u>

31. Ram F, Robinson S, Black P. Physical training for asthma. *The Cochrane Database of Systematic Reviews*. Published online January 24, 2000. doi:<u>https://doi.org/10.1002/14651858.cd001116</u>

32. Morton AR, Fitch KD. Asthmatic Drugs and Competitive Sport. *Sports Medicine*. 1992;14(4):228-242. doi:<u>https://doi.org/10.2165/00007256-199214040-00002</u>

33. Ford ES, Heath GW, Mannino DM, Redd SC. Leisure-Time Physical Activity Patterns Among US Adults With Asthma\*. *Chest.* 2003;124(2):432-437. doi:<u>https://doi.org/10.1378/chest.124.2.432</u>

34. Coughlin SP. Sport and the asthmatic child: a study of exercise-induced asthma and the resultant handicap. *The Journal of the Royal College of General Practitioners*. 1988;38(311):253-255. Accessed March 18, 2024. <u>https://pubmed.ncbi.nlm.nih.gov/3255810/</u>

35. Watz H, Waschki B, Meyer T, Magnussen H. Physical activity in patients with COPD.EuropeanRespiratoryJournal.2008;33(2):262-272.doi:https://doi.org/10.1183/09031936.00024608

36. Garcia-Aymerich J, Serra I, Gómez FP, et al. Physical Activity and Clinical and Functional Status in COPD. *Chest*. 2009;136(1):62-70. doi:<u>https://doi.org/10.1378/chest.08-2532</u>

37. Nolan CM, Rochester CL. Exercise Training Modalities for People with Chronic Obstructive Pulmonary Disease. *COPD: Journal of Chronic Obstructive Pulmonary Disease*. 2019;16(5-6):1-12. doi:https://doi.org/10.1080/15412555.2019.1637834

38. Morris NR, Hill K, Walsh J, Sabapathy S. Exercise & Sports Science Australia (ESSA) position statement on exercise and chronic obstructive pulmonary disease. *Journal of Science and Medicine in Sport*. 2020;24(1). doi:<u>https://doi.org/10.1016/j.jsams.2020.08.007</u>

39. Garcia-Aymerich J, Pitta F. Promoting Regular Physical Activity in Pulmonary Rehabilitation. *Clinics in Chest Medicine*. 2014;35(2):363-368. doi:<u>https://doi.org/10.1016/j.ccm.2014.02.011</u>

40. Troosters T, Blondeel A, Rodrigues FM, Janssens W, Demeyer H. Strategies to Increase Physical Activity in Chronic Respiratory Diseases. *Clinics in Chest Medicine*. 2019;40(2):397-404. doi:<u>https://doi.org/10.1016/j.ccm.2019.02.017</u>

41. Troosters T, van der Molen T, Polkey M, et al. Improving physical activity in COPD: towards a new paradigm. *Respiratory Research*. 2013;14(1):115. doi:<u>https://doi.org/10.1186/1465-9921-14-115</u>

42. Pritzker KPH, Kessler MJ. Diseases of the Musculoskeletal System. *Elsevier eBooks*. Published online January 1, 1998:415-459. doi:<u>https://doi.org/10.1016/b978-012088665-4/50013-0</u>

43. Kelsey JL, Hochberg MC. Epidemiology of Chronic Musculoskeletal Disorders. *Annual Review of Public Health*. 1988;9(1):379-401. doi:<u>https://doi.org/10.1146/annurev.pu.09.050188.002115</u>

44. Briggs AM, Cross MJ, Hoy DG, et al. Musculoskeletal Health Conditions Represent a Global Threat to Healthy Aging: A Report for the 2015 World Health Organization World Report on Ageing and Health. *The Gerontologist*. 2016;56(Suppl 2):S243-S255. doi:<u>https://doi.org/10.1093/geront/gnw002</u>

45. Callahan LF. Physical activity programs for chronic arthritis. *Current Opinion in Rheumatology*. 2009;21(2):177-182. doi:<u>https://doi.org/10.1097/bor.0b013e328324f8a8</u>

46. Rochette E, Duché P, Merlin E. Juvenile idiopathic arthritis and physical activity: Possible inflammatory and immune modulation and tracks for interventions in young populations. *Autoimmunity Reviews*. 2015;14(8):726-734. doi:<u>https://doi.org/10.1016/j.autrev.2015.04.007</u>

47. Ettinger WH. Physical Activity, Arthritis, and Disability in Older People. *Clinics in Geriatric Medicine*. 1998;14(3):633-640. doi:<u>https://doi.org/10.1016/s0749-0690(18)30109-5</u>

48. Shih M, Hootman JM, Kruger J, Helmick CG. Physical Activity in Men and Women with Arthritis. *American Journal of Preventive Medicine*. 2006;30(5):385-393. doi:<u>https://doi.org/10.1016/j.amepre.2005.12.005</u>

49. Verhoeven F, Tordi N, Prati C, Demougeot C, Mougin F, Wendling D. Physical activity in patients with rheumatoid arthritis. *Joint, bone, spine : revue du rhumatisme*. 2016;83(3):265-270. doi:<u>https://doi.org/10.1016/j.jbspin.2015.10.002</u>

50. Perpignano G, Bogliolo A, Mela Q, Demontis L, Pilia A. [Physical activity and osteoporosis]. *La Clinica Terapeutica*. 1993;142(3):201-206. Accessed March 18, 2024. https://www.ncbi.nlm.nih.gov/pubmed/8482058

51. McMillan L, Zengin A, Ebeling P, Scott D. Prescribing Physical Activity for the Prevention and Treatment of Osteoporosis in Older Adults. *Healthcare*. 2017;5(4):85. doi:<u>https://doi.org/10.3390/healthcare5040085</u>

52. Castrogiovanni P, Trovato FM, Szychlinska MA, Nsir H, Imbesi R, Musumeci G. The importance of physical activity in osteoporosis. From the molecular pathways to the clinical evidence. *Histology and Histopathology*. 2016;31(11):1183-1194. doi:https://doi.org/10.14670/HH-11-793

53. Murri A, Moretti E, Tranchita E, et al. The effectiveness of home-based physical activity on osteoporosis: a narrative review of possible intervention. *Medicina dello Sport*. 2021;74(3). doi:<u>https://doi.org/10.23736/s0025-7826.21.04015-1</u>

54. Carmeli E. Physical Activity Reduces Stress and Anxiety. *Journal of Aging Science*. 2014;02(01). doi:<u>https://doi.org/10.4172/2329-8847.1000e108</u>

55. D'Alessio L, Korman GP, Sarudiansky M, et al. Reducing Allostatic Load in Depression and Anxiety Disorders: Physical Activity and Yoga Practice as Add-On Therapies. *Frontiers in Psychiatry*. 2020;11. doi:<u>https://doi.org/10.3389/fpsyt.2020.00501</u>

56. Guszkowska M. Effects of exercise on anxiety, depression and mood. *Psychiatria polska*. 2004;38(4):611-620. <u>https://www.ncbi.nlm.nih.gov/pubmed/15518309</u>

57. Kandola A, Vancampfort D, Herring M, et al. Moving to Beat Anxiety: Epidemiology and Therapeutic Issues with Physical Activity for Anxiety. *Current Psychiatry Reports*. 2018;20(8). doi:<u>https://doi.org/10.1007/s11920-018-0923-x</u>

58. McDermott AY, Mernitz H. Exercise and older patients: prescribing guidelines. *American Family Physician*. 2006;74(3):437-444. <u>https://pubmed.ncbi.nlm.nih.gov/16913163/</u>

59. Mendes R, Sousa N, Almeida A, et al. Exercise prescription for patients with type 2 diabetes—a synthesis of international recommendations: narrative review: Table 1. *British Journal of Sports Medicine*. 2015;50(22):1379-1381. doi:<u>https://doi.org/10.1136/bjsports-2015-094895</u>

60. Wong AYY, Man GCW, Wu YM, Wong HW, Ong MTY, Yung PSH. Risk of surgery and epidemiological profile of athletes presenting to a single sports injury clinic in Hong Kong. *Journal of Orthopaedics, Trauma and Rehabilitation*. 2022;29(1):221049172210823. doi:<u>https://doi.org/10.1177/22104917221082314</u>

61. Olesen JL, Johannsen F. [Medical risks in extreme sports]. Ugeskrift for Laeger.2019;181(8):V11180786.AccessedMarch18,2024.https://www.ncbi.nlm.nih.gov/pubmed/30821239

62. Grosset-Janin A, Nicolas X, Saraux A. Sport and infectious risk: A systematic review of the literature over 20 years. *Médecine et Maladies Infectieuses*. 2012;42(11):533-544. doi:<u>https://doi.org/10.1016/j.medmal.2012.10.002</u>

63. Müller-Nordhorn J, Willich SN. Herz–Kreislauf–Risiken des Sports. *Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz*. 2005;48(8):922-926. doi:<u>https://doi.org/10.1007/s00103-005-1109-3</u>

64. Leeka J, Schwartz BG, Kloner RA. Sporting Events Affect Spectators' Cardiovascular Mortality: It Is Not Just a Game. *The American Journal of Medicine*. 2010;123(11):972-977. doi:<u>https://doi.org/10.1016/j.amjmed.2010.03.026</u>

65. Maron BJ. Cardiovascular Risks to Young Persons on the Athletic Field. *Annals of Internal Medicine*. 1998;129(5):379. doi:<u>https://doi.org/10.7326/0003-4819-129-5-199809010-00006</u>

66. Hohendorff J, Ucieklak D, Skupien J, et al. Risk factors of hypoglycaemia in type 1 diabetes individuals during intensive sport exercise—Data from the SPORTGIVECHANCE event. *International Journal of Clinical Practice*. 2019;73(11). doi:https://doi.org/10.1111/ijcp.13411

67. Koepp P. Juvenile diabetics and sport. Aims, possibilities and limits. *Monatsschrift Fur Kinderheilkunde*. 1977;125(9):809-811. Accessed March 18, 2024. https://pubmed.ncbi.nlm.nih.gov/333276/

68. Shugart C, Jackson J, Fields KB. Diabetes in Sports. *Sports Health: A Multidisciplinary Approach*. 2009;2(1):29-38. doi:<u>https://doi.org/10.1177/1941738109347974</u>

69. Draznin MB. Type 1 Diabetes and Sports Participation. *The Physician and Sportsmedicine*. 2000;28(12):49-56. doi:<u>https://doi.org/10.1080/00913847.2000.11439609</u>

70. Kemper P. Asthma bronchiale und Sport - Risiko und Chance. *Pneumologie*. 2008;62(06):367-371. doi:<u>https://doi.org/10.1055/s-2008-1038188</u>

71. Kippelen P, Friemel F, Godard P. [Asthma in athletes]. Revue Des Maladies Respiratoires.2003;20(3Pt1):385-397.AccessedMarch18,2024.https://www.ncbi.nlm.nih.gov/pubmed/12910113

72. Carlsen KH, Hem E, Stensrud T. Asthma in adolescent athletes. *British Journal of Sports Medicine*. 2011;45(16):1266-1271. doi:<u>https://doi.org/10.1136/bjsports-2011-090591</u>

73. Lang DM. Asthma Deaths and the Athlete. *Clinical Reviews in Allergy & Immunology*. 2005;29(2):125-130. doi:<u>https://doi.org/10.1385/criai:29:2:125</u>

74. Saxon L, Finch C, Bass S. Sports Participation, Sports Injuries and Osteoarthritis. *Sports Medicine*. 1999;28(2):123-135. doi:<u>https://doi.org/10.2165/00007256-199928020-00005</u>

75. Lequesne MG, Dang N, Lane NE. Sport practice and osteoarthritis of the limbs. *Osteoarthritis and Cartilage*. 1997;5(2):75-86. doi:<u>https://doi.org/10.1016/S1063-4584(97)80001-5</u>